



# ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)




Kay Ivey  
Governor

John R. Cooper  
Transportation Director

August 27, 2020

## **MEMORANDUM**

To: All Proposal Holders

From: Bryan E. Nichols  
Assistant Bureau Chief 

Subject: IM-I020(356), ETC  
Jefferson County  
August 28, 2020 Letting

We are faxing the Revised Proposal Sheet Nos. 1-4, deleting Item 731A-000 and adding Item 731A-001.

Prospective bidders are advised to download the amended .ebs files from the ALDOT website or the Bid Express website.

**\*\*\*\*\*IT IS MANDANTORY THAT WE RECEIVE CONFIRMATION OF RECEIPT OF THIS FAX AS SOON AS YOU GET THIS, WHETHER YOU INTEND TO BID OR NOT.**

**\*\*\*VERY IMPORTANT: Please fax to 334-264-7976 or e-mail to [simsm@dot.state.al.us](mailto:simsm@dot.state.al.us) OR [stovallj@dot.state.al.us](mailto:stovallj@dot.state.al.us)**

**\*\*\*\*PLEASE CONFIRM RECEIPT OF THIS FAX BY SIGNING AND FAXING BACK WITH \*\*NAME OF COMPANY:**

---

BEN:jss  
Attachment

Mr. DeJarvis Leonard, P.E.

Mr. Winston Powe, P.E.



Schedule of Items

REVISED: 8/27/2020

CONTRACT ID: 20200828012 PROJECT(S): IM-I020(356) & IM-I020(357)

THE FOLLOWING ITEMS SHALL BE IN ACCORDANCE WITH THE ALABAMA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, 2018 EDITION, EXCEPT AS MODIFIED BY SPECIAL PROVISIONS HERETO ATTACHED.

| Proposal Line Number | Item ID Description   | Approximate Quantity and Units | Unit Price |       | Bid Amount |       |
|----------------------|---|--------------------------------|------------|-------|------------|-------|
|                      |   |                                | Dollars    | Cents | Dollars    | Cents |
| <b>SECTION: 0001</b> |   | Total                          |            |       |            |       |
| 0010                 | 201C000<br>Clearing   | LUMP SUM                       | LUMP SUM   |       |            |       |
| 0020                 | 206D001<br>Removing Guardrail   | 775.000<br>LF                  |            |       |            |       |
| 0030                 | 206E008<br>Removing Guardrail End Anchor (All Type)   | 13.000<br>Each                 |            |       |            |       |
| 0040                 | 210D001<br>Borrow Excavation (Loose Truckbed Measurement)   | 650.000<br>CUYD                |            |       |            |       |
| 0050                 | 405A000<br>Tack Coat  | 129,172.000<br>Gal             |            |       |            |       |
| 0060                 | 407B000<br>Joint Sealant For Hot Mix Asphalt Pavement   | 32.000<br>Mile                 |            |       |            |       |
| 0070                 | 408A053<br>Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)                                      | 383,140.000<br>SQYD            |            |       |            |       |
| 0075                 | 408B000<br>Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)                               | 405,665.000<br>SQYD            |            |       |            |       |
| 0080                 | 408B001<br>Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)                               | 172,584.000<br>SQYD            |            |       |            |       |
| 0090                 | 410H000<br>Material Remixing Device   | 1.000<br>Each                  |            |       |            |       |
| 0100                 | 410I000<br>Smoothness Testing, Certified Inertial Profiler  | 1.000<br>Each                  |            |       |            |       |
| 0110                 | 420A015<br>Polymer Modified Open Graded Friction Course   | 18,086.000<br>Ton              |            |       |            |       |
| 0120                 | 420B000<br>Open Graded Friction Course Tack Coat  | 72,336.000<br>Gal              |            |       |            |       |
| 0130                 | 423A003<br>Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size                                      | 25,865.000<br>Ton              |            |       |            |       |
| 0140                 | 423B002<br>Stone Matrix Asphalt Binder Layer, 3/4" Maximum Aggregate Size                                       | 32,570.000<br>Ton              |            |       |            |       |
| 0150                 | 424A360<br>Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D | 15,954.000<br>Ton              |            |       |            |       |



Schedule of Items

REVISED: 8/27/2020

CONTRACT ID: 20200828012 PROJECT(S): IM-I020(356) & IM-I020(357)

THE FOLLOWING ITEMS SHALL BE IN ACCORDANCE WITH THE ALABAMA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, 2018 EDITION, EXCEPT AS MODIFIED BY SPECIAL PROVISIONS HERETO ATTACHED.

| Proposal Line Number | Item ID Description  | Approximate Quantity and Units | Unit Price |       | Bid Amount |       |
|----------------------|--|--------------------------------|------------|-------|------------|-------|
|                      |  |                                | Dollars    | Cents | Dollars    | Cents |
| 0160                 | 424B584<br>Superpave Bituminous Concrete Lower Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL E | 4,500.000<br>Ton               |            |       |            |       |
| 0170                 | 424B588<br>Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL E | 3,733.000<br>Ton               |            |       |            |       |
| 0190                 | 428A001<br>Scoring Bituminous Pavement Surface   | 32.000<br>Mile                 |            |       |            |       |
| 0200                 | 430B043<br>Aggregate Surfacing (1" Down, Crusher Run)  | 1,528.000<br>Ton               |            |       |            |       |
| 0210                 | 534A000<br>Cleaning Pipe Underdrain Outlets  | 210.000<br>Each                |            |       |            |       |
| 0220                 | 600A000<br>Mobilization  | LUMP SUM                       | LUMP SUM   |       |            |       |
| 0230                 | 630A001<br>Steel Beam Guardrail, Class A, Type 2   | 775.000<br>LF                  |            |       |            |       |
| 0240                 | 630C001<br>Guardrail End Anchor, Type 8  | 3.000<br>Each                  |            |       |            |       |
| 0250                 | 630C003<br>Guardrail End Anchor, Type 13   | 2.000<br>Each                  |            |       |            |       |
| 0260                 | 630C080<br>Guardrail End Anchor, Type 20 Series (MASH)   | 8.000<br>Each                  |            |       |            |       |
| 0270                 | 650A000<br>Topsoil   | 260.000<br>CUYD                |            |       |            |       |
| 0280                 | 654A000<br>Solid Sodding   | 975.000<br>SQYD                |            |       |            |       |
| 0290                 | 665G000<br>Sand Bags   | 800.000<br>Each                |            |       |            |       |
| 0300                 | 665J002<br>Silt Fence  | 1,000.000<br>LF                |            |       |            |       |
| 0310                 | 665O001<br>Silt Fence Removal  | 1,000.000<br>LF                |            |       |            |       |
| 0320                 | 665Q002<br>Wattle  | 1,000.000<br>LF                |            |       |            |       |
| 0330                 | 680A001<br>Geometric Controls  | LUMP SUM                       | LUMP SUM   |       |            |       |
| 0340                 | 698A000<br>Construction Fuel (Maximum Bid Limited to \$ 765,500.00)  | LUMP SUM                       | LUMP SUM   |       |            |       |



Schedule of Items

REVISED: 8/27/2020

CONTRACT ID: 20200828012 PROJECT(S): IM-I020(356) & IM-I020(357)

THE FOLLOWING ITEMS SHALL BE IN ACCORDANCE WITH THE ALABAMA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, 2018 EDITION, EXCEPT AS MODIFIED BY SPECIAL PROVISIONS HERETO ATTACHED.

| Proposal Line Number | Item ID Description  | Approximate Quantity and Units | Unit Price |       | Bid Amount |       |
|----------------------|--|--------------------------------|------------|-------|------------|-------|
|                      |  |                                | Dollars    | Cents | Dollars    | Cents |
| 0342                 | 701A076<br>Solid White, Class 2T, Type A Traffic Stripe (5" Wide)  | 29.000<br>Mile                 |            |       |            |       |
| 0345                 | 701A077<br>Solid Yellow, Class 2T, Type A Traffic Stripe (5" Wide) | 27.000<br>Mile                 |            |       |            |       |
| 0348                 | 701A078<br>Broken White, Class 2T, Type A Traffic Stripe (5" Wide) | 48.000<br>Mile                 |            |       |            |       |
| 0350                 | 701A227<br>Solid White, Class 2, Type A Traffic Stripe (5" Wide)   | 18.000<br>Mile                 |            |       |            |       |
| 0360                 | 701A230<br>Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)  | 18.000<br>Mile                 |            |       |            |       |
| 0370                 | 701A239<br>Broken White, Class 2, Type A Traffic Stripe (5" Wide)  | 33.000<br>Mile                 |            |       |            |       |
| 0375                 | 701B009<br>Dotted, Class 2T, Type A Traffic Stripe (5" Wide)       | 15,505.000<br>LF               |            |       |            |       |
| 0380                 | 701B207<br>Dotted, Class 2, Type A Traffic Stripe (5" Wide)        | 10,336.000<br>LF               |            |       |            |       |
| 0390                 | 701C000<br>Broken Temporary Traffic Stripe                         | 127.000<br>Mile                |            |       |            |       |
| 0400                 | 701C001<br>Solid Temporary Traffic Stripe                          | 147.000<br>Mile                |            |       |            |       |
| 0410                 | 703A002<br>Traffic Control Markings, Class 2, Type A               | 6,720.000<br>SQFT              |            |       |            |       |
| 0420                 | 703B002<br>Traffic Control Legends, Class 2, Type A                | 369.000<br>SQFT                |            |       |            |       |
| 0430                 | 703D001<br>Temporary Traffic Control Markings                      | 880.000<br>SQFT                |            |       |            |       |
| 0440                 | 705A030<br>Pavement Markers, Class A-H, Type 2-C                   | 4,757.000<br>Each              |            |       |            |       |
| 0450                 | 705A031<br>Pavement Markers, Class A-H, Type 1-A                   | 1,241.000<br>Each              |            |       |            |       |
| 0460                 | 705A032<br>Pavement Markers, Class A-H, Type 1-B                   | 347.000<br>Each                |            |       |            |       |
| 0470                 | 707G000<br>Barrier Rail Mounted Delineator (Mono-Directional)      | 1,650.000<br>Each              |            |       |            |       |
| 0480                 | 730H001<br>Loop Wire   | 1,200.000<br>LF                |            |       |            |       |
| 0495                 | 731A001<br>Traffic Counting Units, Type B                          | 2.000<br>Each                  |            |       |            |       |



Schedule of Items

REVISED: 8/27/2020

CONTRACT ID: 20200828012 PROJECT(S): IM-I020(356) & IM-I020(357)

THE FOLLOWING ITEMS SHALL BE IN ACCORDANCE WITH THE ALABAMA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS, 2018 EDITION, EXCEPT AS MODIFIED BY SPECIAL PROVISIONS HERETO ATTACHED.

| Proposal Line Number | Item ID Description  | Approximate Quantity and Units | Unit Price        |       | Bid Amount |       |
|----------------------|--|--------------------------------|-------------------|-------|------------|-------|
|                      |  |                                | Dollars           | Cents | Dollars    | Cents |
| 0500                 | 731B000<br>Pole for Mounting Traffic Detection Equipment   | 1.000<br>Each                  |                   |       |            |       |
| 0510                 | 740B000<br>Construction Signs                              | 5,203.000<br>SQFT              |                   |       |            |       |
| 0520                 | 740C000<br>Special Construction Signs                      | 126.000<br>SQFT                |                   |       |            |       |
| 0530                 | 740D000<br>Channelizing Drums                              | 650.000<br>Each                |                   |       |            |       |
| 0540                 | 741C010<br>Portable Sequential Arrow And Chevron Sign Unit | 4.000<br>Each                  |                   |       |            |       |
| 0550                 | 742A001<br>Portable Changeable Message Sign, Type 2        | 4.000<br>Each                  |                   |       |            |       |
| <b>Section: 0001</b> |  |                                | <b>Total:</b>     |       |            |       |
|                      |  |                                | <b>Total Bid:</b> |       |            |       |

For Information Only  
Not to Be Used  
For Submission of Bid