



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 1
104A000M	LS	Value Engineering Proposal	
105A000M	LS	STATE MAINTENANCE COST	
107A000M	LS	Preliminary Engineering	
107A001M	LS	Preliminary Engineering	
107B000M	LS	Right of Way	
107B001M	LS	Right of Way	
107B002M	LS	Right of Way	
107C000M	LS	Utilities	
107C001M	LS	Utilities	
107C002M	LS	Utilities	
107C003M	LS	Utilities	
107C004M	LS	Utilities	
107C005M	LS	Utilities	
107C006M	LS	Utilities	
107C007M	LS	Utilities	
107C008M	LS	Utilities	
107C009M	LS	Utilities	
107D000M	LS	Railroad	
107D001M	LS	Railroad	
107D002M	LS	Railroad	
107D003M	LS	Railroad	
107D004M	LS	Railroad	
107E000M	LS	Federal Participating	
107E001M	LS	Federal Participating	
107F000M	Each	Non-Federal Participating	
107G000M	LS	Wetland Mitigation	
107H000M	LS	Contingency to Construction Overrun	
107I000M	LS	Indirect Cost	
107J000M	LS	Indirect Cost (Utilities)	
107K000M	LS	Additional Cost	
107L000M	LS	Salvage Credit	
107M000M	Each	State Furnished Items	
109A000M	LS	FORCE ACCOUNT	
109B000M	LS	Unused Materials	
109C001M	LS	Alternative Technical Concept No. 1,	
109C002M	LS	Alternative Technical Concept No. 2,	
109C003M	LS	Alternative Technical Concept No. 3,	
109C004M	LS	Alternative Technical Concept No. 4,	
109C005M	LS	Alternative Technical Concept No. 5,	
109C006M	LS	Alternative Technical Concept No. 6,	
109C007M	LS	Alternative Technical Concept No. 7,	
109C008M	LS	Alternative Technical Concept No. 8,	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 2
109C009M	LS	Alternative Technical Concept No. 9,	
109C010M	LS	Alternative Technical Concept No. 10,	
110A000M	LS	Claim Settlement	
110B000M	LS	Reimbursement of Claims Appeal Board Expenses	
201A002M	LS	Clearing And Grubbing (Maximum Allowable Bid \$	
201B001M	HA	Selective Clearing	
201C000M	LS	Clearing	
204A000M	Each	Closing Water Well	
205A001M	Each	Removal Of Structures, Structure No.	
205A002M	Each	Removal Of Structures, Structure No.	
205A003M	Each	Removal Of Structures, Structure No.	
205A004M	Each	Removal Of Structures, Structure No.	
205A005M	Each	Removal Of Structures, Structure No.	
205A006M	Each	Removal Of Structures, Structure No.	
205A007M	Each	Removal Of Structures, Structure No.	
205A008M	Each	Removal Of Structures, Structure No.	
205A009M	Each	Removal Of Structures, Structure No.	
205A010M	Each	Removal Of Structures, Structure No.	
205A011M	Each	Removal Of Structures, Structure No.	
205A012M	Each	Removal Of Structures, Structure No.	
205A013M	Each	Removal Of Structures, Structure No.	
205A014M	Each	Removal Of Structures, Structure No.	
205A015M	Each	Removal Of Structures, Structure No.	
205A016M	Each	Removal Of Structures, Structure No.	
205A017M	Each	Removal Of Structures, Structure No.	
205A018M	Each	Removal Of Structures, Structure No.	
205A019M	Each	Removal Of Structures, Structure No.	
205A020M	Each	Removal Of Structures, Structure No.	
205A021M	Each	Removal Of Structures, Structure No.	
205A022M	Each	Removal Of Structures, Structure No.	
205A023M	Each	Removal Of Structures, Structure No.	
205A024M	Each	Removal Of Structures, Structure No.	
205A025M	Each	Removal Of Structures, Structure No.	
205A026M	Each	Removal Of Structures, Structure No.	
205A027M	Each	Removal Of Structures, Structure No.	
205A028M	Each	Removal Of Structures, Structure No.	
205A029M	Each	Removal Of Structures, Structure No.	
205A030M	Each	Removal Of Structures, Structure No.	
205A031M	Each	Removal Of Structures, Structure No.	
205A032M	Each	Removal Of Structures, Structure No.	
205A033M	Each	Removal Of Structures, Structure No.	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 3
205A034M	Each	Removal Of Structures, Structure No.	
205A035M	Each	Removal Of Structures, Structure No.	
205A036M	Each	Removal Of Structures, Structure No.	
205A037M	Each	Removal Of Structures, Structure No.	
205A038M	Each	Removal Of Structures, Structure No.	
205A039M	Each	Removal Of Structures, Structure No.	
205A040M	Each	Removal Of Structures, Structure No.	
205A041M	Each	Removal Of Structures, Structure No.	
205A042M	Each	Removal Of Structures, Structure No.	
205A043M	Each	Removal Of Structures, Structure No.	
205A044M	Each	Removal Of Structures, Structure No.	
205A045M	Each	Removal Of Structures, Structure No.	
205B001M	Each	Relocation Of Structures, Structure No.	
205B002M	Each	Relocation Of Structures, Structure No.	
205B003M	Each	Relocation Of Structures, Structure No.	
205B004M	Each	Relocation Of Structures, Structure No.	
205B005M	Each	Relocation Of Structures, Structure No.	
205B006M	Each	Relocation Of Structures, Structure No.	
206A000M	LS	Removal Of Old Bridge, Station	
206A001M	LS	Removal Of Old Bridge, Station	
206A002M	LS	Removal Of Old Bridge, Station	
206A003M	LS	Removal Of Old Bridge, Station	
206A004M	LS	Removal Of Old Bridge, Station	
206A005M	LS	Removal Of Old Bridge, Station	
206A006M	LS	Removal Of Old Bridge, Station	
206A007M	LS	Removal Of Old Bridge, Station	
206A008M	LS	Removal Of Old Bridge, Station	
206A009M	LS	Removal Of Old Bridge	
206A010M	LS	Removal Of Old Bridge	
206A011M	LS	Removal Of Old Bridge	
206A012M	LS	Removal Of Old Bridge	
206A013M	LS	Removal Of Old Bridge	
206A014M	LS	Removal Of Old Bridge	
206A050M	LS	Removal Of Old Bridge, Partial, Station	
206A051M	LS	Removal Of Old Bridge, Partial, Station	
206A052M	LS	Removal Of Old Bridge, Partial, Station	
206A053M	LS	Removal Of Old Bridge, Partial, Station	
206A054M	LS	Removal Of Old Bridge, Partial, Station	
206A055M	LS	Removal Of Old Bridge, Partial, Station	
206A056M	LS	Removal Of Old Bridge, Partial, Station	
206A057M	LS	Removal Of Old Bridge, Partial, Station	
206A058M	LS	Removal Of Old Bridge, Partial, Station	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 4
206A059M	LS	Removal Of Old Bridge, Partial, Station	
206A060M	LS	Removal Of Old Bridge, Partial, Station	
206A061M	LS	Removal Of Old Bridge, Partial, Station	
206A062M	LS	Removal Of Old Bridge, Partial, Station	
206A063M	LS	Removal Of Old Bridge, Partial, Station	
206A064M	LS	Removal Of Old Bridge	
206A065M	LS	Removal Of Old Bridge	
206B000M	LS	Removal Of Old Box Culvert, Station	
206B001M	LS	Removal Of Old Box Culvert, Station	
206B002M	LS	Removal Of Old Box Culvert, Station	
206B003M	LS	Removal Of Old Box Culvert, Station	
206B004M	LS	Removal Of Old Box Culvert, Station	
206B005M	LS	Removal Of Old Box Culvert, Station	
206B006M	LS	Removal Of Old Box Culvert, Station	
206B007M	LS	Removal Of Old Box Culvert, Station	
206B008M	LS	Removal Of Old Box Culvert, Station	
206B009M	LS	Removal Of Old Box Culvert, Partial, Station	
206B010M	LS	Removal Of Old Box Culvert, Partial, Station	
206B011M	LS	Removal Of Old Box Culvert, Partial, Station	
206B012M	LS	Removal Of Old Box Culvert	
206B013M	LS	Removal Of Old Box Culvert	
206B014M	LS	Removal Of Old Box Culvert	
206C000M	SQ M	Removing Concrete Sidewalk	
206C001M	SQ M	Removing Concrete Pavement	
206C002M	SQ M	Removing Concrete Slope Paving	
206C003M	SQ M	Removing Concrete Flumes	
206C004M	SQ M	Removing Concrete Crosswalk	
206C005M	SQ M	Removing Plain Concrete Base	
206C006M	SQ M	Removing Reinforced Concrete Base	
206C007M	SQ M	Removing Concrete Pavement And Concrete Bases	
206C008M	SQ M	Removing Concrete Median	
206C010M	SQ M	Removing Concrete Driveway	
206C011M	SQ M	Removing Concrete Platform	
206C012M	SQ M	Removing Bridge Deck (Partial Only)	
206C013M	SQ M	Removing Bridge End Slab	
206C014M	SQ M	Removing Bridge End Slab (Partial)	
206C015M	SQ M	Removing Concrete Foundation Slab	
206C016M	SQ M	Removing Concrete Slope Paving (Under Bridges)	
206C017M	SQ M	Removing Concrete Pad	
206C018M	SQ M	Removing Asphalt Sidewalk	
206C021M	SQ M	Removing Concrete Steps	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 5
206C022M	SQ M	Removing Concrete Slab	
206C023M	SQ M	Removing Riprap	
206C025M	SQ M	Removing Bituminous Pavement On Concrete Surfaces	
206C026M	SQ M	Removing Temporary Asphalt Pavement	
206C027M	SQ M	Removing Brick Pavement	
206D000M	M	Removing Pipe	
206D001M	M	Removing Guardrail	
206D002M	M	Removing Curb	
206D003M	M	Removing Curb And Gutter	
206D004M	M	Removing Railroad Tracks	
206D005M	M	Removing Gutter	
206D006M	M	Removing Industrial Fence	
206D007M	M	Removing Concrete Flume	
206D008M	M	Removing Retaining Wall	
206D009M	M	Removing New Jersey Barrier Rail	
206D010M	M	Removing Safety Barrier	
206D011M	M	Removing Fence	
206D012M	M	Removing Rock Culvert	
206D013M	M	Removing Timber Bulkhead	
206D014M	M	Removing Loose Bridge Joint Angle	
206D016M	M	Removing Existing Bridge Handrail	
206D018M	M	Removing Steel Barrier Rail (Including Steel Post)	
206D020M	M	Removing Concrete Pavement Lug	
206D021M	M	Removing Stone Masonry Guardwall	
206D022M	M	Removing Retaining Wall	
206D025M	M	Removing Steel Piling Encasements	
206D026M	M	Removing Permanent Concrete Sheet Piling And Cap	
206D028M	M	Removing Steel Sheet Piling	
206D030M	M	Removing Utility Lines	
206D033M	M	Removing Cable Guiderail	
206E000M	Each	Removing Headwalls	
206E001M	Each	Removing Inlets	
206E002M	Each	Removing Junction Boxes	
206E003M	Each	Removing Manholes	
206E004M	Each	Removing Concrete Abutment	
206E005M	Each	Removing Concrete Posts	
206E006M	Each	Removing Trees	
206E008M	Each	Removing Guardrail End Anchor (All Type)	
206E009M	Each	Removing Precast Concrete Traffic Dividers	
206E010M	Each	Removing Guardrail End Anchor (Type 2-B)	
206E011M	Each	Removing Guardrail End Anchor (Type 3)	
206E013M	Each	Removing Guardrail End Anchor (Type 13)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 6
206E014M	Each	Removing Guardrail End Anchor (Type 2A)	
206E015M	Each	Removing Guardrail End Anchor (Type 21)	
206E016M	Each	Removing Guardrail End Anchor (Type 8)	
206E017M	Each	Removing Guardrail End Anchor (Type 9)	
206E018M	Each	Removing Concrete Pedestal	
206E019M	Each	Removing Guardrail End Anchor (Type 10)	
206E020M	Each	Removing Existing Overhead Sign Structure	
206E021M	Each	Removing Brick Signs	
206E022M	Each	Removing Metal Pole With Light	
206E024M	Each	Removing Guardrail End Anchor (Type 10A)	
206E027M	Each	Removing Guardrail End Anchor (Type 10 Series)	
206E032M	Each	Removing Type III Barricades	
206E033M	Each	Removing Permanent Barricade	
206E035M	Each	Removing Concrete Picnic Tables	
206E036M	Each	Removing Brick Planter	
206E039M	Each	Removing Mailboxes (Including Reset With a New 50 mm Metal Or 100 mm Timber Post)	
206E040M	Each	Removing Safety Barrier End Section	
206E041M	Each	Removing Impact Attenuators	
206E042M	Each	Removing Inlets (Partial)	
206E043M	Each	Removing Raised Pavement Markers	
206E046M	Each	Removing Light Standard Base	
206E048M	Each	Removing Signal Detector	
206E050M	Each	Removing Slope Paved Headwall	
206E051M	Each	Removing Stilling Basin (Partial)	
206E052M	Each	Removing Stilling Basin	
206E053M	Each	Removing Luminaire Assembly	
206E058M	Each	Removing Tree (Less Than 5 Inch)	
206E059M	Each	Removing Tree (5 Inch Or Larger)	
206E060M	Each	Removing Tree (Less Than 200 mm)	
206E061M	Each	Removing Tree (200 - 450 mm)	
206E062M	Each	Removing Tree (451 - 900 mm)	
206E063M	Each	Removing Tree (901 mm or Larger)	
206E064M	Each	Removing Stump (Less Than 200 mm)	
206E065M	Each	Removing Stump (200 - 450 mm)	
206E066M	Each	Removing Stump (451 - 900 mm)	
206E067M	Each	Removing Stump (901 mm or Larger)	
206E068M	Each	Removing Concrete Pavement Lug (Partial)	
206E070M	Each	Removing Sanitary Dumping Bay	
206E073M	Each	Removal of Water Meter and Box	
206E074M	Each	Removal of Valve Box	
206E080M	Each	Removing Existing Bollard (All Types)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 7
206E082M	Each	Removing Flexible Delineator Post with Base	
206F001M	LS	Removal And Disposal Of Sewerage Lagoon	
206G002M	LS	Removal of Rubble	
208A000M	Each	Removal And Reinterment Of Grave	
208B000M	Each	Removal And Reinterment Of Grave At Designated Site	
209A000M	Each	Mailbox Reset, Single	
209A001M	Each	Mailbox Reset, Double	
209A002M	Each	Mailbox Reset, Multiple	
210A000M	CU M	Unclassified Excavation	
210A001M	CU M	Unclassified Excavation (Special Undercutting)	
210A002M	CU M	Unclassified Excavation (Saturated Soil)	
210B000M	CU M	Channel Excavation	
210B001M	CU M	Channel Excavation (Loose Truckbed Measurement)	
210C000M	CU M	Muck Excavation	
210D000M	CU M	Borrow Excavation	
210D001M	CU M	Borrow Excavation (Loose Truckbed Measurement)	
210D009M	CU M	Borrow Excavation (A-3)	
210D010M	CU M	Borrow Excavation (A-2 Or Better)	
210D011M	CU M	Borrow Excavation (A-4 Or Better)	
210D012M	CU M	Borrow Excavation (A-2-4(0) Or A-4(0))	
210D013M	CU M	Borrow Excavation (A-4(0) Or Better)	
210D014M	CU M	Borrow Excavation (A-4)	
210D015M	CU M	Borrow Excavation (A-4) (Loose Truckbed Measurement)	
210D020M	CU M	Borrow Excavation (Loose Truckbed Measurement) (A-2 Or Better)	
210D021M	CU M	Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)	
210D022M	CU M	Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0))	
210D023M	CU M	Borrow Excavation (Loose Truckbed Measurement)(A-4(0) Or Better)	
210D024M	CU M	Borrow Excavation (A-3 Or Better) Loose Truckbed Measure	
210D025M	CU M	Borrow Excavation (Improved Roadbed)	
210D100M	CU M	Borrow Excavation (Measured Complete In Place)	
210D101M	CU M	Borrow Excavation (Sand Fill, Complete In Place)	
210E000M	CU M	Borrow Excavation (Underwater Backfill)	
210E001M	CU M	Borrow Excavation (Underwater Embankment)	
210F000M	MTON	Borrow Excavation (Underwater Backfill)	
210F001M	MTON	Borrow Excavation (Underwater Embankment)	
210F002M	MTON	Borrow Excavation (Underwater Backfill) (ALDOT #57)	
210F005M	MTON	Borrow Excavation (Light Weight Aggregate)	
210G001M	LS	Dredging Of Channel	
210H000M	CU M	Solid Waste Excavation	
210J001M	HOUR	Dredge Pumping (300 Ft. To 1000 Ft.)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 8
210J002M	HOUR	Dredge Pumping (1001 To 3000 Ft.)	
210J003M	HOUR	Dredge Pumping (3001 Ft. To 5000 Ft.)	
210K000M	Each	Setting Up And Dismantling Of Dredging Equipment	
210L000M	MNTH	Rental Of Dredging Equipment	
210M000M	CU M	Channel Excavation by Pumping	
212A000M	STA	Machine Grading Shoulders	
214A000M	CU M	Structure Excavation	
214B000M	CU M	Foundation Backfill, Local	
214B001M	CU M	Foundation Backfill, Commercial	
214B002M	CU M	Foundation Backfill, Commercial (
215A000M	CU M	Unclassified Bridge Excavation	
215B000M	LS	Cofferdams Or Sheeting And Shoring,	
215B001M	LS	Cofferdams Or Sheeting And Shoring,	
215B002M	LS	Cofferdams Or Sheeting And Shoring,	
215B003M	LS	Cofferdams Or Sheeting And Shoring,	
215B004M	LS	Cofferdams Or Sheeting And Shoring,	
215B005M	LS	Cofferdams Or Sheeting And Shoring,	
215B006M	LS	Cofferdams Or Sheeting And Shoring,	
215B007M	LS	Cofferdams Or Sheeting And Shoring,	
215B008M	LS	Cofferdams Or Sheeting And Shoring,	
215B009M	LS	Cofferdams Or Sheeting And Shoring,	
215B010M	LS	Cofferdams Or Sheeting And Shoring	
215B011M	LS	Cofferdams Or Sheeting And Shoring	
215B012M	LS	Cofferdams Or Sheeting And Shoring	
215B013M	LS	Cofferdams Or Sheeting And Shoring	
215B014M	LS	Cofferdams Or Sheeting And Shoring,	
215B015M	LS	Cofferdams Or Sheeting And Shoring,	
215B016M	LS	Cofferdams Or Sheeting And Shoring,	
215B017M	LS	Cofferdams Or Sheeting And Shoring,	
215B018M	LS	Cofferdams Or Sheeting And Shoring,	
217A000M	M	Rock Bolting, 25 mm Slotted	
217B000M	M	Rock Bolting, 16 mm Headed	
217C000M	M	Rock Bolting, 19 mm Headed	
217D000M	M	Rock Bolting, 22 mm Headed	
217E000M	CU M	Seam Sealant	
217F000M	L	Asphalt Surfacing	
217G000M	SQ M	Pneumatic Concrete Blanket, 76 mm Thick	
219A000M	MTON	Rock Buttress For Landslide Correction	
219B000M	M	Special Underdrain 150 mm Diameter	
219B001M	M	Special Underdrain 200 mm Diameter	
219B002M	M	Special Underdrain 250 mm Diameter	
219B003M	M	Special Underdrain 300 mm Diameter	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 9
219B004M	M	Special Underdrain 100 mm Diameter	
219B005M	M	Special Underdrain 150 mm Diameter (Outfall)	
219B006M	M	Special Underdrain 200 mm Diameter (Outfall)	
219B007M	M	Special Underdrain 300 mm Diameter (Collector Outfall)	
219B008M	M	Special Underdrain 300 mm Diameter (Outfall)	
219B010M	M	Special Underdrain 600 mm Diameter (Outfall)	
219B011M	M	Special Underdrain 100 mm Diameter (Outfall)	
219C000M	SQ M	Special Filter Blanket, Aggregate	
219C003M	SQ M	Special Filter Blanket, Geotextile	
219D000M	M	Horizontal Drain 37.5 mm Diameter	
219D003M	M	Horizontal Drain 75 mm Diameter	
219E000M	MTON	Special Backfill For Landslide Correction	
219F000M	CU M	Special Backfill For Landslide Correction	
222B000M	M	Deep Mixed Column	
222C000M	MTON	Soil Binder	
224A000M	CU M	Lime Sink Excavation	
224B000M	CU M	Special Backfill For Lime Sink, ALDOT #57, #67 Or #467	
224C000M	MTON	Special Backfill For Lime Sink, ALDOT #467	
224C002M	MTON	Special Backfill For Lime Sink, ALDOT #57, #67 Or #467	
224C003M	MTON	Special Backfill For Lime Sink, ALDOT #57	
224D000M	CU M	Concrete Seal For Lime Sink	
228A000M	M	Drill Holes, 203.2 mm Diameter	
228B000M	MTON	Lime For Drill Holes	
230A000M	RBST	Roadbed Processing	
230B000M	SQ M	Roadbed Processing	
231A000M	CU M	Roadbed Stabilizing Material, ALDOT #410	
231A001M	CU M	Roadbed Stabilizing Material, ALDOT #467	
231B000M	MTON	Roadbed Stabilizing Material, ALDOT #410	
231B001M	MTON	Roadbed Stabilizing Material, ALDOT #467	
231B002M	MTON	Roadbed Stabilizing Material, ALDOT #410 (Modified)	
231B004M	MTON	Roadbed Stabilizing Material, ALDOT #57	
231B005M	MTON	Roadbed Stabilizing Material, Crushed Aggregate Base	
231C000M	RBST	Stabilizing Roadbed With In-Place Material	
232A002M	SQ M	Lime Stabilization, Class 3, 150mm Thick	
232A009M	SQ M	Lime Stabilization, Class 1, 300mm Thick	
232A015M	SQ M	Lime Stabilization, Class 2, 225 mm Thick	
232B000M	MTON	Lime	
235A000M	LS	Detour Bridge At Station	
235A001M	LS	Detour Bridge At Station	
239A000M	M	Drill Holes	
239B000M	M	Vertical Drainage Wicks	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 10
239C000M	CU M	Granular Backfill For Drilled Holes	
240A000M	Each	Settlement Plate Assembly	
243A020M	SQ M	Geosynthetic Reinforcement For Reinforced Slopes, Type 1	
243A021M	SQ M	Geosynthetic Reinforcement For Reinforced Slopes, Type 2	
243A022M	SQ M	Geosynthetic Reinforcement For Reinforced Slopes, Type 3	
243A034M	SQ M	Geosynthetic Reinforcement For Soft Soil Stabilization, Type 2	
243A035M	SQ M	Geosynthetic Reinforcement for Soft Soil Stabilization, Type 3	
243A040M	SQ M	Geosynthetic Reinforcement for Embankment Base Reinforcement	
246A000M	CU M	Gabions	
246B000M	SQ M	Revet Mattresses	
250B002M	CU M	Disposal Of Hydrocarbon Contaminated Soil (Specialty Item)	
250C000M	Each	Underground Storage Tank Removal (Specialty Item)	
250N000M	L	Removal/Disposal Of Tank Contents (Sludge) (Specialty Item)	
250N001M	L	Removal And Disposing Tank Contents (Sludge) (Specialty Item)	
250N002M	L	Removal/Disposal Of Tank Contents (Diesel) (Specialty Item)	
251A000M	CU M	Contaminated Soil Remediation (Specialty Item)	
251A002M	CU M	Contaminated Soil Disposal (Specialty Item)	
260A000M	CU M	Cement Mortar Flowable Backfill, Mix 1	
260A001M	CU M	Cement Mortar Flowable Backfill, Mix 2	
260A002M	CU M	Cement Mortar Flowable Backfill, Mix 3	
260A003M	CU M	Cement Mortar Flowable Backfill, Mix 4	
260A004M	CU M	Cement Mortar Flowable Backfill, Mix 5	
262A000M	Each	Drill Holes for Compaction Grouting	
262B000M	CU M	Portland Cement Pressure Grout	
301A000M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 75 mm Compacted Thickness	
301A001M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 85 mm Compacted Thickness	
301A002M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 90 mm Compacted Thickness	
301A003M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 95 mm Compacted Thickness	
301A004M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 100 mm Compacted Thickness	
301A005M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 110 mm Compacted Thickness	
301A006M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 115 mm Compacted Thickness	
301A007M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 120 mm Compacted Thickness	
301A008M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 125 mm Compacted Thickness	
301A009M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 135 mm Compacted Thickness	
301A010M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 140 mm Compacted Thickness	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 11
301A011M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 145 mm Compacted Thickness	
301A012M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 150 mm Compacted Thickness	
301A013M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 160 mm Compacted Thickness	
301A014M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 165 mm Compacted Thickness	
301A015M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 170mm Compacted Thickness	
301A016M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 175 mm Compacted Thickness	
301A017M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 185 mm Compacted Thickness	
301A018M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 190 mm Compacted Thickness	
301A020M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 205 mm Compacted Thickness	
301A022M	SQ M	Crushed Aggregate Base Course, Type B, Plant Mixed, 215 mm Compacted Thickness	
301A025M	SQ M	Crushed Aggregate Base Course, Type B, Road Mixed, 150 mm Compacted Thickness	
301A028M	SQ M	Crushed Aggregate Base Course, Type B, Yard Mixed, 125 mm Thick Compacted Thickness	
301A029M	SQ M	Crushed Aggregate Base Course, Type B, Yard Mixed, 150 mm Thick Compacted Thickness	
301A034M	SQ M	Granular Soil Base Course, Type A, Road Mixed, 100 mm Compacted Thickness	
301A042M	SQ M	Granular Soil Base Course, Type A, Road Mixed, 150 mm Compacted Thickness	
301A055M	SQ M	Granular Soil Base Course, Type A, Yard Mixed, 150 mm Compacted Thickness	
301A064M	SQ M	Granular Soil Base Course, Type B, Road Mixed, 100 mm Compacted Thickness	
301A072M	SQ M	Granular Soil Base Course, Type B, Road Mixed, 150 mm Compacted Thickness	
301A090M	SQ M	Soil Aggregate Base Course, Type A, Road Mixed, 75 mm Compacted Thickness	
301A098M	SQ M	Soil Aggregate Base Course, Type A, Road Mixed, 125 mm Compacted Thickness	
301A102M	SQ M	Soil Aggregate Base Course, Type A, Road Mixed, 150 mm Compacted Thickness	
301A132M	SQ M	Soil Aggregate Base Course, Type A, Yard Mixed, 150 mm Compacted Thickness	
301A162M	SQ M	Soil Aggregate Base Course, Type B, Road Mixed, 150 mm Compacted Thickness	
301A192M	SQ M	Soil Aggregate Base Course, Type B, Yard Mixed, 150 mm Compacted Thickness	
301A216M	SQ M	Soil Aggregate Base Course, Type C, Road Mixed, 115 mm Compacted Thickness	
301A220M	SQ M	Soil Aggregate Base Course, Type C, Road Mixed, 140 mm Compacted Thickness	
301A222M	SQ M	Soil Aggregate Base Course, Type C, Road Mixed, 150 mm Compacted Thickness	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 12
301A252M	SQ M	Soil Aggregate Base Course, Type C, Yard Mixed, 150 mm Compacted Thickness	
301A342M	SQ M	Selected Soil Subbase Course, Type B, Road Mixed, 150 mm Compacted Thickness	
301B002M	CU M	Crushed Aggregate Base Course, Type A, Plant Mixed	
301B006M	CU M	Crushed Aggregate Base Course, Type B, Road Mixed	
301B007M	CU M	Crushed Aggregate Base Course, Type B, Yard Mixed	
301B008M	CU M	Crushed Aggregate Base Course, Type B, Plant Mixed	
301B027M	CU M	Granular Soil Base Course, Type B, Yard Mixed	
301B060M	CU M	Selected Soil Subbase Course, Type A, Road Mixed	
301C000M	MTON	Cement	
301E002M	MTON	Crushed Aggregate Base Course, Type A, Plant Mixed	
301E007M	MTON	Crushed Aggregate Base Course, Type B, Yard Mixed	
301E008M	MTON	Crushed Aggregate Base Course, Type B, Plant Mixed	
302A000M	SQ M	Full Depth Reclamation,	
302A001M	SQ M	Full Depth Reclamation,	
302A002M	SQ M	Full Depth Reclamation,	
302B000M	MTON	Portland Cement For Full Depth Reclamation	
303A000M	SQ M	Reconstructed Base Course, 150 mm Compacted Thickness	
303A001M	SQ M	Reconstructed Base Course, Upper Layer, 100 mm Compacted Thickness	
303A002M	SQ M	Reconstructed Base Course, Lower Layer, 100 mm Compacted Thickness	
303A003M	SQ M	Reconstructed Base Course, 200 mm Compacted Thickness	
303A004M	SQ M	Reconstructed Base Course, 120 mm Compacted Thickness	
303A005M	SQ M	Reconstructed Base Course, 300 mm Compacted Thickness	
303A006M	SQ M	Reconstructed Base Course, 125 mm Upper Layer, Compacted Thickness	
303C003M	MTON	Coarse Aggregate, ALDOT #467 For Reconstructed Base Course	
304A007M	SQ M	Soil-Cement 100mm Thick	
304A008M	SQ M	Soil-Cement, 150 mm Thick	
304A010M	SQ M	Soil Cement, 200mm Thick	
305A050M	CU M	Borrow, Section 210,	
305A051M	CU M	Coarse Aggregate, Section 801,	
305A052M	CU M	Selected Material, Section 820,	
305A053M	CU M	Granular Soil, Section 821,	
305A054M	CU M	Drainage Plane, Section 822,	
305A057M	CU M	Crushed Aggregate, Section 825,	
305B071M	MTON	Coarse Aggregate, Section 801,	
305B074M	MTON	Drainage Plane, Section 822,	
305B077M	MTON	Crushed Aggregate, Section 825, For Miscellaneous Use	
305B078M	MTON	Crushed Aggregate, Section 825, Type B For Miscellaneous Use	
305B079M	MTON	Crushed Aggregate,Section 825,Type A,For Miscellaneous Use	
315A000M	SQ M	Drainage Plane Material, 75 mm Thick	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 13
315A001M	SQ M	Drainage Plane Material, 100 mm Thick	
315A002M	SQ M	Drainage Plane Material, 450 mm Thick	
315A003M	SQ M	Drainage Plane Material, 150 mm Thick	
315A004M	SQ M	Drainage Plane Material, 300 mm Thick	
315A005M	SQ M	Drainage Plane Material, 600 mm Thick	
327A020M	MTON	Plant Mix Bituminous Base, Mix 1	
327A021M	MTON	Plant Mix Bituminous Base, Mix 2	
327B020M	MTON	Plant Mix Bituminous Base, Patching, Mix 1	
327C021M	MTON	Plant Mix Bituminous Base, Leveling, Mix 2	
327D020M	MTON	Plant Mix Bituminous Base, Widening, Mix 1	
327D021M	MTON	Plant Mix Bituminous Base, Widening, Mix 2	
327E000M	MTON	Permeable Asphalt Treated Base	
327E001M	MTON	Permeable Asphalt Treated Base (PG76-22)	
331A000M	SQ M	Roller Compacted Concrete, 150 mm Thick	
331A003M	SQ M	Roller Compacted Concrete, 190 mm Thick	
331A004M	SQ M	Roller Compacted Concrete, 200 mm Thick	
331A008M	SQ M	Roller Compacted Concrete, 250 mm Thick	
331B000M	Each	Smoothness Testing, Certified Inertial Profiler	
333A040M	SQ M	Permeable Cement Treated Base, 100 mm thick	
401A000M	SQ M	Bituminous Treatment A	
401A001M	SQ M	Bituminous Treatment B	
401A003M	SQ M	Bituminous Treatment D	
401A004M	SQ M	Bituminous Treatment E	
401A005M	SQ M	Bituminous Treatment F	
401A006M	SQ M	Bituminous Treatment G	
401A008M	SQ M	Bituminous Treatment J	
401A009M	SQ M	Bituminous Treatment K	
401A011M	SQ M	Bituminous Treatment AKG	
401A012M	SQ M	Bituminous Treatment AJG	
401A013M	SQ M	Bituminous Treatment JG	
401A014M	SQ M	Bituminous Treatment KG	
401A022M	SQ M	Bituminous Treatment AK	
401A043M	SQ M	Bituminous Treatment AE	
401A044M	SQ M	Bituminous Treatment A, MC-30	
401A047M	SQ M	Bituminous Treatment A, MC-70	
401B100M	SQ M	Bituminous Treatment E (With Polymer Additive)	
401B101M	SQ M	Bituminous Treatment F (With Polymer Additive)	
401B103M	SQ M	Bituminous Treatment J (With Polymer Additive)	
401B105M	SQ M	Bituminous Treatment L (With Polymer Additive)	
401B106M	SQ M	Bituminous Treatment JG (With Polymer Additive)	
401B107M	SQ M	Bituminous Treatment KG (With Polymer Additive)	
401B108M	SQ M	Bituminous Treatment G (With Polymer Additive)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 14
401B111M	SQ M	Bituminous Treatment G, CRS-2 (With Polymer Additive)	
401B112M	SQ M	Bituminous Treatment KG, CRS-2 (With Polymer Additive)	
401B113M	SQ M	Bituminous Treatment E, PG64-22 (With Polymer Additive)	
401B118M	SQ M	Bituminous Treatment GD (With Polymer Additive)	
401B119M	SQ M	Bituminous Treatment AKG,CRS-2(With Polymer Additive)	
403B000M	MTON	Micro-Surfacing Seal Coat, Type II	
403B001M	MTON	Micro-Surfacing Seal Coat, Type III	
404A000M	L	Fog Seal	
405A000M	L	Tack Coat	
408A051M	SQ M	Planing Existing Pavement (Approximately 0 mm Thru 25 mm Thick)	
408A052M	SQ M	Planing Existing Pavement (Approximately 26 mm Thru 50 mm Thick)	
408A053M	SQ M	Planing Existing Pavement (Approximately 51 mm Thru 75 mm Thick)	
408A054M	SQ M	Planing Existing Pavement (Approximately 76 mm Thru 100 mm Thick)	
408A055M	SQ M	Planing Existing Pavement (Approximately 101 mm Thru 125 mm Thick)	
408A056M	SQ M	Planing Existing Pavement (Approximately 126 mm Thru 150 mm Thick)	
408A057M	SQ M	Planing Existing Pavement (Approximately 151 mm Thru 175 mm Thick)	
408A058M	SQ M	Planing Existing Pavement (Approximately 176 mm Thru 200 mm Thick)	
408A059M	SQ M	Planing Existing Pavement (Approximately 201 mm Thru 225 mm Thick)	
408A060M	SQ M	Planing Existing Pavement (Approximately 226 mm Thru 250 mm Thick)	
408A061M	SQ M	Planing Existing Pavement (Approximately 276 mm - 300 mm Thick)	
408A062M	SQ M	Planing Existing Pavement (Approximately 301 mm Thru 325 mm Thick)	
408A063M	SQ M	Planing Existing Pavement (Approximately 326 mm Thru 350 mm Thick)	
408A069M	SQ M	Planing Existing Pavement (Approximately 476 mm Thru 500 mm Thick)	
408A072M	SQ M	Planing Existing Pavement (Approximately 551 mm Thru 575 mm Thick)	
408A075M	SQ M	Planing Existing Pavement (Approximately 251 mm Thru 275 mm Thick)	
408B000M	SQ M	Micro-Milling Existing Pavement (Approximately 0.0 mm Thru 25.0 mm" Thick)	
408B001M	SQ M	Micro-Milling Existing Pavement (Approximately 26 mm Thru 50mm Thick)	
409A001M	SQ M	Triple Layer Bituminous Treatment	
410H000M	Each	Material Remixing Device	
410I000M	Each	Smoothness Testing, Certified Inertial Profiler	
413A000M	LS	Intelligent Compaction for Asphalt Mixtures	
415B000M	LS	HMA Electronic Delivery Management System	
415B001M	LS	Heavy Materials Electronic Ticket System	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 15
420A015M	MTON	Polymer Modified Open Graded Friction Course	
420B000M	L	Open Graded Friction Course Tack Coat	
423A002M	MTON	Stone Matrix Asphalt Wearing Layer, 19 mm Maximum Aggregate Size	
423A003M	MTON	Stone Matrix Asphalt Wearing Layer, 12.5 mm Maximum Aggregate Size	
423A005M	MTON	Stone Matrix Asphalt Wearing Layer, 19 mm Maximum Aggregate Size, Patching	
423A007M	MTON	Stone Matrix Asphalt Wearing Layer, 12.7 mm Maximum Aggregate Size, Leveling	
423A008M	MTON	Stone Matrix Asphalt Wearing Layer, 9.5 mm Maximum Aggregate Size mix	
423B001M	MTON	Stone Matrix Asphalt Binder Layer, 25 mm Maximum Aggregate Size	
423B002M	MTON	Stone Matrix Asphalt Binder Layer, 19 mm Maximum Aggregate Size	
423B003M	MTON	Stone Matrix Asphalt Binder Layer, 12.5 mm Maximum Aggregate Size	
423B004M	MTON	Stone Matrix Asphalt Binder Layer, 9.5 mm Maximum Aggregate Size	
423B013M	MTON	Stone Matrix Asphalt Binder Layer, 25.4 mm Maximum Aggregate Size, Patching	
423B014M	MTON	Stone Matrix Asphalt Binder Layer, 25.4 mm Maximum Aggregate Size, Leveling	
423B016M	MTON	Stone Matrix Asphalt Binder Layer, 19 mm Maximum Aggregate Size, Patching	
423B017M	MTON	Stone Matrix Asphalt Binder Layer, 19 mm Maximum Aggregate Size, Leveling	
423B018M	MTON	Stone Matrix Asphalt Binder Layer, 19 mm Maximum Aggregate Size, Widening	
424A276M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 9.5mm Maximum Aggregate Size Mix, ESAL Range E	
424A278M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 9.5mm Maximum Aggregate Size Mix, ESAL Range E	
424A279M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 9.5mm Maximum Aggregate Size Mix, ESAL Range E	
424A280M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 12.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424A281M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424A282M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424A283M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 12.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424A284M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424A285M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424A286M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424A287M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 16
424A288M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424A289M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 12.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424A290M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424A291M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424A336M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 9.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A337M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 9.5mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A338M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 9.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A339M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 9.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A340M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 12.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A341M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A342M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A343M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 12.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A344M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A345M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A346M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A347M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A349M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 12.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A350M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A351M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 25 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424A356M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 9.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A357M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 9.5 mm Maximum Aggregate Size Mix, Esal Range C/D	
424A358M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 9.5 mm Maximum Aggregate Size Mix, Esal Range C/D	
424A359M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 9.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A360M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A361M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A363M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A364M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 17
424A365M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A366M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A367M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A368M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A369M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 12.5 mm Maximum Aggregate Size Mix, ESAL C/D	
424A370M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A371M	MTON	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424A639M	MTON	N/A	
424B002M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 12.5 mm Maximum Aggregate Size mix, ESAL Range C/D	
424B003M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 12.5 mm Maximum Aggregate Size mix, ESAL Range E	
424B140M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 9.5 mm Maximum Aggregate Size mix, ESAL Range C/D	
424B141M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 9.5 mm Maximum Aggregate Size mix, ESAL Range E	
424B280M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B281M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B282M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B284M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B285M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B286M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B287M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B288M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B289M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B290M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B291M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B292M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B293M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B322M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range F	
424B580M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 18
424B581M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B582M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B584M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B585M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B586M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B587M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B588M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B589M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B591M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B592M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424B593M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424B634M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 12.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B635M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B636M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B637M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B638M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 12.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B639M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B640M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B641M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B642M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B643M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B644M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B646M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B647M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B648M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B650M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B651M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 19
424B652M	MTON	Superpave Bituminous Concrete Upper Binder Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B653M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 12.5 mm Maximum Aggregate Size Mix, Esal Range C/D	
424B654M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B655M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B656M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B657M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B658M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B659M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B660M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B661M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B662M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B663M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B665M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B666M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B669M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B670M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B671M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 37.5mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B672M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, Esal Range A/B	
424B673M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B674M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B676M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B677M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B678M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424B680M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B681M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B682M	MTON	Superpave Bituminous Concrete Lower Binder Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B683M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 20
424B684M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B685M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B686M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B687M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B688M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B689M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B691M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B692M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B693M	MTON	Superpave Bituminous Concrete Lower Binder Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424B701M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 9.5 mm Maximum Aggregate Size mix, ESAL Range C/D	
424B702M	MTON	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 9.5 mm Maximum Aggregate Size mix, ESAL Range E	
424C280M	MTON	Superpave Bituminous Concrete Base Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424C281M	MTON	Superpave Bituminous Concrete Base Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424C284M	MTON	Superpave Bituminous Concrete Base Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424C285M	MTON	Superpave Bituminous Concrete Base Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424C288M	MTON	Superpave Bituminous Concrete Base Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424C290M	MTON	Superpave Bituminous Concrete Base Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range E	
424C291M	MTON	Superpave Bituminous Concrete Base Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range E	
424C340M	MTON	Superpave Bituminous Concrete Base Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424C341M	MTON	Superpave Bituminous Concrete Base Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424C344M	MTON	Superpave Bituminous Concrete Base Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424C345M	MTON	Superpave Bituminous Concrete Base Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424C350M	MTON	Superpave Bituminous Concrete Base Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424C351M	MTON	Superpave Bituminous Concrete Base Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range A/B	
424C360M	MTON	Superpave Bituminous Concrete Base Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424C361M	MTON	Superpave Bituminous Concrete Base Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 21
424C364M	MTON	Superpave Bituminous Concrete Base Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424C365M	MTON	Superpave Bituminous Concrete Base Layer, Patching, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424C368M	MTON	Superpave Bituminous Concrete Base Layer, Leveling, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424C369M	MTON	Superpave Bituminous Concrete Base Layer, Leveling, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424C370M	MTON	Superpave Bituminous Concrete Base Layer, Widening, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D	
424C371M	MTON	Superpave Bituminous Concrete Base Layer, Widening, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D	
428A001M	KM	Scoring Bituminous Pavement Surface	
428E000M	M	Scoring Concrete Pavement Surface By Cutting	
430B000M	MTON	Aggregate Surfacing (ALDOT #467 Or #57)	
430B002M	MTON	Aggregate Surfacing (ALDOT #467)	
430B003M	MTON	Aggregate Surfacing (ALDOT #57)	
430B004M	MTON	Aggregate Surfacing (ALDOT #810)	
430B005M	MTON	Aggregate Surfacing (ALDOT #410)	
430B006M	MTON	Aggregate Surfacing (ALDOT #89)	
430B007M	MTON	Aggregate Surfacing (ALDOT #467 Or #810)	
430B008M	MTON	Aggregate Surfacing (ALDOT #57, #6, #67,#68 Or #610)	
430B009M	MTON	Aggregate Surfacing (ALDOT #357)	
430B010M	MTON	Aggregate Surfacing (ALDOT #57 Or Processed Reef Shells)	
430B011M	MTON	Aggregate Surfacing (ALDOT #5)	
430B012M	MTON	Aggregate Surfacing (ALDOT #410 Or #467)	
430B013M	MTON	Aggregate Surfacing (ALDOT #67)	
430B014M	MTON	Aggregate Surfacing (ALDOT #410 Modified)	
430B015M	MTON	Aggregate Surfacing (ALDOT #57, #67, #410 Or #467)	
430B016M	MTON	Aggregate Surfacing (ALDOT #467, #57 Or #67)	
430B017M	MTON	Aggregate Surfacing (ALDOT #410, #467, Or #810)	
430B018M	MTON	Aggregate Surfacing (ALDOT #410 Modified Or #467)	
430B019M	MTON	Aggregate Surfacing (ALDOT #57 Or #78)	
430B022M	MTON	Aggregate Surfacing (ALDOT #810 Or 8910)	
430B023M	MTON	Aggregate Surfacing (ALDOT #8910 Or #467)	
430B025M	MTON	Aggregate Surfacing (Soil Aggregate, Type A)	
430B026M	MTON	Aggregate Surfacing (ALDOT #467, #57 Or #810)	
430B027M	MTON	Aggregate Surfacing (ALDOT #410, #467 Or #57)	
430B028M	MTON	Aggregate Surfacing (ALDOT #57, #78 Or #467)	
430B030M	MTON	Aggregate Surfacing (Processed Reef Shells Or ALDOT #467)	
430B031M	MTON	Aggregate Surfacing (ALDOT #410 Or #57)	
430B032M	MTON	Aggregate Surfacing (ALDOT #57 Or #410 Modified)	
430B033M	MTON	Aggregate Surfacing (ALDOT #57 Or #67)	
430B034M	MTON	Aggregate Surfacing (ALDOT #57 Crushed Stone)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 22
430B035M	MTON	Aggregate Surfacing (ALDOT #467, #410 Modified Or #57)	
430B040M	MTON	Aggregate Surfacing (Crushed Aggregate Base, Type B)	
430B041M	MTON	Aggregate Surfacing (ALDOT #8910 Or #57)	
430B042M	MTON	Aggregate Surfacing (Crushed Aggregate Base, Type A)	
430B043M	MTON	Aggregate Surfacing (25.0 mm Down, Crusher Run)	
430B044M	MTON	Aggregate Surfacing (ALDOT #4)	
430B046M	MTON	Aggregate Surfacing (Aldot #2)	
430B047M	MTON	Aggregate Surfacing (19.0 mm Down,Crusher Run)	
430B048M	MTON	Aggregate Surfacing (44 mm Down,Crusher Run)	
430B050M	MTON	Aggregate Surfacing(ALDOT#1)	
431B001M	SQ M	High Friction Surface Treatment	
432A000M	SQ M	High Density Mineral Bond	
433A000M	SQ M	Scrub Seal	
434A000M	SQ M	High Performance Chip Seal	
450A000M	SQ M	Plain Cement Concrete Pavement,200 mm Thick	
450A002M	SQ M	Continuous Reinforced Cement Concrete Pavement,200 mm Thick	
450A003M	SQ M	Plain High Early Strength Cement Concrete Pavement,250 mm Thick	
450A004M	SQ M	Plain Cement Concrete Pavement, 229 mm Thick	
450A005M	SQ M	Plain High Early Strength Cement Concrete Pavement,225 mm Thick	
450A006M	SQ M	Reinforced Cement Concrete Pavement,250 mm Thick	
450A007M	SQ M	Plain Cement Concrete Pavement,300 mm Thick	
450A008M	SQ M	Reinforced Cement Concrete Pavement,225 mm Thick	
450A009M	SQ M	Reinforced Cement Concrete Pavement, 203 mm Thick	
450A010M	SQ M	can use	
450A012M	SQ M	Plain Cement Concrete Pavement, 102 mm Thick	
450A013M	SQ M	Plain Cement Concrete Pavement,150 mm Thick	
450A015M	SQ M	Reinforced Cement Concrete Pavement, 356 mm Thick	
450A016M	SQ M	Plain Cement Concrete Pavement,365 mm Thick	
450A018M	SQ M	Plain Cement Concrete Pavement,325 mm Thick	
450A019M	SQ M	Plain Cement Concrete Pavement, 254 mm Inches Thick	
450A020M	SQ M	Plain Cement Concrete Pavement, 330 mm Thick	
450A022M	SQ M	Plain Cement Concrete Pavement, 356 mm Thick	
450A025M	SQ M	Plain Cement Concrete Pavement, 279 mm Thick	
450B000M	SQ M	Reinforced Cement Concrete Bridge End Slab	
450C000M	M	Integral Curb	
450I000M	M	Rumble Strips In Concrete Shoulder Pavement	
451A003M	SQ M	Precast Concrete Pavement System, 229 mm Thick	
453A001M	SQ M	Removal Of Concrete Pavement	
453B000M	Bag4	Portland Cement Pressure Grout	
453C000M	SQ M	Removal Of Concrete Pavement Slab	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 23
453D000M	CU M	Concrete Pavement Replacement Slab	
453D001M	CU M	Concrete Pavement Replacement Slab (Plain Concrete)	
453D002M	CU M	Concrete Pavement Replacement Slab (Continuous Reinforced)	
454A000M	M	Cleaning And Sealing Concrete Pavement, Type I, Joints	
454A001M	M	Cleaning And Sealing Concrete Pavement, Type I, Cracks	
454A002M	M	Cleaning And Sealing Concrete Pavement, Type II, Joints	
454A003M	M	Cleaning And Sealing Concrete Pavement, Type II, Cracks	
454A004M	M	N/A	
455A000M	SQ M	Grinding Concrete Pavement	
455B000M	Each	Profilograph	
455C000M	Each	Smoothness Testing, Certified Inertial Profiler	
457B000M	SQ M	Undersealing Concrete Pavement	
457C000M	SQ M	Undersealing Base and Sub Base Soils	
459A000M	SQ M	Rubblizing Continuously Reinforced Concrete Pavement	
459A001M	SQ M	Rubblizing Reinforced Concrete Pavement	
459A002M	SQ M	Rubblizing Plain Concrete Pavement	
459B000M	MTON	Filler Aggregate	
460A000M	KG	Patching	
461A000M	L	Filling Joints and Cracks in Asphalt Pavement	
461B000M	M	Sealing Joints and Cracks in Asphalt Pavement	
490A000M	SQ M	Blast Cleaning	
490B003M	SQ M	Bridge Deck Overlay	
490D000M	SQ M	Bridge Deck Spall Repair	
502A000M	KG	Steel Reinforcement	
502A001M	KG	Steel Reinforcement (Grade 400)	
502A015M	KG	Steel Reinforcement (State Furnished)	
502B000M	LS	Steel Reinforcement For Bridge Superstructure,	
502B001M	LS	Steel Reinforcement For Bridge Superstructure,	
502B002M	LS	Steel Reinforcement For Bridge Superstructure,	
502B003M	LS	Steel Reinforcement For Bridge Superstructure,	
502B004M	LS	Steel Reinforcement For Bridge Superstructure,	
502B005M	LS	Steel Reinforcement For Bridge Superstructure,	
502B006M	LS	Steel Reinforcement For Bridge Superstructure,	
502B007M	LS	Steel Reinforcement For Bridge Superstructure,	
502B008M	LS	Steel Reinforcement For Bridge Superstructure,	
502B009M	LS	Steel Reinforcement For Bridge Superstructure,	
502B010M	LS	Steel Reinforcement For Bridge Superstructure,	
502B011M	LS	Steel Reinforcement For Bridge Superstructure,	
502B012M	LS	Steel Reinforcement For Bridge Superstructure,	
502B013M	LS	Steel Reinforcement For Bridge Superstructure	
502B014M	LS	Steel Reinforcement For Bridge Superstructure,	
502B015M	LS	Steel Reinforcement For Bridge Superstructure,	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 24
502B016M	LS	Steel Reinforcement For Bridge Superstructure,	
502B017M	LS	Steel Reinforcement For Bridge Superstructure,	
502B018M	LS	Steel Reinforcement For Bridge Superstructure,	
502B019M	LS	Steel Reinforcement For Bridge Superstructure,	
502B020M	LS	Steel Reinforcement For Bridge Superstructure,	
503A000M	CU M	Seal Concrete	
503B000M	LS	Cofferdam And Pumping,	
503B001M	LS	Cofferdam And Pumping,	
503B002M	LS	Cofferdam And Pumping,	
503B006M	LS	Cofferdam And Pumping,	
503B007M	LS	Cofferdam And Pumping,	
503B008M	LS	Cofferdam And Pumping,	
503B009M	LS	Cofferdam And Pumping,	
503B010M	LS	Cofferdam And Pumping, Pier No.Or Bent No.	
503B011M	LS	Cofferdam And Pumping, Pier No.Or Bent No.	
503B012M	LS	Cofferdam And Pumping, Pier No.Or Bent No.	
503B014M	LS	Cofferdam And Pumping, Pier No.Or Bent No.	
503B015M	LS	Cofferdam And Pumping, Pier No.Or Bent No.	
503B016M	LS	Cofferdam And Pumping, Pier No.Or Bent No.	
503C000M	M	Core Drilling Seal Concrete Footings	
503D000M	M	Sonic Logging Of Seal Concrete Footings	
504G000M	M	Steel Piling Encasement, Wet Condition	
504G001M	M	Steel Piling Encasement, Dry Condition	
505A000M	Each	Steel Test Piles (HP 250x62)	
505A002M	Each	Steel Test Piles (HP 310x79)	
505A003M	Each	Steel Test Piles (HP 310x94)	
505A004M	Each	Steel Test Piles (HP 360x108)	
505A005M	Each	Steel Test Piles (HP 360x132)	
505A006M	Each	Steel Test Piles (HP 360x174)	
505A008M	Each	Steel Test Piles (HP 310 x 110)	
505A009M	Each	Steel Test Piles (HP 310 x 125)	
505A010M	Each	Steel Test Piles (HP 360x152)	
505A014M	Each	Steel Test Piles (HP 460 x 202)	
505A015M	Each	Concrete Test Piles (350 mm Square)	
505A016M	Each	Concrete Test Piles (400 mm Square)	
505A017M	Each	Concrete Test Piles (450 mm Square)	
505A018M	Each	Concrete Test Piles (500 mm Square)	
505A019M	Each	Concrete Test Piles (600 mm Square)	
505A020M	Each	Concrete Test Piles (750 mm Square)	
505A021M	Each	Concrete Test Piles (900 mm Square)	
505A040M	Each	Steel Test Pile (1524 mm Diameter) (Steel Pipe Pile)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 25
505A102M	Each	Steel Test Piles (HP 310x79) (Galvanized)	
505A103M	Each	Steel Test Piles (HP 360x108) (Galvanized)	
505A104M	Each	Steel Test Piles (HP 360x132) (Galvanized)	
505A206M	Each	Concrete Test Piles (914 mm Diameter)(Spun Cast Cylinder)	
505A207M	Each	Concrete Test Piles (1066 mm Diameter)(Spun Cast Cylinder)	
505A209M	Each	Concrete Test Piles (1371 mm Diameter)(Spun Cast Cylinder)	
505B002M	Each	Loading Tests (HP 310x79)	
505B005M	Each	Loading Tests (HP 360x132)	
505B021M	Each	Loading Tests (900 mm Square)	
505B045M	Each	Static Loading Tests (350 mm Square)	
505B046M	Each	Static Loading Tests (406 mm Square)	
505B047M	Each	Static Loading Tests (450 mm Square)	
505B048M	Each	Static Loading Tests (508 mm Square)	
505B049M	Each	Static Loading Tests (610 mm Square)	
505B050M	Each	Static Loading Tests (750 mm Square)	
505B051M	Each	Static Loading Tests (900 mm Square)	
505B055M	Each	Static Loading Tests (HP 250x62)	
505B057M	Each	Static Loading Tests (HP 310x79)	
505B058M	Each	Static Loading Tests (HP 310x94)	
505B059M	Each	Static Loading Tests (HP 360x108)	
505B060M	Each	Static Loading Tests (HP 360x132)	
505B061M	Each	Static Loading Tests (HP 360x174)	
505B063M	Each	Static Loading Test(HP 310 x 110)	
505B064M	Each	Static Loading Test (HP 310 X 125)	
505B065M	Each	Static Loading Test (HP 360x152)	
505B066M	Each	Static Loading Tests (HP 460 x 202)	
505B075M	Each	Dynamic Loading Tests (350 mm Square)	
505B076M	Each	Dynamic Loading Tests (410 mm Square)	
505B077M	Each	Dynamic Loading Tests (460 mm Square)	
505B078M	Each	Dynamic Loading Tests (510 mm Square)	
505B079M	Each	Dynamic Loading Tests (600 mm Square)	
505B080M	Each	Dynamic Loading Tests (750 mm Square)	
505B081M	Each	Dynamic Loading Tests (900 mm Square)	
505B085M	Each	Dynamic Loading Tests (HP 250x62)	
505B087M	Each	Dynamic Loading Tests (HP 310x79)	
505B088M	Each	Dynamic Loading Tests (HP 310x94)	
505B089M	Each	Dynamic Loading Tests (HP 360x108)	
505B090M	Each	Dynamic Loading Tests (HP 360x132)	
505B091M	Each	Dynamic Loading Tests (HP 360x174)	
505B094M	Each	Dynamic Loading Tests (HP 360x152)	
505B095M	Each	Dynamic Loading Tests (HP 460 x 202)	
505B206M	Each	Static Load Tests (36 Inch Diameter)(Spun Cast Cylinder)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 26
505B306M	Each	Dynamic Loading Tests (910 mm Diameter)(Spun Cast Cylinder)	
505B307M	Each	Dynamic Loading Tests (1070 mm Diameter)(Spun Cast Cylinder)	
505B309M	Each	Dynamic Loading Tests (1370 mm Diameter)(Spun Cast Cylinder)	
505B325M	Each	Dynamic Loading test (1524 mm Diameter) (Steel Pipe Pile)	
505B405M	Each	Rapid Load Testing (Axial) (760 mm Square)	
505B409M	Each	Rapid Load Testing (Axial) (42" Diameter) (Spun Cast Cylinder)	
505B413M	Each	Rapid Load Testing (Axial) (1370 mm Diameter) (Spun Cast Cylinder)	
505B424M	Each	Rapid Load Testing (Axial) (1520 mm Diameter) (Steel Pipe Pile)	
505E000M	M	Permanent Steel Sheet Piling	
505G000M	Each	Pile Points	
505G002M	Each	Pile Points (Type A, 250 mm)	
505G003M	Each	Pile Points (Type A, 310 mm)	
505G004M	Each	Pile Points (Type A, 360 mm)	
505G005M	Each	Pile Points (Type B, 250 mm)	
505G006M	Each	Pile Points (Type B, 310 mm)	
505G007M	Each	Pile Points (Type B, 360 mm)	
505H000M	M	Pilot Holes	
505I000M	SQ M	Temporary Steel Sheet Piling	
505K000M	Each	Timber Pile Bent For Sanitary Sewer Pipe	
505M000M	M	Steel Piling Furnished And Driven (HP 250x62)	
505M002M	M	Steel Piling Furnished And Driven (HP 310x79)	
505M003M	M	Steel Piling Furnished And Driven (HP 310x94)	
505M005M	M	Steel Piling Furnished And Driven (HP 360x108)	
505M006M	M	Steel Piling Furnished And Driven (HP 360x174)	
505M008M	M	Steel Piling Furnished And Driven (HP 310x110)	
505M009M	M	Steel Piling Furnished And Driven (HP 310 X 125)	
505M011M	M	Steel Piling Furnished And Driven (HP 360x152)	
505M012M	M	Steel Piling Furnished And Driven (HP 360x132)	
505M013M	M	Steel Piling Furnished and Driven (HP 460 x 202)	
505M102M	M	Steel Piling Furnished And Driven (HP 310x79) (Galvanized)	
505M103M	M	Steel Piling Furnished And Driven (HP 310 x 94) (Galvanized)	
505M104M	M	Steel Piling Furnished And Driven (HP 360x13) (Galvanized)	
505M105M	M	Steel Piling Furnished And Driven (HP 360 x 132) (Galvanized)	
505M106M	M	Steel Piling Furnished And Driven (HP 460 x 202) (Galvanized)	
505M107M	M	Steel Piling Furnished And Driven (HP 360 x 152) (Galvanized)	
505N000M	M	Concrete Piling Furnished (350 mm square)	
505N001M	M	Concrete Piling Furnished (400 mm Square)	
505N002M	M	Concrete Piling Furnished (450 mm Square)	
505N003M	M	Concrete Piling Furnished (500 mm Square)	
505N004M	M	Concrete Piling Furnished (600 mm Square)	
505N005M	M	Concrete Piling Furnished (750 mm Square)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 27
505N006M	M	Concrete Piling Furnished (900 mm Square)	
505N026M	M	Concrete Piling Furnished (910 mm Diameter)(Spun Cast Cylinder)	
505N027M	M	Concrete Piling Furnished (1070 mm Diameter)(Spun Cast Cylinder)	
505N029M	M	Concrete Piling Furnished (1370 mm Diameter)(Spun Cast Cylinder)	
505O000M	M	Concrete Piling Driven (350 mm Square)	
505O001M	M	Concrete Piling Driven (400 mm Square)	
505O002M	M	Concrete Piling Driven (450 mm Square)	
505O003M	M	Concrete Piling Driven (500 mm Square)	
505O004M	M	Concrete Piling Driven (600 mm Square)	
505O005M	M	Concrete Piling Driven (750 mm Square)	
505O006M	M	Concrete Piling Driven (900 mm Square)	
505O026M	M	Concrete Piling Driven (910 mm Diameter)(Spun Cast Cylinder)	
505O027M	M	Concrete Piling Driven (1070 mm Diameter)(Spun Cast Cylinder)	
505O029M	M	Concrete Piling Driven (1370 Diameter)(Spun Cast Cylinder)	
506A000M	M	Drilled Shaft Excavation, 1370 mm Diameter	
506A001M	M	Drilled Shaft Excavation, 1830 mm Diameter	
506A002M	M	Drilled Shaft Excavation, 2130 mm Diameter	
506A003M	M	Drilled Shaft Excavation, 1520 mm Diameter	
506A004M	M	Drilled Shaft Excavation, 910 mm Diameter	
506A005M	M	Drilled Shaft Excavation, 1070 mm Diameter	
506A006M	M	Drilled Shaft Excavation, 1680 mm Diameter	
506A007M	M	Drilled Shaft Excavation, 2440 mm Diameter	
506A008M	M	Drilled Shaft Excavation, 1220 mm Diameter	
506A009M	M	Drilled Shaft Excavation, 2290 mm Diameter	
506A010M	M	Drilled Shaft Excavation, 1980 mm Diameter	
506A012M	M	Drilled Shaft Excavation, 762 mm Diameter	
506A017M	M	Drilled Shaft Excavation, 2591 mm Diameter	
506A018M	M	Drilled Shaft Excavation, 3660 mm Diameter	
506A021M	M	Drilled Shaft Excavation, 460 mm Diameter	
506B001M	M	Special Drilled Shaft Excavation, 910 mm Diameter	
506B002M	M	Special Drilled Shaft Excavation, 1070 mm Diameter	
506B003M	M	Special Drilled Shaft Excavation, 1220 mm Diameter	
506B004M	M	Special Drilled Shaft Excavation, 1370 mm Diameter	
506B005M	M	Special Drilled Shaft Excavation, 1520 mm Diameter	
506B006M	M	Special Drilled Shaft Excavation, 1680 mm Diameter	
506B007M	M	Special Drilled Shaft Excavation, 1830 mm Diameter	
506B008M	M	Special Drilled Shaft Excavation, 1980 mm Diameter	
506B009M	M	Special Drilled Shaft Excavation, 2130 mm Diameter	
506B010M	M	Special Drilled Shaft Excavation, 2290 mm Diameter	
506B011M	M	Special Drilled Shaft Excavation, 2440 mm Diameter	
506B017M	M	Special Drilled Shaft Excavation, 2591 mm Diameter	
506B018M	M	Special Drilled Shaft Excavation, 3660 mm Diameter	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 28
506B021M	M	Special Drilled Shaft Excavation, 762 mm Diameter	
506B022M	M	Special Drilled Shaft Excavation, 460 mm Diameter	
506C002M	M	Drilled Shaft Construction, 1680 mm Diameter	
506C018M	M	Drilled Shaft Construction, 760 mm Diameter, Class DS2 Concrete	
506C020M	M	Drilled Shaft Construction, 910 mm Diameter, Class DS2 Concrete	
506C021M	M	Drilled Shaft Construction, 1070 mm Diameter, Class DS2 Concrete	
506C022M	M	Drilled Shaft Construction, 1220 mm Diameter, Class DS2 Concrete	
506C023M	M	Drilled Shaft Construction, 1370 mm Diameter, Class DS2 Concrete	
506C024M	M	Drilled Shaft Construction, 1520 mm Diameter, Class DS2 Concrete	
506C025M	M	Drilled Shaft Construction, 1680 mm Diameter, Class DS2 Concrete	
506C026M	M	Drilled Shaft Construction, 1830 mm Diameter, Class DS2 Concrete	
506C027M	M	Drilled Shaft Construction, 1980 mm Diameter, Class DS2 Concrete	
506C028M	M	Drilled Shaft Construction, 2130 mm Diameter, Class DS2 Concrete	
506C029M	M	Drilled Shaft Construction, 2290 mm Diameter, Class DS2 Concrete	
506C030M	M	Drilled Shaft Construction, 2440 mm Diameter, Class DS2 Concrete	
506C038M	M	Drilled Shaft Construction, 3660 mm Diameter, Class DS2 Concrete	
506C039M	M	Drilled Shaft Construction, 760 mm Diameter, Class DS1 Concrete	
506C040M	M	Drilled Shaft Construction, 910 mm Diameter, Class DS1 Concrete	
506C041M	M	Drilled Shaft Construction, 1070 mm Diameter, Class DS1 Concrete	
506C042M	M	Drilled Shaft Construction, 1220 mm Diameter, Class DS1 Concrete	
506C043M	M	Drilled Shaft Construction, 1370 mm Diameter, Class DS1 Concrete	
506C044M	M	Drilled Shaft Construction, 1520 mm Diameter, Class DS1 Concrete	
506C045M	M	Drilled Shaft Construction, 1680 mm Diameter, Class DS1 Concrete	
506C046M	M	Drilled Shaft Construction, 1830 mm Diameter, Class DS1 Concrete	
506C047M	M	Drilled Shaft Construction, 1980 mm Diameter, Class DS1 Concrete	
506C048M	M	Drilled Shaft Construction, 2130 mm Diameter, Class DS1 Concrete	
506C050M	M	Drilled Shaft Construction, 2290 mm Diameter, Class DS1 Concrete	
506C051M	M	Drilled Shaft Construction, 2440 mm Diameter, Class DS1 Concrete	
506C052M	M	Drilled Shaft Construction, 2590 Diameter, Class DS1 Concrete	
506C056M	M	Drilled Shaft Construction, 460 mm Diameter, Class DS1 Concrete	
506C060M	M	Drilled Shaft Construction, 760 mm Diameter, Class DS3 Concrete	
506C061M	M	Drilled Shaft Construction, 1.06 mm Diameter, Class DS3 Concrete	
506C062M	M	Drilled Shaft Construction, 910 mm Diameter, Class DS3 Concrete	
506C063M	M	Drilled Shaft Construction, 1070 mm Diameter, Class DS3 Concrete	
506C065M	M	Drilled Shaft Construction, 1680 mm Diameter, Class DS3 Concrete	
506C087M	M	Drilled Shaft Construction, 1828.8 mm Diameter, Class DS2A Concrete	
506C110M	M	Drilled Shaft Construction, 2440 mm Diameter, Class HPDS Concrete	
506D000M	M	Exploration Below Drilled Shaft	
506F000M	M	Permanent Drilled Shaft Casing, 1070 mm Diameter	
506F001M	M	Permanent Drilled Shaft Casing, 1370 mm Diameter	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 29
506F002M	M	Permanent Drilled Shaft Casing, 1830 mm Diameter	
506F003M	M	Permanent Drilled Shaft Casing, 2130 mm Diameter	
506F004M	M	Permanent Drilled Shaft Casing, 910 mm Diameter	
506F005M	M	Permanent Drilled Shaft Casing, 2440 mm Diameter	
506F006M	M	Permanent Drilled Shaft Casing, 1520 mm Diameter	
506F007M	M	Permanent Drilled Shaft Casing, 1980 mm Diameter	
506F008M	M	Permanent Drilled Shaft Casing, 1220 mm Diameter	
506F009M	M	Permanent Drilled Shaft Casing, 1680 mm Diameter	
506F012M	M	Permanent Drilled Shaft Casing, 760 mm Diameter	
506F015M	M	Permanent Drilled Shaft Casing, 2290 mm Diameter	
506F018M	M	Permanent Drilled Shaft Casing, 2850 mm Diameter	
506F019M	M	Permanent Drilled Shaft Casing, 3660 mm Diameter	
506F023M	M	Permanent Drilled Shaft Casing, 0.46 mm Diameter	
506G000M	Each	Crosshole Sonic Logging, 910 mm Diameter	
506G001M	Each	Crosshole Sonic Logging, 1070 mm Diameter	
506G002M	Each	Crosshole Sonic Logging, 1220 mm Diameter	
506G003M	Each	Crosshole Sonic Logging, 1370 mm Diameter	
506G004M	Each	Crosshole Sonic Logging, 1520 mm Diameter	
506G005M	Each	Crosshole Sonic Logging, 1680 mm Diameter	
506G006M	Each	Crosshole Sonic Logging, 1830 mm Diameter	
506G007M	Each	Crosshole Sonic Logging, 1980 mm Diameter	
506G008M	Each	Crosshole Sonic Logging, 2130 mm Diameter	
506G009M	Each	Crosshole Sonic Logging, 2290mm Dia.	
506G010M	Each	Crosshole Sonic Logging, 2440 mm Diameter	
506G011M	Each	Crosshole Sonic Logging, 2590 mm Diameter	
506G018M	Each	Crosshole Sonic Logging, 3660 mm Diameter	
506G020M	Each	Crosshole Sonic Logging, 760 mm Diameter	
506K000M	Each	Drilled Shaft Axial Load Test	
506L000M	Each	Drilled Shaft Lateral Load Test	
506X001M	LS	Monitoring of Completed Shafts, Grade Beam, and SAAV Conduit	
507A000M	Each	Wire Rope Abutment Anchor Assembly	
507A002M	Each	Wire Rope Abutment Anchor Assembly (Modified)	
508A000M	KG	Structural Steel	
508A001M	KG	Structural Steel	
508B000M	Each	Structural Steel Superstructure,	
508B001M	Each	Structural Steel Superstructure,	
508B002M	Each	Structural Steel Superstructure,	
508B003M	Each	Structural Steel Superstructure,	
508B004M	Each	Structural Steel Superstructure,	
508B005M	Each	Structural Steel Superstructure,	
508B006M	Each	Structural Steel Superstructure,	
508B007M	Each	Structural Steel Superstructure,	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 30
508B008M	Each	Structural Steel Superstructure,	
508B009M	Each	Structural Steel Superstructure,	
508B010M	Each	Structural Steel Superstructure,	
508B011M	Each	Structural Steel Superstructure,	
508B012M	Each	Structural Steel Superstructure,	
508B013M	Each	Structural Steel Superstructure,	
508B014M	Each	Structural Steel Superstructure,	
508B015M	Each	Structural Steel Superstructure,	
508B016M	Each	Structural Steel Superstructure,	
508B017M	Each	Structural Steel Superstructure,	
508B018M	Each	Structural Steel Superstructure,	
508B019M	Each	Structural Steel Superstructure,	
508B020M	Each	Structural Steel Superstructure,	
508B021M	Each	Structural Steel Superstructure,	
508B022M	Each	Structural Steel Superstructure,	
508B023M	Each	Structural Steel Superstructure,	
508B024M	Each	Structural Steel Superstructure,	
508B025M	Each	Structural Steel Superstructure,	
508B026M	Each	Structural Steel Superstructure,	
508B027M	Each	Structural Steel Superstructure,	
508B028M	Each	Structural Steel Superstructure,	
508B029M	Each	Structural Steel Superstructure,	
508B030M	Each	Structural Steel Superstructure,	
508B031M	Each	Structural Steel Superstructure,	
508B032M	Each	Structural Steel Superstructure,	
508B033M	Each	Structural Steel Superstructure,	
508B034M	Each	Structural Steel Superstructure,	
508B035M	Each	Structural Steel Superstructure,	
508B036M	Each	Structural Steel Superstructure,	
508B037M	Each	Structural Steel Superstructure,	
508B038M	Each	Structural Steel Superstructure,	
508B039M	Each	Structural Steel Superstructure,	
508B040M	Each	Structural Steel Superstructure,	
508B041M	Each	Structural Steel Superstructure,	
508B042M	Each	Structural Steel Superstructure,	
508B043M	Each	Structural Steel Superstructure,	
508B044M	Each	Structural Steel Superstructure,	
508B045M	Each	Structural Steel Superstructure,	
508C000M	Set	Bearing Plates Bronze (One Set Consists Of Plates)	
508C200M	Set	Bearing Plates PTFE (One Set Consists Of Plates)	
508E000M	LS	Furnishing, Fabrication And Installation Of Ladders	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 31
508F000M	LS	Bridge Deck Drainage System (Specialty Item)	
508F001M	LS	Bridge Deck Drainage System (Specialty Item)	
508F002M	LS	Bridge Deck Drainage System (Specialty Item)	
508I000M	Each	Structural Steel Bent Cap Number , (Specialty Item)	
509A000M	CU M	Untreated Timber	
509B000M	CU M	Treated Timber	
509C000M	CU M	Treated Timber (Any Preservative) (Salvaged Material)	
510A007M	CU M	Bridge Substructure Concrete	
510B000M	CU M	Bridge Concrete, Class D	
510B001M	CU M	Bridge Concrete, Class	
510B002M	CU M	Bridge Concrete, Class	
510C051M	LS	Bridge Concrete Superstructure,	
510C052M	LS	Bridge Concrete Superstructure,	
510C053M	LS	Bridge Concrete Superstructure,	
510C054M	LS	Bridge Concrete Superstructure,	
510C055M	LS	Bridge Concrete Superstructure,	
510C056M	LS	Bridge Concrete Superstructure,	
510C057M	LS	Bridge Concrete Superstructure,	
510C058M	LS	Bridge Concrete Superstructure,	
510C059M	LS	Bridge Concrete Superstructure,	
510C060M	LS	Bridge Concrete Superstructure,	
510C061M	LS	Bridge Concrete Superstructure,	
510C062M	LS	Bridge Concrete Superstructure,	
510C063M	LS	Bridge Concrete Superstructure,	
510C064M	LS	Bridge Concrete Superstructure,	
510C065M	LS	Bridge Concrete Superstructure,	
510C066M	LS	Bridge Concrete Superstructure,	
510C067M	LS	Bridge Concrete Superstructure,	
510C068M	LS	Bridge Concrete Superstructure,	
510C069M	LS	Bridge Concrete Superstructure,	
510C070M	LS	Bridge Concrete Superstructure,	
510C071M	LS	Bridge Concrete Superstructure,	
510E000M	SQ M	Grooving Concrete Bridge Decks	
510G000M	CU M	Mass Bridge Concrete Substructure	
510H000M	LS	Mass Bridge Concrete Superstructure	
510H001M	LS	Mass Bridge Concrete Superstructure	
510H002M	LS	Mass Bridge Concrete Superstructure	
510H003M	LS	Mass Bridge Concrete Superstructure	
511A000M	Each	Elastomeric Bearing Type 1	
511A001M	Each	Elastomeric Bearing Type 2	
511A003M	Each	Elastomeric Bearing Type 3	
511A004M	Each	Elastomeric Bearing Type 4	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 32
511A005M	Each	Elastomeric Bearing Type 5	
511A010M	Each	Elastomeric Bearing Type 5 (Mark B1)	
511A040M	Each	Elastomeric Bearing Type 4 (Mark A)	
511A041M	Each	Elastomeric Bearing Type 4 (Mark B)	
511A042M	Each	Elastomeric Bearing Type 4 (Mark C)	
511A047M	Each	Elastomeric Bearing Type 2 (Mark EB1-1)	
511A048M	Each	Elastomeric Bearing Type 2 (Mark EB1-2)	
511A049M	Each	Elastomeric Bearing Type 2 (Mark EB1-3)	
511A050M	Each	Elastomeric Bearings, Type 2 (Mark B1)	
511A051M	Each	Elastomeric Bearing Type 2 (Mark B2)	
511A052M	Each	Elastomeric Bearing Type 2 (Mark B3)	
511A053M	Each	Elastomeric Bearing Type 2 (Mark B4)	
511A054M	Each	Elastomeric Bearing Type 2 (Mark N)	
511A055M	Each	Elastomeric Bearings, Type 2 (Mark B1 Modified)	
511A056M	Each	Elastomeric Bearing Type 2 (Mark B2 Modified)	
511A057M	Each	Elastomeric Bearing Type 2 (Mark B3 Modified)	
511A058M	Each	Elastomeric Bearing Type 2 (Mark B4 Modified)	
511A059M	Each	Elastomeric Bearing Type 2 (Mark S)	
511A061M	Each	Elastomeric Bearing Type 4 (Mark B1)	
511A062M	Each	Elastomeric Bearing Type 4 (Mark B2)	
511A063M	Each	Elastomeric Bearing Type 4 (Mark B3)	
511A064M	Each	Elastomeric Bearing Type 4 (Mark B4)	
511A065M	Each	Elastomeric Bearing Type 2 (Mark B5)	
511A070M	Each	Elastomeric Bearings, Type 4 (Mark VB1)	
511A071M	Each	Elastomeric Bearings, Type 4 (Mark VB2)	
511A072M	Each	Elastomeric Beraing Type 4 (Mark VB3)	
511A073M	Each	Elastomeric Bearing Type 4 (Mark VB4)	
511A074M	Each	Elastomeric Bearing Type 4 (Mark VB5)	
511A080M	Each	Elastomeric Bearing Type 4 (Mark VB1 Modified)	
511A081M	Each	Elastomeric Bearing Type 4 (Mark VB2 Modified)	
511A082M	Each	Elastomeric Bearing Type 4 (Mark VB3 Modified)	
511A083M	Each	Elastomeric Bearing Type 4 (Mark VB4 Modified)	
511A084M	Each	Elastomeric Bearing Type 1 (Mark B1)	
511A085M	Each	Elastomeric Bearing Type 1 (Mark B2)	
511A090M	Each	Elastomeric Bearing Type 2 (Mark SB1)	
511A091M	Each	Elastomeric Bearing Type 2 (Mark SB1)	
512A008M	Each	Precast Concrete Abutment Caps, 2'-0" Wide By 1'-7" Deep By 28'-0" Long	
512A014M	Each	Precast Concrete Abutment Caps, 2'-0" Wide By 1'-8" Deep By 33'-0" Long	
512A015M	Each	Precast Concrete Abutment Caps, 2'-0" Wide x 1'-4 7/8" Deep By 33'-0" Long (Modified)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 33
512A017M	Each	Precast Concrete Abutment Caps, 2'-0" Wide By 1'-8 5/16" Deep By 36'-8 1/2" Long	
512A025M	Each	Precast Concrete Abutment Caps,	
512A026M	Each	Precast Concrete Abutment Caps,	
512B003M	Each	Precast Concrete Intermediate Bent Caps, 610 mm Wide By 485 mm Deep By 8380 mm Long	
512B004M	Each	Precast Concrete Intermediate Bent Caps, 610 mm Wide By 610 mm Deep By 9600 mm Long	
512B005M	Each	Precast Concrete Intermediate Bent Caps, 840 mm Wide By 535 mm Deep By 9600 mm Long	
512B010M	Each	Precast Concrete Intermediate Bent Caps, 610 mm Wide By 535 mm Deep By 960 mm Long (Modified)	
512B014M	Each	Precast Concrete Intermediate Bent Caps,	
512B015M	Each	Precast Concrete Intermediate Bent Caps,	
512B016M	Each	Precast Concrete Intermediate Bent Caps, 610 mm Wide By 620 mm Deep By 11 900 mm Long	
512B018M	Each	Precast Concrete Intermediate Bent Caps, 660 mm Wide By 610 mm Deep By 31'-6" Long	
512B019M	Each	Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 2'-0" Deep By 36'-8 1/2" Long	
512B024M	Each	Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 2'-0" Deep By 31'-6" Long (3" Step)	
512B026M	Each	Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 2'-0" Deep By 31'-6" Long (7" Step)	
512B028M	Each	Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 1'-7" Deep By 27'-6" Long (3" Step)	
512B029M	Each	Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 1'-7" Deep By 27'-6" Long (4" Step)	
512B030M	Each	Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 1'-7" Deep By 27'-6" Long (7" Step)	
512C001M	Each	Precast Concrete Type 1 Span Section, 760 mm Wide By 430 mm Deep By 7320 mm Long	
512C002M	Each	Precast Concrete Type 1 Span Section, 1070 mm Wide By 435 mm Deep By 7320 mm Long	
512C003M	Each	Precast Concrete Type 1 Span Section, 990 mm Wide By 535 mm Deep By 10 360 mm Long	
512C004M	Each	Precast Concrete Type 1 Span Section, 1070 mm Wide By 535 mm Deep By 10 360 mm Long	
512C006M	Each	Precast Concrete Type 2C Span Section, 1070 mm Wide By 435 mm Deep By 7320 mm Long	
512C007M	Each	Precast Concrete Type 2C Span Section, 1070 mm Wide By 535 mm Deep By 10 360 mm Long	
512C010M	Each	Precast Concrete Type 1 Span Section, 1070 mm Wide By 535 mm Deep By 9760 mm Long	
512C011M	Each	Precast Concrete Type 2C Span Section, 1070 mm Wide By 535 mm Deep By 9760 mm Long	
512C017M	Each	Precast Concrete Type 1 Span Section 3'-6" By 2'-0" Deep By 39'-11 3/4" Long	
512C018M	Each	Precast Concrete Type 1 Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long (30° Skew)	
512C019M	Each	Precast Concrete Type 1 Span Section, 3'-6" Wide x 2'-0" Deep x 40'-0" Long	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 34
512C025M	Each	Precast Concrete Type 2C Span Section 3'-6" By 2'-0" Deep By 39'-11 3/4" Long	
512C026M	Each	Precast Concrete Type 2C Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long (30^ Skew)	
512C027M	Each	Precast Concrete Type 2C Span Section, 3-6" Wide x 2'-0" Deep x 40'-0" Long	
512D001M	Each	Precast Concrete Barrier Rail End Section, 7320 mm Long	
512D002M	Each	Precast Concrete Barrier Rail End Section, 10 360 mm Long	
512D004M	Each	Precast Concrete Barrier Rail Intermediate Section, 7320 mm Long	
512D005M	Each	Precast Concrete Barrier Rail Intermediate Section, 10 360 mm Long	
512D006M	Each	Precast Concrete Barrier Rail End Section, 10 360 mm Long (Modified)	
512D007M	Each	Precast Concrete Barrier Rail End Section, 9750 mm Long	
512D010M	Each	Precast Concrete Barrier Rail Intermediate Section, 9750 mm Long	
512D012M	Each	Precast Concrete Barrier Rail End Section,	
512D013M	Each	Precast Concrete Barrier Rail End Section,	
512D014M	Each	Precast Concrete Barrier Rail End Section,	
512D015M	Each	Precast Concrete Barrier Rail Intermediate Section,	
512D025M	Each	Precast Concrete Barrier Rail Intermediate Section, 39'-11" Long	
512D026M	Each	Precast Concrete Barrier Rail Intermediate Section, 39'-11" Long (30^ Skew)	
512D030M	Each	Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long	
512D031M	Each	Precast Concrete Barrier Rail End Section, 39-11 3/8" Long (Modified)	
512D032M	Each	Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long (30^ Skew)	
512E000M	Each	Precast Concrete Abutment Panels, Type A1	
512E001M	Each	Precast Concrete Abutment Panels, Type A2	
512E002M	Each	Precast Concrete Abutment Panels, Type A3	
512E006M	Each	Precast Concrete Abutment Panels, Type A1 (Modified)	
512E007M	Each	Precast Concrete Abutment Panels, Type A2 (Modified)	
512E009M	Each	Precast Concrete Abutment Panels, Type A1, 1855 mm Long	
512E010M	Each	Precast Concrete Abutment Panels, Type A1, 2235 mm Long	
512E011M	Each	Precast Concrete Abutment Panels, Type A2, 1855 mm Long	
512E012M	Each	Precast Concrete Abutment Panels, Type A2, 2235 mm Long	
512E013M	Each	Precast Concrete Abutment Panels, Type A3, 1855 mm Long	
512E014M	Each	Precast Concrete Abutment Panels, Type A3, 2235 mm Long	
512E020M	Each	Precast Concrete Abutment Panels, Type A A 2, 6'-4" Long	
512E021M	Each	Precast Concrete Abutment Panels, Type A6	
512E022M	Each	Pre-cast Concrete Abutment Panels, Type AA2 (Modified 3'-9 1/2" Long)	
512E023M	Each	Precast Concrete Abutment Panels, Type AAA2 (Modified 6'-8 1/2" Long)	
512E024M	Each	Pre-cast Concrete Abutment Panels, Type AA2 (Modified 7'-1" Long)	
512F000M	Each	Precast Concrete Wing Panels, Type W1	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 35
512F001M	Each	Precast Concrete Wing Panels, Type W2	
512F002M	Each	Precast Concrete Wing Panels, Type W3	
512F003M	Each	Precast Concrete Wing Panels, Type W1 (Modified)	
512F004M	Each	Precast Concrete Wing Panels, Type W2 (Modified)	
512F008M	Each	Precast Concrete Wing Panels, Type W6	
512F009M	Each	Precast Concrete Wing Panels, Type A6 (Modified)	
512F010M	Each	Precast Concrete Wing Panels, Type W2 (Special)	
512F011M	Each	Precast Concrete Wing Panels, Type W3 (Special)	
512G000M	Each	Precast Concrete Abutment Wing Cap Panels	
512G001M	Each	Precast Concrete Abutment Wing Cap Panels (Special)	
512G005M	Each	Precast Concrete Abutment Wing Cap Panels (Modified)	
512K000M	LS	Precast Reinforced Concrete Girder (Specialty Item)	
512L000M	LS	Precast Reinforced Concrete Girder (Specialty Item) Station	
512M001M	M	Precast Concrete Columns,	
512N000M	Each	Precast Concrete Arch Span,	
512P000M	Each	Precast Concrete Impost Block,	
513B003M	M	Pretensioned-Prestressed Concrete Girders, Type IM (Specialty Item)	
513B004M	M	Pretensioned-Prestressed Concrete Girders, Type IIM (Specialty Item)	
513B005M	M	Pretensioned-Prestressed Concrete Girders, Type IIIM (Specialty Item)	
513B006M	M	Pretensioned-Prestressed Concrete Girders, Type IVM (Specialty Item)	
513B010M	M	Pretensioned-Prestressed Concrete Girders, Type IM Modified (Specialty Item)	
513B011M	M	Pretensioned-Prestressed Concrete Girder, Type IIM Modified (Specialty Item)	
513B012M	M	Pretensioned-Prestressed Concrete Girders, Type IIIM Modified (Specialty Item)	
513B015M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1370 (Specialty Item)	
513B016M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1675 (Specialty Item)	
513B017M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1830 (Specialty Item)	
513B019M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1600 (Specialty Item)	
513B020M	M	Pretensioned-Prestressed Concrete Girders, Type PCI BT-1830 (Specialty Item)	
513B021M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1880 (Specialty Item)	
513B029M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1370 Modified (Specialty Item)	
513B031M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1600 Modified (Specialty Item)	
513B032M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1830 Modified (Specialty Item)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 36
513B033M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1880 Modified (Specialty Item)	
513B036M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1420 Modified (Specialty Item)	
513B037M	M	Pretensioned-Prestressed Concrete Girders, Type BT-1675 Modified (Specialty Item)	
513B038M	M	Pretensioned-Prestressed Concrete Girders, Type I Modified (III) (Specialty Item)	
513B110M	M	Pretensioned Prestressed Concrete Girder, Type NEXT -28D (Specialty Item)	
513B120M	M	Pretensioned-prestressed Concrete Girders, Type Voided Slab	
513C000M	Each	Prestressed Concrete Interior Span Sections,	
513C001M	Each	Prestressed Concrete Interior Span Sections,	
513C002M	Each	Prestressed Concrete Interior Span Sections,	
513C003M	Each	Prestressed Concrete Interior Span Sections,	
513D000M	Each	Prestressed Concrete Exterior Span Sections,	
513D001M	Each	Prestressed Concrete Exterior Span Sections,	
513D002M	Each	Prestressed Concrete Exterior Span Sections,	
513D003M	Each	Prestressed Concrete Exterior Span Sections,	
514A000M	SQ M	Simulated Stone Masonry	
514B000M	SQ M	Simulated Brick Masonry	
515A001M	SQ M	Class D Waterproofing	
515B000M	SQ M	Dampproofing	
515C000M	L	Bridge Deck Sealant	
515D000M	SQ M	Application of Bridge Deck Sealant	
516A060M	LS	Bridge Culvert Passageway	
516A061M	LS	Testing Concrete Girders	
516A100M	LS	Precast Concrete Modular Bridge at Station	
516B000M	LS	Utilization Of Self-Consolidating Concrete	
516C000M	LS	Coating Concrete Surfaces	
516C001M	LS	Coating Concrete Surfaces (
516D000M	LS	Pedestrian Bridge	
516F000M	LS	Prefabricated Truss Span	
516F010M	LS	Prefabricated Truss Span (Installation),	
517A000M	M	Handrail	
517A002M	M	Galvanized Steel Pipe Handrail	
517A004M	M	Ornamental Handrail	
517C000M	Set	Stair Railing	
517D000M	M	Sidewalk Handrail	
517D001M	M	Aluminum Sidewalk Handrail	
517D002M	M	Galvanized Steel Sidewalk Handrail	
517G000M	M	Ornamental Metal Fence	
517H000M	Each	Ornamental Metal Bench	
519A000M	LS	Navigation Lighting System	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 37
520A000M	LS	Repairs To Existing Bridge, Station	
520A001M	LS	Repairs To Existing Bridge, Station	
520A100M	LS	Repairs to Existing Bridge,	
520A101M	LS	Repairs to Existing Bridge,	
520A102M	LS	Repairs to Existing Bridge,	
520A103M	LS	Repairs to Existing Bridge,	
520A104M	LS	Repairs to Existing Bridge,	
520A105M	LS	Repairs to Existing Bridge,	
520B000M	LS	Raising Existing Bridge, Station	
520B001M	LS	Raising Existing Bridge, Station	
520B002M	LS	Raising Existing Bridge, Station	
520B003M	LS	Raising Existing Bridge,	
520B004M	LS	Raising Existing Bridge, Station	
520B005M	LS	Raising Existing Bridge, Station	
520B006M	LS	Raising Existing Bridge, Station	
520B007M	LS	Raising Existing Bridge, Station	
520B020M	LS	Raising Existing Bridge, Milepost	
520C000M	LS	Raising Portion Of Existing Bridge	
520C100M	LS	Raising Portion of Existing Bridge,	
520C101M	LS	Raising Portion of Existing Bridge,	
520C102M	LS	Raising Portion of Existing Bridge,	
520C103M	LS	Raising Portion of Existing Bridge,	
520C104M	LS	Raising Portion of Existing Bridge,	
520G000M	Each	Bridge Girder Repairs	
521B000M	LS	Coating Existing Bridge At	
521B001M	LS	Coating Existing Bridge At	
521B002M	LS	Coating Existing Bridge At	
521B003M	LS	Coating Existing Bridge At	
521B004M	LS	Coating Existing Bridge At	
521B005M	LS	Coating Existing Bridge At	
521B006M	LS	Coating Existing Bridge At	
521B007M	LS	Coating Existing Bridge At	
521B008M	LS	Coating Existing Bridge At	
521B009M	LS	Coating Existing Bridge At	
521B010M	LS	Coating Existing Bridge At	
521B011M	LS	Coating Existing Bridge At	
521B012M	LS	Coating Existing Bridge At	
521B013M	LS	Coating Existing Bridge At	
521B014M	LS	Coating Existing Bridge At	
521B015M	LS	Coating Existing Bridge At	
521B016M	LS	Coating Existing Bridge At	
521B017M	LS	Coating Existing Bridge At	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 38
521B018M	LS	Coating Existing Bridge At	
521B019M	LS	Coating Existing Bridge At	
521B020M	LS	Coating Existing Bridge At	
521B021M	LS	Coating Existing Bridge At Station	
521B022M	LS	Coating Existing Bridge At Station	
521B023M	LS	Coating Existing Bridge At Station	
521B024M	LS	Coating Existing Bridge At Station	
521B025M	LS	Coating Existing Bridge At	
521B026M	LS	Coating Existing Bridge At	
521B027M	LS	Coating Existing Bridge At	
521B028M	LS	Coating Existing Bridge At	
521B029M	LS	Coating Existing Bridge At	
521B030M	LS	Coating Existing Bridge At	
521B031M	LS	Coating Existing Bridge At	
522G000M	M	Bridge Joint Seal	
522J000M	M	Strip Seal Expansion Joint	
524A010M	CU M	Culvert Concrete	
524A011M	CU M	Culvert Concrete (Cast In Place)	
524A012M	CU M	Culvert Concrete (Precast)	
524B010M	CU M	Culvert Concrete Extension	
524B011M	CU M	Culvert Concrete Extension (Cast In Place)	
524B012M	CU M	Culvert Concrete Extension (Precast)	
529A010M	SQ M	Retaining Wall	
529A011M	SQ M	Retaining Wall(Cast In Place)	
529A012M	SQ M	Retaining Wall(MSE)	
529A020M	SQ M	Retaining Wall #	
529A021M	SQ M	Retaining Wall #	
529A022M	SQ M	Retaining Wall #	
529A023M	SQ M	Retaining Wall #	
529A024M	SQ M	Retaining Wall #	
529A025M	SQ M	Retaining Wall #	
529A026M	SQ M	Retaining Wall #	
529A027M	SQ M	Retaining Wall #	
529A028M	SQ M	Retaining Wall #	
529A029M	SQ M	Retaining Wall #	
529A030M	SQ M	Retaining Wall #	
529A031M	SQ M	Retaining Wall #	
529A032M	SQ M	Retaining Wall #	
529A033M	SQ M	Retaining Wall #	
529A034M	SQ M	Retaining Wall #	
529A035M	SQ M	Retaining Wall #	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 39
529A036M	SQ M	Retaining Wall #	
529A037M	SQ M	Retaining Wall #	
529A038M	SQ M	Retaining Wall #	
529A039M	SQ M	Retaining Wall #	
529A040M	SQ M	Retaining Wall #	
529A041M	SQ M	Retaining Wall #	
529A042M	SQ M	Retaining Wall #	
529A043M	SQ M	Retaining Wall #	
529A044M	SQ M	Retaining Wall #	
529A045M	SQ M	Retaining Wall #	
529A046M	SQ M	Retaining Wall #	
529A047M	SQ M	Retaining Wall #	
530A000M	M	375 mm Roadway Pipe (Class 3 R.C.)	
530A001M	M	450 mm Roadway Pipe (Class 3 R.C.)	
530A002M	M	600 mm Roadway Pipe (Class 3 R.C.)	
530A003M	M	750 mm Roadway Pipe (Class 3 R.C.)	
530A004M	M	900 mm Roadway Pipe (Class 3 R.C.)	
530A005M	M	1050 mm Roadway Pipe (Class 3 R.C.)	
530A006M	M	1200 mm Roadway Pipe (Class 3 R.C.)	
530A007M	M	1350 mm Roadway Pipe (Class 3 R.C.)	
530A008M	M	1500 mm Roadway Pipe (Class 3 R.C.)	
530A009M	M	1650 mm Roadway Pipe (Class 3 R.C.)	
530A010M	M	1800 mm Roadway Pipe (Class 3 R.C.)	
530A011M	M	375 mm Roadway Pipe (Class 4 R.C.)	
530A012M	M	450 mm Roadway Pipe (Class 4 R.C.)	
530A013M	M	600 mm Roadway Pipe (Class 4 R.C.)	
530A014M	M	750 mm Roadway Pipe (Class 4 R.C.)	
530A015M	M	900 mm Roadway Pipe (Class 4 R.C.)	
530A016M	M	1050 mm Roadway Pipe (Class 4 R.C.)	
530A017M	M	1200 mm Roadway Pipe (Class 4 R.C.)	
530A018M	M	1350 mm Roadway Pipe (Class 4 R.C.)	
530A019M	M	1500 mm Roadway Pipe (Class 4 R.C.)	
530A020M	M	1650 mm Roadway Pipe (Class 4 R.C.)	
530A021M	M	1800 mm Roadway Pipe (Class 4 R.C.)	
530A022M	M	375 mm Roadway Pipe (Class 5 R.C.)	
530A023M	M	450 mm Roadway Pipe (Class 5 R.C.)	
530A024M	M	600 mm Roadway Pipe (Class 5 R.C.)	
530A025M	M	750 mm Roadway Pipe (Class 5 R.C.)	
530A026M	M	900 mm Roadway Pipe (Class 5 R.C.)	
530A027M	M	1050 mm Roadway Pipe (Class 5 R.C.)	
530A028M	M	1200 mm Roadway Pipe (Class 5 R.C.)	
530A029M	M	1350 mm Roadway Pipe (Class 5 R.C.)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 40
530A030M	M	1500 mm Roadway Pipe (Class 5 R.C.)	
530A031M	M	1650 mm Roadway Pipe (Class 5 R.C.)	
530A032M	M	1800 mm Roadway Pipe (Class 5 R.C.)	
530A033M	M	300 mm Roadway Pipe (Class 3 R.C.)	
530A034M	M	2100 mm Roadway Pipe (Class 3 R.C.)	
530A035M	M	2100 mm Roadway Pipe (Class 5 R.C.)	
530A036M	M	2100 mm Roadway Pipe (Class 4 R.C.)	
530A037M	M	2300 mm Roadway Pipe (Class 4 R.C.)	
530A099M	M	300 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A100M	M	375 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A101M	M	450 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A102M	M	600 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A103M	M	750 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A104M	M	900 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A105M	M	1050 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A106M	M	1200 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A107M	M	1350 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A108M	M	1500 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A109M	M	1650 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A110M	M	1800 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A111M	M	2000 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A112M	M	2100 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A114M	M	2450 mm Roadway Pipe (Class 3 R.C.) (Extension)	
530A120M	M	375 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A121M	M	450 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A122M	M	600 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A123M	M	750 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A124M	M	900 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A125M	M	1050 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A126M	M	1200 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A127M	M	1350 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A128M	M	1500 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A129M	M	1650 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A130M	M	1800 mm Roadway Pipe (Class 4 R.C.) (Extension)	
530A135M	M	375 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A136M	M	450 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A137M	M	600 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A138M	M	750 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A139M	M	900 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A140M	M	1050 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A141M	M	1200 mm Roadway Pipe (Class 5 R.C.) (Extension)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 41
530A142M	M	1350 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A143M	M	1500 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A144M	M	1650 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A145M	M	1800 mm Roadway Pipe (Class 5 R.C.) (Extension)	
530A149M	M	2450 mm Roadway Pipe (2.7 mm wall thickness C.C.S.)	
530A150M	M	300 mm Roadway Pipe (1.9 mm wall thickness C.C.S.)	
530A151M	M	375 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.)	
530A152M	M	900 mm Roadway Pipe (2.0 mm wall thickness C.C.S.)	
530A153M	M	1200 mm Roadway Pipe (2.0 mm wall thickness C.C.S.)	
530A154M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.)	
530A155M	M	600 mm Roadway Pipe (2.0 mm wall thickness C.C.S.)	
530A156M	M	750 mm Roadway Pipe (2.0 mm wall thickness C.C.S.)	
530A168M	M	900 mm Roadway Pipe (3.5 mm wall thickness C.C.S.)	
530A169M	M	750 mm Roadway Pipe (3.5 mm wall thickness C.C.S.)	
530A170M	M	900 mm Roadway Pipe (4.4 mm wall thickness C.C.S.)	
530A171M	M	1350 mm Roadway Pipe (3.5 mm Wall Thickness C.C.S.P.I.)	
530A172M	M	1500 mm Roadway Pipe (4.4 mm Wall Thickness C.C.S.P.I.)	
530A173M	M	1500 mm Roadway Pipe (2.7 mm Wall Thickness C.C.S.P.I.)	
530A175M	M	375 mm Roadway Pipe (2.7 mm wall thickness C.C.M.P.I.)	
530A177M	M	600 mm Roadway Pipe (2.7 mm wall thickness C.C.M.P.I.)	
530A178M	M	750 mm Roadway Pipe (2.7 mm wall thickness C.C.S.P.I.)	
530A182M	M	1500 mm Roadway Pipe (2.7 mm Wall Thickness C.C.M.P.I.)	
530A185M	M	1050 mm Roadway Pipe (2.7 mm Wall Thickness C.C.S.P.I.)	
530A200M	M	375 mm Roadway Pipe (2.0 mm wall thickness C.C.S.P.I.)	
530A201M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A202M	M	600 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A203M	M	750 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A204M	M	900 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A205M	M	1050 mm Roadway Pipe (2.0 mm wall thickness C.C.S.P.I.)	
530A206M	M	1200 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A207M	M	1350 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A208M	M	1500 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A209M	M	1650 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A210M	M	1800 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.)	
530A211M	M	375 mm Roadway Pipe (2.0 mm wall thickness C.C.M.P.I.)	
530A212M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.P.I.)	
530A213M	M	600 mm Roadway Pipe (2.0 mm wall thickness C.C.M.P.I.)	
530A214M	M	750 mm Roadway Pipe (2.0 mm wall thickness C.C.M.P.I.)	
530A216M	M	1050 mm Roadway Pipe (2.0 mm wall thickness C.C.M.P.I.)	
530A220M	M	1650 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.P.I.)	
530A253M	M	600 mm Roadway Pipe (2.0 mm wall thickness C.C.M.P.I.)(Extension)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 42
530A256M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.P. I.)(Extension)	
530A257M	M	1050 mm Roadway Pipe (2.0 mm wall thickness C.C.M.P. I.)(Extension)	
530A258M	M	1200 mm Roadway Pipe (2.0 mm wall C.C.M.P.I.)(Extension)	
530A274M	M	3000 mm Roadway Pipe (2.7 mm Wall Thickness C.C.M.P. I.)(Extension)	
530A276M	M	600 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.P.I.) (Including Elbows)	
530A301M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.M.)	
530A302M	M	600 mm Roadway Pipe (2.0 mm Wall Thickness C.M.)	
530A455M	M	1050 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P.I.)	
530A493M	M	375 mm Roadway Pipe (2.0 mm Wall Thickness C.M.) (Temporary)	
530A494M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.M.)(Temporary)	
530A495M	M	600 mm Roadway Pipe (2.0 mm Wall Thickness C.M.)(Temporary)	
530A496M	M	750 mm Roadway Pipe (2.0 mm Wall Thickness C.M.)(Temporary)	
530A497M	M	900 mm Roadway Pipe (2.0 mm Wall Thickness C.M.)(Temporary)	
530A498M	M	1050 mm Roadway Pipe (2.0 mm Wall Thickness C.M.)(Temporary)	
530A499M	M	1200 mm Roadway Pipe (2.0 mm Wall Thickness C.M.) (Temporary)	
530A500M	M	1500 mm Roadway Pipe (2.0 mm Wall Thickness C.M.) (Temporary)	
530A501M	M	1800 mm Roadway Pipe (2.0 mm Wall Thickness C.M.) (Temporary)	
530A503M	M	2100 mm Roadway Pipe (2.0 mm Wall Thickness C.M.) (Temporary)	
530A550M	M	375 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P. I.)(Extension)	
530A551M	M	450 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P. I.)(Extension)	
530A552M	M	600 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P. I.)(Extension)	
530A558M	M	1500 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P.I.)(Extension)	
530A600M	M	375 mm Roadway Pipe (2.0 mm Wall Thickness C.S.) (Temporary)	
530A601M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.S.) (Temporary)	
530A602M	M	600 mm Roadway Pipe (2.0 mm Wall Thickness C.S.) (Temporary)	
530A603M	M	750mm Roadway Pipe (2.0mm Wall Thickness C.S.) (Temporary)	
530A604M	M	900 mm Roadway Pipe (2.0 mm Wall Thickness C.S.) (Temporary)	
530A606M	M	1200 mm Roadway Pipe (2.0 mm Wall Thickness C.S.) (Temporary)	
530A610M	M	1800 mm Roadway Pipe (2.0 mm Wall Thickness C.S.) (Temporary)	
530A661M	M	450 mm Roadway Pipe (Class 3 R.C.) (Temporary)	
530A662M	M	600 mm Roadway Pipe (Class 3 R.C.) (Temporary)	
530A694M	M	375 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P. I.)(Temporary)	
530A695M	M	450 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P. I.)(Temporary)	
530A798M	M	375 mm Roadway Pipe (3.5 mm Wall Thickness C.C.S.) (Stack Pipe)(No Bedding Required)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 43
530A799M	M	375 mm Roadway Pipe (2.7 mm Wall Thickness C.C.S.) (Stack Pipe) (No Bedding Required)	
530A800M	M	375 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.) (Stack Pipe) (No Bedding Required)	
530A801M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.) (Stack Pipe) (No Bedding Required)	
530A802M	M	600mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.)(Stack Pipe)(No Bedding Required)	
530A803M	M	375 mm Roadway Pipe (Class 3 R.C.) (Stack Pipe)(No Bedding Required)	
530A804M	M	450 mm Roadway Pipe (Class 3 R.C.) (Stack Pipe)(No Bedding Required)	
530A807M	M	450 mm Roadway Pipe (3.5 mm Wall Thickness C.C.S.) (Stack Pipe) (No Bedding Required)	
530A815M	M	375 mm Roadway Pipe (2.0 mm wall thickness C.C.M.)(Stack Pipe)(No Bedding Required)	
530A816M	M	450 mm Roadway Pipe (2.0 mm wall thickness C.C.M.)(Stack Pipe)(No Bedding Required)	
530A817M	M	600 mm Roadway Pipe (2.0 mm wall thickness C.C.M.)(Stack Pipe)(No Bedding Required)	
530A818M	M	375 mm Roadway Pipe (2.0 mm wall thickness C.C.M.)(Stack Pipe)(No Bedding Required)(Extension)	
530A827M	M	600 mm Roadway Pipe (Class 3 R.C. Or Equal Strength C.C. M.)(Stack Pipe)(No Bedding Required)	
530A828M	M	375 mm Roadway Pipe (2.0 mm Wall Thickness C.C.S.) (Stack Pipe)(No Bedding Required) (Extension)	
530A854M	M	2100 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.P.I.)	
530A899M	M	375 mm Roadway Pipe (2.0 mm wall thickness C.C.M.)	
530A900M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.)	
530A905M	M	1200 mm Roadway Pipe (14 Gauge C.C.M.)	
530A906M	M	1350 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.)	
530A924M	M	300 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.)(Extension)	
530A926M	M	450 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.)(Extension)	
530A928M	M	750 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.)(Extension)	
530A929M	M	900 mm Roadway Pipe (2.0 mm Wall Thickness C.C.M.) (Extension)	
530A931M	M	1200 mm Roadway Pipe (2.0 mm Wall Thickness C.C. M.)(Extension)	
530B000M	M	460 mm Span X 280 mm Rise Roadway Pipe (Class 3 R.C.)	
530B001M	M	560 mm Span X 345 mm Rise Roadway Pipe (Class 3 R.C.)	
530B002M	M	725 mm Span X 460 mm Rise Roadway Pipe (Class 3 R.C.)	
530B003M	M	920 mm Span, 570 mm Rise Roadway Pipe, (Class 3 R.C.)	
530B004M	M	1110 mm Span, 675 mm Rise Roadway Pipe, (Class 3 R.C.)	
530B005M	M	1300 mm Span X 795 mm Rise Roadway Pipe (Class 3 R.C.)	
530B006M	M	1485 mm Span X 915 mm Rise Roadway Pipe (Class 3 R.C.)	
530B007M	M	1650 mm Span X 1015 mm Rise Roadway Pipe (Class 3 R.C.)	
530B008M	M	1855 mm Span X 1145 mm Rise Roadway Pipe (Class 3 R.C.)	
530B009M	M	2235 mm Span X 1370 mm Rise Roadway Pipe (Class 3 R.C.)	
530B010M	M	2590 mm Span X 1575 mm Rise Roadway Pipe (Class 3 R.C.)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 44
530B011M	M	460 mm Span X 280 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B012M	M	560 mm Span X 345 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B013M	M	725 mm Span X 460 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B014M	M	920 mm Span X 570 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B015M	M	1110 mm Span X 675 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B016M	M	1300 mm Span X 795 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B017M	M	1485 mm Span X 915 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B018M	M	1650 mm Span X 1015 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B019M	M	1855 mm Span X 1145 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B020M	M	2235 mm Span X 1370 mm Rise Roadway Pipe (Class 3 R.C.) (Extension)	
530B064M	M	875 mm Span, 600 mm Rise Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.) (Extension)	
530B067M	M	1425 mm Span, 950 mm Rise Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.) (Extension)	
530B070M	M	1925 mm Span, 1300 mm Rise Roadway Pipe (2.0 mm Wall Thickness C.C.S.P.I.) (Extension)	
530B079M	M	460 mm Span, 280 mm Rise Roadway Pipe (Class 2 R.C.)	
530B090M	M	740 mm Span, 460 mm Rise Roadway Pipe (Class 4 R.C.)	
530B093M	M	914 mm Span, 590 mm Rise Roadway Pipe (Class 4 R.C.)	
530B094M	M	1120 mm Span, 690 mm Rise Roadway Pipe (Class 4 R.C.)	
530B095M	M	1300 mm Span, 790 mm Rise Roadway Pipe (Class 4 R.C.)	
530B102M	M	1120 mm Span, 690 mm Rise Roadway Pipe (Class 4 R. C.) (Extension)	
530C002M	M	600 mm Roadway Pipe, Jacked Installation (Smooth Steel)	
530C003M	M	750 mm Roadway Pipe, Jacked Installation (Smooth Steel)	
530C004M	M	900 mm Roadway Pipe, Jacked Installation (Smooth Steel)	
530C005M	M	1050 mm Roadway Pipe, Jacked Installation (Smooth Steel)	
530C006M	M	1200 mm Roadway Pipe, Jacked Installation (Smooth Steel)	
530C007M	M	1350 mm Roadway Pipe, Jacked Installation (Smooth Steel)	
530F000M	M	Video Inspection of Existing Roadway Pipe	
531C011M	M	144" Span, 60" Rise, 0.168" Plate Corrugated Steel Structural Plate Arch	
531D000M	LS	Corrugated Metal Structural Plate Arch	
532A030M	M	300 mm Slotted Drain Pipe	
532A031M	M	375 mm Slotted Drain Pipe	
532A032M	M	450 mm Slotted Drain Pipe	
532A033M	M	600 mm Slotted Drain Pipe	
532A040M	M	300 mm Slotted Drain Pipe (With Variable Height Grate)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 45
532A041M	M	375 mm Slotted Drain Pipe (With Variable Height Grate)	
532A051M	M	450 mm Slotted Drain Pipe (Temporary)	
532A052M	M	381mm Slotted Drain Pipe (Temporary)	
532A063M	M	457.2 mm 14 Gauge CS Spiral-Rib Slotted Drain Pipe	
532A067M	M	457.2 mm 14 Gauge CS Spiral-Rib Slotted Drain Pipe (Modified)	
532E002M	Each	Cleanout Box For Slotted Drain (450 mm)	
532E003M	Each	Cleanout Box For Slotted Drain (600 mm)	
533A000M	M	375 mm Storm Sewer Pipe (P.C.)	
533A001M	M	450 mm Storm Sewer Pipe (P.C.)	
533A040M	M	750 mm Storm Sewer Pipe (Class 2 R.C.)	
533A097M	M	375 mm Storm Sewer Pipe (Class 3 R.C.)	
533A098M	M	450 mm Storm Sewer Pipe (Class 3 R.C.)	
533A099M	M	600 mm Storm Sewer Pipe (Class 3 R.C.)	
533A100M	M	750 mm Storm Sewer Pipe (Class 3 R.C.)	
533A101M	M	900 mm Storm Sewer Pipe (Class 3 R.C.)	
533A102M	M	1050 mm Storm Sewer Pipe (Class 3 R.C.)	
533A103M	M	1200 mm Storm Sewer Pipe (Class 3 R.C.)	
533A104M	M	1350 mm Storm Sewer Pipe (Class 3 R.C.)	
533A105M	M	1500 mm Storm Sewer Pipe (Class 3 R.C.)	
533A106M	M	1650 mm Storm Sewer Pipe (Class 3 R.C.)	
533A346M	M	300 mm Storm Sewer Pipe (Class 3 R.C.) (Extension)	
533A347M	M	375 mm Storm Sewer Pipe (Class 3 R.C.) (Extension)	
533A348M	M	450 mm Storm Sewer Pipe (Class 3 R.C.) (Extension)	
533A349M	M	600 mm Storm Sewer Pipe (Class 3 R.C.) (Extension)	
533A350M	M	750 mm Storm Sewer Pipe (Class 3 R.C.) (Extension)	
533A351M	M	900 mm Storm Sewer Pipe (Class 3 R.C.) (Extension)	
533A907M	M	457.2 mm Storm Sewer Pipe (HDPE)	
533A932M	M	18" Storm Sewer Pipe (PP)	
533B097M	M	460 mm Span, 280 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B098M	M	560 mm Span, 345 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B099M	M	725 mm Span, 460 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B100M	M	920 mm Span, 570 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B101M	M	1110 mm Span, 675 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B102M	M	1300 mm Span, 795 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B103M	M	1485 mm Span, 915 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B104M	M	1650 mm Span, 1015 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B105M	M	1855 mm Span, 1145 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
533B106M	M	2235 mm Span, 1370 mm Rise Storm Sewer Pipe (Class 3 R.C.)	
534A000M	Each	Cleaning Pipe Underdrain Outlets	
534B000M	Each	Cleaning Existing Catch Basin	
534C000M	Each	Cleaning Existing Manhole	
534D000M	Each	Cleaning Existing Drop Inlet	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 46
534E000M	M	Cleaning Existing Culvert (Less Than Or Equal To 1200 mm Horizontal Opening)	
534E001M	M	Cleaning Existing Pipe (Less Than Or Equal To 1.2 Meter Horizontal Opening)	
534F000M	M	Cleaning Existing Culvert (Greater Than 1200 mm Horizontal Opening)	
534F001M	M	Cleaning Existing Pipe (Greater Than 1.2 Meter Horizontal Opening)	
535A000M	M	375 mm Side Drain Pipe	
535A001M	M	450 mm Side Drain Pipe	
535A002M	M	600 mm Side Drain Pipe	
535A003M	M	750 mm Side Drain Pipe	
535A004M	M	900 mm Side Drain Pipe	
535A005M	M	1050 mm Side Drain Pipe	
535A006M	M	1200 mm Side Drain Pipe	
535A007M	M	1350 mm Side Drain Pipe	
535A031M	M	450 mm Side Drain Pipe (P.C.)	
535A032M	M	600 mm Side Drain Pipe (P.C.)	
535A078M	M	375 mm Side Drain Pipe (Class 3 R.C.)	
535A080M	M	450 mm Side Drain Pipe (Class 3 R.C.)	
535A085M	M	600 mm Side Drain Pipe (Class 3 R.C.)	
535A086M	M	750 mm Side Drain Pipe (Class 3 R.C.)	
535A087M	M	900 mm Side Drain Pipe (Class 3 R.C.)	
535A089M	M	1200 mm Side Drain Pipe (Class 3 R.C.)	
535A100M	M	375 mm Side Drain Pipe (2.0 mm Wall Thickness C.M.)	
535A102M	M	600 mm Side Drain Pipe (2.0 mm Wall Thickness C.M.)	
535A222M	M	600 mm Side Drain Pipe (1.6 mm Wall Thickness C.C.M.)	
535A239M	M	150 mm Side Drain Pipe (PVC)	
535A240M	M	300 mm Side Drain Pipe (PVC)	
535A299M	M	300 mm Side Drain Pipe (Extension)	
535A300M	M	375 mm Side Drain Pipe (Extension)	
535A301M	M	450 mm Side Drain Pipe (Extension)	
535A302M	M	600 mm Side Drain Pipe (Extension)	
535A304M	M	900 mm Side Drain Pipe (Extension)	
535A410M	M	375 mm Side Drain Pipe (Class 3 R.C.) (Extension)	
535A411M	M	450 mm Side Drain Pipe (Class 3 R.C.) (Extension)	
535A412M	M	600 mm Side Drain Pipe (Class 3 R.C.) (Extension)	
535A413M	M	750 mm Side Drain Pipe (Class 3 R.C.) (Extension)	
535A651M	M	450 mm Side Drain Pipe (Temporary)	
535A652M	M	600 mm Side Drain Pipe (Temporary)	
535B000M	M	460 mm Span, 280 mm Rise Side Drain Pipe	
535B001M	M	560 mm Span, 345 mm Rise Side Drain Pipe	
535B003M	M	920 mm Span, 570 mm Rise Side Drain Pipe	
535B004M	M	1110 mm Span, 675 mm Rise Side Drain Pipe	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 47
535B010M	M	1855 mm Span, 1145 mm Rise Side Drain Pipe	
535B019M	M	unknown	
535B031M	M	560 mm Span, 345 mm Rise Side Drain Pipe (P.C.)	
535B091M	M	725 mm Span, 460 mm Rise Side Drain Pipe (Class 3 R.C.)	
535B093M	M	920 mm Span, 570 mm Rise Side Drain Pipe (Class 3 R.C.)	
535B094M	M	1485 mm Span, 915mm Rise Side Drain Pipe (Class 3 R.C.)	
536A000M	M	Roadway Pipe Relaid	
536B000M	M	Side Drain Pipe Relaid	
539A004M	M	300mm Trench Drain	
541A000M	LS	Ultra-High Performance Concrete,	
544A000M	SQ M	Hydroblasting	
544B000M	SQ M	Bridge Deck Repair with Formwork	
544C000M	SQ M	Placing and Finishing Concrete Overlay	
544D000M	CU M	Concrete for Overlay	
545B000M	CU M	Unclassified GRS-IBS Excavation	
545D000M	CU M	Concrete Leveling Pad	
546A000M	M	Micropiles	
546B000M	Each	Micropile Verification Load Test	
546C000M	Each	Micropile Proof Load Test	
570C000M	SQ M	Temporary Soil Nail Wall	
572A001M	SQ M	Soldier Pile Retaining Wall,	
572A020M	SQ M	Soldier Pile Retaining Wall, Temporary,	
572A021M	SQ M	Soldier Pile Retaining Wall, Temporary,	
572A030M	SQ M	Soldier Pile Retaining Wall,with Permanent Ground Anchors,	
572B030M	SQ M	Soldier Pile Retaining Wall,with Permanent Ground Anchors,	
572B031M	SQ M	Soldier Pile Retaining Wall,with Permanent Ground Anchors,	
572B032M	SQ M	Soldier Pile Retaining Wall,with Permanent Ground Anchors,	
572B033M	SQ M	Soldier Pile Retaining Wall,with Permanent Ground Anchors,	
572B034M	SQ M	Soldier Pile Retaining Wall,with Permanent Ground Anchors,	
572B035M	SQ M	Soldier Pile Retaining Wall,with Permanent Ground Anchors,	
572C000M	SQ M	Soldier Pile Retaining Wall with Cast in Place Beams,	
572C001M	SQ M	Soldier Pile Retaining Wall with Cast in Place Beams,	
578A000M	LS	Hanger Assemblies	
579A000M	Each	Disc-Type Expansion Bearing Assembly (NE)	
579A001M	Each	Disc-Type Expansion Bearing Assembly (GEL)	
579A010M	Each	Disc-Type Expansion Bearing Assembly (F)	
580E000M	KG	Post Tensioning Superstructure Strand (
580E001M	KG	Post Tensioning Superstructure Strand (
580E002M	KG	Post Tensioning Superstructure Bar (
580E003M	KG	Post Tensioning Superstructure Bar (
582A000M	Each	Pier Protection Cell, Type A	
582B000M	Each	Pier Protection Cell, Type B	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 48
583F000M	CU M	Precast Segments-Concrete (6500 PSI) (
583F001M	CU M	Precast Segments-Concrete (6500 PSI) (
583G000M	LS	Precast Segment Production (
583G001M	LS	Precast Segment Production (
583H000M	SQ M	Grooving Precast Segment Bridge Decks (
583H001M	SQ M	Grooving Precast Segment Bridge Decks (
583I000M	KG	Steel Reinforcement for Bridge Superstructure (Grade 60) (
583I001M	KG	Steel Reinforcement for Bridge Superstructure (Grade 60) (
583J000M	M	Cast In-Place Barriers,	
583J001M	M	Cast In-Place Barriers,	
600A000M	LS	Mobilization	
601A000M	Each	Furnishing Base, Soil And Structure Laboratories	
602A000M	Each	Right Of Way Markers	
602B000M	Each	Land Survey Markers	
602C000M	Each	Permanent Easement Marker	
603A000M	Each	Furnishing Type 1 Field Office	
603A001M	Each	Furnishing Type 2 Field Office	
603A002M	Each	Furnishing Type 3 Field Office	
603A003M	Each	Furnishing Type 4 Field Office	
603B000M	M	Furnishing Security Fence	
603C000M	Each	Furnishing Type 1 Field Office (State Retained)	
603C001M	Each	Furnishing Type 2 Field Office (State Retained)	
603C002M	Each	Furnishing Type 3 Field Office (State Retained)	
603C003M	Each	Furnishing Type 4 Field Office (State Retained)	
604A000M	SQ M	Separative Geotextile	
605A001M	M	Pavement Edge Drain	
605A002M	M	Pavement Edge Drain (Aggregate Filled Underdrain)	
605B000M	Each	Special Underdrain Outlet, Type A	
605B001M	Each	Special Underdrain Outlet, Type B	
605B002M	Each	Special Underdrain Outlet, Type C	
605B005M	Each	Special Underdrain Outlet, Type A-1	
605C000M	M	Special 150 mm Diameter Underdrain Pipe	
606A000M	M	150 mm Underdrain Pipe	
606A001M	M	200 mm Underdrain Pipe	
606A004M	M	150 mm Underdrain Pipe, Type 2,3,5 Or 9	
606A005M	M	150 mm Underdrain Pipe, Type 9	
606A012M	M	150 mm Underdrain Pipe, Type 8	
606A013M	M	200 mm Underdrain Pipe, Type 8	
606A017M	M	150 mm Underdrain Pipe, Type 10	
607D000M	SQ M	Paving Geotextile	
608A000M	SQ M	Separation Geotextile	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 49
609A000M	SQ M	Aggregate Slope Protection	
609B000M	SQ M	Geotextile Filter For Aggregate Slope Protection	
610A000M	SQ M	Loose Riprap,Class 1,150 mm Thick	
610A001M	SQ M	Loose Riprap,Class 1,300 mm Thick	
610A003M	SQ M	Loose Riprap,Class 2,450 mm Thick	
610A004M	SQ M	Loose Riprap,Class 2,600 mm Thick	
610A010M	SQ M	Loose Riprap,Class 2,1200 mm Thick	
610C000M	MTON	Loose Riprap, Class 1	
610C001M	MTON	Loose Riprap, Class 2	
610C002M	MTON	Loose Riprap, Class 3	
610C003M	MTON	Loose Riprap, Class 4	
610C004M	MTON	Loose Riprap, Class 5	
610D003M	SQ M	Filter Blanket, Geotextile	
610D004M	SQ M	Filter Blanket, Aggregate	
610E000M	SQ M	Tied Concrete Block Mat	
610F000M	BAG	Concrete Sacked Riprap	
613C000M	LS	Brick Masonry/Concrete Block Masonry Seating Wall	
613F000M	SQ M	Brick Paving	
614A000M	CU M	Slope Paving	
614A001M	CU M	Slope Paving (Under Bridges)	
614B000M	CU M	Reinforced Slope Paving	
615A000M	SQ M	Grouted Rubble Slope Drain	
617A001M	SQ M	Bituminous Treated Glass Fiber Flumes (Double Application)	
618A000M	SQ M	Concrete Sidewalk, 100 mm Thick	
618A001M	SQ M	Concrete Sidewalk, 150 mm Thick	
618B000M	SQ M	Concrete Driveway, 100 mm Thick	
618B001M	SQ M	Concrete Driveway, 125 mm Thick	
618B002M	SQ M	Concrete Driveway, 150 mm Thick	
618B003M	SQ M	Concrete Driveway, 150 mm Thick (Includes Wire Mesh)	
618B004M	SQ M	Concrete Driveway, 200 mm Thick	
618B005M	SQ M	Concrete Driveway, 250 mm Thick (Includes Wire Mesh)	
618B006M	SQ M	Concrete Driveway, 200mm Thick (Includes Wire Mesh)	
619A000M	Each	300mm Roadway Pipe End Treatment,Class 1	
619A001M	Each	375 mm Roadway Pipe End Treatment, Class 1	
619A002M	Each	450 mm Roadway Pipe End Treatment, Class 1	
619A003M	Each	600 mm Roadway Pipe End Treatment, Class 1	
619A004M	Each	750 mm Roadway Pipe End Treatment, Class 1	
619A005M	Each	900 mm Roadway Pipe End Treatment, Class 1	
619A006M	Each	1050 mm Roadway Pipe End Treatment, Class 1	
619A007M	Each	1200 mm Roadway Pipe End Treatment, Class 1	
619A008M	Each	1350 mm Roadway Pipe End Treatment, Class 1	
619A009M	Each	1500 mm Roadway Pipe End Treatment, Class 1	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 50
619A010M	Each	1650 mm Roadway Pipe End Treatment, Class 1	
619A011M	Each	1800 mm Roadway Pipe End Treatment, Class 1	
619A013M	Each	84" Roadway Pipe End Treatment, Class 1	
619A015M	Each	2400 mm Roadway Pipe End Treatment, Class 1	
619A019M	Each	120" Roadway Pipe End Treatment, Class 1	
619A030M	Each	15" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A031M	Each	18" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A032M	Each	24" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A033M	Each	30" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A034M	Each	36" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A035M	Each	42" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A036M	Each	48" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A037M	Each	54" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A038M	Each	60" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A039M	Each	66" Roadway Pipe End Treatment, Class 1(Type HW-620)	
619A040M	Each	42" Roadway Pipe End Treatment, Class 1(Type HW-620) (Special)	
619A042M	Each	24" Roadway Pipe End Treatment, Class 1(Type HW-620) (Special)	
619A043M	Each	N/A	
619A051M	Each	375 mm Roadway Pipe End Treatment, Class 2	
619A052M	Each	450 mm Roadway Pipe End Treatment, Class 2	
619A053M	Each	600 mm Roadway Pipe End Treatment, Class 2	
619A054M	Each	750 mm Roadway Pipe End Treatment, Class 2	
619A055M	Each	900 mm Roadway Pipe End Treatment, Class 2	
619A056M	Each	1050 mm Roadway Pipe End Treatment, Class 2	
619A057M	Each	1200 mm Roadway Pipe End Treatment, Class 2	
619A058M	Each	1350 mm Roadway Pipe End Treatment, Class 2	
619A059M	Each	1500 mm Roadway Pipe End Treatment, Class 2	
619A060M	Each	1650 mm Roadway Pipe End Treatment, Class 2	
619A061M	Each	1800 mm Roadway Pipe End Treatment, Class 2	
619A062M	Each	78" Roadway Pipe End Treatment, Class 2	
619A063M	Each	84" Roadway Pipe End Treatment, Class 2	
619A099M	Each	300 mm Side Drain Pipe End Treatment, Class 1	
619A100M	Each	375 mm Side Drain Pipe End Treatment, Class 1	
619A101M	Each	450 mm Side Drain Pipe End Treatment, Class 1	
619A102M	Each	600 mm Side Drain Pipe End Treatment, Class 1	
619A103M	Each	750 mm Side Drain Pipe End Treatment, Class 1	
619A104M	Each	900 mm Side Drain Pipe End Treatment, Class 1	
619A105M	Each	1050 mm Side Drain Pipe End Treatment, Class 1	
619A106M	Each	1200 mm Side Drain Pipe End Treatment, Class 1	
619A107M	Each	1350 mm Side Drain Pipe End Treatment, Class 1	
619A110M	Each	72" Side Drain Pipe End Treatment, Class 1	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 51
619A125M	Each	375 mm Side Drain Pipe End Treatment, Class 2	
619A126M	Each	450 mm Side Drain Pipe End Treatment, Class 2	
619A127M	Each	600 mm Side Drain Pipe End Treatment, Class 2	
619A128M	Each	750 mm Side Drain Pipe End Treatment, Class 2	
619A129M	Each	900 mm Side Drain Pipe End Treatment, Class 2	
619A130M	Each	1050 mm Side Drain Pipe End Treatment, Class 2	
619A131M	Each	1200 mm Side Drain Pipe End Treatment, Class 2	
619A132M	Each	1350 mm Side Drain Pipe End Treatment, Class 2	
619A133M	Each	60" Side Drain Pipe End Treatment, Class 2	
619A200M	Each	375 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A201M	Each	450 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A202M	Each	600 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A203M	Each	750 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A204M	Each	900 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A206M	Each	1050 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A207M	Each	1200 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A208M	Each	1350 mm Roadway Pipe End Treatment, Class 1 (Double Line)	
619A209M	Each	60" Roadway Pipe End Treatment, Class 1 (Double Line)	
619A211M	Each	72" Roadway Pipe End Treatment, Class 1 (Double Line)	
619A212M	Each	78" Roadway Pipe End Treatment, Class 1 (Double Line)	
619A226M	Each	450 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A227M	Each	600 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A228M	Each	750 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A229M	Each	900 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A230M	Each	1050 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A231M	Each	1200 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A232M	Each	1350 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A233M	Each	1600 mm Roadway Pipe End Treatment, Class 2 (Double Line)	
619A235M	Each	66" Roadway Pipe End Treatment, Class 2 (Double Line)	
619A242M	Each	24" Roadway Pipe End Treatment, Class 1 (Triple Line)	
619A244M	Each	900 mm Roadway Pipe End Treatment, Class 1 (Triple Line)	
619A245M	Each	42" Roadway Pipe End Treatment, Class 1 (Triple Line)	
619A246M	Each	48" Roadway Pipe End Treatment, Class 1 (Triple Line)	
619A247M	Each	1371.6 mm Roadway Pipe End Treatment, Class 1 (Triple Line)	
619A254M	Each	36" Roadway Pipe End Treatment, Class 1 (Quadruple Line)	
619A258M	Each	30" Roadway Pipe End Treatment, Class 2 (Triple Line)	
619A259M	Each	900 mm Roadway Pipe End Treatment, Class 2 (Triple Line)	
619A260M	Each	42" Roadway Pipe End Treatment, Class 2 (Triple Line)	
619A262M	Each	54" Roadway Pipe End Treatment, Class 2 (Triple Line)	
619A263M	Each	1500 mm Roadway Pipe End Treatment, Class 2 (Triple Line)	
619A265M	Each	1800 mm Roadway Pipe End Treatment, Class 2 (Triple Line)	
619A268M	Each	900 mm Roadway Pipe End Treatment, Class 2 (Four Line)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 52
619A271M	Each	750 mm Side Drain Pipe End Treatment, Class 1 (Double Line)	
619A272M	Each	24" Side Drain Pipe End Treatment, Class 1, (Double Line)	
619A273M	Each	30" Side Drain Pipe End Treatment, Class 1, (Double Line)	
619A274M	Each	36" Side Drain Pipe End Treatment, Class 1 (Double Line)	
619A276M	Each	1200 mm Side Drain Pipe End Treatment, Class 1 (Double Line)	
619A286M	Each	18" Side Drain Pipe End Treatment, Class 2 (Double Line)	
619A287M	Each	24" Side Drain Pipe End Treatment, Class 2 (Double Line)	
619A288M	Each	30" Side Drain Pipe End Treatment, Class 2 (Double Line)	
619A289M	Each	900 mm Side Drain End Treatment, Class 2 (Double Line)	
619A291M	Each	48" Side Drain Pipe End Treatment, Class 2 (Double Line)	
619A292M	Each	54" Side Drain Pipe End Treatment Class 2, Double Line	
619A301M	Each	24" Side Drain Pipe End Treatment, Class 2 (Triple Line)	
619A307M	Each	48" Side Drain Pipe End Treatment, Class 2 (Triple Line)	
619B000M	Each	450 mm Span, 340 mm Rise Roadway Pipe End Treatment, Class 1	
619B015M	Each	460 mm Span, 280 mm Rise Roadway Pipe End Treatment, Class 1	
619B016M	Each	560 mm Span, 345 mm Rise Roadway Pipe End Treatment, Class 1	
619B017M	Each	725 mm Span, 460 mm Rise Roadway Pipe End Treatment, Class 1	
619B018M	Each	920 mm Span, 570 mm Rise Roadway Pipe End Treatment, Class 1	
619B019M	Each	1110 mm Span, 675 mm Rise Roadway Pipe End Treatment, Class 1	
619B020M	Each	1300 mm Span, 795 mm Rise Roadway Pipe End Treatment, Class 1	
619B021M	Each	1485 mm Span, 915 mm Rise Roadway Pipe End Treatment, Class 1	
619B022M	Each	1650 mm Span, 1015 mm Rise Roadway Pipe End Treatment, Class 1	
619B023M	Each	1855 mm Span, 1145 mm Rise Roadway Pipe End Treatment, Class 1	
619B024M	Each	2235 mm Span, 1370 mm Rise Roadway Pipe End Treatment, Class 1	
619B059M	Each	1880 mm Span, 1260 mm Rise Roadway Pipe End Treatment, Class 2	
619B067M	Each	725 mm Span, 460 mm Rise Roadway Pipe End Treatment, Class 2	
619B068M	Each	920 mm Span, 570 mm Rise Roadway Pipe End Treatment, Class 2	
619B069M	Each	1110 mm Span, 675 mm Rise Roadway Pipe End Treatment, Class 2	
619B070M	Each	1300 mm Span, 795 mm Rise Roadway Pipe End Treatment, Class 2	
619B071M	Each	1485 mm Span, 915 mm Rise Roadway Pipe End Treatment, Class 2	
619B072M	Each	1650 mm Span, 1015 mm Rise Roadway Pipe End Treatment, Class 2	
619B073M	Each	1855 mm Span, 1145 mm Rise Roadway Pipe End Treatment, Class 2	
619B074M	Each	2235 mm Span, 1370 mm Rise Roadway Pipe End Treatment, Class 2	
619B115M	Each	460 mm Span, 280 mm Rise Side Drain Pipe End Treatment, Class 1	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 53
619B116M	Each	560 mm Span, 345 mm Rise Side Drain Pipe End Treatment, Class 1	
619B117M	Each	725 mm Span, 460 mm Rise Side Drain Pipe End Treatment, Class 1	
619B118M	Each	920 mm Span, 570 mm Rise Side Drain Pipe End Treatment, Class 1	
619B119M	Each	1110 mm Span, 675 mm Rise Side Drain Pipe End Treatment, Class 1	
619B120M	Each	1300 mm Span, 795 mm Rise Side Drain Pipe End Treatment, Class 1	
619B122M	Each	1650 mm Span, 1015 mm Rise Side Drain Pipe End Treatment, Class 1	
619B123M	Each	1855 mm Span, 1145 mm Rise Side Drain Pipe End Treatment, Class 1	
619B141M	Each	560 mm Span, 345 mm Rise Side Drain Pipe End Treatment, Class 2	
619B142M	Each	725 mm Span, 460 mm Rise Side Drain Pipe End Treatment, Class 2	
619B143M	Each	920 mm Span, 570 mm Rise Side Drain Pipe End Treatment, Class 2	
619B144M	Each	1110 mm Span, 675 mm Rise Side Drain Pipe End Treatment, Class 2	
619B145M	Each	1300 mm Span, 795 mm Rise Side Drain Pipe End Treatment, Class 2	
619B146M	Each	1485 mm Span, 915 mm Rise Side Drain Pipe End Treatment, Class 2	
619B147M	Each	1650 mm Span, 1015 mm Rise Side Drain Pipe End Treatment, Class 2	
619B149M	Each	73" Span, 45" Rise Side Drain Pipe End Treatment, Class 2	
619B266M	Each	560 mm Span, 345 mm Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B267M	Each	725 mm Span, 460 mm Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B268M	Each	920 mm Span, 570 mm Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B269M	Each	1110 mm Span, 675 mm Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B270M	Each	1300 mm Span, 795 mm Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B271M	Each	1485 mm Span, 915 mm Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B273M	Each	1855 mm Span, 1145 mm Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B280M	Each	18" Span, 11" Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B281M	Each	560 mm Span, 345 mm Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B282M	Each	725 mm Span, 460 mm Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B283M	Each	920 mm Span, 570 mm Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B284M	Each	1110 mm Span, 675 mm Rise Roadway Pipe End Treatment, Class 2 (Double Line)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 54
619B285M	Each	1300 mm Span, 795 mm Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B286M	Each	1485 mm Span, 915 mm Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B287M	Each	1650 mm Span, 1015 mm Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B288M	Each	73" Span, 45" Rise Roadway Pipe End Treatment, Class 2 (Double Line)	
619B289M	Each	73" Span, 45" Rise Roadway Pipe End Treatment, Class 1 (Double Line)	
619B297M	Each	36" Span, 23" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)	
619B298M	Each	920 mm Span, 570 mm Rise Roadway End Treatment, Class 1 (Triple Line)	
619B299M	Each	1110 mm Rise, 675 mm Span Roadway Pipe End Treatment, Class 1 (Triple Line)	
619B300M	Each	1300 mm Span, 795 mm Rise Roadway Pipe End Treatment, Class 1 (Triple Line)	
619B301M	Each	1485mm Span, 915mm Rise Roadway Pipe End Treatment, Class 1 (Triple Line)	
619B302M	Each	65" Span, 40" Rise Roadway Pipe End Treatment, Class 1 (Triple Line)	
619B303M	Each	29" Span, 18" Rise Roadway Pipe End Treatment, Class 1 (Triple Line)	
619B314M	Each	44" Span, 27" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)	
619B315M	Each	1300 mm Span, 795 mm Rise Roadway Pipe End Treatment, Class 2 (Triple Line)	
619B316M	Each	59" Span, 36" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)	
619B317M	Each	65" Span, 40" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)	
619B322M	Each	88" Span, 54" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)	
619B324M	Each	59" Span, 36" Rise Roadway Pipe End Treatment, Class 2 (Four Line)	
619B327M	Each	29" Span, 18" Rise Roadway Pipe End Treatment, Class 1 (Five Line)	
619B329M	Each	44" Span, 27" Rise Roadway Pipe End Treatment, Class 2 (Five Line)	
619B337M	Each	18" Span, 11" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)	
619B339M	Each	29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)	
619B340M	Each	36" Span, 23" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)	
619B341M	Each	44" Span, 27" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)	
619B342M	Each	51" Span, 31" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)	
619B343M	Each	44" Span, 27" Rise Side Drain Pipe End Treatment, Class 2 (Double Line)	
619B347M	Each	725 mm Span, 460 mm Rise Side Drain Pipe End Treatment, Class 2 (Double Line)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 55
619B351M	Each	44" Span, 27" Rise Side Drain Pipe End Treatment, Class 1 (Triple Line)	
619B354M	Each	88" Span, 54" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)	
619B396M	Each	22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)	
619B399M	Each	29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1 (Seven Line)	
619B400M	Each	36" Span, 23" Rise Sidedrain Pipe End Treatment, Class 2 (Double Line)	
619B410M	Each	18" Span, 11" Rise Side Drain Pipe End Treatment, Class 2 (Double Line)	
619B411M	Each	22" Span, 14" Rise Side Drain Pipe End Treatment, Class 2 (Doubleline)	
619B415M	Each	51" Span, 31" Rise Side Drain Pipe End Treatment, Class 2 (Double Line)	
619B416M	Each	59" Span, 36" Rise Side Drain Pipe End Treatment, Class 2 (Double Line)	
619B420M	Each	59" Span, 36" Rise Side Drain End Treatment, Class 2 (Triple Line)	
619B421M	Each	29" Span, 18" Rise Roadway Pipe End Treatment, Class 2 (Quadruple Line)	
619B424M	Each	1295.4 mm Span, 787.4 mm Rise Roadway Pipe End Treatment, Class 2 (Quadruple Line)	
620A000M	CU M	Minor Structure Concrete	
621A002M	Each	Junction Boxes, Type 4 Or 2P	
621A003M	Each	Junction Boxes, Type 4 Or 1P	
621A004M	Each	Junction Boxes, Type 4	
621A005M	Each	Junction Boxes, Type 1	
621A006M	Each	Junction Boxes, Type 1P	
621A009M	Each	Junction Boxes, Type 2P	
621A010M	Each	Junction Boxes, Type 3	
621A011M	Each	Junction Boxes, Type 1 Or 1P	
621A012M	Each	Junction Boxes, Type 3 Or 3P	
621A013M	Each	Junction Boxes, Type Special	
621A019M	Each	Junction Boxes, Type 1 Or 2P	
621A020M	Each	Junction Boxes, Type 6	
621A022M	Each	Junction Boxes, Type 1 (Modified)	
621A031M	Each	Junction Boxes, Type 1 (Special)	
621A034M	Each	Junction Boxes, Type 4 (Modified)	
621A057M	Each	Junction Boxes, Type Partial	
621A058M	Each	Junction Boxes, Type 3 (Modified)	
621A059M	Each	Junction Boxes, Type 3 (Special)	
621B002M	Each	Junction Box Units, Type 4 Or 2P	
621B003M	Each	Junction Box Units, Type 4 Or 1P	
621B004M	Each	Junction Box Units, Type 4	
621B005M	Each	Junction Box Units, Type 1	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 56
621B006M	Each	Junction Box Units, Type 1P	
621B009M	Each	Junction Box Units, Type 2P	
621B010M	Each	Junction Box Units, Type 3	
621B011M	Each	Junction Box Units, Type 1 Or 1P	
621B012M	Each	Junction Box Units, Type 1 (Special)	
621B014M	Each	Junction Box Units, Type 1 Or 2P	
621B025M	Each	Junction Box Units, Type 4 (Modified)	
621B034M	Each	Junction Box Units, Type 1 (Modified)	
621B035M	Each	Junction Box Units, Type Special	
621C000M	Each	Inlets, Type AB	
621C001M	Each	Inlets, Type B	
621C002M	Each	Inlets, Type C, P1 Or P3	
621C003M	Each	Inlets, Type CD	
621C004M	Each	Inlets, Type GH	
621C005M	Each	Inlets, Type IJ	
621C006M	Each	Inlets, Type KL	
621C007M	Each	Inlets, Type MN	
621C008M	Each	Inlets, Type E	
621C009M	Each	Inlets, Type E1	
621C012M	Each	Inlets, Type J	
621C015M	Each	Inlets, Type S1 Or S3 (1 Wing)	
621C016M	Each	Inlets, Type S2 Or S4 (1 Wing)	
621C017M	Each	Inlets, Type S1 Or S3 (2 Wing)	
621C018M	Each	Inlets, Type S2 Or S4 (2 Wing)	
621C019M	Each	Inlets, Type X	
621C020M	Each	Inlets, Type Y	
621C021M	Each	Inlets, Type P2 Or P3	
621C023M	Each	Inlets, Type S4 (1 Wing)	
621C024M	Each	Inlets, Type C Or P1	
621C025M	Each	Inlets, Type S3 (1 Wing)(Adapted)	
621C026M	Each	Inlets, Type S3 (2 Wing)(Adapted)	
621C027M	Each	Inlets, Type C	
621C028M	Each	Inlets, Type S4 (2 Wing)	
621C029M	Each	Inlets, Type E2 (Modified)	
621C030M	Each	Inlets, Type "Special"	
621C031M	Each	Inlets, Type S3 (1 Wing)	
621C032M	Each	Inlets, Type C (Modified)	
621C033M	Each	Inlets, Type S3 (2 Wing)	
621C034M	Each	Inlets, Type Headwall With Grate	
621C035M	Each	Inlets, Type B (Surface Grates)	
621C036M	Each	Inlets, Type S1 Or S3 (1 Wing)(Modified)	
621C037M	Each	Inlets, Type AB (Modified)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 57
621C038M	Each	Inlets, Type CD (Modified)	
621C040M	Each	Inlets, Type B (Partial)	
621C041M	Each	Inlets, Type B (Modified)	
621C045M	Each	Inlets, Type B (Modified)(Grate & Grate Seat)	
621C046M	Each	Inlets, Type S Special (1 Wing)	
621C047M	Each	Inlets, Type S Special (2 Wing)	
621C049M	Each	Inlets, Type S1 Or S3 (2 Wing)(Modified)	
621C052M	Each	Inlets, Type B (Special)	
621C053M	Each	Inlets, Type Special	
621C054M	Each	Inlets, Type E2	
621C056M	Each	Inlets, Type S3 (1 Wing) (Partial)	
621C057M	Each	Inlets, Type 1 (Special)	
621C058M	Each	Inlets, Type S4 (1 Wing) (Modified)	
621C059M	Each	Inlets, Type P1 Or P3	
621C060M	Each	Inlets, Type P2	
621C061M	Each	Inlets, Type Special Drop	
621C062M	Each	Inlets, Type S3 (2 Wing) (Partial)	
621C063M	Each	Inlets, Type S4 (2 Wing) (Partial)	
621C064M	Each	Inlets, Type E3 (Special)	
621C065M	Each	Inlets, Type S (Modified) (1 Wing)	
621C066M	Each	Inlets, Type S (Modified) (2 Wing)	
621C068M	Each	Inlets, Type Y (Partial)	
621C069M	Each	Inlets, Type E3	
621C070M	Each	Inlets, Type E4	
621C071M	Each	Inlets, Type S3 (1 Wing) (Modified)	
621C072M	Each	Inlets, Type S3 (2 Wing) (Modified)	
621C073M	Each	Inlets, Type S4 (1 Wing) (Partial)	
621C074M	Each	Inlets, Type E3 (Modified)	
621C075M	Each	Inlets, Type E4 (Modified)	
621C076M	Each	Inlets, Type E (Modified)	
621C079M	Each	Inlets, Type Special-2	
621C080M	Each	Inlets, Type S2 (1 Wing)	
621C081M	Each	Inlets, Type S2 (2 Wing)	
621C083M	Each	Inlets, Type B (Modified)(Double)	
621C087M	Each	Inlets, Type S2 Or S4 (1 Wing)(Modified)	
621C088M	Each	Inlets, Type S2 Or S4 (2 Wing)(Modified)	
621C090M	Each	Inlets, Type S4 (1 Wing) (Special)	
621C091M	Each	Inlets, Type S2 Or S4 (1 Wing) (Special)	
621C092M	Each	Inlets, Type X (Modified)	
621C094M	Each	Inlets, Type S1 Or S3	
621C095M	Each	Inlets, Type S2 Or S4	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 58
621C098M	Each	Inlets, Type CV6	
621C099M	Each	Inlets, Type S4 (2 Wing) (Modified)	
621C100M	Each	Inlets, Type PR	
621C101M	Each	Inlets, Type GH (Modified)	
621C102M	Each	Inlets, Type CV6	
621C103M	Each	Inlets, Type S5	
621C104M	Each	Inlets, Type S6	
621C105M	Each	Inlets, Type CV4.5 (Single)	
621C106M	Each	Inlets, Type CV4.5 (Double)	
621C109M	Each	Inlets, Type PD	
621C110M	Each	Inlets, Type PD-6	
621C111M	Each	Inlets, Type PB	
621C112M	Each	Inlets, Type C (Modified) (Grate & Grateseat)	
621C113M	Each	Inlets, Type IJ (Modified)	
621C114M	Each	Inlets, Type S1 Or S3 (1 Wing)	
621C115M	Each	Inlets, Type S3 (2 Wing) (Special)	
621C116M	Each	Inlets, Type S3 (1Wing) (Special)	
621C117M	Each	Inlets, Type S4 (2 Wing) (Special)	
621C126M	Each	Inlets, Type V1	
621C128M	Each	Inlets, Type E1 (Special)	
621C129M	Each	Inlets, Type C (Partial)	
621C130M	Each	Inlets, Type S4 (Modified)	
621C132M	Each	Inlets, Type Y (Modified)	
621C134M	Each	Inlets, Type PD (Modified)	
621C135M	Each	Inlets, Type E5	
621C136M	Each	Inlets, Type E6	
621C139M	Each	Inlets, Type E4 (Special)	
621C140M	Each	Inlets, Open Throat	
621C143M	Each	Inlets, Type Special Drop (Modified)	
621C145M	Each	Inlets, Type Special Drop (Type 1)	
621C147M	Each	Inlets, Type Special Drop (Type 3)	
621C152M	Each	Inlets, Type Y (Partial Base Only)	
621C157M	Each	Inlets, Type E5 (Modified)	
621C158M	Each	Inlets, Type E3 (Partial)	
621C159M	Each	Inlets, Type E4 (Partial)	
621C161M	Each	Grate Inlets	
621C162M	Each	Inlets, Type S (Partial)	
621C163M	Each	Inlets, Type S3 (Modified)	
621C166M	Each	Inlets, Type PD-6 (Modified)	
621C167M	Each	Inlets, Type E (Partial)	
621C168M	Each	Inlets, Type PR (Special)	
621D000M	Each	Inlet Units, Type AB	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM

UNIT

ITEM DESCRIPTION

PAGE: 59

621D001M	Each	Inlet Units, Type B
621D002M	Each	Inlet Units, Type C
621D003M	Each	Inlet Units, Type CD
621D004M	Each	Inlet Units, Type GH
621D005M	Each	Inlet Units, Type IJ
621D006M	Each	Inlet Units, Type KL
621D007M	Each	Inlet Units, Type MN
621D008M	Each	Inlet Units, Type E
621D009M	Each	Inlet Units, Type E1
621D015M	Each	Inlet Units, Type S1 Or S3
621D016M	Each	Inlet Units, Type S2 Or S4
621D018M	Each	Inlet Units, Type CV6
621D019M	Each	Inlet Units, Type Y
621D020M	Each	Inlet Units, Type S3
621D021M	Each	Inlet Units, Type S
621D022M	Each	Inlet Units, Type C, P1 Or P3
621D025M	Each	Inlet Units, Type S2 Or S4 (Modified)
621D029M	Each	Inlet Units, Type E2 (Modified)
621D031M	Each	Inlet Units, Type S4
621D032M	Each	Inlet Units, Type Special
621D033M	Each	Inlet Units, Type C Or P1
621D036M	Each	Inlet Units, Type B (Modified)
621D037M	Each	Inlet Units, Type PB
621D038M	Each	Inlet Units, Type PR
621D039M	Each	Inlet Units, Type S3 (Special)
621D041M	Each	Inlet Units, Type E2
621D042M	Each	Inlet Units, Type S4 (Modified)
621D043M	Each	Inlet Units, Type P2
621D046M	Each	Inlet Units, Type E3
621D047M	Each	Inlet Units, Type E4
621D049M	Each	Inlet Units, Type E4 (Modified)
621D051M	Each	Inlet Units, Type C (Modified)
621D052M	Each	Inlet Units, Type E (Modified)
621D053M	Each	Inlet Units, Type S3 (Modified)
621D054M	Each	Inlet Units, Type S4 (Special)
621D055M	Each	Inlet Units, Type Y (Modified)
621D059M	Each	Inlet Units, Type E5 (Modified)
621D105M	Each	Inlet Units, Type CV4.5 (Single)
621D106M	Each	Inlet Units, Type CV4.5 (Double)
621D109M	Each	Inlet Units, Type PD
621D110M	Each	Inlet Units, Type PD-6



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 60
621D115M	Each	Inlet Units, Type E5	
621D116M	Each	Inlet Units, Type E6	
621D134M	Each	Inlets Units, Type PD-6 (Modified)	
621E000M	Each	Manholes, Type Special	
621E001M	Each	Manholes, Type M	
621E002M	Each	Manholes, Type L	
621E004M	Each	Manholes, Type L Or M (Storm)	
621E006M	Each	Manholes, Type B (Special)	
621E016M	Each	Manholes, Type M (Modified)	
621F002M	Each	Manhole Units, Type M	
621F003M	Each	Manhole Units, Type L	
621F005M	Each	Manhole Units, Type L Or M (Storm)	
621G001M	Each	Inlet Grates, Type 1	
621G004M	Each	Inlet Grates, Type Special	
621G005M	Each	Inlet Grates, Type B	
621G015M	Each	Inlet Grates, Type Y	
621I000M	Each	Stilling Basins, Type 00	
621I001M	Each	Stilling Basins, Type 1	
621I002M	Each	Stilling Basins, Type 2	
621I003M	Each	Stilling Basins, Type 3	
621I004M	Each	Stilling Basins, Type 4	
621I005M	Each	Stilling Basins, Type 5	
621I006M	Each	Stilling Basins, Type 6	
621I007M	Each	Stilling Basins, Type 7	
621I008M	Each	Stilling Basins, Type 8	
621J000M	Each	Connection To Existing Manhole	
621K000M	LS	Pavement Drainage System	
621L000M	Each	Abandon Existing Manhole	
621M000M	Each	Remove Existing Manhole	
622A000M	Each	Manhole Covers Reset	
622A001M	Each	Manhole Covers Reset (Storm)	
622A002M	Each	Manhole Covers Reset (Sanitary)	
622A003M	Each	Manhole Covers Reset (Frame Only)	
622A004M	Each	Manhole Covers Reset (Riser Ring Method)	
622B000M	Each	Gratings Reset	
623A000M	M	Concrete Gutter	
623A001M	M	Concrete Gutter (Valley)	
623A003M	M	Concrete Gutter (1200 mm Wide)	
623A004M	M	Concrete Gutter (Modified)	
623A005M	M	Concrete Gutter (600 mm Wide)	
623B000M	M	Concrete Curb, Type N	
623B001M	M	Concrete Curb, Type N Special	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 61
623B002M	M	Concrete Curb, Type A	
623B004M	M	Concrete Curb, Type D	
623B005M	M	Concrete Curb, Type E	
623B006M	M	Concrete Curb, Type F	
623B008M	M	Concrete Curb, Type H	
623B015M	M	Concrete Curb, Type E (Modified)	
623B121M	M	Concrete Curb, Type A (Modified)	
623C000M	M	Combination Curb & Gutter, Type C	
623C001M	M	Combination Curb & Gutter, Type L	
623C003M	M	Combination Curb & Gutter, Type C (Modified)	
623C004M	M	Combination Curb & Gutter, Type C (Special)	
623C008M	M	Combination Curb & Gutter, Type M-2 (Machine Laid)	
624A000M	M	Cable Guiderail	
624B000M	Each	Cable Guiderail Anchor	
628B000M	SQ M	Repair of Stone Masonry Guardwall	
629A000M	M	Concrete Median Or Safety Barrier, Type 6	
629A004M	M	Concrete Median Or Safety Barrier, Type 4A (Modified)	
629A005M	M	Concrete Median Or Safety Barrier, Type 4A (Reinforced)	
629A008M	M	Concrete Median Or Safety Barrier, Type 5	
629A009M	M	Concrete Median Or Safety Barrier, Type GS	
629A011M	M	Concrete Median Or Safety Barrier, Type 1A (Reinforced)	
629A012M	M	Concrete Median Or Safety Barrier, Type TES	
629A015M	M	Concrete Median Or Safety Barrier, Type TES (Double Faced)	
629A021M	M	Concrete Median Or Safety Barrier, Type 1	
629A023M	M	Concrete Median Or Safety Barrier, Type 5 (Special)	
629A024M	M	Concrete Median Or Safety Barrier, Type Special (Reinforced)	
629A025M	M	Concrete Median Or Safety Barrier, Type Retrofit	
629A028M	M	Concrete Median Or Safety Barrier, Type 2	
629A029M	M	Concrete Median Or Safety Barrier, Type 10	
629A034M	M	Concrete Median Or Safety Barrier, Type 4A	
629A035M	M	Concrete Median Or Safety Barrier, Type 8	
629A043M	M	Concrete Median Or Safety Barrier, Type 4A (Special)	
629A048M	M	Concrete Median Or Safety Barrier, Type 1 (Reinforced)	
629A051M	M	Concrete Median Or Safety Barrier, Type 1 (Modified)	
629A052M	M	Concrete Median Or Safety Barrier, Type 8 (Modified)	
629A055M	M	Concrete Median Or Safety Barrier, Type TES (Modified)	
629A057M	M	Concrete Median Or Safety Barrier, Type GS-54	
629A058M	M	Concrete Median Or Safety Barrier, Type GS-54 (SE)	
629A059M	M	Concrete Median Or Safety Barrier, Type GS-54 (PP)	
629A086M	M	Concrete Median or Safety Barrier, Type 4A (Reinforced) (Retaining Wall Mounted)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 62
629A088M	M	Concrete Median or Safety Barrier, Type CSF-56 (Retaining Wall Mounted)	
629A095M	M	Concrete Median or Safety Barrier, Type CSF-42	
629A096M	M	Concrete Median or Safety Barrier, Type CSF-42 (SE)	
629A097M	M	Concrete Median or Safety Barrier, Type CSF-42 (FO)	
629A098M	M	Concrete Median or Safety Barrier, Type CSF-42 (Modified)	
629A099M	M	Concrete Median or Safety Barrier, Type CSF-48	
629A100M	M	Concrete Median or Safety Barrier, Type CSF-48 (SE)	
629A101M	M	Concrete Median or Safety Barrier, Type CSF-48 (FO)	
629A102M	M	Concrete Median or Safety Barrier, Type CSF-48 (Modified)	
629A103M	M	Concrete Median or Safety Barrier, Type CSF-54	
629A104M	M	Concrete Median or Safety Barrier, Type CSF-54 (SE)	
629A105M	M	Concrete Median or Safety Barrier, Type CSF-54 (FO)	
629A106M	M	Concrete Median or Safety Barrier, Type CSF-54 (Modified)	
629A107M	M	Concrete Median or Safety Barrier, Type CSF-4A	
629A108M	M	Concrete Median or Safety Barrier, Type CSF-4A (Modified)	
629A110M	M	Concrete Median or Safety Barrier, Type Post and Rail	
629C001M	Each	Concrete Median Or Safety Barrier End Section (Type TES Modified)	
629C002M	Each	Concrete Median Or Safety Barrier End Section (Type TES)	
629C009M	Each	Concrete Median Or Safety Barrier End Section (Type GS4)	
629C010M	Each	Concrete Median Or Safety Barrier End Section (Type Modified)	
629D002M	Each	Bridge Guardrail Retrofit, Type BC	
629D003M	Each	Bridge Guardrail Retrofit, Type SC	
629D004M	Each	Bridge Guardrail Retrofit, Type BC-1	
629E018M	M	Bridge Rail Retrofit, Type BC(CSF)	
630A001M	M	Steel Beam Guardrail, Class A, Type 2	
630A004M	M	Steel Beam Guardrail, Class B, Type 2	
630A015M	M	Steel Beam Guardrail, Class B, Type 2 (Steel Posts)	
630A020M	M	Steel Beam Guardrail, Class B, Type 2 (Rail Element Only)	
630A022M	M	Steel Beam Guardrail, Class A, Type 2 (Temporary)	
630A050M	M	Steel Beam Guardrail, Class A, Type 4	
630C001M	Each	Guardrail End Anchor, Type 8	
630C003M	Each	Guardrail End Anchor, Type 13	
630C007M	Each	Guardrail End Anchor, Type 2A	
630C019M	Each	Guardrail End Anchor, Type 2A (Modified)	
630C022M	Each	Guardrail End Anchor, Type Special	
630C029M	Each	Guardrail End Anchor, Type 13 (Temporary)	
630C030M	Each	Guardrail End Anchor, Type 9	
630C040M	Each	Guardrail End Anchor, Type 13 (Modified)	
630C041M	Each	Guardrail End Anchor, Type 22	
630C050M	Each	Guardrail End Anchor, Type 20 Series	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 63
630C055M	Each	Guardrail End Anchor, Type 2A (Retrofit)	
630C065M	Each	Guardrail End Anchor, Type 13 (Retrofit)	
630C070M	Each	Guardrail End Anchor, Type 10 Series	
630C078M	Each	Guardrail End Anchor, Type 10 Series (MASH)	
630C080M	Each	Guardrail End Anchor, Type 20 Series (MASH)	
630G001M	M	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 1	
630G003M	M	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 3	
630G004M	M	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 4	
630G005M	M	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 5	
630G006M	M	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 6	
631C010M	M	Guardrail Reset	
631E001M	Each	Guardrail End Anchor, Type 8, Reset	
631E003M	Each	Guardrail End Anchor Type 13, Reset	
631E010M	Each	Guardrail End Anchor, Ty 10 Series, Reset	
631E011M	Each	Guardrail End Anchor, Type 20 Series, Reset	
631E012M	Each	Guardrail End Anchor, Type 22, Reset	
631F000M	M	Steel Beam Guardrail, Class A, Type 1 Relocated	
631F001M	M	Steel Beam Guardrail Class A, Type 2 Relocated	
631G008M	Each	Guardrail End Anchor, Type 8 Relocated	
631G009M	Each	Guardrail End Anchor, Type 10 Series Relocated	
631G013M	Each	Guardrail End Anchor, Type 13 Relocated	
631G015M	Each	Guardrail End Anchor Type 20 Series Relocated	
632A003M	M	Headlight Glare Screen (Mounted On Concrete Median Barrier)	
634A000M	M	Industrial Fence, 1.22 Meters High	
634A001M	M	Industrial Fence, 1.52 Meters High	
634A002M	M	Industrial Fence, 1.83 Meters High	
634A004M	M	Industrial Fence, 2.44 Meters High	
634B000M	M	Industrial Fence, 1.83 Meters High Plus Barbed Wire (45 Degree Arms)	
634C000M	M	Industrial Fence, 1.83 Meters High Plus Barbed Wire (Vertical Arms)	
634D000M	Each	Gate, 4.27 Meters Wide, Complete With Fittings (With Barbed Wire)	
634D001M	Each	Gate, 4.87 Meters Wide, Complete With Fittings (With Barbed Wire)	
634D003M	Each	Gate, 20 Feet Wide, Complete With Fittings (With Barbed Wire)	
634D004M	Each	Gate, 4.27 Meters Wide, Complete With Fittings (Without Barbed Wire)	
634D005M	Each	Gate, 4.87 Meters Wide, Complete With Fittings (Without Barbed Wire)	
634D006M	Each	Gate, 18 Feet Wide, Complete With Fittings (Without Barbed Wire)	
634D007M	Each	Gate, 20 Feet Wide, Complete With Fittings (Without Barbed Wire)	
634D008M	Each	Gate, 1.22 Meters Wide, Complete With Fittings (Without Barbed Wire)	
634D010M	Each	Gate, 10 Feet Wide, Complete With Fittings (Without Barbed Wire)	
634D015M	Each	Gate, 4.87 Meters Wide, Complete With Fittings (Temporary)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 64
634D025M	Each	Gate, 7.2 Meters Wide, Complete With Fittings (Without Barbed Wire)	
634D036M	Each	Gate, 6 Feet Wide, Complete With Fittings (With Barbed Wire) (High)	
634D038M	Each	Gate, 6 Feet Wide, Complete With Fittings (P.V.C. Coated)	
634D039M	Each	Gate, 4 Feet Wide , Complete With Fittings (With Barbed Wire)	
634E000M	M	Industrial Fence, 1.83 Meters High, Special Mounting	
634E003M	M	Industrial Fence, 2.23 Meters High, Special Mounting	
634E005M	M	Industrial Fence, 1.22 Meters High, Special Mounting	
635A000M	M	Woven Wire Fence	
635A001M	M	Woven Wire Fence (Metal Post)	
635A002M	M	Woven Wire Fence (Wood Post)	
635B000M	Each	Gate, 4 Feet Wide	
635B001M	Each	Gate, 4.27 Meters Wide	
635B002M	Each	Gate, 20 Feet Wide	
635B003M	Each	Gate, 15 Feet Wide	
635B006M	Each	Gate, 6 Feet Wide	
635B007M	Each	Gate, 4.88 Meters Wide	
635B008M	Each	Gate, 18 Feet Wide	
636A000M	M	Barbed Wire Fence, 4 Strands, 1.22 Meters High	
636A002M	M	Barbed Wire Fence, 5 Strands, 1.52 Meters High	
636A003M	M	Barbed Wire Fence, 3 Strands, 1.22 Meters High	
637A000M	M	Fence Reset	
637A001M	M	Fence Reset (Includes All Types)	
638A000M	M	Privacy Fence	
638D000M	M	wood Fence	
640A000M	M	Overhead Utility Adjustment (Electrical)	
640A001M	M	Overhead Utility Adjustment (Communication)	
640A002M	M	Underground Utility Adjustment (Electrical)	
640A003M	M	Underground Utility Adjustment (Communication)	
640A004M	M	Underground Utility Adjustment (Gas)	
640A005M	M	Underground Utility Adjustment (Water)	
640A006M	M	Underground Utility Adjustment (Sewerage)	
640B000M	LS	Overhead Utility Adjustment (Electrical)	
640B001M	LS	Overhead Utility Adjustment (Communication)	
640B002M	LS	Underground Utility Adjustment (Electrical)	
640B003M	LS	Underground Utility Adjustment (Communication)	
640B004M	LS	Underground Utility Adjustment (Gas)	
640B005M	LS	Underground Utility Adjustment (Water)	
640B006M	LS	Underground Utility Adjustment (Sewerage)	
641A410M	M	12.7mm PEX Water Service Line Laid	
641A412M	M	19.05mm PEX Water Service Line Laid	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 65
641A414M	M	25.4mm PEX Water Service Line Laid	
641A415M	M	31.8mm PEX Water Service Line Laid	
641A416M	M	38.1mm PEX Water Service Line Laid	
641A418M	M	50.8mm PEX Water Service Line Laid	
641A420M	M	76.2mm PEX Water Service Line Laid	
641A510M	M	12.7 mm Copper Water Service Line Laid	
641A512M	M	19.05 mm Copper Water Service Line Laid	
641A514M	M	25.4 mm Copper Water Service Line Laid	
641A516M	M	38.1 mm Copper Water Service Line Laid	
641A518M	M	50.8 mm Copper Water Service Line Laid	
641A520M	M	76.2 mm Copper Water Service Line Laid	
641A530M	M	12.7 mm P.E. Water Service Line Laid	
641A532M	M	19.05 mm P.E. Water Service Line Laid	
641A534M	M	25.4 mm P.E. Water Service Line Laid	
641A536M	M	38.1 mm P.E. Water Service Line Laid	
641A538M	M	50.8 mm P.E. Water Service Line Laid	
641A540M	M	76.2 mm P.E. Water Service Line Laid	
641A560M	M	12.7 mm P.V.C. Water Service Line Laid	
641A562M	M	19.05 mm P.V.C. Water Service Line Laid	
641A564M	M	25.4 mm P.V.C. Water Service Line Laid	
641A566M	M	38.1 mm P.V.C. Water Service Line Laid	
641A568M	M	50.8 mm P.V.C. Water Service Line Laid	
641A570M	M	76.2 mm P.V.C. Water Service Line Laid	
641A610M	M	101.6 mm Ductile Iron Water Main Laid	
641A612M	M	152.4 mm Ductile Iron Water Main Laid	
641A614M	M	203.2 mm Ductile Iron Water Main Laid	
641A616M	M	254 mm Ductile Iron Water Main Laid	
641A618M	M	304.8 mm Ductile Iron Water Main Laid	
641A620M	M	355.6 mm Ductile Iron Water Main Laid	
641A622M	M	406.4 mm Ductile Iron Water Main Laid	
641A624M	M	457.2 mm Ductile Iron Water Main Laid	
641A626M	M	508 mm Ductile Iron Water Main Laid	
641A628M	M	609.6 mm Ductile Iron Water Main Laid	
641A630M	M	762 mm Ductile Iron Water Main Laid	
641A632M	M	914.4 mm Ductile Iron Water Main Laid	
641A634M	M	1066.8 mm Ductile Iron Water Main Laid	
641A636M	M	1219.2 mm Ductile Iron Water Main Laid	
641A638M	M	1371.6 mm Ductile Iron Water Main Laid	
641A640M	M	1524 mm Ductile Iron Water Main Laid	
641A678M	M	76.2 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A680M	M	101.6 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A682M	M	152.4 mm Ductile Iron Water Main Laid (Restrained Joint)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 66
641A684M	M	203.2 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A686M	M	254 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A688M	M	304.8 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A690M	M	355.6 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A692M	M	406.4 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A694M	M	457.2 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A696M	M	508 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A698M	M	609.6 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A700M	M	762 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A702M	M	914.4 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A704M	M	1066.8 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A706M	M	1219.2 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A708M	M	1371.6 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A710M	M	1524 mm Ductile Iron Water Main Laid (Restrained Joint)	
641A740M	M	50.8 mm P.V.C. Water Main Laid	
641A742M	M	76.2 mm P.V.C. Water Main Laid	
641A744M	M	101.6 mm P.V.C. Water Main Laid	
641A746M	M	152.4 mm P.V.C. Water Main Laid	
641A748M	M	203.2 mm P.V.C. Water Main Laid	
641A750M	M	254 mm P.V.C. Water Main Laid	
641A752M	M	304.8 mm P.V.C. Water Main Laid	
641A756M	M	406.4 mm P.V.C. Water Main Laid	
641A776M	M	152.4 mm P.V.C. Water Main Laid (Restrained Joint)	
641A778M	M	203.2 mm P.V.C. Water Main Laid (Restrained Joint)	
641A780M	M	254 mm P.V.C. Water Main Laid (Restrained Joint)	
641A782M	M	304.8 mm P.V.C. Water Main Laid (Restrained Joint)	
641A800M	M	50.8 mm H.D.P.E. Water Main Laid	
641A802M	M	76.2 mm H.D.P.E. Water Main Laid	
641A804M	M	101.6 mm H.D.P.E. Water Main Laid	
641A806M	M	152.4 mm H.D.P.E. Water Main Laid	
641A808M	M	203.2 mm H.D.P.E. Water Main Laid	
641A810M	M	254 mm H.D.P.E. Water Main Laid	
641A812M	M	304.8 mm H.D.P.E. Water Main Laid	
641A814M	M	355.6 mm H.D.P.E. Water Main Laid	
641A816M	M	406.4 mm H.D.P.E. Water Main Laid	
641A818M	M	457.2 mm H.D.P.E. Water Main Laid	
641A820M	M	508 mm H.D.P.E. Water Main Laid	
641A822M	M	609.6 mm H.D.P.E. Water Main Laid	
641A824M	M	762 mm H.D.P.E. Water Main Laid	
641A826M	M	914.4 mm H.D.P.E. Water Main Laid	
641B510M	M	101.6 mm Ductile Iron Water Main Relaid	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 67
641B512M	M	152.4 mm Ductile Iron Water Main Relaid	
641B514M	M	203.2 mm Ductile Iron Water Main Relaid	
641B516M	M	254 mm Ductile Iron Water Main Relaid	
641B518M	M	304.8 mm Ductile Iron Water Main Relaid	
641B520M	M	355.6 mm Ductile Iron Water Main Relaid	
641B522M	M	406.4 mm Ductile Iron Water Main Relaid	
641B524M	M	457.2 mm Ductile Iron Water Main Relaid	
641B526M	M	508 mm Ductile Iron Water Main Relaid	
641B528M	M	609.6 mm Ductile Iron Water Main Relaid	
641B530M	M	762 mm Ductile Iron Water Main Relaid	
641B532M	M	914.4 mm Ductile Iron Water Main Relaid	
641B560M	M	101.6 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B562M	M	152.4 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B564M	M	203.2 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B566M	M	254 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B568M	M	304.8 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B570M	M	355.6 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B572M	M	406.4 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B574M	M	457.2 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B576M	M	508 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B578M	M	609.6 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B580M	M	762 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B582M	M	914.4 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B584M	M	1066.8 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B586M	M	1219.2 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B588M	M	1371.6 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B590M	M	1524 mm Ductile Iron Water Main Relaid (Restrained Joint)	
641B620M	M	50.8 mm P.V.C. Water Main Relaid	
641B622M	M	76.2 mm P.V.C. Water Main Relaid	
641B624M	M	101.6 mm P.V.C. Water Main Relaid	
641B626M	M	152.4 mm P.V.C. Water Main Relaid	
641B628M	M	203.2 mm P.V.C. Water Main Relaid	
641B630M	M	254 mm P.V.C. Water Main Relaid	
641B632M	M	304.8 mm P.V.C. Water Main Relaid	
641C500M	KG	Ductile Iron Fittings	
641D500M	Each	Fire Hydrant	
641E500M	Each	Fire Hydrant Reset	
641F500M	M	Fire Hydrant Extension	
641G500M	Each	Flush Hydrant	
641H500M	Each	Flush Hydrant Reset	
641I500M	Each	12.7 mm Air Release Valve	
641I505M	Each	19.05 mm Air Release Valve	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 68
641I510M	Each	25.4 mm Air Release Valve	
641I512M	Each	38.1 mm Air Release Valve	
641I515M	Each	50.8 mm Air Release Valve	
641I520M	Each	76.2 mm Air Release Valve	
641I600M	Each	31.75 mm Pressure Reducer Valve	
641I602M	Each	38.1 mm Pressure Reducer Valve	
641I604M	Each	50.8 mm Pressure Reducer Valve	
641I606M	Each	63.5 mm Pressure Reducer Valve	
641I608M	Each	76.2 mm Pressure Reducer Valve	
641I610M	Each	101.6 mm Pressure Reducer Valve	
641I612M	Each	152.4 mm Pressure Reducer Valve	
641I614M	Each	203.2 mm Pressure Reducer Valve	
641I616M	Each	254 mm Pressure Reducer Valve	
641I618M	Each	304.8 mm Pressure Reducer Valve	
641I620M	Each	355.6 mm Pressure Reducer Valve	
641I622M	Each	406.4 mm Pressure Reducer Valve	
641I624M	Each	457.2 mm Pressure Reducer Valve	
641I626M	Each	508 mm Pressure Reducer Valve	
641I630M	Each	609.6 mm Pressure Reducer Valve	
641J504M	Each	19.05 mm Gate Valve With Box	
641J506M	Each	25.4 mm Gate Valve With Box	
641J508M	Each	38.1 mm Gate Valve with Box	
641J510M	Each	50.8 mm Gate Valve With Box	
641J512M	Each	76.2 mm Gate Valve With Box	
641J514M	Each	101.6 mm Gate Valve With Box	
641J516M	Each	152.4 mm Gate Valve With Box	
641J518M	Each	203.2 mm Gate Valve With Box	
641J520M	Each	254 mm Gate Valve With Box	
641J522M	Each	304.8 mm Gate Valve With Box	
641J524M	Each	355.6 mm Gate Valve With Box	
641J526M	Each	406.4 mm Gate Valve With Box	
641J528M	Each	457.2 mm Gate Valve With Box	
641J530M	Each	508 mm Gate Valve With Box	
641J532M	Each	609.6 mm Gate Valve With Box	
641J534M	Each	762 mm Gate Valve With Box	
641J536M	Each	914.4 mm Gate Valve With Box	
641J538M	Each	1066.8 mm Gate Valve With Box	
641J540M	Each	1219.2 mm Gate Valve With Box	
641K500M	Each	25.4mm Butterfly Valve With Box	
641K510M	Each	101.6 mm Butterfly Valve With Box	
641K512M	Each	152.4 mm Butterfly Valve With Box	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 69
641K514M	Each	203.2 mm Butterfly Valve With Box	
641K516M	Each	254 mm Butterfly Valve With Box	
641K518M	Each	304.8 mm Butterfly Valve With Box	
641K520M	Each	355.6 mm Butterfly Valve With Box	
641K522M	Each	406.4 mm Butterfly Valve With Box	
641K524M	Each	457.2 mm Butterfly Valve With Box	
641K526M	Each	508 mm Butterfly Valve With Box	
641K528M	Each	609.6 mm Butterfly Valve With Box	
641K530M	Each	762 mm Butterfly Valve With Box	
641K532M	Each	914.4 mm Butterfly Valve With Box	
641K534M	Each	1066.8 mm Butterfly Valve With Box	
641K536M	Each	1219.2 mm Butterfly Valve With Box	
641L500M	CU M	Concrete for Water Mains (Thrust Blocks)	
641M506M	Each	2 Inch Retainer Gland	
641M508M	Each	76.2 mm Air Release Valve	
641M510M	Each	101.6 mm Retainer Gland	
641M512M	Each	152.4 mm Retainer Gland	
641M514M	Each	203.2 mm Retainer Gland	
641M516M	Each	254 mm Retainer Gland	
641M518M	Each	304.8 mm Retainer Gland	
641M520M	Each	355.6 mm Retainer Gland	
641M522M	Each	406.4 mm Retainer Gland	
641M524M	Each	457.2 mm Retainer Gland	
641M526M	Each	508 mm Retainer Gland	
641M528M	Each	609.6 mm Retainer Gland	
641M530M	Each	762 mm Retainer Gland	
641M532M	Each	914.4 mm Retainer Gland	
641M534M	Each	1066.8 mm Retainer Gland	
641M536M	Each	1219.2 mm Retainer Gland	
641M538M	Each	1371.6 mm Retainer Gland	
641M540M	Each	1524 mm Retainer Gland	
641N510M	Each	152.4 mm x 152 mm Anchor Tee	
641N520M	Each	203.2 mm x 152.4 mm Anchor Tee	
641N530M	Each	254 mm x 152.4 mm Anchor Tee	
641N540M	Each	304.8 mm x 152.4 mm Anchor Tee	
641N550M	Each	355.6 mm x 152.4 mm Anchor Tee	
641N560M	Each	406.4 mm x 152.4 mm Anchor Tee	
641N565M	Each	457.2 mm x 152.4 mm Ductile Iron Anchor Tee	
641N570M	Each	508 mm x 152.4 mm Anchor Tee	
641N580M	Each	609.6 mm x 152.4 mm Anchor Tee	
641N620M	Each	203.2 mm X 203.2 mm Ductile Iron Anchor Tee	
641N640M	Each	12 Inch X 8 Inch Ductile Iron Anchor Tee	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 70
641N730M	Each	10 Inch X 10 Inch Ductile Iron Anchor Tee	
641O506M	Each	50.8 mm x 50.8 mm Tapping Valve And Sleeve	
641O508M	Each	76.2 mm X 76.2 mm Tapping Valve And Sleeve	
641O510M	Each	101.6 mm x 101.6 mm Tapping Valve And Sleeve	
641O512M	Each	152.4 mm x 101.6 mm Tapping Valve And Sleeve	
641O514M	Each	152.4 mm x 152.4 mm Tapping Valve And Sleeve	
641O515M	Each	8 Inch X 2 Inch Tapping Valve And Sleeve	
641O516M	Each	203.2 mm x 101.6 mm Tapping Valve And Sleeve	
641O518M	Each	203.2 mm x 152.4 mm Tapping Valve And Sleeve	
641O520M	Each	203.2 mm x 203.2 mm Tapping Valve And Sleeve	
641O530M	Each	254 mm x 101.6 mm Tapping Valve And Sleeve	
641O532M	Each	254 mm x 152.4 mm Tapping Valve And Sleeve	
641O534M	Each	254 mm x 203.2 mm Tapping Valve And Sleeve	
641O536M	Each	254 mm x 254 mm Tapping Valve And Sleeve	
641O545M	Each	304.8 mm x 76.2 mm Tapping Valve And Sleeve	
641O546M	Each	304.8 mm x 101.6 mm Tapping Valve And Sleeve	
641O548M	Each	304.8 mm x 152.4 mm Tapping Valve And Sleeve	
641O550M	Each	304.8 mm x 203.2 mm Tapping Valve And Sleeve	
641O552M	Each	304.8 mm x 254 mm Tapping Valve And Sleeve	
641O554M	Each	304.8 mm x 304.8 mm Tapping Valve And Sleeve	
641O564M	Each	406.4 mm x 101.6 mm Tapping Valve And Sleeve	
641O566M	Each	406.4 mm x 152.4 mm Tapping Valve And Sleeve	
641O568M	Each	406.4 mm x 203.2 mm Tapping Valve And Sleeve	
641O570M	Each	406.4 mm x 254 mm Tapping Valve And Sleeve	
641O572M	Each	406.4 mm x 304.8 mm Tapping Valve And Sleeve	
641O574M	Each	355.6 mm x 355.6 mm Tapping Valve And Sleeve	
641O584M	Each	406.4 mm x 101.6 mm Tapping Valve And Sleeve	
641O586M	Each	406.4 mm x 152.4 mm Tapping Valve And Sleeve	
641O588M	Each	406.4 mm x 203.2 mm Tapping Valve And Sleeve	
641O590M	Each	406.4 mm x 254 mm Tapping Valve And Sleeve	
641O592M	Each	406.4 mm x 304.8 mm Tapping Valve And Sleeve	
641O594M	Each	406.4 mm x 355.6 mm Tapping Valve And Sleeve	
641O596M	Each	406.4 mm x 406.4 mm Tapping Valve And Sleeve	
641O606M	Each	457.2 mm x 101.6 mm Tapping Valve And Sleeve	
641O608M	Each	457.2 mm x 152.4 mm Tapping Valve And Sleeve	
641O610M	Each	457.2 mm x 203.2 mm Tapping Valve And Sleeve	
641O612M	Each	457.2 mm x 254 mm Tapping Valve And Sleeve	
641O614M	Each	457.2 mm x 304.8 mm Tapping Valve And Sleeve	
641O616M	Each	457.2 mm x 355.6 mm Tapping Valve And Sleeve	
641O618M	Each	457.2 mm x 406.4 mm Tapping Valve And Sleeve	
641O620M	Each	457.2 mm x 457.2 mm Tapping Valve And Sleeve	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 71
641O630M	Each	508 mm x 152.4 mm Tapping Valve And Sleeve	
641O632M	Each	508 mm x 203.2 mm Tapping Valve And Sleeve	
641O634M	Each	508mm x 254 mm Tapping Valve And Sleeve	
641O636M	Each	508 mm x 304.8 mm Tapping Valve And Sleeve	
641O638M	Each	508 mm x 355.6 mm Tapping Valve And Sleeve	
641O640M	Each	508 mm x 406.4 mm Tapping Valve And Sleeve	
641O642M	Each	508 mm x 457.2 mm Tapping Valve And Sleeve	
641O644M	Each	508 mm x 508 mm Tapping Valve And Sleeve	
641O654M	Each	609.6 mm x 152.4 mm Tapping Valve And Sleeve	
641O656M	Each	609.6 mm x 203.2 mm Tapping Valve And Sleeve	
641O658M	Each	609.6 mm x 254 mm Tapping Valve And Sleeve	
641O660M	Each	609.6 mm x 304.8 mm Tapping Valve And Sleeve	
641O662M	Each	609.6 mm x 355.6 mm Tapping Valve And Sleeve	
641O664M	Each	609.6 mm x 406.4 mm Tapping Valve And Sleeve	
641O666M	Each	609.6 mm x 457.2 mm Tapping Valve And Sleeve	
641O668M	Each	609.6 mm x 508 mm Tapping Valve And Sleeve	
641O670M	Each	609.6 mm x 609.6 mm Tapping Valve And Sleeve	
641O680M	Each	762 mm x 152.4 mm Tapping Valve And Sleeve	
641O682M	Each	762 mm x 203.2 mm Tapping Valve And Sleeve	
641O684M	Each	762 mm x 254 mm Tapping Valve And Sleeve	
641O686M	Each	762 mm x 304.8 mm Tapping Valve And Sleeve	
641O688M	Each	762 mm x 355.6 mm Tapping Valve And Sleeve	
641O690M	Each	762 mm x 406.4 mm Tapping Valve And Sleeve	
641O692M	Each	762 mm x 457.2 mm Tapping Valve And Sleeve	
641O694M	Each	762 mm x 508 mm Tapping Valve And Sleeve	
641O696M	Each	762 mm x 609.6 mm Tapping Valve And Sleeve	
641O698M	Each	762 mm x 762mm Tapping Valve And Sleeve	
641O706M	Each	914.4 mm x 152.4 mm Tapping Valve And Sleeve	
641O708M	Each	914.4 mm x 203.2 mm Tapping Valve And Sleeve	
641O710M	Each	914.4 mm x 254 mm Tapping Valve And Sleeve	
641O712M	Each	914.4 x 304.8 mm Tapping Valve And Sleeve	
641O714M	Each	914.4 mm x 355.6 mm Tapping Valve And Sleeve	
641O716M	Each	914.4 mm x 406.4 mm Tapping Valve And Sleeve	
641O718M	Each	914.4 mm x 457.2 mm Tapping Valve And Sleeve	
641O720M	Each	914.4 mm x 508 mm Tapping Valve And Sleeve	
641O722M	Each	914.4 mm x 609.6 mm Tapping Valve And Sleeve	
641O732M	Each	1066.8 mm x 152.4 mm Tapping Valve And Sleeve	
641O734M	Each	1066.8 mm x 203.2 mm Tapping Valve And Sleeve	
641O736M	Each	1066.8 mm x 254 mm Tapping Valve And Sleeve	
641O738M	Each	1066.8 mm x 304.8 mm Tapping Valve And Sleeve	
641O740M	Each	1066.8 mm x 355.6 mm Tapping Valve And Sleeve	
641O742M	Each	1066.8 mm x 406.4 mm Tapping Valve And Sleeve	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 72
641O744M	Each	1066.8 mm x 457.2 mm Tapping Valve And Sleeve	
641O746M	Each	1066.8 mm x 508 mm Tapping Valve And Sleeve	
641O748M	Each	1066.8 mm x 609.6 mm Tapping Valve And Sleeve	
641O758M	Each	1219.2 mm x 152.4 mm Tapping Valve And Sleeve	
641O760M	Each	1219.2 mm x 203.2 mm Tapping Valve And Sleeve	
641O762M	Each	1219.2 mm x 254 mm Tapping Valve And Sleeve	
641O764M	Each	1219.2 mm x 304.8 mm Tapping Valve And Sleeve	
641O766M	Each	1219.2 mm x 355.6 mm Tapping Valve And Sleeve	
641O768M	Each	1219.2 mm x 406.4 mm Tapping Valve And Sleeve	
641O770M	Each	1219.2 mm x 457.2 mm Tapping Valve And Sleeve	
641O772M	Each	1219.2 mm x 508 mm Tapping Valve And Sleeve	
641O774M	Each	1219.2 mm x 609.6 mm Tapping Valve And Sleeve	
641O784M	Each	1371.6 mm x 152.4 mm Tapping Valve And Sleeve	
641O786M	Each	1371.6 mm x 203.2 mm Tapping Valve And Sleeve	
641O788M	Each	1371.6 mm x 254 mm Tapping Valve And Sleeve	
641O790M	Each	1371.6 mm x 304.8 mm Tapping Valve And Sleeve	
641O792M	Each	1371.6 mm x 355.6 mm Tapping Valve And Sleeve	
641O794M	Each	1371.6 mm x 406.4 mm Tapping Valve And Sleeve	
641O796M	Each	1371.6 mm x 457.2 mm Tapping Valve And Sleeve	
641O798M	Each	1371.6 mm x 508 mm Tapping Valve And Sleeve	
641O800M	Each	1371.6 mm x 609.6 mm Tapping Valve And Sleeve	
641O802M	Each	1524 mm x 152.4 mm Tapping Valve And Sleeve	
641O804M	Each	1524 mm x 203.2 mm Tapping Valve And Sleeve	
641O806M	Each	1524 mm x 254 mm Tapping Valve And Sleeve	
641O808M	Each	1524 mm x 304.8 mm Tapping Valve And Sleeve	
641O810M	Each	1524 mm x 355.6 mm Tapping Valve And Sleeve	
641O812M	Each	1524 mm x 406.4 mm Tapping Valve And Sleeve	
641O814M	Each	1524 mm x 457.2 mm Tapping Valve And Sleeve	
641O816M	Each	1524 mm x 508 mm Tapping Valve And Sleeve	
641O818M	Each	1524 mm x 609.6 mm Tapping Valve And Sleeve	
641P510M	Each	12.7 mm Service Tap	
641P515M	Each	19.05 mm Service Tap	
641P520M	Each	25.4 mm Service Tap	
641P525M	Each	38.1 mm Service Tap	
641P530M	Each	50.8 mm Service Tap	
641P535M	Each	76.2 mm Service Tap	
641Q510M	Each	19.05 mm Water Meter And Box Set	
641Q515M	Each	25.4 mm Water Meter And Box Set	
641Q517M	Each	38.1 mm Water Meter and Box Set	
641Q520M	Each	50.8 mm Water Meter And Box Set	
641Q525M	Each	76.2 mm Water Meter And Box Set	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 73
641Q530M	Each	101.6 mm Water Meter And Box Set	
641Q535M	Each	152.4 mm Water Meter And Box Set	
641Q540M	Each	203.2 mm Water Meter And Box Set	
641Q545M	Each	254 mm Water Meter And Box Set	
641Q550M	Each	304.8 mm Water Meter And Box Set	
641R510M	Each	19.05 mm Water Meter And Box Reset	
641R515M	Each	25.4 mm Water Meter And Box Reset	
641R518M	Each	38.1 mm Water Meter And Box Reset	
641R520M	Each	50.8 mm Water Meter And Box Reset	
641R525M	Each	76.2 mm Water Meter And Box Reset	
641R530M	Each	101.6 mm Water Meter And Box Reset	
641R535M	Each	152.4 mm Water Meter And Box Reset	
641R540M	Each	203.2 mm Water Meter And Box Reset	
641R545M	Each	254 mm Water Meter And Box Reset	
641R550M	Each	304.8 mm Water Meter And Box Reset	
641S500M	Each	Valve Box Reset	
641T510M	Each	6 Inch Line Stop	
641T514M	Each	10 Inch Line Stop	
641U814M	M	355.6 mm H.D.P.E. Water Main (Directional Drilling)	
641V001M	Each	Concrete Vault	
641V100M	Each	Double Check Valve Assembly with Vault	
645A506M	M	101.6 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A508M	M	152.4 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A510M	M	203.2 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A512M	M	254 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A514M	M	304.8 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A516M	M	355.6 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A518M	M	406.4 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A520M	M	457.2 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A522M	M	508 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A524M	M	609.6 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A526M	M	762 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A528M	M	914.4 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A530M	M	1066.8 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A532M	M	1219.2 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A534M	M	1371.6 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A536M	M	1524 mm Ductile Iron Sanitary Sewer Gravity Pipe Laid	
645A544M	M	101.6 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A546M	M	152.4 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A548M	M	203.2 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A550M	M	254 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A552M	M	304.8 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 74
645A554M	M	355.6 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A555M	M	381 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A556M	M	406.4 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A558M	M	457.2 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A560M	M	508 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A562M	M	609.6 mm P.V.C. Sanitary Sewer Gravity Pipe Laid	
645A572M	M	203.2 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A574M	M	254 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A576M	M	304.8 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A578M	M	355.6 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A580M	M	406.4 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A582M	M	457.2 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A584M	M	508 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A586M	M	609.6 mm HDPE Sanitary Sewer Gravity Pipe	
645A588M	M	762 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A590M	M	914.4 mm HDPE Sanitary Sewer Gravity Pipe Laid	
645A598M	M	76.2mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A600M	M	101.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A602M	M	152.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A604M	M	203.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A606M	M	254 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A608M	M	304.8 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A610M	M	355.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A612M	M	406.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A614M	M	457.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A616M	M	508 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A618M	M	609.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid	
645A620M	M	101.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A622M	M	152.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A624M	M	203.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A626M	M	254 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A628M	M	304.8 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A630M	M	355.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A632M	M	406.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A634M	M	457.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A636M	M	508 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 75
645A638M	M	609.5 mm Ductile Iron Sanitary Sewer Force Main Pipe Laid (Restrained Joint)	
645A647M	M	50.8 mm P.V.C. Sanitary Sewer Force Main Pipe Laid	
645A648M	M	76.2 mm P.V.C. Sanitary Sewer Force Main Pipe Laid	
645A650M	M	101.6 mm P.V.C. Sanitary Sewer Force Main Pipe Laid	
645A652M	M	152.4 mm P.V.C. Sanitary Sewer Force Main Pipe Laid	
645A654M	M	203.2 mm P.V.C. Sanitary Sewer Force Main Pipe Laid	
645A655M	M	254mm P.V.C. Sanitary Sewer Force Main Pipe Laid	
645A656M	M	304.8 mm P.V.C. Sanitary Sewer Force Main Pipe Laid	
645A668M	M	50.8 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A669M	M	76.2 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A670M	M	101.6 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A672M	M	152.4 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A674M	M	203.2 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A676M	M	254 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A678M	M	304.8 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A680M	M	355.6 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A682M	M	406.4 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A684M	M	457.2 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A686M	M	508 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645A688M	M	609.6 mm HDPE Sanitary Sewer Force Main Pipe Laid	
645B510M	M	203.2 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B512M	M	254 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B514M	M	304.8 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B516M	M	355.6 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B518M	M	406.4 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B520M	M	457.2 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B522M	M	508 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B524M	M	609.6 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B526M	M	762 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B528M	M	914.4 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B530M	M	1066.8 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B532M	M	1219.2 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B534M	M	1371.6 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B536M	M	1524 mm Ductile Iron Sanitary Sewer Gravity Pipe Relaid	
645B546M	M	152.4 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B548M	M	203.2 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B550M	M	254 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B552M	M	304.8 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B554M	M	355.6 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B556M	M	406.4 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B558M	M	457.2 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 76
645B560M	M	508 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B562M	M	609.6 mm P.V.C. Sanitary Sewer Gravity Pipe Relaid	
645B582M	M	203.2 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B584M	M	254 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B586M	M	304.8 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B588M	M	355.6 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B590M	M	406.4 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B592M	M	457.2 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B594M	M	508 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B596M	M	609.6 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B598M	M	762 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B600M	M	914.4 mm HDPE Sanitary Sewer Gravity Pipe Relaid	
645B610M	M	101.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B612M	M	152.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B614M	M	203.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B616M	M	254 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B618M	M	304.8 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B620M	M	355.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B622M	M	406.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B624M	M	457.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B626M	M	508 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B628M	M	609.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid	
645B630M	M	101.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B632M	M	152.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B634M	M	203.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B636M	M	254 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B638M	M	304.8 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B640M	M	355.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B642M	M	406.4 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B644M	M	457.2 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B646M	M	508 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B648M	M	609.6 mm Ductile Iron Sanitary Sewer Force Main Pipe Relaid (Restrained Joint)	
645B660M	M	76.2 mm P.V.C. Sanitary Sewer Force Main Pipe Relaid	
645B662M	M	101.6 mm P.V.C. Sanitary Sewer Force Main Pipe Relaid	
645B664M	M	152.4 mm P.V.C. Sanitary Sewer Force Main Pipe Relaid	
645B666M	M	203.2 mm P.V.C. Sanitary Sewer Force Main Pipe Relaid	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 77
645B668M	M	304.8 mm P.V.C. Sanitary Sewer Force Main Pipe Relaid	
645B680M	M	101.6 mm HDPE Sanitary Sewer Force Main Pipe Relaid	
645B682M	M	152.4 mm HDPE Sanitary Sewer Force Main Pipe Relaid	
645B684M	M	203.2 mm HDPE Sanitary Sewer Force Main Pipe Relaid	
645B686M	M	254 mm HDPE Sanitary Sewer Force Main Pipe Relaid	
645B688M	M	304.8 mm HDPE Sanitary Sewer Force Main Pipe Relaid	
645C500M	KG	Ductile Iron Fittings	
645D510M	Each	101.6 mm Retainer Gland	
645D512M	Each	152.4 mm Retainer Gland	
645D514M	Each	203.2 mm Retainer Gland	
645D516M	Each	254 mm Retainer Gland	
645D518M	Each	304.8 mm Retainer Gland	
645D520M	Each	355.6 mm Retainer Gland	
645D522M	Each	406.4 mm Retainer Gland	
645D524M	Each	457.2 mm Retainer Gland	
645D526M	Each	508 mm Retainer Gland	
645D528M	Each	609.6 mm Retainer Gland	
645D530M	Each	762 mm Retainer Gland	
645D532M	Each	914.4 mm Retainer Gland	
645D534M	Each	1066.8 mm Retainer Gland	
645D536M	Each	1219.2 mm Retainer Gland	
645D538M	Each	1371.6 mm Retainer Gland	
645D540M	Each	1524 mm Retainer Gland	
645E510M	M	101.6 mm Ductile Iron Stacks And Laterals	
645E512M	M	152.4 mm Ductile Iron Stacks And Laterals	
645E514M	M	203.2 mm Ductile Iron Stacks And Laterals	
645E520M	M	76.2 mm P.V.C. Stacks And Laterals	
645E522M	M	101.6 mm P.V.C. Stacks And Laterals	
645E524M	M	152.4 mm P.V.C. Stacks And Laterals	
645E526M	M	203.2 mm P.V.C. Stacks And Laterals	
645F505M	M	152.4mm Abandon Existing Sanitary Sewer	
645F510M	M	203.2 mm Abandon Existing Sanitary Sewer	
645F515M	M	254 mm Abandon Existing Sanitary Sewer	
645F520M	M	304.8 mm Abandon Existing Sanitary Sewer	
645F525M	M	381 mm Abandon Existing Sanitary Sewer	
645F530M	M	406.4 mm Abandon Existing Sanitary Sewer	
645F535M	M	457.2 mm Abandon Existing Sanitary Sewer	
645F540M	M	508 mm Abandon Existing Sanitary Sewer	
645F542M	M	21 Inch Abandon Existing Sanitary Sewer	
645F545M	M	609.6 mm Abandon Existing Sanitary Sewer	
645G510M	Each	101.6 mm Sanitary Sewer Lateral Cleanout	
645G515M	Each	152.4 mm Sanitary Sewer Lateral Cleanout	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 78
645G520M	Each	203.2mm Sanitary Sewer Lateral Cleanout	
645G525M	Each	254mm Sanitary Sewer Lateral Cleanout	
645G530M	Each	304.8mm Sanitary Sewer Lateral Cleanout	
645G532M	Each	355.6 mm Sanitary Sewer Lateral Cleanout	
645G534M	Each	406.2 mm Sanitary Sewer Lateral Cleanout	
645G536M	Each	457.2 mm Sanitary Sewer Lateral Cleanout	
645H510M	Each	1219.2 mm Manhole	
645H540M	Each	1524 mm Manhole	
645H570M	Each	1828.8 mm Manhole	
645H600M	Each	2438.4 mm Manhole	
645H710M	Each	48 Inch Manhole (Dog House)	
645H900M	Each	Inverted Siphon Manhole	
645I500M	Each	1219.2 mm Manhole Unit	
645I505M	Each	1524 mm Manhole Unit	
645I510M	Each	1828.8 mm Manhole Unit	
645I515M	Each	2438.4 mm Manhole Unit	
645I900M	Each	Inverted Siphon Manhole Unit	
645J500M	Each	Manhole Cone Reset	
645K500M	Each	Manhole Frame And Cover Reset	
645L510M	M	203.2 mm Ductile Iron Manhole Drop Connection	
645L512M	M	254 mm Ductile Iron Manhole Drop Connection	
645L514M	M	304.8 mm Ductile Iron Manhole Drop Connection	
645L516M	M	355.6 mm Ductile Iron Manhole Drop Connection	
645L518M	M	406.4 mm Ductile Iron Manhole Drop Connection	
645L520M	M	457.2 mm Ductile Iron Manhole Drop Connection	
645L540M	M	203.2 mm P.V.C. Manhole Drop Connection	
645L542M	M	254 mm P.V.C. Manhole Drop Connection	
645L544M	M	304.8 mm P.V.C. Manhole Drop Connection	
645L546M	M	355.6 mm P.V.C. Manhole Drop Connection	
645L548M	M	406.4 mm P.V.C. Manhole Drop Connection	
645L550M	M	457.2 mm P.V.C. Manhole Drop Connection	
645M500M	Each	Connection To Existing Manhole	
645N500M	Each	Abandon Existing Manhole	
645O510M	Each	25.4 mm Air And Vacuum Valve Assembly	
645O512M	Each	50.8 mm Air And Vacuum Valve Assembly	
645O514M	Each	76.2 mm Air And Vacuum Valve Assembly	
645O516M	Each	101.6 mm Air And Vacuum Vale Assembly	
645O518M	Each	152.4 mm Air And Vacuum Valve Assembly	
645O520M	Each	203.2 mm Air And Vacuum Valve Assembly	
645O522M	Each	254 mm Air And Vacuum Valve Assembly	
645O524M	Each	304.8 mm Air And Vacuum Valve Assembly	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 79
645O526M	Each	355.6 mm Air And Vacuum Valve Assembly	
645O528M	Each	406.4 mm Air And Vacuum Valve Assembly	
645O530M	Each	457.2 mm Air And Vacuum Valve Assembly	
645P500M	Each	Sanitary Sewer Lift Station	
645Q500M	Each	Sanitary Sewer Conflict Junction Box, Type Special	
645U520M	M	30 Inch Cured In Place Line	
646A510M	M	12.7 mm Polyethylene Gas Service Line Laid	
646A515M	M	15.875 mm Polyethylene Gas Service Line Laid	
646A520M	M	19.05 mm Polyethylene Gas Service Line Laid	
646A525M	M	25.4 mm Polyethylene Gas Service Line Laid	
646A530M	M	31.75 mm Polyethylene Gas Service Line Laid	
646A535M	M	38.1 mm Polyethylene Gas Service Line Laid	
646A540M	M	50.8 mm Polyethylene Gas Service Line Laid	
646A542M	M	76.2mm Polyethylene Gas Service Line Laid	
646A545M	M	101.6 mm Polyethylene Gas Service Line Laid	
646A550M	M	152.4 mm Polyethylene Gas Service Line Laid	
646A610M	M	19.05 mm Steel Gas Service Line Laid	
646A615M	M	25.4 mm Steel Gas Service Line Laid	
646A620M	M	31.75 mm Steel Gas Service Line Laid	
646A625M	M	50.8 mm Steel Gas Service Line Laid	
646A630M	M	101.6 mm Steel Gas Service Line Laid	
646A635M	M	152.4 mm Steel Gas Service Line Laid	
646A710M	M	31.75 mm Polyethylene Gas Main Laid	
646A715M	M	50.8 mm Polyethylene Gas Main Laid	
646A717M	M	76.2 mm Polyethylene Gas Main Laid	
646A720M	M	101.6 mm Polyethylene Gas Main Laid	
646A725M	M	152.4 mm Polyethylene Gas Main Laid	
646A730M	M	203.2 mm Polyethylene Gas Main Laid	
646A810M	M	50.8 mm Steel Gas Main Laid	
646A815M	M	76.2 mm Steel Gas Main Laid	
646A820M	M	101.6 mm Steel Gas Main Laid	
646A825M	M	152.4 mm Steel Gas Main Laid	
646A830M	M	203.2 mm Steel Gas Main Laid	
646A835M	M	254 mm Steel Gas Main Laid	
646A840M	M	304.8 mm Steel Gas Main Laid	
646A845M	M	457.2 mm Steel Gas Main Laid	
646A850M	M	508 mm Steel Gas Main Laid	
646A855M	M	609.6 mm Steel Gas Main Laid	
646B510M	M	12.7 mm Polyethylene Gas Service Line Relaid	
646B515M	M	15.875 mm Polyethylene Gas Service Line Relaid	
646B520M	M	19.05 mm Polyethylene Gas Service Line Relaid	
646B525M	M	25.4 mm Polyethylene Gas Service Line Relaid	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 80
646B530M	M	31.75 mm Polyethylene Gas Service Line Relaid	
646B535M	M	38.1 mm Polyethylene Gas Service Line Relaid	
646B540M	M	50.8 mm Polyethylene Gas Service Line Relaid	
646B545M	M	101.6 mm Polyethylene Gas Service Line Relaid	
646B550M	M	152.4 mm Polyethylene Gas Service Line Relaid	
646B610M	M	19.05 mm Steel Gas Service Line Relaid	
646B615M	M	25.4 mm Steel Gas Service Line Relaid	
646B620M	M	31.75 mm Steel Gas Service Line Relaid	
646B625M	M	50.8 mm Steel Gas Service Line Relaid	
646B630M	M	101.6 mm Steel Gas Service Line Relaid	
646B635M	M	152.4 mm Steel Gas Service Line Relaid	
646B710M	M	31.75 mm Polyethylene Gas Main Relaid	
646B715M	M	50.8 mm Polyethylene Gas Main Relaid	
646B720M	M	101.6 mm Polyethylene Gas Main Relaid	
646B725M	M	152.4 mm Polyethylene Gas Main Relaid	
646B810M	M	50.8 mm Steel Gas Main Relaid	
646B815M	M	76.2 mm Steel Gas Main Relaid	
646B820M	M	101.6 mm Steel Gas Main Relaid	
646B825M	M	152.4 mm Steel Gas Main Relaid	
646B830M	M	203.2 mm Steel Gas Main Relaid	
646B835M	M	254 mm Steel Gas Main Relaid	
646B840M	M	304.8 mm Steel Gas Main Relaid	
646B845M	M	457.2 mm Steel Gas Main Relaid	
646B850M	M	508 mm Steel Gas Main Relaid	
646B855M	M	609.6 mm Steel Gas Main Relaid	
646C510M	Each	12.7 mm Polyethylene Fittings	
646C515M	Each	15.875 mm Polyethylene Fittings	
646C520M	Each	19.05 mm Polyethylene Fittings	
646C525M	Each	25.4 mm Polyethylene Fittings	
646C530M	Each	31.75 mm Polyethylene Fittings	
646C535M	Each	38.1 mm Polyethylene Fittings	
646C540M	Each	50.8 mm Polyethylene Fittings	
646C545M	Each	76.2 mm Polyethylene Fittings	
646C550M	Each	101.6 mm Polyethylene Fittings	
646C555M	Each	152.4 mm Polyethylene Fittings	
646C560M	Each	203.2 mm Polyethylene Fittings	
646C570M	Each	19.05 mm Steel Fittings	
646C575M	Each	25.4 mm Steel Fittings	
646C580M	Each	31.75 mm Steel Fittings	
646C585M	Each	50.8 mm Steel Fitting	
646C590M	Each	76.2 mm Steel Fitting	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 81
646C595M	Each	101.6 mm Steel Fitting	
646C600M	Each	152.4 mm Steel Fitting	
646C605M	Each	203.2 mm Steel Fitting	
646C610M	Each	254 mm Steel Fitting	
646C615M	Each	304.8 mm Steel Fitting	
646C620M	Each	406.4 mm Steel Fitting	
646C625M	Each	457.2 mm Steel Fitting	
646C630M	Each	508 mm Steel Fitting	
646C635M	Each	24 mm Steel Fitting	
646D510M	Each	12.7 mm Polyethylene Valve With Box	
646D515M	Each	15.875 mm Polyethylene Valve With Box	
646D520M	Each	19.05 mm Polyethylene Valve With Box	
646D525M	Each	25.4 mm Polyethylene Valve With Box	
646D530M	Each	31.75 mm Polyethylene Valve With Box	
646D535M	Each	38.1 mm Polyethylene Valve With Box	
646D540M	Each	50.8 mm Polyethylene Valve With Box	
646D542M	Each	76.2 mm Polyethylene Valve With Box	
646D545M	Each	101.6 mm Polyethylene Valve With Box	
646D550M	Each	152.4 mm Polyethylene Valve With Box	
646D560M	Each	203.2 mm Polyethylene Valve With Box	
646D610M	Each	19.05 mm Steel Valve With Box	
646D615M	Each	25.4 mm Steel Valve With Box	
646D620M	Each	31.75 mm Steel Valve With Box	
646D625M	Each	50.8 mm Steel Valve With Box	
646D630M	Each	101.6 mm Steel Valve With Box	
646D635M	Each	152.4 mm Steel Valve With Box	
646D640M	Each	203.2 mm Steel Valve With Box	
646E506M	Each	25.4 mm x 25.4 mm Polyethylene Hot Tap	
646E510M	Each	50.8 mm x 31.75 mm Polyethylene Hot Tap	
646E515M	Each	50.8 mm x 50.8 mm Polyethylene Hot Tap	
646E520M	Each	101.6 mm x 31.75 mm Polyethylene Hot Tap	
646E525M	Each	101.6 mm x 50.8 mm Polyethylene Hot Tap	
646E527M	Each	101.6 mm x 101.6 mm Polyethylene Hot Tap	
646E530M	Each	152.4 mm x 31.75 mm Polyethylene Hot Tap	
646E535M	Each	152.4 mm x 50.8 mm Polyethylene Hot Tap	
646E610M	Each	50.8 mm x 50.8 mm Steel Hot Tap	
646E615M	Each	101.6 mm x 50.8 mm Steel Hot Tap	
646E620M	Each	101.6 mm x 101.6 mm Steel Hot Tap	
646E625M	Each	152.4 mm x 50.8 mm Steel Hot Tap	
646E630M	Each	152.4 mm x 101.6 mm Steel Hot Tap	
646E635M	Each	152.4 mm x 152.4 mm Steel Hot Tap	
646E640M	Each	203.2 mm x 50.8 mm Steel Hot Tap	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 82
646E645M	Each	203.2 mm x 101.6 mm Steel Hot Tap	
646E650M	Each	203.2 mm x 152.4 mm Steel Hot Tap	
646E655M	Each	203.2 mm x 203.2 mm Steel Hot Tap	
646E660M	Each	254 mm x 50.8 mm Steel Hot Tap	
646E665M	Each	254 mm x 101.6 mm Steel Hot Tap	
646E670M	Each	254 mm x 152.4 mm Steel Hot Tap	
646E675M	Each	254 mm x 203.2 mm Steel Hot Tap	
646E680M	Each	254 mm x 254 mm Steel Hot Tap	
646F522M	M	152.4 mm Steel Gas Main Laid, Installed By Directional Drilling	
646F526M	M	254 mm Steel Gas Main Pipe Laid, Installed By Directional Drilling (With Powercrete Coating)	
646G495M	Each	25.4 mm Steel Line Stopper	
646G500M	Each	50.8 mm Steel Line Stopper	
646G505M	Each	76.2 mm Steel Line Stopper	
646G510M	Each	101.6 mm Steel Line Stopper	
646G515M	Each	152.4 mm Steel Line Stopper	
646G520M	Each	203.2 mm Steel Line Stopper	
646G525M	Each	254 mm Steel Line Stopper	
646G530M	Each	304.8 mm Steel Line Stopper	
646G535M	Each	457.2 mm Steel Line Stopper	
646G540M	Each	508 mm Steel Line Stopper	
646G545M	Each	609.6 mm Steel Line Stopper	
646H547M	Each	4 1/2 Inch Polyethelene Valve with Box Reset	
646H625M	Each	2 Inch Steel Valve with Box Reset	
646H632M	Each	4 1/2 Inch Steel Valve with Box Reset	
646I500M	Each	3/4 Inch Gas Regulator Station	
646I505M	Each	25 mm Gas Regulator Station	
646I510M	Each	2 Inch Gas Regulator Station	
646J000M	Each	Gas Valve Box Reset	
649A070M	M	1066.8 millimeter Encasement Pipe, (Split) Type 1 Installation	
649A500M	M	50.8 mm Steel Encasement Pipe, Type 1 Installation	
649A505M	M	63.5 mm Steel Encasement Pipe, Type 1 Installation	
649A510M	M	76.2 mm Steel Encasement Pipe, Type 1 Installation	
649A515M	M	101.6 mm Steel Encasement Pipe, Type 1 Installation	
649A520M	M	152.4 mm Steel Encasement Pipe, Type 1 Installation	
649A525M	M	203.2 mm Steel Encasement Pipe, Type 1 Installation	
649A530M	M	254 mm Steel Encasement Pipe, Type 1 Installation	
649A535M	M	304.8 mm Steel Encasement Pipe, Type 1 Installation	
649A540M	M	355.6 mm Steel Encasement Pipe, Type 1 Installation	
649A545M	M	406.4 mm Steel Encasement Pipe, Type 1 Installation	
649A550M	M	457.2 mm Steel Encasement Pipe, Type 1 Installation	
649A555M	M	508 mm Steel Encasement Pipe, Type 1 Installation	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 83
649A560M	M	609.6 mm Steel Encasement Pipe, Type 1 Installation	
649A565M	M	762 mm Steel Encasement Pipe, Type 1 Installation	
649A570M	M	914.4 mm Steel Encasement Pipe, Type 1 Installation	
649A575M	M	1066.8 mm Steel Encasement Pipe, Type 1 Installation	
649A580M	M	1219.2 mm Steel Encasement Pipe, Type 1 Installation	
649A585M	M	1371.6 mm Steel Encasement Pipe, Type 1 Installation	
649A590M	M	1524 mm Steel Encasement Pipe, Type 1 Installation	
649A596M	M	1981.2 mm Steel Encasement Pipe, Type 1 Installation	
649A600M	M	50.8 mm Steel Encasement Pipe, Type 2 Installation	
649A605M	M	63.5 mm Steel Encasement Pipe, Type 2 Installation	
649A610M	M	76.2 mm Steel Encasement Pipe, Type 2 Installation	
649A615M	M	101.6 mm Steel Encasement Pipe, Type 2 Installation	
649A620M	M	152.4 mm Steel Encasement Pipe, Type 2 Installation	
649A625M	M	203.2 mm Steel Encasement Pipe, Type 2 Installation	
649A630M	M	254 mm Steel Encasement Pipe, Type 2 Installation	
649A635M	M	304.8 mm Steel Encasement Pipe, Type 2 Installation	
649A640M	M	355.6 mm Steel Encasement Pipe, Type 2 Installation	
649A645M	M	406.4 mm Steel Encasement Pipe, Type 2 Installation	
649A650M	M	457.2 mm Steel Encasement Pipe, Type 2 Installation	
649A655M	M	508 mm Steel Encasement Pipe, Type 2 Installation	
649A660M	M	609.6 mm Steel Encasement Pipe, Type 2 Installation	
649A665M	M	762 mm Steel Encasement Pipe, Type 2 Installation	
649A670M	M	914.4 mm Steel Encasement Pipe, Type 2 Installation	
649A675M	M	1066.8 mm Steel Encasement Pipe, Type 2 Installation	
649A680M	M	1219.2 mm Steel Encasement Pipe, Type 2 Installation	
649A685M	M	1371.6 mm Steel Encasement Pipe, Type 2 Installation	
649A690M	M	1524 mm Steel Encasement Pipe, Type 2 Installation	
649A700M	M	50.8 mm Steel Encasement Pipe, Type 3 Installation	
649A710M	M	63.5 mm Steel Encasement Pipe, Type 3 Installation	
649A720M	M	76.2 mm Steel Encasement Pipe, Type 3 Installation	
649A730M	M	101.6 mm Steel Encasement Pipe, Type 3 Installation	
649A736M	M	254 mm Steel Encasement Pipe, Type 3 Installation	
649A738M	M	304.8 mm Steel Encasement Pipe, Type 3 Installation	
649A740M	M	355.6 mm Steel Encasement Pipe, Type 3 Installation	
649A742M	M	406.4 mm Steel Encasement Pipe, Type 3 Installation	
649A744M	M	508 mm Steel Encasement Pipe, Type 3 Installation	
649A772M	M	101.6 mm HDPE Encasement Pipe, Type 1 Installation	
649A773M	M	152.4 mm HDPE Encasement Pipe, Type 1 Installation	
649A774M	M	203.2 mm HDPE Encasement Pipe, Type 1 Installation	
649A776M	M	304.8 mm HDPE Encasement Pipe, Type 1 Installation	
649A800M	M	50.8 mm HDPE Encasement Pipe, Type 3 Installation	
649A810M	M	63.5 mm HDPE Encasement Pipe, Type 3 Installation	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 84
649A820M	M	76.2 mm HDPE Encasement Pipe, Type 3 Installation	
649A830M	M	101.6 mm HDPE Encasement Pipe, Type 3 Installation	
649A840M	M	152.4 mm HDPE Encasement Pipe, Type 3 Installation	
649A850M	M	203.2 mm HDPE Encasement Pipe, Type 3 Installation	
649A885M	M	410 mm HDPE Encasement Pipe, Type 3 Installation	
649B600M	M	50.8 mm Steel Encasement Pipe, Type 4 Installation	
649B605M	M	63.5 mm Steel Encasement Pipe, Type 4 Installation	
649B610M	M	76.2 mm Steel Encasement Pipe, Type 4 Installation	
649B615M	M	101.6 mm Steel Encasement Pipe, Type 4 Installation	
649B620M	M	152.4 mm Steel Encasement Pipe, Type 4 Installation	
649B625M	M	203.2 mm Steel Encasement Pipe, Type 4 Installation	
649B630M	M	254 mm Steel Encasement Pipe, Type 4 Installation	
649B635M	M	304.8 mm Steel Encasement Pipe, Type 4 Installation	
650A000M	CU M	Topsoil	
650B000M	CU M	Topsoil From Stockpiles	
652A004M	HA	Seeding (Weeping Love Grass - Eragrostis Curvula)	
652A100M	HA	Seeding	
652A110M	HA	Seeding(Wetland Mix)	
652C000M	HA	Mowing	
654A000M	SQ M	Solid Sodding	
654A001M	SQ M	Solid Sodding (Bermuda)	
654A002M	SQ M	Solid Sodding (St. Augustine)	
654A003M	SQ M	Solid Sodding (Centipede)	
654A004M	SQ M	Solid Sodding (St. Augustine Or Centipede)	
654A005M	SQ M	Solid Sodding (Emerald Zoysia)	
654A006M	SQ M	Solid Sodding (Myers Zoysia)	
654A007M	SQ M	Solid Sodding (Tifway 419 Hybrid Bermuda, Cynadon Hybrid 'Tifway 419')	
654A009M	SQ M	Solid Sodding (Fescue)	
655A009M	CYCL	Maintenance Roadside Mowing (Approximately	
655A010M	CYCL	Maintenance Roadside Mowing (Approximately	
655A011M	CYCL	Maintenance Roadside Mowing (Approximately	
655F000M	CYCL	Litter Collection (Approximately	
656A010M	HA	Mulching	
659C000M	SQ M	Erosion Control Product, Type S4	
659C001M	SQ M	Erosion Control Product, Type S3	
659C002M	SQ M	Erosion Control Product, Type S2	
659C003M	SQ M	Erosion Control Product, Type S1	
659C004M	SQ M	Erosion Control Product, Type C2	
659C005M	SQ M	Erosion Control Product, Type C4	
659C006M	SQ M	Erosion Control Product, Type C6	
659C007M	SQ M	Erosion Control Product, Type C8	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 85
659C008M	SQ M	Erosion Control Product, Type C10	
660A000M	CU M	Plant Topsoil	
660B001M	Each	Vines, Trachelospermum Asiaticum (Asiatic Jasmine)	
660B002M	Each	Vines, Euonymus Fortunei Var. Coloratus (Wintercreeper)	
660B003M	Each	Vines, Vinca Minor (Periwinkle)	
660B004M	Each	Vines, Ipomea Hybrid (Sweet Caroline Sweetheart "Lime" Sweet Potato Vine)	
660C000M	Each	Shrubs, Abelia Grandiflora (Glossy Abelia)	
660C008M	Each	Shrubs, Azalea Indica (Indica Azalea) ('Mrs. G. G. Gerbing')	
660C015M	Each	Shrubs, Azalea Canescens (Piedmont Azalea)	
660C016M	Each	Shrubs, Azalea Indica "Formosa" (Formosa Azalea)	
660C018M	Each	Shrubs, Azalea Indica Pride Of Mobile (Pride Of Mobile Azalea)	
660C021M	Each	Shrubs, Buxus Japonica (Japanese Boxwood)	
660C022M	Each	Shrubs, Buxus Japonica 'Wintergreen' (Wintergreen Japanese Boxwood)	
660C024M	Each	Shrubs, Buxus Sempervirens (American Boxwood)	
660C030M	Each	Shrubs, Camellia Sasanqua (Sasanqua Camellia)	
660C031M	Each	Shrubs, Cleyera Japonica (Japan Cleyera)	
660C032M	Each	Shrubs, Cortaderia Selloana (Pampus Grass)	
660C033M	Each	Shrubs, Cotoneaster Horizontalis (Rockspray Cotoneaster)	
660C036M	Each	Shrubs, Eleagnus Pungens "Fruitlandii" (Fruitland Eleagnus)	
660C037M	Each	Shrubs, Forsythia Intermedia (Forsythia)	
660C039M	Each	Shrubs, Hydrangea Quercifolia (Oakleaf Hydrangea)	
660C040M	Each	Shrubs, Ilex Cornuta Burfordii Nana (Dwarf Burford Holly)	
660C041M	Each	Shrubs, Ilex Cornuta Rotunda (Rotunda Holly)	
660C045M	Each	Shrubs, Ilex Glabra (Inkberry)	
660C047M	Each	Shrubs, Ilex Opaca X Cornuta (Ilex 'Emily Bruner')	
660C048M	Each	Shrubs, Ilex Vomitoria Nana (Dwarf Yaupon Holly)	
660C049M	Each	Shrubs, Ilex Vomitoria Pendula (Weeping Yaupon Holly)	
660C050M	Each	Shrubs, Ilex Cornuta Carissa (Carissa Holly)	
660C053M	Each	Shrubs, Gardenia Jasminoides Radicans (Dwarf Gardenia)	
660C054M	Each	Shrubs, Hydrangea Quercifolia (Snowflake Hydrangea)	
660C057M	Each	Shrubs, Hemerocallis 'Yellow' (Yellow Daylily)	
660C059M	Each	Shrubs, Juniperus Parsoni (Parsons Juniper)	
660C060M	Each	Shrubs, Juniperus Chinensis 'Pfitzeriana Compacta' (Nick's Compact Juniper)	
660C061M	Each	Shrubs, Juniperus Conferta (Blue Pacific Juniper)	
660C062M	Each	Shrubs, Juniperus Sargentii (Green Sargent Juniper)	
660C064M	Each	Shrubs, Juniperus Horizontalis (Blue Rug Juniper)	
660C070M	Each	Shrubs, Liriope Muscari (Hybrid Green Liriope)	
660C071M	Each	Shrubs, Liriope Muscari 'Variegata' (Variegated Liriope)	
660C073M	Each	Shrubs, Loropetalum Chinense (Loropetalum)	
660C074M	Each	Shrubs, Liriope Muscari (Big Blue Liriope)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 86
660C075M	Each	Shrubs, Leucothoe Fontanesiana (Drooping Leucothoe)	
660C078M	Each	Shrubs, Magnolia Stellata (Star Magnolia)	
660C079M	Each	Shrubs, Mahonia Bealei (Leatherleaf Mahonia)	
660C081M	Each	Shrubs, Myrcia Cerifera (Southern Wax Myrtle)	
660C083M	Each	Shrubs, Myrcia Cerifera (Don's Dwarf Wax Myrtle)	
660C085M	Each	Shrubs, Nandina Domestica (Nandina Domestica)	
660C086M	Each	Shrubs, Nandina Domestica Nana (Harbor Dwarf Nandina)	
660C090M	Each	Shrubs, Ophiopogon Japonicus (Mondo Grass)	
660C091M	Each	Shrubs, Osmanthus Fragrans (Tea Olive)	
660C092M	Each	Shrubs, Hemerocallis Hybrida (Stella D 'Oro' Dwarf Day Lilly)	
660C096M	Each	Shrubs, Podocarpus Macrophylla Maki (Yew Podocarpus)	
660C097M	Each	Shrubs, Prunus Laurocerasus 'Schipkaensis' (Schip Laurel)	
660C113M	Each	Shrubs, Ilex Aquifolium X Cornuta (Nellie R. Stevens Holly)	
660C114M	Each	Shrubs, Raphiolepis Indica "Ballerina" (Ballerina Indian Hawthorne)	
660C123M	Each	Shrubs, Juniperus Chinensis 'Pfitzerianaaurea' (Gold Tip Pfitzer)	
660C124M	Each	Shrubs, Hemerocallis 'Stella De Oro' (Stella De Oro Daylily)	
660C128M	Each	Shrubs, Juniperus Pfitzeriana 'Sea Green' ('Sea Green' Juniper)	
660C129M	Each	Shrubs, Forsythia Intermedia Spectabilis(Showy Border Forsythia)	
660C132M	Each	Shrubs, Euonymus Alatus 'Nana' (Dwarf Burning Bush)	
660C135M	Each	Shrubs,Ilex x Attenuata,Fosteri(Foster Holly)	
660C136M	Each	Shrubs,Hydrangea Paniculata (Pee Gee Hydrangea)	
660C138M	Each	Shrubs, Itea Virginica 'Henry's Garnet' (Virginia Sweetspire)	
660C150M	Each	Shrubs,Pennisetum alopecuroides'Hamelin'(Fountain Grass)	
660C156M	Each	Shrubs, Spiraea X Bulmalda (Anthony Waterer Spiraea)	
660C162M	Each	Shrubs, Cotoneaster Peryni (Peryni Cotoneaster)	
660C172M	Each	Shrubs, Ligustrum Japonica(Waxleaf Ligustrum)	
660C173M	Each	Shrubs, Loropetalum Chinese 'Ruby (Ruby Loropetalum)	
660C178M	Each	Shrubs, Hydrangea Macrophylla (Bigleaf Hydrangea)	
660C179M	Each	Shrubs, Lantana 'Gold Mound' (Gold Mound Lantana)	
660C181M	Each	Shrubs, Rhododendron Encore 'Autumn Rouge' (Autumn Rouge Azalea)	
660C183M	Each	Shrubs, Rhododendron Rutherford 'Red Ruffle' (Red Ruffle Azalea)	
660C189M	Each	Shrubs, Miscanthus Sinensis ('Gracillimus')	
660C191M	Each	Shrubs, Juniperus Torulosa (Torulosa Juniper)	
660C193M	Each	Shrubs, Calamagrostis Acautiflora (Feather Reed Grass 'Karl Foerster')	
660C194M	Each	Shrubs, Echinacea Purpurea (Purple Coneflower)	
660C195M	Each	Shrubs, Muhlenbergia Capillaris (Pink Muhly Grass)	
660C196M	Each	Shrubs, Spiraea Prunifolia (Bridalwreath Spirea)	
660C197M	Each	Shrubs, Crytomium Falcatum (Holly Fern)	
660C198M	Each	Shrubs, Thelypteris kunthii (Wood Fern)	
660C199M	Each	Shrubs, Helleborus Orientalis (Leten Rose)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 87
660C200M	Each	Shrubs, Hosta X 'August Moon' (Hybrid Hosta)	
660C201M	Each	Shrubs, Annual/Perennial Seasonal Color	
660C202M	Each	Shrubs, Ilex Cornuta 'Needlepoint' (Needlepoint Holly)	
660C203M	Each	Shrubs, Liriope Spicata (Creeping Liriope)	
660C205M	Each	Shrubs, Miscanthus Sinensis 'Adagio'	
660C206M	Each	Shrubs, Viburnum Denatum (South Arrowhead)	
660C207M	Each	Shrubs, Nuphar Lutea Advena (Spatterdock)	
660C208M	Each	Shrubs, Juncus Effusus (Soft Rush)	
660C209M	Each	Shrubs, Sagittaria Latifolia (Broadleaf Arrowhead)	
660C210M	Each	Shrubs, Scopus Ctperus (Woolgrass)	
660C211M	Each	Shrubs, Cladium Mariseus Jamaicense (Sawgrass)	
660C213M	Each	Shrubs, Rhododendron Encore (Encore Azalea)	
660C219M	Each	Shrubs, Rosa Knockout (Knockout Rose)	
660C221M	Each	Shrubs, Ilex 'Mary Neil' (Mary Nell Holly)	
660C224M	Each	Shrubs, Cotoneaster Lacteus (Parney Cotoneaster)	
660C225M	Each	Shrubs, Rosa 'Radrazz' (Red Knockout Rose)	
660C226M	Each	Shrubs, Euonymus Alatus 'Compacta' (Dwarf Burning Bush)	
660C227M	Each	Shrubs, Ophiopogon Japonicus 'Nana' (Dwarf Mondo Grass)	
660C228M	Each	Shrubs, Berberis thunbergii var. atropurpurea 'Crimson Pygmy' (Crimson Pygmy Barberry)	
660C229M	Each	Shrubs, Buxus Microphylla 'Green Mountain' Green Mountain Boxwood	
660C232M	Each	Shrubs, Cephalanthus Occidentalis (Common Buttonbush)	
660C233M	Each	Shrubs, Canna X Generalis "President" (President Cana Lily)	
660C234M	Each	Shrubs, Iris Virginica (Southern Blue Flag Iris)	
660C235M	Each	Shrubs, Rhododendron Azelea (Delaware Valley White Azelea)	
660C238M	Each	Shrubs, Dryopteris Erythrosora, Autumn Fern	
660C239M	Each	Shrubs, Camellia Japonica (Supreme Camellia)	
660C240M	Each	Shrubs, Liriope Muscari (Aztec Grass)	
660C242M	Each	Shrubs, Liliium 'Oriental Carpet Border (Lily Starlight Express)	
660C243M	Each	Shrubs, Tradescantia Pallida 'Purple Heart' Purple Wandering Jew	
660C264M	Each	Shrubs, Hydrangea Paniculata "Limelight" (Limelight Hydrangea)	
660C265M	Each	Shrubs, Rosmarinus Officinalis "Salem" (Salem Rosemary)	
660C269M	Each	Shrubs, Raphiolepis Indica "Snow White" (Snow White Dwarf Indian Hawthorn)	
660C270M	Each	Shrub, Rosa Meidrifora "Coral Drift", (Coral Drift Rose)	
660C271M	Each	Shrubs, Iris Hexagona (Louisiana Iris)	
660D002M	Each	Trees, Acer Rubrum (Red Maple)	
660D003M	Each	Trees, Acer Saccharum (Sugar Maple)	
660D004M	Each	Trees, Acer Rubrum ('October Glory' Maple)	
660D009M	Each	Trees, Amelanchier Arborea (Service Berry)	
660D010M	Each	Trees, Betula Nigra (River Birch)	
660D011M	Each	Trees, Chionanthus Virginicus (Fringe Tree)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 88
660D013M	Each	Trees, Cornus Florida 'Cherokee Princess' (Flowering Dogwood)	
660D015M	Each	Trees, Cercis Canadensis (Eastern Redbud)	
660D016M	Each	Trees, Cornus Florida(Flowering Dogwood)	
660D018M	Each	Trees, Cornus Florida (White Flowering Dogwood)	
660D019M	Each	Trees, Cotinus Coggyria (Smoke Tree)	
660D020M	Each	Trees, Cornus Kousa "Milky Way" (Kousa Dogwood)	
660D028M	Each	Trees, Ilex Opaca 'Greenleaf' (Greenleaf American Holly)	
660D031M	Each	Trees, Ilex Opaca (East Palatka Holly)	
660D032M	Each	Trees, Ilex Vomitoria (Yaupon Holly)	
660D042M	Each	Trees, Lagerstroemia Indica 'Tuscarora' (Tuscarora Crepe Myrtle)	
660D045M	Each	Trees, Lagerstroemia Indica (Crepe Myrtle, Red)	
660D047M	Each	Trees, Lagerstroemia Indica (Crepe Myrtle, White)	
660D048M	Each	Trees, Lagerstroemia Indica (Pink Crepe Myrtle)	
660D049M	Each	Trees, Liriodendron Tulipifera (Tulip Popular)	
660D051M	Each	Trees, Liriodendron Tulipifera (Yellow Poplar)	
660D052M	Each	Trees,Lagerstroemia Indica "Sioux" (Sioux Crape Myrtle)	
660D058M	Each	Trees, Magnolia Grandiflora"D.D. Blanchard" (D.D. Blanchard Magnolia)	
660D059M	Each	Trees, Magnolia Grandiflora 'Claudia Wannamaker' (Claudia Magnolia)	
660D061M	Each	Trees, Magnolia Grandiflora (Southern Magnolia)	
660D062M	Each	Trees, Magnolia Soulangeana (Saucer Magnolia)	
660D063M	Each	Trees, Magnolia Soulangeana (Saucer Magnolia, Alba)	
660D064M	Each	Trees, Magnolia Virginiana (Sweetbay Magnolia)	
660D067M	Each	Trees, Myrica Cerifera (Southern Waxmyrtle)	
660D069M	Each	Trees, Nyssa Acquatica (Blackgum)	
660D070M	Each	Trees, Nyssa Sylvatica (Tupelo Gum)	
660D077M	Each	Trees, Prunus Serrulata (Kwanzan Cherry)	
660D079M	Each	Trees, Pinus Taeda (Loblolly Pine)	
660D080M	Each	Trees, Pinus Virginiana (Virginia Pine)	
660D081M	Each	Trees, Prunus Yedoensis (Yoshino Cherry)	
660D086M	Each	Trees, Platanus Occidentalis, (Sycamore)	
660D087M	Each	Trees, Prunus 'Okame' (Okame Flowering Cherry)	
660D091M	Each	Trees, Quercus Lyrata (Overcup Oak)	
660D094M	Each	Trees, Quercus Phellos (Willow Oak)	
660D095M	Each	Trees, Quercus Virginiana (Live Oak)	
660D097M	Each	Trees, Quercus Nuttallii (Nuttall Oak)	
660D105M	Each	Trees, Vitex Agnus-Castus (Lilac Chaste Tree)	
660D106M	Each	Trees, Zelkova Serrata 'Village Green' (Village Green Zelkova)	
660D109M	Each	Trees, Taxodium Ascendens (Pond Cypress)	
660D110M	Each	Trees, Taxodium Distichum (Bald Cypress)	
660D119M	Each	Trees, Ulmus Parvifolia (Drake Elm)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 89
660D121M	Each	Trees, Cupressocyparis Leylandii (Leyland Cypress)	
660D130M	Each	Trees, Cornus Kousa Chinensis (Kousa Dogwood)	
660D131M	Each	Trees, Magnolia Grandiflora 'Bracken Brown Beauty' ('Bracken Brown Beauty' Magnolia)	
660D132M	Each	Trees, Magnolia Virginiana "Australis" (Australis Sweetbay Magnolia)	
660D133M	Each	Trees, Juniperus Virginiana 'Canaetii' ('Canaetii' Eastern R Cedar)	
660D134M	Each	Trees, Ilex Opaca 'Savannah' (Savannah Holly)	
660D135M	Each	Trees, Ilex Opaca (American Holly)	
660D136M	Each	Trees, Quercus Shumardi (Shumard Oak)	
660D138M	Each	Trees, Zelkova Serrata 'Green Vase' ('Green Vase' Zelkova)	
660D139M	Each	Trees, Pistacia Chinensis (Chinese Pistache)	
660D140M	Each	Trees, Ulmus Parvifolia (Chinese Elm)	
660D141M	Each	Trees, Liquidambar Styraciflua (Sweetgum)	
660D142M	Each	Trees, Betula Nigra 'Heritage'	
660D147M	Each	Trees, acer Buergeranum (Trident Maple)	
660D148M	Each	Trees, Cercis Canadensis 'Alba' ('Alba' Redbud)	
660D150M	Each	Trees, Ilex Decidua 'Pocahontas' ('Pocahontas' Possumhaw)	
660D152M	Each	Trees, Lagerstroemia Indica X Fauriei 'Natchez' (Natchez Crape Myrtle)	
660D153M	Each	Trees, Indica X Fauriei 'Wichita' ('Withita' Crape Myrtle)	
660D155M	Each	Trees, Cercis Reniformis 'Oklahoma' (Oklahoma Redbud)	
660D157M	Each	Trees, Acer Rubrum 'Armstrong' (Armstrong Maple)	
660D158M	Each	Trees, Ulmus Parvifolia 'Elmer II' (Allee Elm)	
660D163M	Each	Trees, Ulmus Parvifolia 'Elmer I' (Allee Elm)	
660D175M	Each	Trees, Lagerstroemia Indica 'Muskogee' (Muskogee Crape Myrtle)	
660D180M	Each	Trees, Magnolia Grandiflora 'Little Gem' (Little Gem Magnolia)	
660D190M	Each	Trees, Ginkgo biloba (Ginkgo)	
660D191M	Each	Trees, Sabal Palm (Sabal Palm)	
660D195M	Each	Trees, Lagerstroemia Indica X Faurei 'Acoma' (Acoma Crepe Myrtle)	
660D196M	Each	Trees, Lagerstroemia Indica X Faurei 'Tonto' (Tonta Crepe Myrtle)	
660D198M	Each	Trees, Acer Palmatum 'dissectum atropurpureum' (Ever Red Japanese Maple)	
660D199M	Each	Trees, Lagerstroemia Indica 'Catawba' (Catawba Crepe Myrtle)	
660D201M	Each	Trees, Lagerstroemia Indica "Sarah's Favorite" (Sarah's Favorite Crepe Myrtle)	
660D202M	Each	Trees, Quercus Lyrata "Highbeam" (Highbeam Overcup Oak)	
660D203M	Each	Trees, Quercus Phellos "Hightower" (Hightower Willow Oak)	
660D208M	Each	Trees, Vitex Agnus-Castus 'Shoal Creek' (Shoal Creek Lilac Chaste Tree)	
660D212M	Each	Trees, Cedrus Deodara (Deodara Cedar)	
660D216M	Each	Trees, Thuja Occidentalis 'Emerald' (Emerald Green Arborvitae)	
660D217M	Each	Trees, Acer Saccharum 'Legacy' (Legacy Sugar Maple)	
660D218M	Each	Trees, Fraxinus Pennsylvanica 'Patmore' (Patmore Green Ash) (Liberty Tree)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 90
660D219M	Each	Trees, Fraxinus Pennsylvanica 'Urbanite' (Urbanite Green Ash)	
660D220M	Each	Trees, Ulmus Parvifolia 'Everclear' (Everclear Lacebark Elm)	
660D221M	Each	Trees, Ulmus Americana 'Princeton' Princeton Elm	
660D222M	Each	Trees, Prunus Yedoensis 'Akebono' Akebono Cherry	
660D223M	Each	Trees, Magnolia X Elizabeth (Elizabeth Magnolia)	
660D225M	Each	Trees, Amelanchier X Grandiflora 'Autumn Brilliance' (Autumn Brilliance Service Berry)	
660D226M	Each	Trees, Quercus Robur X Quercus Alba "Crimschmidt" (Crimson Spire Oak)	
660D227M	Each	Trees, Carpinus Betulus "Fatstigiata" (Fastigiata European Hornbeam)	
660D228M	Each	Trees, Carpinus caroliniana (American Hornbeam)	
660D229M	Each	Trees, Crataegus Viridis (Winter King Hawthorn)	
660D230M	Each	Trees, Cryptomeria Japonica, (Japanese Cryptomeria)	
660E001M	Each	Seedlings, Betula Nigra (River Birch)	
660E004M	Each	Seedlings, Fraxinus Pennsylvanica Var Lanceolata (Green Ash)	
660E007M	Each	Seedlings, Liriodendron Tulipifera (Yellow Poplar)	
660E008M	Each	Seedlings, Nyssa Sylvatica (Tupelo Gum)	
660E010M	Each	Seedlings, Myrica Cerifera (Southern Waxmyrtle)	
660E011M	Each	Seedlings, Nyssa Sylvatica (Tupelo Gum)	
660E012M	Each	Seedlings, Magnolia Virginiana (Sweetbay)	
660E021M	Each	Seedlings, Pinus Taeda (Loblolly Pine)	
660E022M	Each	Seedling, Pinus Virginiana (Virginia Pine)	
660E023M	Each	Seedlings, Pinus Palustris (Longleaf Pine)	
660E034M	Each	Seedlings, Quercus Nigra (Water Oak)	
660E036M	Each	Seedlings, Quercus Nuttalli (Sawtooth Oak)	
660E051M	Each	Seedlings, Salix Nigra (Black Willow)	
660E063M	Each	Seedlings, Acer Rubrum (Red Maple)	
660E067M	Each	Seedlings, Diospyros Virginiana (Persimmon)	
660E068M	Each	Seedlings, Ainus Serralata (Tag Alder)	
660E069M	Each	Seedlings, Querus Phellow (Willow Oak)	
660E071M	Each	Seedlings, Cornus Amomum (Silky Dogwood)	
660E072M	Each	Seedlings, Cyrilla Racemiflora (Titi)	
660E073M	Each	Seedlings, Betula Nigra 'Heritage' (Heritage River Birch)	
660E074M	Each	Seedlings, Populus species (Hybrid Poplar)	
660G000M	LS	Plant Establishment	
660H000M	L	Water	
660H001M	L	Water (Minimum Bid Of \$0.02 Per Liter)	
660K000M	BALE	Pinestraw Mulch	
661B000M	Each	Transplanting Shrubs,	
661C000M	Each	Transplanting Trees,	
663A000M	CU M	Tree Well Masonry	
663B000M	CU M	Tree Root Protection Material	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 91
663C000M	M	Tree Protection Fencing	
664A000M	HOUR	Licensed Tree Surgeon (Limit One)	
665A000M	HA	Temporary Seeding	
665B001M	MTON	Temporary Mulching	
665C010M	M	Temporary Pipe	
665D001M	Each	Temporary Pipe End Treatment	
665E000M	SQ M	Polyethylene	
665F000M	Each	Hay Bales	
665G000M	Each	Sand Bags	
665H005M	M	Flow Baffle	
665I000M	MTON	Temporary Riprap, Class 2	
665I001M	MTON	Temporary Riprap, Class 3	
665I002M	MTON	Temporary Riprap, Class 1	
665J002M	M	Silt Fence	
665K000M	CU M	Drainage Sump Excavation	
665L000M	M	Floating Basin Boom	
665N000M	MTON	Temporary Coarse Aggregate,ALDOT Number 1	
665N001M	MTON	Temporary Coarse Aggregate,ALDOT Number 4	
665N003M	MTON	Temporary Coarse Aggregate,ALDOT Number 2	
665O001M	M	Silt Fence Removal	
665P005M	Each	Inlet Protection, Stage 3 Or 4	
665Q002M	M	Wattle	
665R000M	M	Silt Dikes	
665S000M	M	Brush Barrier	
665T000M	M	Temporary Earth Berms	
665X000M	Each	Basin Dewatering Device	
666A001M	HA	Pest Control Treatment	
667A000M	HA	Fire Ant Control Treatment (Maximum Bid Limited To \$124.00 Per Hectare)	
667A001M	HA	Fire Ant Control Treatment	
669B010M	L	Spot Post-Emergent Herbicide Treatment(
671A001M	SQ M	Erosion Control System,	
672A100M	Each	Active Treatment System, 500 GPM	
672A101M	Each	Active Treatment System, 1000 GPM	
672A102M	Each	Active Treatment System, 1500 GPM	
672A104M	Each	Active Treatment System, 2500 GPM	
672A106M	Each	Active Treatment System, 3500 GPM	
672B100M	Each	Active Treatment System, 500 GPM, Operating Day	
672B101M	Each	Active Treatment System, 1000 GPM, Operating Day	
672B102M	Each	Active Treatment System, 1500 GPM, Operating Day	
672B103M	Each	ACtive Treatment System, 2000 GPM, Operating Day	
672B104M	Each	Active Treatment System, 2500 GPM, Operating Day	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 92
672B105M	Each	Active Treatment System, 3000 GPM, Operating Day	
672B106M	Each	Active Treatment System, 3500 GPM, Operating Day	
672C100M	Each	Flocculant Application, Ditch Check	
672C101M	Each	Flocculant Application, Temporary Slope Drain	
672C102M	Each	Flocculant Application, Sedimentation Basin	
672C103M	Each	Flocculant Application, Inlet Protection	
672D000M	Each	Contractor Retained Tubidimeter	
674A000M	M	Construction Safety Fence	
676A000M	LS	Bioretention Basin	
676A001M	LS	Bioretention Basin,	
676A002M	LS	Bioretention Basin,	
676A003M	LS	Bioretention Basin,	
676A004M	LS	Bioretention Basin,	
676A005M	LS	Bioretention Basin,	
676A006M	LS	Bioretention Basin,	
676A007M	LS	Bioretention Basin,	
676A008M	LS	Bioretention Basin,	
676A009M	LS	Bioretention Basin,	
676A010M	LS	Bioretention Basin,	
676A011M	LS	Bioretention Basin,	
676A012M	LS	Bioretention Basin,	
676A013M	LS	Bioretention Basin,	
676A014M	LS	Bioretention Basin,	
677A000M	LS	Rainfall and Steam Monitoring System	
680A001M	LS	Geometric Controls	
680B000M	LS	Construction Surveying Equipment	
698A000M	LS	Construction Fuel (Maximum Bid Limited To \$	
701A000M	KM	Broken White, Class 1, Type A Traffic Stripe	
701A004M	KM	Solid White, Class 1, Type A Traffic Stripe	
701A006M	KM	Solid White, Class 1, Type A Traffic Stripe (150 mm Wide)	
701A007M	KM	Solid White, Class 1, Type A Traffic Stripe (125mm Wide)	
701A008M	KM	Broken Yellow, Class 1, Type A Traffic Stripe	
701A010M	KM	Broken Yellow, Class 1, Type A Traffic Stripe (150 mm Wide)	
701A011M	KM	Broken Yellow, Class 1, Type A Traffic Stripe (125mm Wide)	
701A012M	KM	Solid Yellow, Class 1, Type A Traffic Stripe	
701A014M	KM	Solid Yellow, Class 1 ,Type A Traffic Stripe (150 mm Wide)	
701A016M	KM	Dotted, Class 3W, Type A (150 mm Wide)	
701A017M	KM	Broken White, Class 1, Type A Traffic Stripe (125mm Wide)	
701A030M	KM	Solid White, Class 2T, Type A Traffic Stripe	
701A034M	KM	Solid Yellow, Class 2T, Type A Traffic Stripe	
701A039M	KM	Broken White, Class 2T, Type A Traffic Stripe	
701A044M	KM	Broken Yellow, Class 2T, Type A Traffic Stripe	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 93
701A076M	KM	Solid White, Class 2T, Type A Traffic Stripe (125mm Wide)	
701A077M	KM	Solid Yellow, Class 2T, Type A Traffic Stripe (125mm Wide)	
701A078M	KM	Broken White, Class 2T, Type A Traffic Stripe (125mm Wide)	
701A079M	KM	Broken Yellow, Class 2T, Type A Traffic Stripe (125mm Wide)	
701A086M	KM	Broken White, Class W, Type A Traffic Stripe (150mm Wide)	
701A087M	KM	Broken White, Class W, Type A Traffic Stripe (125mm Wide)	
701A089M	KM	Solid White, Class W, Type A Traffic Stripe	
701A090M	KM	Solid White, Class W, Type A Traffic Stripe (150mm Wide)	
701A091M	KM	Solid White, Class W, Type A Traffic Stripe (125mm Wide)	
701A095M	KM	Broken Yellow, Class W, Type A Traffic Stripe (125mm Wide)	
701A097M	KM	Soild Yellow, Class W, Type A Traffic Stripe	
701A098M	KM	Solid Yellow, Class W, Type A Traffic Stripe (150mm Wide)	
701A099M	KM	Solid Yellow, Class W, Type A Traffic Stripe (125mm Wide)	
701A103M	KM	Broken Black, Class 1, Type B Traffic Stripe (125mm Wide)	
701A105M	KM	Broken Black, Class 2, Type B Traffic Stripe (125mm Wide)	
701A108M	KM	Broken Black, Class W, Type B Traffic Stripe (125mm Wide)	
701A227M	KM	Solid White, Class 2, Type A Traffic Stripe (125mm Wide)	
701A228M	KM	Solid White, Class 2, Type A Traffic Stripe (150 mm Wide)	
701A230M	KM	Solid Yellow, Class 2, Type A Traffic Stripe (125mm Wide)	
701A231M	KM	Solid White, Class 2, Type A Traffic Stripe	
701A232M	KM	Solid Yellow, Class 2, Type A Traffic Stripe (150 mm Wide)	
701A235M	KM	Solid Yellow, Class 2, Type A Traffic Stripe	
701A239M	KM	Broken White, Class 2, Type A Traffic Stripe (125mm Wide)	
701A240M	KM	Broken White, Class 2, Type A Traffic Stripe	
701A241M	KM	Broken White, Class 2, Type A Traffic Stripe (150 mm Wide)	
701A244M	KM	Broken Yellow, Class 2, Type A Traffic Stripe (125mm Wide)	
701A245M	KM	Broken Yellow, Class 2, Type A Traffic Stripe	
701A246M	KM	Broken Yellow, Class 2, Type A Traffic Stripe (150 mm Wide)	
701A270M	KM	N/A	
701B000M	M	Dotted, Class 1, Type A Traffic Stripe	
701B007M	M	Dotted, Class 2T, Type A Traffic Stripe	
701B009M	M	Dotted, Class 2T, Type A Traffic Stripe (125mm Wide)	
701B025M	M	Dotted, Class W, Type A Traffic Stripe	
701B026M	M	Dotted, Class W, Type A Traffic Stripe (150mm Wide)	
701B027M	M	Dotted, Class W, Type A Traffic Stripe (125mm Wide)	
701B051M	M	Dotted, Class 1, Type A Traffic Stripe(Lane Drop 254mm Wide)	
701B055M	M	Dotted, Class 2T, Type A Traffic Stripe(Lane Drop 254mm Wide)	
701B059M	M	Dotted, Class W, Type A Traffic Stripe(Lane Drop 254mm Wide)	
701B062M	M	Dotted, Class 2, Type A Traffic Stripe(Lane Drop 203.2mm Wide)	
701B063M	M	Dotted, Class 2, Type A Traffic Stripe(Lane Drop 254mm Wide)	
701B064M	M	Dotted, Class 2, Type A Traffic Stripe(Lane Drop 304.8mm Wide)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 94
701B075M	M	Dotted, Class W, Type B Traffic Stripe, Black (Lane Drop 254mm Wide)	
701B205M	M	Dotted, Class 2, Type A Traffic Stripe	
701B206M	M	Dotted, Class 2, Type B Traffic Stripe	
701B207M	M	Dotted, Class 2, Type A Traffic Stripe (125mm Wide)	
701B209M	M	Dotted, Class 2, Type A Traffic Stripe (150 mm Wide)	
701C000M	KM	Broken Temporary Traffic Stripe	
701C001M	KM	Solid Temporary Traffic Stripe	
701C002M	KM	Broken Temporary Traffic Stripe (Paint)	
701C003M	KM	Solid Temporary Traffic Stripe (Paint)	
701C004M	KM	Broken Temporary Traffic Stripe (Tape)	
701C005M	KM	Solid Temporary Traffic Stripe (Tape)	
701C006M	KM	Solid Temporary Traffic Stripe (Removable Tape)	
701C007M	KM	Broken Temporary Traffic Stripe (Dotted Tape)	
701C008M	KM	Broken Temporary Traffic Stripe (Dotted Paint)	
701C009M	KM	Broken Temporary Traffic Stripe (Removable Tape)	
701C010M	KM	Solid Temporary Traffic Stripe (Plastic)	
701C012M	KM	Broken Temporary Traffic Stripe (Plastic)	
701D005M	KM	Solid Traffic Stripe Removed	
701D007M	KM	Solid Traffic Stripe Removed (Paint)	
701D008M	KM	Solid Traffic Stripe Removed (Plastic)	
701D009M	KM	Solid Traffic Stripe Removed (Tape)	
701D014M	KM	Broken Traffic Stripe Removed (Paint)	
701D015M	KM	Broken Traffic Stripe Removed (Plastic)	
701D016M	KM	Broken Traffic Stripe Removed (Tape)	
701E000M	M	Solid Temporary Traffic Stripe	
701E001M	M	Solid Temporary Traffic Stripe (Paint)	
701E002M	M	Solid Temporary Traffic Stripe (Plastic)	
701E003M	M	Solid Temporary Traffic Stripe (Tape)	
701E010M	M	Broken Temporary Traffic Stripe	
701E011M	M	Broken Temporary Traffic Stripe (Paint)	
701E012M	M	Broken Temporary Traffic Stripe (Plastic)	
701E013M	M	Broken Temporary Traffic Stripe (Tape)	
701F000M	M	Dotted Temporary Traffic Stripe	
701F001M	M	Dotted Temporary Traffic Stripe (Paint)	
701F002M	M	Dotted Temporary Traffic Stripe (Plastic)	
701F003M	M	Dotted Temporary Traffic Stripe (Tape)	
701F004M	M	Dotted Temporary Traffic Stripe	
701G009M	M	Solid White, Class 1, Type A Traffic Stripe	
701G014M	M	Solid White, Class 1, Type B Traffic Stripe	
701G018M	M	Broken Yellow, Class 1, Type A Traffic Stripe	
701G023M	M	Broken Yellow, Class 1, Type B Traffic Stripe	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 95
701G027M	M	Solid Yellow, Class 1, Type A Traffic Stripe	
701G032M	M	Solid Yellow, Class 1, Type B Traffic Stripe	
701G083M	M	Solid White, Class 2T, Type A Traffic Stripe	
701G086M	M	Broken Yellow, Class 2T, Type A Traffic Stripe	
701G089M	M	Solid Yellow, Class 2T, Type A Traffic Stripe	
701G093M	M	Solid White, Class 3, Type A Traffic Stripe	
701G096M	M	Broken Yellow, Class 3, Type A Traffic Stripe	
701G140M	M	Broken White, Class W, Type A Traffic Stripe	
701G141M	M	Broken White, Class W, Type A Traffic Stripe (150mm Wide)	
701G142M	M	Broken White, Class W, Type A Traffic Stripe (125mm Wide)	
701G144M	M	Solid White, Class W, Type A Traffic Stripe	
701G145M	M	Solid White, Class W, Type A Traffic Stripe (150mm Wide)	
701G146M	M	Solid White, Class W, Type A Traffic Stripe (125mm Wide)	
701G148M	M	Broken Yellow, Class W, Type A Traffic Stripe	
701G149M	M	Broken Yellow, Class W, Type A Traffic Stripe (150mm Wide)	
701G150M	M	Broken Yellow, Class W, Type A Traffic Stripe (125mm Wide)	
701G152M	M	Solid Yellow, Class W, Type A Traffic Stripe	
701G153M	M	Solid Yellow, Class W, Type A Traffic Stripe (150mm Wide)	
701G154M	M	Solid Yellow, Class W, Type A Traffic Stripe (125mm Wide)	
701G161M	M	Broken Black, Class W, Type B Traffic Stripe (125mm Wide)	
701G240M	M	Broken White, Class 2, Type A Traffic Stripe	
701G242M	M	Broken White, Class 2, Type A Traffic Stripe (125mm Wide)	
701G249M	M	Solid White, Class 2, Type A Traffic Stripe	
701G251M	M	Solid White, Class 2, Type A Traffic Stripe (150mm Wide) (Rumble Strip)	
701G252M	M	Solid White, Class 2, Type A Traffic Stripe (125mm Wide) (Rumble Strip)	
701G253M	M	Solid White, Class 2, Type A Traffic Stripe (125mm Wide)	
701G254M	M	Solid White, Class 2, Type B Traffic Stripe	
701G256M	M	Broken Yellow, Class 2, Type A Traffic Stripe (125mm Wide)	
701G258M	M	Broken Yellow, Class 2, Type A Traffic Stripe	
701G263M	M	Solid Yellow, Class 2, Type A Traffic Stripe	
701G265M	M	Solid Yellow, Class 2, Type A Traffic Stripe (125mm Wide)	
701H000M	M	Solid Traffic Stripe Removed (Paint)	
701H001M	M	Solid Traffic Stripe Removed (Plastic)	
701H002M	M	Solid Traffic Stripe Removed (Tape)	
701H005M	M	Broken Traffic Stripe Removed (Paint)	
701H006M	M	Broken Traffic Stripe Removed (Plastic)	
701H007M	M	Broken Traffic Stripe Removed (Tape)	
701H010M	M	Dotted Traffic Stripe Removed (Paint)	
701H011M	M	Dotted Traffic Stripe Removed (Plastic)	
701H012M	M	Dotted Traffic Stripe Removed (Tape)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 96
703A000M	SQ M	Traffic Control Markings, Class 1, Type A	
703A001M	SQ M	Traffic Control Markings, Class 1, Type B	
703A002M	SQ M	Traffic Control Markings, Class 2, Type A	
703A003M	SQ M	Traffic Control Markings, Class 2, Type B	
703A004M	SQ M	Traffic Control Markings, Class 2T, Type A	
703A011M	SQ M	Traffic Control Markings, Class W, Type A	
703B000M	SQ M	Traffic Control Legends, Class 1, Type A	
703B002M	SQ M	Traffic Control Legends, Class 2, Type A	
703B004M	SQ M	Traffic Control Legends, Class 2T, Type A	
703B011M	SQ M	Traffic Control Legends, Class W, Type A	
703C000M	SQ M	Removal Of Existing Traffic Control Markings Or Legends (Paint)	
703C001M	SQ M	Removal Of Existing Traffic Control Markings Or Legends (Plastic)	
703C003M	SQ M	Removal Of Existing Traffic Control Markings Or Legends (Tape)	
703D000M	SQ M	Temporary Traffic Control Markings (Tape)	
703D001M	SQ M	Temporary Traffic Control Markings	
703D002M	SQ M	Temporary Traffic Control Markings (Paint)	
703E000M	SQ M	Temporary Traffic Control Legends (Tape)	
703E001M	SQ M	Temporary Traffic Control Legends	
703E002M	SQ M	Temporary Traffic Control Legends (Paint)	
703H000M	SQ M	Specialty Traffic Control Markings	
705A000M	Each	Pavement Markers, Class A, Type 1-A	
705A001M	Each	Pavement Markers, Class A, Type 1-B	
705A002M	Each	Pavement Markers, Class A, Type 2-A	
705A004M	Each	Pavement Markers, Class A, Type 2-C	
705A005M	Each	Pavement Markers, Class A, Type 2-D	
705A006M	Each	Pavement Markers, Class A, Type 2-E	
705A007M	Each	Pavement Markers, Class B, Type 1-A	
705A008M	Each	Pavement Markers, Class B, Type 1-A(6 Inch Dia.)	
705A010M	Each	Pavement Markers, Class B, Type 1-B	
705A011M	Each	Pavement Markers, Class C, Type 1-A	
705A012M	Each	Pavement Markers, Class C, Type 1-B	
705A013M	Each	Pavement Markers, Class C, Type 2-A	
705A014M	Each	Pavement Markers, Class C, Type 2-B	
705A020M	Each	Pavement Markers, Class B, Type 1-A (Temporary)	
705A022M	Each	Pavement Markers, Class C, Type 2-C	
705A023M	Each	Pavement Markers, Class C, Type 2-D	
705A024M	Each	Pavement Markers, Class C, Type 2-E	
705A030M	Each	Pavement Markers, Class A-H, Type 2-C	
705A031M	Each	Pavement Markers, Class A-H, Type 1-A	
705A032M	Each	Pavement Markers, Class A-H, Type 1-B	
705A037M	Each	Pavement Markers, Class A-H, Type 2-D	
705A038M	Each	Pavement Markers, Class A-H, Type 2-E	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 97
705A039M	Each	Pavement Markers, Class A-H, Type 2-A	
705B606M	Each	Roadway Luminaire Assembly with Two, LED, 250 Watt Equivalent Luminaire	
707A000M	Each	Type 1, Yellow Delineator Installation	
707A001M	Each	Type 2, Yellow Delineator Installation	
707A004M	Each	Type 1B, Yellow Delineator Installation	
707A006M	Each	Type 1, Clear Delineator Installation	
707A007M	Each	Type 2, Clear Delineator Installation	
707A024M	Each	Type 2B, Red And Amber Delineator Installation	
707A026M	Each	Type 1B, Clear And Red Delineator Installation	
707A027M	Each	Type 1B, Red And Yellow Delineator Installation	
707C000M	Each	Guardrail Mounted Delineators	
707F001M	Each	Flexible Delineator Post with Base, Yellow	
707F002M	Each	Flexible Delineator Post with Base, White	
707G000M	Each	Barrier Rail Mounted Delineator (Mono-Directional)	
707G001M	Each	Barrier Rail Mounted Delineator (Bi-Directional)	
709A000M	Each	Milepost, Type A	
709A001M	Each	Milepost, Type B	
709B000M	Each	Milepost Reset	
710A115M	SQ M	Class 4, Alum Flat Sign Panels 2.032 mm Thick Or Steel Flat Sign Panels 1.897 mm Thick (Ty III Or Ty IV Background)	
710A126M	SQ M	Class 8, Aluminum Flat Sign Panels 2.032 mm Thick Or Steel Flat Sign Panels 1.897 mm Thick (Type IX Background)	
710A150M	SQ M	Class 9, Aluminum Flat Sign Panels 2.032 mm Thick (Type XI Background)	
710A151M	SQ M	Class 9, Aluminum Flat Sign Panels 2.54 mm Thick (Type XI Background)	
710A152M	SQ M	Class 9, Aluminum Flat Sign Panels 3.175 mm Thick (Type XI Background)	
710A155M	SQ M	Class 9, Aluminum Flat Sign Panels 2.032 mm Thick (Type XI Background, Fluorescent)	
710A156M	SQ M	Class 9, Aluminum Flat Sign Panels 2.54 mm Thick (Type XI Background, Fluorescent)	
710A157M	SQ M	Class 9, Aluminum Flat Sign Panels 3.175 mm Thick (Type XI Background, Fluorescent)	
710A160M	SQ M	Class 10 Aluminum Flat Sign Panels 2.032 mm Thick (Type XI Background)	
710A161M	SQ M	Class 10 Aluminum Flat Sign Panels 2.54 mm Thick (Type XI Background)	
710A162M	SQ M	Class 10 Aluminum Flat Sign Panels 3.175 mm Thick (Type XI Background)	
710A165M	SQ M	Class 10 Aluminum Flat Sign Panels 2.032 mm Thick (Type XI Background, Fluorescent)	
710A166M	SQ M	Class 10 Aluminum Flat Sign Panels 2.54 mm Thick (Type XI Background, Fluorescent)	
710A167M	SQ M	Class 10 Aluminum Flat Sign Panels 3.175 mm Thick (Type XI Background, Fluorescent)	
710A170M	SQ M	Class 4, Aluminum Flat Sign Panels 2.032 mm Thick (Type IV Background)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 98
710A172M	SQ M	Class 4, Aluminum Flat Sign Panels 3.175 mm Thick (Type IV Background)	
710A175M	SQ M	Class 8 Aluminum Flat Sign Panels 2.032 mm Thick (Type IV Background)	
710A180M	SQ M	Class 2A Aluminum Flat Sign Panels 3.175 mm Thick (Type IV Background)	
710A182M	SQ M	Class 2A Aluminum Multiple Flat Sign Panels 3.175 mm Thick (Type IV Background)	
710A185M	SQ M	Class 6 Aluminum Flat Sign Panels 3.175 mm Thick (Type IV or XI Background)	
710A187M	SQ M	Class 6 Aluminum Multiple Flat Sign Panels 3.175 mm Thick (Type IV or XI Background)	
710A190M	SQ M	Class 2 Aluminum Flat Sign Panels 1.016 mm Thick (Type IV Background)	
710A191M	SQ M	Class 2 Aluminum Flat Sign Panels 2.032 mm Thick (Type IV Background)	
710A193M	SQ M	Class 2 Aluminum Flat Sign Panels 3.175 mm Thick (Type IV Background)	
710A195M	SQ M	Class 7 Aluminum Flat Sign Panel 2.032 mm Thick (Type IV Background)	
710B001M	M	Roadway Sign Post (#3 "U" Channel Galvanized Steel)	
710B004M	M	Roadway Sign Post (75 mm O.D. Steel Uniform Diameter)	
710B005M	M	Roadway Sign Post (S75 x 8 Steel Beam)	
710B006M	M	Roadway Sign Post (S100 x 11 Steel Beam)	
710B007M	M	Roadway Sign Post (W150 x 22 Steel Beam)	
710B008M	M	Roadway Sign Post (W200 x 27 Steel Beam)	
710B009M	M	Roadway Sign Post (100 mm O.D. Steel Uniform Diameter)	
710B010M	M	Roadway Sign Post (W150 x 14 Steel Beam)	
710B011M	M	Roadway Sign Post (W150 x 18 Steel Beam)	
710B012M	M	Roadway Sign Post (W200 x 31 Steel Beam)	
710B013M	M	Roadway Sign Post (W250 x 33 Steel Beam)	
710B014M	M	Roadway Sign Post (W250 x 39 Steel Beam)	
710B015M	M	Roadway Sign Post (W310 x 39 Steel Beam)	
710B016M	M	Roadway Sign Post (#3 Square Tubular Steel)	
710B018M	M	Roadway Sign Post (#2 "U" Channel Galvanized Steel)	
710B019M	M	Roadway Sign Post (87.5 mm x 87.5 mm x 6.25 mm Square Tubular Steel)	
710B020M	M	Roadway Sign Post (#4 "U" Channel Galvanized Steel)	
710B021M	M	Roadway Sign Post (#3 U Channel, Galvanized Steel or 50 mm, 14 Gauge Square Tubular Steel)	
710C000M	LS	Removal Of Existing Roadway Signs	
710E000M	M	Overhead Roadway Sign Hangers, W150 X 14	
711A000M	LS	Roadway Sign Relocation	
711B000M	LS	Roadway Sign Renovation	
713A000M	M	Permanent Barricades	
715A000M	LS	Overhead Roadway Sign Structure	
715A001M	LS	Overhead Roadway Sign Structure	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 99
715A002M	LS	Overhead Roadway Sign Structure	
715A003M	LS	Overhead Roadway Sign Structure	
715A004M	LS	Overhead Roadway Sign Structure	
715A005M	LS	Overhead Roadway Sign Structure	
715A006M	LS	Overhead Roadway Sign Structure	
715A007M	LS	Overhead Roadway Sign Structure	
715A008M	LS	Overhead Roadway Sign Structure	
715A009M	LS	Overhead Roadway Sign Structure	
715A010M	LS	Overhead Roadway Sign Structure	
715A011M	LS	Overhead Roadway Sign Structure	
715A012M	LS	Overhead Roadway Sign Structure	
715A013M	LS	Overhead Roadway Sign Structure	
715A014M	LS	Overhead Roadway Sign Structure	
715A015M	LS	Overhead Roadway Sign Structure	
715A016M	LS	Overhead Roadway Sign Structure	
715A017M	LS	Overhead Roadway Sign Structure	
715A018M	LS	Overhead Roadway Sign Structure	
715A019M	LS	Overhead Roadway Sign Structure	
715A020M	LS	Overhead Roadway Sign Structure	
715A021M	LS	Overhead Roadway Sign Structure	
715A022M	LS	Overhead Roadway Sign Structure	
715A023M	LS	Overhead Roadway Sign Structure	
715A024M	LS	Overhead Roadway Sign Structure	
715A025M	LS	Overhead Roadway Sign Structure	
715A026M	LS	Overhead Roadway Sign Structure	
715A027M	LS	Overhead Roadway Sign Structure	
715A028M	LS	Overhead Roadway Sign Structure	
715A029M	LS	Overhead Roadway Sign Structure	
715A030M	LS	Overhead Roadway Sign Structure	
715A031M	LS	Overhead Roadway Sign Structure	
715A032M	LS	Overhead Roadway Sign Structure	
715A033M	LS	Overhead Roadway Sign Structure	
715A034M	LS	Overhead Roadway Sign Structure	
715A035M	LS	Overhead Roadway Sign Structure	
715A036M	LS	Overhead Roadway Sign Structure	
715A037M	LS	Overhead Roadway Sign Structure	
715A038M	LS	Overhead Roadway Sign Structure	
715A039M	LS	Overhead Roadway Sign Structure	
715A040M	LS	Overhead Roadway Sign Structure	
715A041M	LS	Overhead Roadway Sign Structure	
715A042M	LS	Overhead Roadway Sign Structure	
715A043M	LS	Overhead Roadway Sign Structure	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 100
715A044M	LS	Overhead Roadway Sign Structure	
715A045M	LS	Overhead Roadway Sign Structure	
717A000M	LS	Overhead Roadway Sign Structure No.	
717A001M	LS	Overhead Roadway Sign Structure No.	
717A002M	LS	Overhead Roadway Sign Structure No.	
717A003M	LS	Overhead Roadway Sign Structure No.	
717A004M	LS	Overhead Roadway Sign Structure No.	
717A005M	LS	Overhead Roadway Sign Structure No.	
717A006M	LS	Overhead Roadway Sign Structure No.	
717A007M	LS	Overhead Roadway Sign Structure No.	
717A008M	LS	Overhead Roadway Sign Structure No.	
717A009M	LS	Overhead Roadway Sign Structure No.	
717A010M	LS	Overhead Roadway Sign Structure No.	
717A011M	LS	Overhead Roadway Sign Structure No.	
717A012M	LS	Overhead Roadway Sign Structure No.	
717A013M	LS	Overhead Roadway Sign Structure No.	
717A014M	LS	Overhead Roadway Sign Structure No.	
717A015M	LS	Overhead Roadway Sign Structure No.	
717A016M	LS	Overhead Roadway Sign Structure No.	
717A017M	LS	Overhead Roadway Sign Structure No.	
717B000M	LS	Overhead Roadway Sign Structure No.	
717B001M	LS	Overhead Roadway Sign Structure No.	
717B002M	LS	Overhead Roadway Sign Structure No. Relocation	
720A000M	Each	Vehicular Impact Attenuator Assembly (
720A001M	Each	Vehicular Impact Attenuator Assembly (
720A002M	Each	Vehicular Impact Attenuator Assembly (
720A003M	Each	Vehicular Impact Attenuator Assembly (
720A020M	Each	Vehicular Impact Attenuator Assembly (Unidirectional,TL-2)	
720A021M	Each	Vehicular Impact Attenuator Assembly (Bi-Directional,TL-2)	
720A025M	Each	Vehicular Impact Attenuator Assembly (Unidirectional,TL-3)	
720A026M	Each	Vehicular Impact Attenuator Assembly (Bi-Directional,TL-3)	
720A031M	Each	Vehicular Impact Attenuator Assembly (Bi-directional,"110 KMH")	
720A050M	Each	Vehicular Impact Attenuator Assembly (MASH) (
720A051M	Each	Vehicular Impact Attenuator Assembly (MASH) (
720A052M	Each	Vehicular Impact Attenuator Assembly (MASH) (
720A053M	Each	Vehicular Impact Attenuator Assembly (MASH) (
720A054M	Each	Vehicular Impact Attenuator Assembly (MASH) (
720A055M	Each	Vehicular Impact Attenuator Assembly (MASH) (
720A070M	Each	Vehicular Impact Attenuator Assembly (MASH) (Unidirectional,TL-2)	
720A072M	Each	Vehicular Impact Attenuator Assembly (MASH) (Bi-directional,TL-2)	
720A074M	Each	Vehicular Impact Attenuator Assembly (MASH) (Unidirectional,TL-3)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 101
720A076M	Each	Vehicular Impact Attenuator Assembly (MASH) (Bi-directional,TL-3)	
724A000M	M	Temporary Asphalt Island	
726A000M	M	Portable Concrete Safety Barriers,Type 6	
726A001M	M	Portable Concrete Safety Barriers,Type 6-A	
726A005M	M	Portable Concrete Safety Barriers,Type 6 (Bridge Bolted)	
726A008M	M	Portable Concrete Safety Barriers,Type 6 (Modified)	
726B000M	M	Portable Concrete Safety Barriers,Type 6	
726B001M	M	Portable Concrete Safety Barriers,Type 6-A	
726B003M	M	Portable Concrete Safety Barrier, Type 6	
726C000M	M	State Furnished Portable Concrete Safety Barriers	
726C001M	M	State Furnished Portable Concrete Safety Barriers (Type 6)	
726D000M	Each	Portable Impact Attenuator (
726D020M	Each	Portable Impact Attenuator Assembly (Unidirectional,TL-2)	
726D021M	Each	Portable Impact Attenuator Assembly (Bi-directional,TL-2)	
726D025M	Each	Portable Impact Attenuator Assembly (Unidirectional,TL-3)	
726D026M	Each	Portable Impact Attenuator Assembly (Bi-directional,TL-3)	
726E000M	Each	State Furnished Portable Impact Attenuator	
726F000M	M	Portable Safety Barriers (Triton Barrier)	
728A000M	Each	Truck Mounted Impact Attenuator Unit	
730A000M	LS	Removal Of Existing Traffic Control Unit (
730A001M	LS	Removal Of Existing Traffic Control Unit (
730A002M	LS	Removal Of Existing Traffic Control Unit (
730A003M	LS	Removal Of Existing Traffic Control Unit (
730A004M	LS	Removal Of Existing Traffic Control Unit (
730A005M	LS	Removal Of Existing Traffic Control Unit (
730A006M	LS	Removal Of Existing Traffic Control Unit (
730A007M	LS	Removal Of Existing Traffic Control Unit (
730A008M	LS	Removal Of Existing Traffic Control Unit (
730A009M	LS	Removal Of Existing Traffic Control Unit (
730A010M	LS	Removal Of Existing Traffic Control Unit (
730A011M	LS	Removal Of Existing Traffic Control Unit (
730A012M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A013M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A014M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A015M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A017M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A018M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A019M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A020M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A021M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A022M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A023M	LS	Removal Of Existing Traffic Control Unit (Partial) (



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 102
730A024M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A025M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A026M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A027M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A028M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A029M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A030M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A031M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A032M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A033M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A034M	LS	Removal Of Existing Traffic Control Unit (
730A035M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A036M	LS	Removal Of Existing Traffic Control Unit (Partial) (
730A037M	LS	Removal Of Existing Traffic Control Unit (
730A038M	LS	Removal Of Existing Traffic Control Unit (
730A039M	LS	Removal Of Existing Traffic Control Unit (
730A040M	LS	Removal Of Existing Traffic Control Unit (
730A041M	LS	Removal Of Existing Traffic Control Unit (
730A042M	LS	Removal Of Existing Traffic Control Unit (
730A043M	LS	Removal Of Existing Traffic Control Unit (
730A044M	LS	Removal Of Existing Traffic Control Unit (
730A045M	LS	Removal Of Existing Traffic Control Unit (
730A046M	LS	Removal Of Existing Traffic Control Unit (
730A047M	LS	Removal Of Existing Traffic Control Unit (
730A048M	LS	Removal Of Existing Traffic Control Unit (
730A049M	LS	Removal Of Existing Traffic Control Unit (
730A050M	LS	Removal Of Existing Traffic Control Unit (
730A051M	LS	Removal Of Existing Traffic Control Unit (
730A052M	LS	Removal Of Existing Traffic Control Unit (Partial) (Temporary) (
730A053M	LS	Removal Of Existing Traffic Control Unit (Temporary) (
730A054M	LS	Removal Of Existing Traffic Control Unit (Temporary) (
730A055M	LS	Removal Of Existing Traffic Control Unit (Partial) (Temporary) (
730A056M	LS	Removal Of Existing Traffic Control Unit (Temporary) (
730A060M	LS	Removal of Existing Traffic Control Unit (Partial) (
730A061M	LS	Removal of Existing Traffic Control Unit (Partial) (
730A062M	LS	Removal of Existing Traffic Control Unit (Partial) (
730A063M	LS	Removal Of Existing Traffic Control Unit (Partial)	
730A064M	LS	Removal Of Existing Traffic Control Unit (Partial)	
730A065M	LS	Removal Of Existing Traffic Control Unit (Partial)	
730C000M	LS	Furnishing And Installing Traffic Control Unit (
730C001M	LS	Furnishing And Installing Traffic Control Unit (



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 103
730C002M	LS	Furnishing And Installing Traffic Control Unit (
730C003M	LS	Furnishing And Installing Traffic Control Unit (
730C004M	LS	Furnishing And Installing Traffic Control Unit (
730C005M	LS	Furnishing And Installing Traffic Control Unit (
730C006M	LS	Furnishing And Installing Traffic Control Unit (
730C007M	LS	Furnishing And Installing Traffic Control Unit (
730C008M	LS	Furnishing And Installing Traffic Control Unit (
730C009M	LS	Furnishing And Installing Traffic Control Unit (
730C010M	LS	Furnishing And Installing Traffic Control Unit (
730C011M	LS	Furnishing And Installing Traffic Control Unit (
730C012M	LS	Furnishing and Installing Traffic Control Unit (
730C013M	LS	Furnishing And Installing Traffic Control Unit (
730C014M	LS	Furnishing And Installing Traffic Control Unit (
730C015M	LS	Furnishing And Installing Traffic Control Unit (
730C016M	LS	Furnishing and Installing Traffic Control Unit (Partial) (
730C030M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C031M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C032M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C033M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C034M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C035M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C036M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C037M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C038M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C039M	LS	Furnishing And Installing Traffic Control Unit (Temporary) (
730C041M	LS	Furnishing & Installing Traffic Control Unit (Partial) (
730C053M	LS	Furnishing And Installing Traffic Control Unit (
730C054M	LS	Furnishing And Installing Traffic Control Unit (
730C100M	LS	Furnishing And Installing Traffic Control Unit (
730C101M	LS	Furnishing And Installing Traffic Control Unit (
730C102M	LS	Furnishing And Installing Traffic Control Unit	
730C103M	LS	Furnishing And Installing Traffic Control Unit	
730C104M	LS	Furnishing And Installing Traffic Control Unit	
730C105M	LS	Furnishing And Installing Traffic Control Unit	
730C106M	LS	Furnishing And Installing Traffic Control Unit	
730C107M	LS	Furnishing And Installing Traffic Control Unit	
730C108M	LS	Furnishing And Installing Traffic Control Unit	
730C109M	LS	Furnishing And Installing Traffic Control Unit	
730C110M	LS	Furnishing And Installing Traffic Control Unit	
730C111M	LS	Furnishing And Installing Traffic Control Unit	
730C112M	LS	Furnishing And Installing Traffic Control Unit	
730C113M	LS	Furnishing And Installing Traffic Control Unit	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 104
730C114M	LS	Furnishing And Installing Traffic Control Unit	
730C115M	LS	Furnishing And Installing Traffic Control Unit	
730C116M	LS	Furnishing And Installing Traffic Control Unit	
730C117M	LS	Furnishing And Installing Traffic Control Unit	
730C118M	LS	Furnishing And Installing Traffic Control Unit	
730C119M	LS	Furnishing And Installing Traffic Control Unit	
730C120M	LS	Furnishing And Installing Traffic Control Unit	
730D010M	LS	Furnishing And Installing Traffic Control System (Partial) (
730D040M	LS	Furnishing and Installing, Adaptive Traffic Signal Control System (
730D045M	LS	Furnishing and Installing, Advanced Traffic Management System, (
730E000M	Each	Metal Traffic Signal Pole Foundation	
730F000M	Each	Metal Traffic Signal Pole With	
730F001M	Each	Metal Traffic Signal Pole With	
730F002M	Each	Metal Traffic Signal Pole With	
730F003M	Each	Metal Traffic Signal Pole With	
730F004M	Each	Metal Traffic Signal Pole With	
730F005M	Each	Metal Traffic Signal Pole With	
730F006M	Each	Metal Traffic Signal Pole With	
730F007M	Each	Metal Traffic Signal Pole With	
730F008M	Each	Metal Traffic Signal Pole With	
730F009M	Each	Metal Traffic Signal Pole With	
730F010M	Each	Metal Traffic Signal Pole With	
730F011M	Each	Metal Traffic Signal Pole With	
730F012M	Each	Metal Traffic Signal Pole With	
730F013M	Each	Metal Traffic Signal Pole With	
730F015M	Each	Metal Traffic Signal Pole With	
730F016M	Each	Metal Traffic Signal Pole With	
730F017M	Each	Metal Traffic Signal Pole With	
730F018M	Each	Metal Traffic Signal Pole with	
730F019M	Each	Metal Traffic Signal Pole with	
730F020M	Each	Metal Traffic Signal Pole With	
730G001M	Each	Metal Traffic Signal Strain Pole	
730G002M	Each	Concrete Traffic Signal Strain Pole	
730G003M	Each	Metal Traffic Signal Strain Pole (Pedestal)	
730G004M	Each	Metal Traffic Signal Strain Pole (State Furnished)	
730H001M	M	Loop Wire	
730I001M	M	Loop Detector Lead-In-Cable	
730J010M	Each	Vehicle Loop Detector	
730L002M	M	27 mm, Metallic, Conduit	
730L003M	M	27 mm, Non-Metallic, Conduit	
730L004M	M	53 mm, Metallic, Conduit	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 105
730L005M	M	53 mm, Non-Metallic, Conduit	
730L006M	M	78 mm, Metallic, Conduit	
730L007M	M	78 mm, Non-Metallic, Conduit	
730M010M	M	Interconnect Cable,	
730M015M	M	Interconnect Cable, Aerial Self- Supporting, #14AWG, 9 Conductors, IMSA 20-3	
730M016M	M	Interconnect Cable, Aerial Lashed, #14 AWG, 9 Connectors, IMSA 20-1	
730M017M	M	Interconnect Cable, Underground, #14 AWG, 9 Conductors, IMSA 20-1	
730M021M	M	Interconnect Cable, Aerial Lashed, #19 AWG, 6 Pair, REA PE- 22	
730M022M	M	Interconnect Cable, Underground, #19 AWG, 6 Pair, REA PE-39	
730N000M	Each	Luminaire Extension Assembly,	
730N001M	Each	Luminaire Extension Assembly,	
730N002M	Each	Luminaire Extension Assembly, 6.1 M	
730N010M	Each	Luminaire Extension Assembly,	
730N011M	Each	Luminaire Extension Assembly,	
730N012M	Each	Luminaire Extension Assembly,	
730O050M	Each	Illuminated School Zone Speed Limit Sign	
730O051M	Each	Illuminated School Zone Speed Limit Sign	
730O100M	Each	Illuminated Sign Assembly with Embedded LEDs, Solar Powered	
730O105M	Each	Illuminated Sign Assembly with Embedded LEDs, Utility Powered	
730O110M	Each	Illuminated Sign Assembly with Flashing Beacon, Solar Powered	
730O115M	Each	Illuminated Sign Assembly with Flashing Beacon, Utility Powered	
730P020M	Each	Vehicular Signal Head, 300 mm, 1 Section, Type LED	
730P021M	Each	Vehicular Signal Head, 300 mm, 2 Section, Type LED	
730P022M	Each	Vehicular Signal Head, 300 mm, 3 Section, Type LED	
730P023M	Each	Vehicular Signal Head, 300 mm, 4 Section, Type LED	
730P024M	Each	Vehicular Signal Head, 300 mm, 5 Section, Type LED	
730P030M	Each	Vehicular Signal Head, 300 mm, 3 Section, Optically Programmed	
730P032M	Each	Vehicular Signal Head, 300 mm, 5 Section, Optically Programmed	
730R051M	Each	Controller Assembly, 170, 4 Phase	
730R052M	Each	Controller Assembly, 170, 8 Phase	
730R100M	Each	Controller Assembly, 2070	
730R153M	Each	Controller Unit, 2070	
730S002M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S003M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S004M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S005M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S006M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S007M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S008M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S009M	LS	Furnishing And Installing Emergency Vehicle Preemption System(



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 106
730S010M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S011M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S012M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S013M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S014M	LS	Furnishing And Installing Emergency Vehicle Preemption System(
730S015M	LS	Furnishing & Installing Emergency Vehicle Preemption System	
730S016M	LS	Furnishing & Installing Emergency Vehicle Preemption System	
730S017M	LS	Furnishing & Installing Emergency Vehicle Preemption System	
730S018M	LS	Furnishing & Installing Emergency Vehicle Preemption System	
730S019M	LS	Furnishing & Installing Emergency Vehicle Preemption System	
730S100M	LS	Furnishing And Installing Emergency Vehicle Optical Emitter System	
730U015M	LS	Video Detection System	
730U016M	LS	Video Detection System	
730U017M	LS	Video Detection System	
730U018M	LS	Video Detection System	
730U019M	LS	Video Detection System	
730U020M	LS	Video Detection System	
730U021M	LS	Video Detection System	
730U022M	LS	Video Detection System	
730U023M	LS	Video Detection System	
730U024M	LS	Video Detection System	
730U025M	LS	Video Detection System	
730U026M	LS	Video Detection System	
730U027M	LS	Video Detection System	
730U028M	LS	Video Detection System	
730U029M	LS	Video Detection System	
730U030M	LS	Video Detection System	
730U031M	LS	Video Detection System	
730U032M	LS	Video Detection System	
730U033M	LS	Video Detection System	
730U034M	LS	Video Detection System	
730U035M	LS	Video Detection System	
730U036M	LS	Video Detection System	
730U037M	LS	Video Detection System	
730U038M	LS	Video Detection System	
730U039M	LS	Video Detection System	
730U040M	LS	Video Detection System	
730U041M	LS	Video Detection System	
730U042M	LS	Video Detection System	
730U043M	LS	Video Detection System	
730U044M	LS	Video Detection System	
730U045M	LS	Video Detection System	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 107
730U046M	LS	Video Detection System	
730U047M	LS	Video Detection System	
730U048M	LS	Video Detection System	
730U049M	LS	Video Detection System	
730U050M	LS	Video Detection System	
730U051M	LS	Video Detection System	
730U406M	LS	Radar Detection System (
730U407M	LS	Radar Detection System (
730U408M	LS	Radar Detection System (
730U409M	LS	Radar Detection System (
730U410M	LS	Radar Detection System (
730U411M	LS	Radar Detection System (
730U412M	LS	Radar Detection System (
730U413M	LS	Radar Detection System (
730U414M	LS	Radar Detection System (
730U415M	LS	Radar Detection System (
730U416M	LS	Radar Detection System (
730U417M	LS	Radar Detection System (
730U465M	LS	Magnetometer Detection System (
730U466M	LS	Magnetometer Detection System (
730U467M	LS	Magnetometer Detection System (
730U468M	LS	Magnetometer Detection System (
730U469M	LS	Magnetometer Detection System (
730U470M	LS	Magnetometer Detection System (
730U471M	LS	Magnetometer Detection System (
730U472M	LS	Magnetometer Detection System (
730U473M	LS	Magnetometer Detection System (
730U474M	LS	Magnetometer Detection System (
730U475M	LS	Magnetometer Detection System (
730U476M	LS	Magnetometer Detection System (
730U477M	LS	Magnetometer Detection System (
730W000M	Each	Monotube Signal Structure, (
730Y000M	LS	Furnishing Anf Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y001M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y002M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y003M	LS	Furnishing And Installing Pedestal Pole And Installing With Flashing Beacon	
730Y004M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y005M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 108
730Y006M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y007M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y008M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y040M	LS	Removal Of Pedestal Pole And Foundation With Flashing Beacon	
730Y041M	LS	Removal Of Pedestal Pole And Foundation With Flashing Beacon	
730Y080M	LS	Relocation Of Pedestal Pole And Foundation With Flashing Beacon	
730Y081M	LS	Relocation Of Pedestal Pole And Foundation With Flashing Beacon	
730Y100M	LS	Furnishing And Installing Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y101M	LS	Furnishing And Installing Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y102M	LS	Furnishing And Installing Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y103M	LS	Furnishing And Installing Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y140M	LS	Removal Of Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y141M	LS	Removal Of Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y180M	LS	Relocation Of Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y181M	LS	Relocation Of Pedestal Pole And Foundation With Illuminated School Zone Sign	
730Y300M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
730Y301M	LS	Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon	
731A000M	Each	Traffic Counting Units, Type A	
731A001M	Each	Traffic Counting Units, Type B	
731A002M	Each	Traffic Counting Units, Type C	
731A003M	Each	Traffic Counting Units, Type D	
731A004M	Each	Traffic Counting Units, Type E	
731A005M	Each	Traffic Counting Units, Type F	
731A008M	Each	Traffic Counting Units, Type I	
731A009M	Each	Traffic Counting Units, Type J	
731A010M	Each	Traffic Counting Units, Type K	
731A011M	Each	Traffic Counting Units, Type L	
731A021M	Each	Traffic Counting Units, Type R	
731A022M	Each	Traffic Counting Units, Type S	
731B000M	Each	Pole for Mounting Traffic Detection Equipment	
732A000M	LS	Weigh-In-Motion/Classification Station (Weighpad Removal And Reinstallation)	
732A001M	LS	Weigh-In-Motion/Classification Station	
732A002M	LS	Weigh-In-Motion/Classification Station (Weighpad Removal And Reinstallation)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 109
734U090M	Each	Wood Pole	
734U100M	Each	Power Source	
735B001M	LS	Furnishing And Installing Asphalt Crossing Surface	
740A000M	LS	Traffic Control Scheme	
740B000M	SQ M	Construction Signs	
740C000M	SQ M	Special Construction Signs	
740C002M	SQ M	Special Construction Signs (Motorcycle Plaque)	
740D000M	Each	Channelizing Drums	
740E000M	Each	Cones (900 mm High)	
740E001M	Each	State Furnished Cones (36 Inches High)	
740F001M	Each	Barricades, Type II	
740F002M	Each	Barricades, Type III	
740G000M	Each	Barricades, Type I, (Portable, 600 mm Wide)	
740I002M	Each	Warning Lights, Type B	
740I005M	Each	Warning Lights, Type B (Detachable Head)	
740J000M	Each	Electric Incandescent Or Fluorescent Light	
740K000M	Each	Area Light	
740L003M	Each	Vertical Panel, Type I (Single-Sided)	
740L004M	Each	Vertical Panel, Type II (Single-Sided)	
740L005M	Each	Vertical Panel, Type I (Double-Sided)	
740L006M	Each	Vertical Panel, Type II (Double-Sided)	
740M001M	Each	Ballast For Cone	
740N000M	Each	Tubular Marker	
740O000M	Each	Pilot Car	
740P000M	LS	Portable Rumble Strip	
741B010M	Each	State Furnished Portable Sequential Arrow And Chevron Sign Unit	
741C001M	Each	Portable Sequential Arrow And Chevron Sign Unit (Truck Mounted)	
741C010M	Each	Portable Sequential Arrow And Chevron Sign Unit	
742A001M	Each	Portable Changeable Message Sign, Type 2	
742A002M	Each	Portable Changeable Message Sign, Type 1	
742A003M	Each	Portable Changeable Message Sign, Type 3	
742B000M	Each	State Retained Portable Changeable Message Signs, Type 2	
742C000M	Each	State Furnished Portable Changeable Message Signs, Type 2	
742D000M	LS	Permanent Variable Message Sign System With Computer Control System	
742G001M	Each	Portable Changeable Message Signs, Type 1, with Radar Speed Monitor	
742G002M	Each	Portable Changeable Message Signs, Type 2, with Radar Speed Monitor	
742G003M	Each	Portable Changeable Message Signs, Type 3, with Radar Speed Monitor	
745A000M	HOURL	Uniformed Police Officer	
747C000M	Each	Pole Mount Radar Speed Display Sign	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 110
747C001M	Each	Portable Radar Speed Display Sign	
750A102M	Each	High Mast Luminaire Assembly with Four, Type V, 400 Watt Luminaires	
750A103M	Each	High Mast Luminaire Assembly with Five, Type V, 400 Watt Luminaires	
750A104M	Each	High Mast Luminaire Assembly with Six, Type V, 400 Watt Luminaires	
750A106M	Each	High Mast Luminaire Assembly with Eight, Type V, 400 Watt Luminaires	
750A260M	Each	High Mast Luminaire Assembly with Two, LED, 400 Watt Equivalent Luminaires	
750A261M	Each	High Mast Luminaire Assembly with Three, LED, 400 Watt Equivalent Luminaires	
750A262M	Each	High Mast Luminaire Assembly with Four, LED, 400 Watt Equivalent Luminaires	
750A263M	Each	High Mast Luminaire Assembly with Five, LED, 400 Watt Equivalent Luminaires	
750A264M	Each	High Mast Luminaire Assembly with Six, LED, 400 Watt Equivalent Luminaires	
750A265M	Each	High Mast Luminaire Assembly with Seven, LED, 400 Watt Equivalent Luminaires	
750A266M	Each	High Mast Luminaire Assembly with Eight, LED, 400 Watt Equivalent Luminaires	
750A268M	Each	High Mast Luminaire Assembly with Ten, LED, 400 Watt Equivalent Luminaires	
750A270M	Each	High Mast Luminaire Assembly with Twelve, LED, 400 Watt Equivalent Luminaires	
750B436M	Each	Roadway Luminaire Assembly with One, Modified Cobra Head, 150 Watt Luminaire	
750B437M	Each	Roadway Luminaire Assembly With One,Modified Cobra Head, 250 Watt Luminaires	
750B438M	Each	Roadway Luminaire Assembly with One, Modified Cobra Head, 400 Watt Luminare	
750B442M	Each	Roadway Luminaire Assembly With Two,Modified Cobra Head, 250 Watt Luminaires	
750B443M	Each	Roadway Luminaire Assembly with Two, Modified Cobra Head, 400 Watt Luminaires	
750B460M	Each	Roadway Luminaire Assembly, with One Segmented Reflector, 150 Watt Luminaire	
750B500M	Each	Roadway Luminaire Assembly with One, Segmented Reflector Underpass Pendant, 150 Watt Luminaire	
750B503M	Each	Roadway Luminaire Assembly with One, Low Profile Underpass Pendant, 150 Watt Luminaire	
750B571M	Each	Roadway Luminaire Assembly with One, LED Low Profile Underpass Pendant, 150 Watt Luminaire	
750B582M	Each	Roadway Luminaire Assembly with One, LED Low Profile Underpass Surface Mount, 250 Watt Equivalent Luminaire	
750B583M	Each	Roadway Luminaire Assembly with One, LED Low Profile Underpass Surface Mount, 400 Watt Equivalent Luminaire	
750B607M	Each	Roadway Luminaire Assembly with Two, LED, 400 Watt Equivalent Luminaire	
750B612M	Each	Roadway Luminaire Assembly with Three, LED, 400 Watt Equivalent Luminaire	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 111
750B640M	Each	Roadway Luminaire Assembly with One, Decorative LED, 60 Watt Equivalent Luminaire	
750B651M	Each	Roadway Luminaire Assembly with One, Decorative LED, 100 Watt Equivalent Luminaire	
750B653M	Each	Roadway Luminaire Assembly with Two, Decorative LED, 100 Watt Equivalent Luminaire	
750B701M	Each	Roadway Luminaire Assembly with One, Decorative, 150 Watt Luminaire	
750B705M	Each	Roadway Luminaire Assembly with One, Decorative LED, 57 Watt Luminaire, Type B7B	
750B706M	Each	Roadway Luminaire Assembly with One, Decorative LED, 57 Watt Luminaire and Two Indirect 208 Watt Luminaires, Type B7B	
750B707M	Each	Roadway Luminaire Assembly with One, Decorative LED, 118 Watt Luminaire, Type B7	
750B708M	Each	Roadway Luminaire Assembly with One, Decorative LED, 120 Watt Luminaire, Type B6	
750B709M	Each	Roadway Luminaire Assembly, with One Decorative LED, 120 WATT and three Indirect 58 WATT Luminaires, Type B6A	
750B710M	Each	Roadway Luminaire Assembly, with One Decorative LED, 120 Watt and Four Indirect 58 Watt Luminaires, Type B6B	
750C010M	Each	Pole Foundation, Roadway	
750C011M	Each	Pole Foundation, High Mast	
750D200M	Each	Electrical Junction Box, Type 1	
750D201M	Each	Electrical Junction Box, Type 2	
750D202M	Each	Electrical Junction Box, Type 3	
750E113M	M	Conduit, 32mm, Rigid Nonmetallic	
750E115M	M	Conduit, 50 mm, Rigid Nonmetallic	
750E116M	M	Conduit, 63mm, Rigid Nonmetallic	
750E117M	M	Conduit, 76.2 mm, Rigid Nonmetallic	
750E119M	M	Conduit, 4 Inch, Rigid Nonmetallic	
750E123M	M	Conduit, 21 mm, Rigid Metallic	
750E125M	M	Conduit, 32mm, Rigid Metallic	
750E127M	M	Conduit, 50 mm, Rigid Metallic	
750E128M	M	Conduit, 63mm, Rigid Metallic	
750E129M	M	Conduit, 76.2 mm, Rigid Metallic	
750F021M	M	Conductor, #12 AWG	
750F022M	M	Conductor, #10 AWG	
750F024M	M	Conductor, #6 AWG	
750F025M	M	Conductor, #4 AWG	
750F026M	M	Conductor, #2 AWG	
750F030M	M	Conductor, #4/0 AWG	
750F035M	M	Conductor, 500 KCMIL	
750G011M	M	Combined Duct And Cable, 2 #4 AWG/ 1 #6 AWG GND	
750G024M	M	Combined Duct And Cable, 6 #4 AWG/ 1 #6 AWG GND	
750G030M	M	Combined Duct and Cable, 2 #2 AWG/ 1 #6 AWG GND	
750G034M	M	Combined Duct and Cable, 6 #2 AWG/ 1 #6 AWG GND	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 112
750G100M	M	Combined Duct And Cable,2 #4 AWG/ 1 #4 AWG GND	
750G102M	M	Combined Duct And Cable,4 #4 AWG/ 1 #4 AWG GND	
750G110M	M	Combined Duct And Cable,2 #2 AWG/ 1 #2 AWG GND	
750G112M	M	Combined Duct And Cable, 4 #2 AWG/ 1 #2 AWG GND	
750G120M	M	Combined Duct And Cable, 2 #1/0 AWG/ 1 #1/0 AWG GND	
750G122M	M	Combined Duct And Cable, 4 #1/0 AWG/ 1 #1/0 AWG GND	
750G142M	M	Combined Duct And Cable, 4 #3/0 AWG/ 1 #2 AWG GND	
750G152M	M	Combined Duct And Cable/ 4 #4/0 AWG, 1 #2 AWG GND	
750H005M	Each	Service Pole	
750I015M	Each	Lighting Control Center	
750I016M	Each	Lighting Control Center, Special	
750I017M	Each	Lighting Control Center, Data	
750J110M	LS	Preparation Work For Utility Company Equipment	
750K020M	LS	Modification Of Roadway Lighting	
750T000M	Each	Luminaire, High Bay, Nominal 56 Watt w/ Glare Shield, Type B1A or R1	
750T001M	Each	Luminaire, High Bay, Nominal 212 Watt w/ Glare Shield, Type B1B or B1C	
750T002M	Each	Luminaire, High Bay, Nominal 112 Watt w/ Glare Shield, Type B3, B3A or R1A	
750T003M	Each	Luminaire, High Bay, Nominal 112 Watt w/ Glare Shield, Type B1	
750T010M	Each	Decorative LED Linear Luminaire	
750U000M	M	RGB Decorative Light Assembly, Surface Mount w/ Continuous Baffle, Type B5, B5A, R4 or R4A	
750U001M	M	RGB Decorative Light Assembly, Pendant Mount w/ Continuous Baffle, Type B4	
750U002M	M	RGB Decorative Light Assembly, Pendant Mount w/ Continuous Baffle, Type R2	
750V000M	Each	Luminaire Data Power Hub	
750Z220M	LS	Roadway Lighting	
750Z300M	LS	Decorative Lighting	
751B008M	Each	Replace Lighting Control Center Interior Components(
751B017M	Each	Replace Contactor, 480 Volt, 100 Amp	
751C000M	Each	Testing Circuit Insulation	
751D003M	Each	Replace Lighting Pole, 15 m Or Less	
751D008M	Each	Replace Breakaway Fuse Holder	
751D009M	Each	Replace Fuse In Pole Base	
751D019M	Each	Replace 5 Amp Fuse	
751D020M	Each	Replace Igniter, H.P.S. Fixtures	
751D026M	Each	Replace H.P.S. Lamp, 250 Watt	
751D027M	Each	Replace H.P.S. Lamp, 400 Watt	
751D028M	Each	Replace Individual Lowering Device	
751D029M	Each	Replace Fusible Plug (Including 11 Foot Cord) (Cord Set)	
751D030M	Each	Replace Distribution Block(Including 1 Foot Cord)(Cord Set)	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 113
751D033M	Each	Replace Submersible Splice Kit (Pair)	
751D034M	Each	Replace Surge Arrestor (Cord Set)	
751D036M	Each	Replace Offset Luminaire Assembly	
751D037M	Each	Replace Ballast (480 Volt / 250 Watt)	
751D038M	Each	Replace Ballast (480 Volt / 400 Watt)	
751D039M	Each	Replace Starter (480 Volt / 250 Watt)	
751D040M	Each	Replace Starter (480 Volt / 400 Watt)	
751D050M	Each	Replace Luminare Components,(5 Amp Fuse)	
751D051M	Each	Replace Luminare Components,(H.P.S. Lamp 250 Watt)	
751D052M	Each	Replace Luminare Components,(H.P.S. Lamp 400 Watt)	
751D053M	Each	Replace Luminare Components,(Individual Lowering Device (ILD))	
751D054M	Each	Replace Luminare Components,(Ballast (480 Volt/250 Watt))	
751D055M	Each	Replace Luminare Components,(Ballast (480 Volt/400 Watt))	
751D056M	Each	Replace Ground Rod	
751D057M	Each	Replace Pole Wiring Cables	
751E000M	Each	Replace High Mast Lowering Device System	
751E016M	Each	Replace High Mast Ballast, 400 Watt	
751E018M	Each	Replace High Mast Lamp, 400 Watt	
751E020M	Each	Replace High Mast Lamp Igniter	
751F000M	Each	Renumber Luminaire Poles	
751G001M	Each	Remove & Store Lighting Control Center, 4 Circuit	
751G015M	Each	Remove & Store Service Pole	
751G019M	Each	Remove & Store Transformer Base	
751G025M	Each	Remove & Store Roadway Luminaire Assembly	
751G036M	Each	Remove & Store High Mast Luminaire	
751G037M	Each	Remove & Store High Mast Luminaire Assembly	
751G038M	Each	Remove And Store High Mast Or Roadway Luminare Assemblies	
751I000M	Each	Install State Property Roadway Luminaire Assembly	
751I001M	Each	Install State Property High Mast Luminaire Assembly	
751I002M	Each	Install State Luminare Or High Mast Assembly(
751J004M	Each	Remove Luminare Pole Foundation	
751J005M	Each	Remove Luminaire Pole Foundation, High Mast	
751J006M	Each	Remove Luminaire Pole Foundation, Concrete	
751J007M	Each	Remove Luminaire Pole Foundation, Auger Base	
751J008M	Each	Remove Luminaire Pole Foundation, Special	
751K000M	Each	Replace Roadway Luminaire (Including All Mounting Appurtenances)	
751K002M	Each	Replace High Mast Luminaire (Including All Mounting Appurtenances)	
751L002M	Each	Remove Lighting Control Center, 6 Circuit	
751L015M	Each	Remove Service Pole	
751L022M	Each	Remove Roadway Luminaire	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 114
751L025M	Each	Remove Roadway Luminaire Assembly	
751L036M	Each	Remove High Mast Luminaire	
751L037M	Each	Remove High Mast Luminaire Assembly	
751L045M	Each	Remove Power Cord	
751L047M	Each	Remove Roadway Luminaire Lowering Device System	
751L052M	Each	Remove Electrical Junction Box	
751M000M	LS	Remove Conductors	
751M001M	LS	Remove Conduits	
751M002M	LS	Remove Conductors and Conduits	
751N000M	Each	Modification of Existing (
751N001M	Each	Modification of Existing (
751N002M	Each	Modification of Existing (
751N003M	Each	Modification of Existing (
755C000M	LS	Furnishing & Installing Electrical Equipment	
755E000M	LS	Furnishing And Installing Architectural Lighting System	
756A001M	M	78 mm Electrical Conduit, 1 Line, Type 1 Installation	
756A006M	M	103 mm Electrical Conduit, 1 Line, Type 1 Installation	
756A010M	M	63 mm Electrical Conduit, 1 Line, Type 1 Installation	
756A011M	M	63 mm Electrical Conduit, 1 Line, Type 2 Installation	
756A015M	M	103 mm Electrical Conduit, 1 Line, Type 4 Installation	
756A020M	M	53 mm Electrical Conduit, 1 Line, Type 5 Installation	
756A021M	M	78 mm Electrical Conduit, 1 Line, Type 5 Installation	
756A022M	M	103 mm Electrical Conduit, 1 Line, Type 5 Installation	
756A023M	M	129 mm Electrical Conduit, 1 Line, Type 5 Installation	
756A026M	M	78 mm Electrical Conduit, 2 Lines, Type 5 Installation	
756A027M	M	150mm, Electrical Conduit, 1 Line, Type 1 Installation	
756A028M	M	150mm, Electrical Conduit, 1 Line, Type 5 Installation	
756A031M	M	103MM Electrical Conduit, 3 Lines, Type 5 Installation	
756A040M	M	150 mm Electrical Conduit, 1 Line, Type 4 Installation	
756A042M	M	103 mm Electrical Conduit, 2 Lines, Type 5 Installation	
756A054M	M	125mm Electrical Conduit, 2 Lines, Type 1 Installation	
756A055M	M	150 mm Electrical Conduit, 2 Line, Type 4 Installation	
756A056M	M	200 mm Electrical Conduit, 1 Line, Type 4 Installation	
756A057M	M	200mm Electrical Conduit, 1 Line, Type 5 Installation	
760A000M	Each	Video Detection Zone Adjustment	
760A001M	Each	Detection Zone Adjustment	
760B000M	Each	Video Detection Camera Adjustment	
760B001M	Each	Detection Device Adjustment	
761A001M	Each	Portable Radar Vehicle Detection	
761A002M	Each	Portable Changeable Message Sign	
761A003M	Each	Portable CCTV Camera	
761A004M	Each	Portable Bluetooth Vehicle Detection Device	



Alabama Department of Transportation

ACTIVE METRIC ITEMS FOR SPEC YEAR: 22

DATE: 5/1/2023

ITEM	UNIT	ITEM DESCRIPTION	PAGE: 115
761B001M	Each	Portable Radar Vehicle Detection, Operational Month	
761B002M	Each	Portable Changeable Message Sign, Operational Month	
761B003M	Each	Portable CCTV Camera, Operational Month	
761B004M	Each	Portable Bluetooth Vehicle Detection Device, Operational Month	
761C000M	Each	Smart Work Zone System Monitoring, Operational Month	
766A000M	LS	Roadway Closure Rental Fee	
770A100M	LS	Vertical Transportation Tower and Railings (Including All Appurtenances Shown on Plans)	
770L004M	Each	Picnic Tables (Relocation)	
770L005M	Each	can use	
770M000M	Each	Outdoor Shelters	
770M001M	Each	Outdoor Shelters (Renovation)	
770M002M	Each	Outdoor Shelters (Relocation)	
770N000M	Each	Garbage Depositories	
770P000M	Each	Sanitary Dumping Bay	
770R001M	LS	Septic System	
770T003M	LS	Building (Restroom)	
770U007M	LS	Welcome Center Building Renovation And Additions	
770V003M	LS	Maintenance Building	
771A001M	LS	Sewerage Pumping Station (No. 1)	
771E000M	LS	Pumping Station	
780A000M	LS	Welcome Center Building (Including All Appurtenances Shown On Plans)	
780D002M	LS	Decorative Fence and Gate	
780I000M	Each	Decorative,	
780I001M	Each	Decorative,	
780J000M	LS	Vertical Transportation Towers and Railings (Including All Appurtenances Shown on Plans)(Specialty Item)	
787A000M	LS	Irrigation System (
789A000M	LS	Multi-Purpose Trail Head	
791D000M	Each	Outdoor Shelters	
791F000M	LS	Monument Sign	
791H000M	LS	Irrigation System	
792A000M	Each	Site Furnishings (
792A001M	Each	Site Furnishings (
792A002M	Each	Site Furnishings (
792A003M	Each	Site Furnishings (
792A004M	Each	Site Furnishings (
792A005M	Each	Site Furnishings (
910A000M	LS	Lump Sum Project	
999 000M	HOUR	Trainee Hours At 80 Cents Per Hour	