

| CROSS REFERENCE INDEX | | | | | | | | | | REFERENCE PROJECT NO | FISCAL YEAR | SHEET NO |
|--|---|------------|----------------|---|---|--|----------------|-------------|----------------|---|----------------|--------------|
| 2021 | | | | | | | | | | | | |
| 100-199 | BRIDGE END SLABS AND CONCRETE PAVEMENT | | | | INDEX NUMBER | | | | | | | |
| | | | | | OLD | | NEW | | | | | |
| 103 | 45001 | BES-450 | | REINFORCED CONCRETE BRIDGE END SLAB FOR USE WITH BARRIER RAIL | *** | 322 | 63016 | GR-630-CL | (SHEET 4 OF 4) | DETAILS FOR LONG SPAN GUARDRAIL (MASH) AT CULVERTS WHERE SHALLOW FILL HEIGHTS WILL NOT ACCOMMODATE NORMAL POSTS | | |
| 104 | 45004 | BES-450-I | | REINFORCED CONCRETE BRIDGE END SLAB FOR USE WITH BARRIER RAIL AND EXPANSION JOINT WITHIN ABUTMENT WALL LIMITS | | | | | | | | |
| 105 | 45007 | BES-450-O | | REINFORCED CONCRETE BRIDGE END SLAB (WITH BITUMINOUS PAV'T. OVERLAY) FOR USE WITH BARRIER RAIL AND EXPANSION JOINT WITHIN ABUTMENT WALL LIMITS | *** | 323 | 63006 | GR-630-FD | (SHEET 1 OF 2) | FLARE DETAIL AND WARRANTY CRITERIA FOR BEAM GUARDRAIL | | |
| 106 | 45010 | BES-450-OJ | | REINFORCED CONCRETE BRIDGE END SLAB (WITH BITUMINOUS PAV'T. OVERLAY) FOR USE WITH BARRIER RAIL | *** | 323-A | 63007 | GR-630-FD | (SHEET 2 OF 2) | FLARE DETAIL AND WARRANTY CRITERIA FOR BEAM GUARDRAIL & GUARDRAIL AT RADIUS | | |
| 110 | 45013 | CPJ-450 | (SHEET 1 OF 2) | DETAILS OF STANDARD PLAIN AND REINFORCED CEMENT CONCRETE PAVEMENT AND BRIDGE END SLAB JOINTS | | 324 | 63010 | GR-630-PP | | DETAILS OF GUARDRAIL AT BRIDGE PIER PROTECTION ON EXISTING PROJECTS WITH SLOPES GREATER THAN 10:1 | | |
| 110-A | 45014 | CPJ-450 | (SHEET 2 OF 2) | DETAILS OF STANDARD PLAIN AND REINFORCED CEMENT CONCRETE PAVEMENT AND BRIDGE END SLAB JOINTS | | 326 | 63001 | GR-630-S | (SHEET 1 OF 3) | GALVANIZED STEEL BEAM GUARDRAIL WITH BLOCKED OUT TREATED TIMBER OR GALVANIZED STEEL POSTS (DELINEATORS / REFLECTORS FOR GUARDRAIL OR CONCRETE BARRIER RAIL) | | |
| 111 | 45301 | CPR-453 | (SHEET 1 OF 3) | DETAILS OF CONCRETE PAVEMENT FULL & PARTIAL SLAB REMOVAL & REPLACEMENT | | 326-A | 63002 | GR-630-S | (SHEET 2 OF 3) | (MASH) GUARDRAIL HEIGHT TRANSITION DETAIL | | |
| 112 | 45302 | CPR-453 | (SHEET 2 OF 3) | DETAILS OF CONCRETE PAVEMENT REMOVAL & REPLACEMENT OF DAMAGED SLABS AT JOINTS WHERE DAMAGE EXCEEDS 6 FEET IN WIDTH | *** | 327 | 63003 | GR-630-S | (SHEET 3 OF 3) | GALVANIZED STEEL BEAM GUARDRAIL WITH BLOCKED OUT TREATED TIMBER OR GALVANIZED STEEL POSTS | | |
| 113 | 45303 | CPR-453 | (SHEET 3 OF 3) | DETAILS OF CONCRETE PAVEMENT REMOVAL & REPLACEMENT | | 330 | 72612 | GTE-629 | | 350, TL-3 PREVIOUSLY CAST CONCRETE BARRIER, TYPE 6A FOR USE WITH APPROVED IMPACT ATTENUATOR SYSTEM (PORTABLE) | | |
| 117 | 45306 | CRCP-453 | | DETAILS OF CONTINUOUS REINFORCED CONCRETE PAVEMENT REPLACEMENT | | 334 | 51701 | HR-780 | | DETAILS OF RUSTIC HANDRAIL FOR USE AT SCENIC OVERLOOKS ALONG FOREST HIGHWAYS | | |
| 127 | 45017 | DSA-450 | (SHEET 1 OF 3) | DOWEL SUPPORT ASSEMBLY FOR CONCRETE PAVEMENT FOR 10" and 13" THICK SLABS | | 335 | 72651 | IA-720-M | | DETAIL OF QUADGUARD ELITE IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 128 | 45018 | DSA-450 | (SHEET 2 OF 3) | DOWEL SUPPORT ASSEMBLY FOR CONCRETE PAVEMENT FOR 10" and 13" THICK SLABS | | 336 | 72652 | IA-720-N | | DETAILS OF QUEST SYSTEM IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 129 | 45019 | DSA-450 | (SHEET 3 OF 3) | DOWEL SUPPORT ASSEMBLY FOR CONCRETE PAVEMENT FOR 10" and 13" THICK SLABS | | 337 | 72653 | IA-720-Z | | DETAILS OF ACZ-350 IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 133 | 45401 | JC-454 | (SHEET 1 OF 2) | TYPE-I EXISTING CONCRETE PAVEMENT JOINT AND CRACK SEAL | | 338 | 72654 | IA-720-P | | DETAILS OF TRITON IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 134 | 45402 | JC-454 | (SHEET 2 OF 2) | TYPE-II EXISTING CONCRETE PAVEMENT JOINT AND CRACK SEAL W/ APPROX. 1" BITUMINOUS OVERLAY | | 339 | 72655 | IA-720-Q | | DETAILS OF QUARDGUARD SYSTEM IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 138 | 45309 | LUG-453 | | PAVEMENT RETAINING LUG FOR EXISTING CONCRETE PAVEMENT | | 340 | 72656 | IA-720-T | | DETAIL OF TRACC IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 139 | 45310 | LUG-453-N | | PAVEMENT RETAINING LUG FOR NEW CONCRETE PAVEMENT | | 341 | 72657 | IA-720-V | | DETAILS OF ABSORB 350 IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 144 | 45313 | PG-453 | | GUIDE FOR GAUGING CONCRETE PAVEMENT MOVEMENT DURING PRESSURE CONCRETE GROUTING OPERATIONS | | 342 | 72658 | IA-720-W | | DETAILS OF TAU-II SYSTEM IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| *** | 172 | 42801 | SBS-428-A | DETAIL SHOWING SCORING BITUMINOUS OR CONCRETE PAVEMENT SURFACE BY CUTTING | *** | 342 | 72007 | IA-720-MT | | DETAILS OF IMPACT ATTENUATOR (MASH) (TL-3) (TAU-M) | | |
| 184 | 45022 | SSJ-450 | | DETAIL OF SLEEPER SLAB RESTRAINING CONTRACTION JOINT FOR USE AS TERMINAL JOINT WHERE 8" CONTINUOUSLY REINFORCED CEMENT CONC. PAVEMENT ABUTS BRIDGE STRUCTURES OR JOINS CONVENTIONAL TYPE PAVEMENTS. | | 343 | 72659 | IA-720-X | | DETAILS OF SCI (TL-2) IMPACT ATTENUATOR (WORK ZONE ONLY) | | |
| 200-299 | FENCE & R.O.W. MARKERS | | | | *** | 343 | 72004 | IA-720-MS | | DETAILS OF IMPACT ATTENUATOR (MASH) (TL-3) (SCI) | | |
| 201 | 62007 | CG-501-1 | | DETAILS OF CATTLE GUARD | *** | 344 | 72001 | IA-720-MQ | | DETAILS OF IMPACT ATTENUATOR (MASH) (TL-3) (QUADGAURD M10) | | |
| 202 | 62010 | CG-501-2 | | DETAILS OF CATTLE GUARD TO BE USED AT STREAM CROSSINGS | +++ | | 72010 | IA-720-MQE | | DETAILS OF IMPACT ATTENUATOR (MASH) (TL-3) (QUADGAURD ELITE M10) | | |
| 206 | 63601 | F-636 | | DETAILS OF FOUR STRAND BARBED WIRE FENCE WITH WOOD POSTS | *** | | 72630 | IA-720-MWS | | DETAILS OF SLED SYSTEM IMPACT ATTENUATOR (MASH) (WORK ZONE ONLY) | | |
| 210 | 63401 | IF-634 | | INDUSTRIAL FENCE (3' - 12' CHAIN LINK, WITH OR WITHOUT BARBED WIRE) | *** | 346 | 62901 | CSF-629-FP | (SHEET 1 OF 2) | CONSTANT SLOPE FACE CONCRETE BARRIER (FLEXIBLE PAVEMENT) | | |
| 211 | 63404 | IF-634-TW | | CHAIN LINK INDUSTRIAL FENCE WITH TENSION WIRE | *** | 346-A | 62902 | CSF-629-RP | (SHEET 2 OF 2) | CONSTANT SLOPE FACE CONCRETE BARRIER (RIGID PAVEMENT) | | |
| 215 | 63501 | IF-635 | | FENCE ARRANGEMENT DETAILS | *** | 347 | 62903 | CSF-629-FO | | CONSTANT SLOPE FACE BARRIER AT FIXED OBJECTS | | |
| 216 | 63504 | IF-635-M | | DETAILS OF WOVEN WIRE FENCE WITH STEEL OR ALUMINUM POSTS | | 351 | 72601 | PNJB-629 | (SHEET 1 OF 2) | 350, TL-3 PREVIOUSLY CAST CONCRETE BARRIER - TYPE 6 (PORTABLE) | | |
| 217 | 63507 | IF-635-W | | DETAILS OF WOVEN WIRE FENCE WITH WOOD POSTS | | 351-B | 72603 | PNJB-629 | (SHEET 2 OF 2) | 350, TL-3 PREVIOUSLY CAST CONCRETE BARRIER - TYPE 6 BOLTED THROUGH A BRIDGE DECK (PORTABLE) | | |
| 221 | 60201 | M-602 | | DETAILS OF MONUMENTS TO BE USED FOR REFERENCE OF CARDINAL POINTS OF HIGHWAY R.O.W. LINE AND LAND SURVEY CORNERS | | 351-C | 72607 | PCBM-726-JJ | (SHEET 1 OF 3) | MASH, TL-3 PRECAST CONCRETE BARRIER - TYPE 6 J-J HOOK DESIGN (F-SHAPE) (PORTABLE) | | |
| 222 | 60204 | M-602-E | | DETAILS OF MONUMENTS TO BE USED FOR PERMANENT EASEMENT POINTS | | | 72608 | PCBM-726-JJ | (SHEET 2 OF 3) | MASH, TL-3 PRECAST CONCRETE BARRIER - TYPE 6 J-J HOOK DESIGN (F-SHAPE) (BOLT DOWN) (PORTABLE) | | |
| 300-399 | GUARDRAIL, END ANCHORS, IMPACT ATTENUATORS, & CONCRETE BARRIERS | | | | | | 72609 | PCBM-726-JJ | (SHEET 3 OF 3) | MASH, TL-3 PRECAST CONCRETE BARRIER - TYPE 6 J-J HOOK DESIGN (F-SHAPE) (PIN DOWN) (PORTABLE) | | |
| 301 | 71301 | B-713 | | DETAILS OF PERMANENT BARRICADES | *** | 356 | 62906 | TES-629 | | MEDIAN BARRIER TRANSITIONAL END SECTION TYPE - T.E.S. | | |
| *** | 303 | 63030 | GA-630-8 | (SHEET 1 OF 2) | 400-499 | CULVERTS, HEADWALLS, & STILLING BASINS | | | | | | |
| +++ | 303 | 63031 | GA-630-8 | (SHEET 2 OF 2) | 401 | 62001 | CC-530 | | | DETAILS OF CONCRETE COLLAR FOR CONNECTING CONCRETE PIPE OF DIFFERENT SHELL THICKNESS OR CONNECTING CONCRETE TO CORRUGATED METAL PIPE | | |
| *** | 304 | 63033 | GA-630-9 | (SHEET 1 OF 2) | *** | 405 | 53201 | CSP-532 | | DETAILS OF CORRUGATED SLOTTED DRAIN PIPE 12" - 36" DIAMETER | | |
| +++ | 304 | 63034 | GA-630-9 | (SHEET 2 OF 2) | +++ | 53204 | HDSD-532 | | | DETAILS OF HEAVY DUTY CORRUGATED SLOTTED DRAIN PIPE 12" - 36" DIAMEER FOR USE UNDER TRAFFIC | | |
| *** | 310 | 63036 | GA-630-13 | | 408 | 61901 | FE-619 | | (SHEET 1 OF 2) | DETAILS OF CONCRETE FLARED END SECTION W/ GRATE FOR CONCRETE AND METAL PIPE | | |
| +++ | 310 | 63037 | GA-630-13 (M) | | 409 | 61902 | FE-619 | | (SHEET 2 OF 2) | DETAILS OF CONCRETE FLARED END SECTION W/ GRATE FOR CONCRETE AND METAL PIPE | | |
| 312-A | 63050 | GA-630-20 | (SHEET 1 OF 3) | DETAILS OF GUARDRAIL END ANCHOR - TYPE 13 (PRECAST 350) | 411 | 61905 | HW-614-B (PC) | | (SHEET 1 OF 2) | PRECAST SLOPE PAVED HEADWALL DETAILS FOR RCP AND CMP ROADWAY PIPE | | |
| 312-B | 63051 | GA-630-20 | (SHEET 2 OF 3) | DETAILS OF GUARDRAIL END ANCHOR - TYPE 13 (MASH) | 412 | 61906 | HW-614-B (PC) | | (SHEET 2 OF 2) | PRECAST SLOPE PAVED HEADWALL DETAILS FOR RCP AND CMP ROADWAY PIPE | | |
| *** | 312-C | 63052 | GA-630-20 | (SHEET 3 OF 3) | 413 | 61909 | HW-614-B | | (SHEET 1 OF 2) | SLOPE PAVED HEADWALL DETAILS FOR REINFORCED CONCRETE AND CORRUGATED METAL ROADWAY PIPE | | |
| *** | 321 | 63013 | GR-630-CL | (SHEET 1 OF 4) | 414 | 61910 | HW-614-B | | (SHEET 2 OF 2) | SLOPE PAVED HEADWALL DETAILS FOR REINFORCED CONCRETE AND CORRUGATED METAL ROADWAY PIPE | | |
| 321 | 63014 | GR-630-CL | (SHEET 2 OF 4) | DETAILS OF GUARDRAIL END ANCHOR - TYPE 20 SERIES (MASH) (TL-3) (SOFTSTOP) | 415 | 61913 | HW-614-SP | | | CONCRETE SLOPE PAVED HEADWALL AND GRATE FOR SIDEDRAIN PIPE | | |
| *** | 321 | 63015 | GR-630-CL | (SHEET 3 OF 4) | 416 | 61916 | HW-614-SP (PC) | | | PRECAST CONCRETE SLOPE PAVED HEADWALL AND GRATE FOR SIDEDRAIN PIPE, 18" THRU 30", 15 DEGREES MAX SKEW | | |
| | | | | DETAILS OF GUARDRAIL END ANCHOR - TYPE 20 SERIES (MASH) (TL-3) (MSKT) | 434 | 62190 | ID-621 | | | DETAILS OF IMPACT DISSIPATOR | | |
| | | | | DETAILS OF GUARDRAIL END ANCHOR - TYPE 20 SERIES (MASH) (TL-3) (MAX-TENSION) | 438 | 52416 | PCC-524 | | (SHEET 1 OF 2) | DETAILS FOR PRECAST CONCRETE BOX CULVERT AND END SECTION | | |
| | | | | DETAILS FOR GUARDRAIL (MASH) AT CULVERTS WHERE POSTS ARE BOLTED TO THE TOP OF THE CULVERT | 438-A | 52417 | PCC-524 | | (SHEET 2 OF 2) | DETAILS FOR PRECAST CONCRETE BOX CULVERT AND END SECTION | | |
| | | | | DETAILS FOR CONCRETE BARRIER TYPE CSF 4-A (MODIFIED) AT CULVERTS WHERE SHALLOW FILL HEIGHTS WILL NOT ACCOMMODATE NORMAL GUARDRAIL POSTS | 443 | 60601 | PU-606 | | | DETAILS OF PIPE UNDERDRAIN (U.D.) INSTALLATION | | |
| | | | | DETAILS FOR GUARDRAIL (MASH) AT CULVERTS WHERE POSTS ARE BOLTED TO THE PARAPET OF THE CULVERT | | | | | | | | |
| THESE SHEETS ARE INTENDED ONLY FOR REFERNCE DRAWINGS SHOULD BE LISTED IN THE PLANS UNDER THE NEW FIVE-DIGIT INDEX NUMBERS ONLY | | | | | --- REMOVED FROM THE 2021 BOOK +++ NEW DRAWING OR COMPLETE REPLACEMENT ADDED TO THE 2021 BOOK *** CHANGED OR ADJUSTED SINCE THE 2020 BOOK | | | | | NOT TO SCALE | | SHEET 1 OF 5 |

| CROSS REFERENCE INDEX | | | | | | | | | | REFERENCE PROJECT NO | FISCAL YEAR | SHEET NO |
|---|---------------------------|------------|----------------|---|---|---|-------------|------------------|----------------|---|----------------|-------------|
| 2021 | | | | | | | | | | | | |
| INDEX NUMBER | | | | | INDEX NUMBER | | | | | | | |
| OLD | NEW | | | | OLD | NEW | | | | | | |
| 447 | 53004 | RPC-530 | (SHEET 1 OF 3) | BEDDING AND FILL HEIGHTS FOR ALL ROADWAY PIPE CULVERTS (RCP AND CMP) | 645 | 62133 | I-621-S | | | REINFORCED CONCRETE STORM SEWER INLET TYPES S3 AND S4 | | |
| 448 | 53005 | RPC-530 | (SHEET 2 OF 3) | BEDDING AND FILL HEIGHTS FOR ALL ROADWAY PIPE CULVERTS (CMP AND RCP) | 649 | 62137 | I-621-SP | (SHEET 1 OF 3) | | PRECAST CONCRETE STORM SEWER INLET TYPES S1 AND S2 | | |
| 449 | 53006 | RPC-530 | (SHEET 3 OF 3) | BEDDING AND FILL HEIGHTS FOR ALL ROADWAY PIPE CULVERTS (H.D.P.E. PIPE) | 649-A | 62138 | I-621-SP | (SHEET 2 OF 3) | | PRECAST CONCRETE STORM SEWER INLET TYPES S1 AND S2 | | |
| 450 | 53001 | HEP-1 | | HYDRAULICALLY EQUIVALENT ROUND PIPE (STORM SEWER) | 649-B | 62139 | I-621-SP | (SHEET 3 OF 3) | | PRECAST CONCRETE STORM SEWER INLET TYPES S1 AND S2 | | |
| 453 | 62193 | SB-621 | (SHEET 1 OF 3) | DETAILS OF STILLING BASINS | 653 | 62142 | MI-621-X | | | DETAILS OF SAFETY INLET TYPE X FOR USE IN MEDIAN DRAINS SLOPING IN ONE DIRECTION | | |
| 454 | 62194 | SB-621 | (SHEET 2 OF 3) | DETAILS OF STILLING BASINS | *** | 657 | 62145 | MI-621-Y | | DETAILS OF SAFETY INLET TYPE Y FOR USE IN MEDIAN DRAIN WHERE DRAINS SLOPE IN TWO DIRECTIONS AND CONVERGE IN A LOW POINT OR FOR USE WHERE DRAIN SLOPES ONE WAY | | |
| 455 | 62195 | SB-621 | (SHEET 3 OF 3) | DETAILS OF STILLING BASINS | | | | | | | | |
| 459 | 60501 | SUO-605-AB | | DETAILS OF SPECIAL UNDERDRAIN OUTLETS TYPES A AND B FOR USE AS PAVEMENT EDGE DRAINS | | | | | | | | |
| 460 | 60504 | SUO-605-B | | DETAILS OF SPECIAL UNDERDRAIN OUTLETS TYPE C | 661 | 62148 | MIG-621-I | | | DETAILS OF DUCTILE OR MALLEABLE IRON GRATE CASTINGS FOR USE ON SAFETY MEDIAN DRAIN INLETS TYPE X AND TYPE Y | | |
| 500-599 | MANHOLES & JUNCTION BOXES | | | | 665 | 62151 | MIG-621-S | | | DETAILS OF WELDED STEEL GRATES FOR USE ON SAFETY MEDIAN DRAIN INLETS TYPE X AND TYPE Y | | |
| 501 | 62160 | JB-620-B | | DETAILS OF JUNCTION BOX TYPE - 1 FOR 15" - 60" PIPE (0 - 10' FILL HEIGHT) | 669 | 62154 | MIU-621 | | | DETAILS OF CONNECTING INLETS AND STACK PIPE INTO CONCRETE CULVERTS | | |
| 502 | 62173 | JB-620-C | | DETAILS OF REINFORCED CONCRETE JUNCTION BOX TYPE - 4 FOR CONCRETE OR CORRUGATED METAL PIPE (10' - 80' FILL HEIGHT) | 700-749 | ISLANDS AND CURB & GUTTER | | | | | | |
| 503 | 62167 | JB-620-D | | DETAILS OF JUNCTION BOX TYPE - 3 FOR CONNECTING CONCRETE MEDIAN DRAIN TO METAL PIPE FLUME AT FILLS 6' IN HEIGHT OR GREATER | 701 | 62301 | 623-N SPEC | | | DETAILS OF MEDIAN OPENING AND SAFETY GORES AT TRAFFIC CHANNEL ISLANDS | | |
| 504 | 62170 | JB-620-PD | | DETAILS OF PRECAST JUNCTION BOX TYPE - 3P FOR CONNECTING CONCRETE MEDIAN DRAIN TO METAL PIPE FLUME AT FILLS 6' IN HEIGHT OR GREATER | 702 | 62304 | 623-SC | | | TYPICAL CHANNELIZATION AT SERVICE STATIONS | | |
| 507 | 62163 | JB-621-P | (SHEET 1 OF 2) | DETAILS OF PRECAST ROUND JUNCTION BOX TYPES - 1P & 2P | 703 | 62307 | 623-XY | | | DETAILS OF CONCRETE CURBS AND CONCRETE CURB & GUTTER COMBINATIONS, SLOPING AND VERTICAL TYPES | | |
| 507-A | 62164 | JB-621-P | (SHEET 2 OF 2) | DETAILS OF RECTANGULAR PRECAST JUNCTION BOX TYPES - 1P & 2P | *** | 711 | 68013 | LT-703 | | STANDARD TRANSITION TAPERS FOR 2, 3, AND 4 LANE HIGHWAYS | | |
| 511 | 62180 | MH-621-1 | | MANHOLE MODIFICATION DETAILS FOR INCREASING OR REDUCING HEIGHTS OF EXISTING MANHOLES | *** | 715 | 68007 | LTL-623 | | GEOMETRIC DESIGN DETAILS FOR SPEED CHANGE LANES WITH MEDIAN CROSSEOVERS WITH AND WITHOUT CURBED GORE AREAS | | |
| 515 | 62183 | MH-621-2 | (SHEET 1 OF 5) | DETAILS OF CONCRETE OR BRICK MANHOLE (TYPE L) CONSTRUCTED IN PLACE FOR 6" - 42" PIPE | 723 | 68010 | NC-623 | | | DETAILS OF GORE AT TERMINALS OF ENTRANCE AND EXIT RAMPS FOR USE ON RURAL OR URBAN SECTIONS | | |
| 516 | 62184 | MH-621-2 | (SHEET 2 OF 5) | DETAILS FOR PRECAST AND BRICK & CONCRETE (CONSTRUCTED IN PLACE) MANHOLES FOR 6" - 84" PIPE | 730 | 62310 | PC (ACG-71) | | | DETAILS OF CURB & GUTTER MACHINE MOLDS (THIS SHEET FOR USE IN SELECTING MACHINE MADE CONCRETE CURBS OR CONCRETE CURB & GUTTER COMBINATIONS) | | |
| 517 | 62185 | MH-621-2 | (SHEET 3 OF 5) | DETAILS OF BRICK MANHOLE (TYPE O) CONSTRUCTED IN PLACE FOR 48" - 84" PIPE | 738 | 68004 | TO-107 | | | DETAILS OF INTERSECTIONS AND TURNOUTS | | |
| 518 | 62186 | MH-621-2 | (SHEET 4 OF 5) | DETAILS OF PRECAST CONCRETE MANHOLE (TYPE M) FOR 6" - 72" PIPE | 750-799 | SIDEWALKS, CURB RAMPS, AND CROSSWALKS | | | | | | |
| 519 | 62187 | MH-621-2 | (SHEET 5 OF 5) | DETAILS OF PRECAST CONCRETE MANHOLE (TYPE M) FOR 6" - 72" PIPE | 750 | 61801 | SW-618 | (SHEET 1 OF 4) | | CURB RAMP DETAIL CALLOUTS, GENERAL NOTES FOR CURB RAMPS & SIDEWALKS, AND DETAILS | | |
| 521 | 62004 | SB-620 | | DETAILS OF CONCRETE SPRING BOX | *** | 751 | 61802 | SW-618 | (SHEET 2 OF 4) | CORNER CURB RAMPS | | |
| 600-699 | INLETS | | | | *** | 752 | 61803 | SW-618 | (SHEET 3 OF 4) | MIDBLOCK CURB RAMPS | | |
| 606 | 62101 | I-621 | (SHEET 1 OF 4) | DETAILS OF CONCRETE DROP INLETS WITH STEEL GRATES FOR USE AT LOCATIONS WHERE THE DRAINAGE PIPE IS LOCATED DEEP IN THE GROUND WITH THE WATER FLOW APPROXIMATELY PERPENDICULAR TO THE ROADWAY | 753 | 61804 | SW-618 | (SHEET 4 OF 4) | | SIDEWALKS & CURB RAMPS AT DRIVEWAYS, RAILROAD, MEDIAN, & ISLAND CROSSINGS | | |
| 607 | 62102 | I-621 | (SHEET 2 OF 4) | DETAILS OF CONCRETE DROP INLETS WITH STEEL GRATES FOR USE AT LOCATIONS WHERE THE DRAINAGE PIPE IS LOCATED DEEP IN THE GROUND (TYPES AB & CD) | *** | 754 | 70308 | CW-703 | | TYPICAL CROSSWALK LAYOUTS AND DETAILS | | |
| 608 | 62103 | I-621 | (SHEET 3 OF 4) | DETAILS OF CONCRETE DROP INLETS WITH STEEL GRATES FOR USE AT LOCATIONS WHERE THE DRAINAGE PIPE IS LOCATED DEEP IN THE GROUND (TYPES GH, IJ, & MN) | *** | 755 | 70311 | SC-703 | | TYPICAL SCHOOL ZONE CROSSING PROTECTION SIGNING AND MARKINGS | | |
| 609 | 62104 | I-621 | (SHEET 4 OF 4) | DETAILS OF CONCRETE DROP INLETS WITH STEEL GRATES FOR USE AT LOCATIONS WHERE THE DRAINAGE PIPE IS LOCATED DEEP IN THE GROUND (TYPE KL) | 800-899 | GN-2 NOTES & SUPERELEVATIONS CHARTS | | | | | | |
| 613 | 62107 | I-621-B | (SHEET 1 OF 2) | SEWER INLET TYPE B (SURFACE DRAIN) FOR USE IN INTERSECTIONS AND OTHER LOCATIONS WHERE A SURFACE TYPE DRAIN IS REQUIRED ON THE TRAVEL WAY | *** | 801 | 68001 | GN-2 NOTES | | STANDARD DESIGN NOTES FOR PLAN ASSEMBLIES | | |
| 614 | 62108 | I-621-B | (SHEET 2 OF 2) | SEWER INLET TYPE B (SURFACE DRAIN) FOR USE IN INTERSECTIONS AND OTHER LOCATIONS WHERE A SURFACE TYPE DRAIN IS REQUIRED ON THE TRAVEL WAY | 806 | 70104 | 197-NPL | | | DETAILS OF NO PASSING LINES FOR TWO LANE, TWO DIRECTION ROADWAY | | |
| 618 | 62111 | I-621-C | (SHEET 1 OF 2) | DETAILS OF INLET TYPE C FOR USE IN ROADSIDE DITCHES (18" - 30" PIPE) | 807 | 68016 | SSEC-1 | (SHEET 1 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 619 | 62112 | I-621-C | (SHEET 2 OF 2) | DETAILS OF INLET TYPE C FOR USE IN ROADSIDE DITCHES (18" - 30" PIPE) | 808 | 68017 | SSEC-1 | (SHEET 2 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 623 | 62115 | I-621-D | | SPECIAL DROP INLETS TYPE 1, TYPE 2, AND TYPE 3 | 809 | 68018 | SSEC-1 | (SHEET 3 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 627 | 62118 | I-621-E | (SHEET 1 OF 3) | DETAILS OF CURB INLET TYPE E FOR USE WITH TYPE N CURB OR COMBINATION CURB & GUTTER TYPE C | 810 | 68019 | SSEC-1 | (SHEET 4 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 628 | 62119 | I-621-E | (SHEET 2 OF 3) | DETAILS OF CAST DUCTILE OR MALLEABLE IRON GRATE SEAT, CAST DUCTILE OR GRAY IRON COVER AND RING, WELDED STEEL GRATE, AND STEEL LADDER BARS FOR CURB INLET TYPE E | 811 | 68020 | SSEC-1 | (SHEET 5 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 629 | 62120 | I-621-E | (SHEET 3 OF 3) | DETAILS OF WELDED FRAME No CIGS-20 & STEEL WELDED CURVED VANE GRATE USED ON CURB INLETS TYPE E | 812 | 68021 | SSEC-1 | (SHEET 6 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 633 | 62123 | I-621-E1 | | DETAILS OF INLET TYPES E1 AND E2 FOR USE WITH CSF-42 CONCRETE MEDIAN BARRIER | 813 | 68022 | SSEC-1 | (SHEET 7 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 637 | 62126 | I-621-E3 | | DETAILS OF INLET TYPES E3 AND E4 FOR USE WITH CSF-48 AND CSF-54 CONCRETE MEDIAN BARRIER | 814 | 68023 | SSEC-1 | (SHEET 8 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 637-A | 62127 | I-621-E3 | | DETAILS OF PRECAST INLET TYPES E3 AND E4 FOR USE WITH CSF-48 AND CSF-54 CONCRETE MEDIAN BARRIER | 815 | 68024 | SSEC-1 | (SHEET 9 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| 641 | 62130 | I-621-P | | DETAILS OF CIRCULAR PRECAST CONCRETE AND BRICK OR CONCRETE BLOCK DROP INLET TYPES P1, P2, AND P3 | 816 | 68025 | SSEC-1 | (SHEET 10 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| | | | | | 817 | 68026 | SSEC-1 | (SHEET 11 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| | | | | | 818 | 68027 | SSEC-1 | (SHEET 12 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| | | | | | 819 | 68028 | SSEC-1 | (SHEET 13 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| | | | | | 820 | 68029 | SSEC-1 | (SHEET 14 OF 14) | | STANDARD SUPERELEVATION OF CURVES | | |
| | | | | | 900-949 | BARRICADES, STEPS, AND RAILROAD CROSSINGS | | | | | | |
| | | | | | *** | 902 | 74001 | B-107-2 | | PERFORATED SQUARE STEEL TUBING (PSST) BARRICADES TYPE I, TYPE II, AND TYPE III & VERTICAL PANELS TYPE I AND TYPE II | | |
| | | | | | 905 | 74004 | LCS-107 | | | DETAILS SHOWING REQUIREMENTS FOR LIGHTING CONSTRUCTION SIGNS | | |
| | | | | | 909 | 61301 | MD-25 | | | DETAILS OF CONCRETE & BRICK MASONRY STEPS | | |
| | | | | | 913 | 73501 | RRX-107-1 | | | RAILROAD CROSSING PASSIVE WARNING - SIGNS AND PAVEMENT MARKINGS | | |
| | | | | | 914 | 73504 | RRX-107-2 | | | RAILROAD CROSSING ACTIVE WARNING - SIGNS AND PAVEMENT MARKINGS | | |
| | | | | | 915 | 73507 | RRX-107-3 | | | DIMENSIONS FOR RAILROAD CROSSING SIGNS, SIGNALS, AND MARKINGS | | |
| <div>★</div> THESE SHEETS ARE INTENDED ONLY FOR REFERNCE DRAWINGS SHOULD BE LISTED IN THE PLANS UNDER THE NEW FIVE-DIGIT INDEX NUMBERS ONLY | | | | | --- REMOVED FROM THE 2021 BOOK +++ NEW DRAWING OR COMPLETE REPLACEMENT ADDED TO THE 2021 BOOK *** CHANGED OR ADJUSTED SINCE THE 2020 BOOK | | | | | NOT TO SCALE | | |
| | | | | | | | | | | SHEET 2 OF 5 | | |

| REFERENCE PROJECT NO | FISCAL YEAR | SHEET NO |
|-------------------------|----------------|-------------|
| | | |

| CROSS REFERENCE INDEX | | | | | | | | | | REFERENCE PROJECT NO | FISCAL YEAR | SHEET NO | | | |
|--|--|------------|----------------|--|---|--------------------------|-------------|----------------|---|--|--|-------------|--|--|--|
| 2021 | | | | | | | | | | | | | | | |
| INDEX NUMBER | | | | | INDEX NUMBER | | | | | | | | | | |
| OLD | NEW | | | | OLD | NEW | | | | | | | | | |
| 1162-F | 66518 | ESC-300-7 | | DETAILS OF ROCK DITCH CHECKS WITH SUMP EXCAVATION | 1311 | 71072 | SHS-11 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1162-G | 66519 | ESC-300-8 | | DETAILS OF SILT FENCE DITCH CHECKS | 1312 | 71074 | SHS-12 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1163 | 66522 | ESC-400-1 | | INLET PROTECTION TYPICAL APPLICATIONS AND DETAILS | 1313 | 71075 | SHS-13 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1163-A | 66523 | ESC-400-2 | | INLET PROTECTION DETAILS FOR COARSE AGGREGATE ON GRADES AND SAGS | *** | 1314 | 71076 | SHS-14 | STANDARD HIGHWAY SIGNS | | | | | | |
| 1163-B | 66524 | ESC-400-3 | | INLET PROTECTION DETAILS OF WATTLES | 1315 | 71077 | SHS-15 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1163-C | 66525 | ESC-400-4 | | INLET PROTECTION DETAILS OF SILT FENCE | 1316 | 71078 | SHS-16 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1163-D | 66526 | ESC-400-5 | | INLET PROTECTION DETAILS OF SAND BAGS | 1317 | 71079 | SHS-17 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1164 | 66529 | ESC-501 | | FLOATING BASIN BOOM | 1318 | 71080 | SHS-18 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1165 | 66532 | ESC-502 | | STABILIZED CONSTRUCTION ENTRANCE | *** | 1319 | 71082 | SHS-19 | STANDARD HIGHWAY SIGNS | | | | | | |
| 1166 | 66535 | ESC-503 | | TEMPORARY DEWATERING STRUCTURES | *** | 1320 | 71083 | SHS-20 | STANDARD HIGHWAY SIGNS | | | | | | |
| 1167 | 66538 | ESC-504 | | TEMPORARY CULVERT STREAM CROSSING | *** | 1321 | 71084 | SHS-21 | STANDARD HIGHWAY SIGNS | | | | | | |
| 1168 | 66541 | ESC-505 | | TEMPORARY STREAM DIVERSION | 1322 | 71085 | SHS-22 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1169 | 66544 | ESC-506-1 | | SUSPENDED PIPE DIVERSION (DOWNSTREAM) | 1323 | 71086 | SHS-23 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1169-A | 66545 | ESC-506-2 | | SUSPENDED PIPE DIVERSION (UPSTREAM) | *** | 1324 | 71087 | SHS-24 | STANDARD HIGHWAY SIGNS | | | | | | |
| *** | 1170 | 66548 | ESC-507 | TEMPORARY SEDIMENTATION BASIN | 1325 | 71088 | SHS-25 | | STANDARD HIGHWAY SIGNS | | | | | | |
| *** | 1171 | 67201 | ESC-508 | FLOCCULANT USAGE GUIDE | 1326 | 71090 | SHS-26 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1172 | 65901 | ESC-509 | | DETAILS OF ROLLED AND HYDRAULIC EROSION CONTROL PRODUCT INSTALLATION | 1327 | 71091 | SHS-27 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1200-1299 | SIGN MOUNTING, WIND CHARTS, MAILBOX, MILEPOST, AND PORTABLE CHANGEABLE MESSAGE SIGNS | | | | 1328 | 71092 | SHS-28 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1201 | 71001 | IHS-710-1 | (SHEET 1 OF 2) | WIND VELOCITY CHART FOR ROADSIDE SIGNS | *** | 1329 | 71093 | SHS-29 | STANDARD HIGHWAY SIGNS | | | | | | |
| 1202 | 71002 | IHS-710-1 | (SHEET 2 OF 2) | DESIGN CHARTS FOR BEAM SIGN SUPPORTS AND FOOTINGS | 1330 | 71094 | SHS-30 | | STANDARD HIGHWAY SIGNS | | | | | | |
| 1203 | 71005 | IHS-710-2 | | BEAM POST DETAILS OF BASE CONNECTION TYPE-1 FUSE PLATE AND HINGE FOR POSTS 66" OR GREATER APART | *** | 1331 | 71095 | SHS-31 | STANDARD HIGHWAY SIGNS | | | | | | |
| 1204 | 71008 | IHS-710-3 | | BEAM POST DETAILS OF BASE CONNECTION TYPE-2 FUSE PLATE AND HINGE FOR POSTS 66" OR LESS APART | 1400-1499 | BRIDGE STANDARD DRAWINGS | | | | | | | | | |
| 1205 | 71011 | IHS-710-4 | | UNI-DIRECTIONAL AND MULTI-DIRECTIONAL SLIP BASE CONNECTION FOR SIGN POSTS TYPE 4 AND 5 | 1400-1439 | GENERAL BRIDGE DRAWINGS | | | | | | | | | |
| 1210 | 71014 | IHS-710-8 | | DETAILS OF EXTRUDED ALUMINUM PANEL SIGNS | 1401 | 51001 | BGN-1 | | BRIDGE GENERAL NOTES | | | | | | |
| 1214 | 71017 | IHS-710-12 | | DETAILS OF ROADWAY SIGN POST (SMALL CHANNEL AND TUBULAR SECTION) | 1406 | 51004 | I-131 | (SHEET 1 OF 8) | STANDARD DETAILS | | | | | | |
| 1215 | 71020 | IHS-710-13 | | HIGHWAY SIGN MOUNTING FOR STANDARD SIGNS ON LIGHT STANDARDS | 1407 | 51005 | I-131 | (SHEET 2 OF 8) | STANDARD DETAILS | | | | | | |
| 1216 | 71023 | IHS-710-14 | | HIGHWAY SIGN MOUNTING FOR STANDARD SIGNS | 1408 | 51006 | I-131 | (SHEET 3 OF 8) | BARRIER RAIL FOR NON SKEWED BRIDGES AND BRIDGES SKEWED LESS THAN 15 DEGREES | | | | | | |
| 1220 | 71026 | IHS-710-18 | | TYPICAL MOUNTING OF STANDARD ASSEMBLIES ON PIPE OR BEAM POST | 1409 | 51007 | I-131 | (SHEET 4 OF 8) | BARRIER RAIL EXTENSION FOR BRIDGES SKEWED 15 DEGREES AND GREATER | | | | | | |
| 1221 | 71029 | IHS-710-19 | | DETAILS OF MOUNTING SIGNS ON ROUND BREAKAWAY TYPE POSTS AND TYPICAL MOUNTING OF ASSEMBLIES | 1410 | 51008 | I-131 | (SHEET 5 OF 8) | BARRIER EXTENSION FOR BRIDGES SKEWED 15 DEGREES AND GREATER | | | | | | |
| 1225 | 71032 | IHS-710-21 | | DETAILS FOR LOCATION AND MOUNTING OF STANDARD FLAT PANEL SIGNS ON U-CHANNEL AND TUBULAR POSTS | *** | 1411 | 51009 | I-131 | (SHEET 6 OF 8) | STANDARD DETAILS | | | | | |
| 1229 | 71035 | IHS-710-23 | | LIGHTWEIGHT STRUCTURAL SIGN SUPPORT INSTALLATIONS | 1412 | 51010 | I-131 | (SHEET 7 OF 8) | STANDARD DETAILS | | | | | | |
| 1230 | 71038 | IHS-710-24 | | MOUNTING FLAT SHEET SIGN PANELS WITH EXTRUDED ALUMINUM STIFFENERS | 1413 | 51011 | I-131 | (SHEET 8 OF 8) | STANDARD DETAILS | | | | | | |
| *** | 1231 | 20901 | MB-209-1 | (SHEET 1 OF 3) | DETAILS OF MOUNTING MAILBOXES | 1422 | 52901 | RW 10-4 | (SHEET 1 OF 4) | RETAINING WALLS 0' TO 34' HEIGHTS | | | | | |
| *** | 1232 | 20902 | MB-209-1 | (SHEET 2 OF 3) | DETAILS OF MOUNTING MAILBOXES | 1423 | 52902 | RW 10-4 | (SHEET 2 OF 4) | RETAINING WALLS 0' TO 34' HEIGHTS | | | | | |
| *** | 1233 | 20903 | MB-209-1 | (SHEET 3 OF 3) | DETAILS OF MOUNTING MAILBOXES | 1424 | 52903 | RW 10-4 | (SHEET 3 OF 4) | RETAINING WALLS 0' TO 34' HEIGHTS | | | | | |
| 1234 | 70901 | MP-710 | | DETAILS OF MILEPOSTS FOR 2 LANE AND 4 LANE HIGHWAYS USING ONE, TWO, OR THREE DIGITS WITH STEEL U-CHANNEL OR TUBULAR STEEL POST | 1425 | 52904 | RW 10-4 | (SHEET 4 OF 4) | RETAINING WALLS 0' TO 34' HEIGHTS | | | | | | |
| 1238 | 71041 | SL-710 | | TYPICAL STOP AND YIELD SIGN LOCATIONS | 1440-1460 | SUPERSTRUCTURE DRAWINGS | | | | | | | | | |
| 1239 | 74201 | PCMS-710 | (SHEET 1 OF 3) | DETAILS OF PORTABLE CHANGEABLE MESSAGE SIGNS (PCMS) | *** | 1440 | 51201 | PC-24 | (SHEET 1 OF 2) | PRECAST CONCRETE BRIDGE SLABS - 24' SPANS 24' - 6" & 28' ROADWAYS HS20-44 LOADING | | | | | |
| 1240 | 74202 | PCMS-710 | (SHEET 2 OF 3) | DETAILS OF PORTABLE CHANGEABLE MESSAGE SIGNS (PCMS) | *** | 1441 | 51202 | PC-24 | (SHEET 2 OF 2) | PRECAST CONCRETE BRIDGE SLABS - 24' SPANS 24' - 6" & 28' ROADWAYS HS20-44 LOADING | | | | | |
| 1241 | 74203 | PCMS-710 | (SHEET 3 OF 3) | DETAILS OF PORTABLE CHANGEABLE MESSAGE SIGNS (PCMS) | *** | 1442 | 51205 | PC-34-2 | (SHEET 1 OF 2) | PRECAST CONCRETE BRIDGE SLABS - 34' SPANS 24' - 6" & 28' - 0" ROADWAYS HS20-44 LOADING | | | | | |
| 1300-1399 | STANDARD HIGHWAY SIGNS | | | | *** | 1443 | 51206 | PC-34-2 | (SHEET 2 OF 2) | PRECAST CONCRETE BRIDGE SLABS - 34' SPANS 24' - 6" & 28' - 0" ROADWAYS HS20-44 LOADING | | | | | |
| *** | 1300-A | 71050 | SHS-0 | (SHEET 1 OF 4) | STANDARD HIGHWAY SIGNS INDEX | *** | 1444 | 51209 | PC-40 | (SHEET 1 OF 2) | PRECAST CONCRETE BRIDGE SLABS - 40' SPANS 24' - 6" & 28' - 0" ROADWAYS HS20-44 LOADING | | | | |
| *** | 1300-B | 71051 | SHS-0 | (SHEET 2 OF 4) | STANDARD HIGHWAY SIGNS INDEX | *** | 1445 | 51210 | PC-40 | (SHEET 2 OF 2) | PRECAST CONCRETE BRIDGE SLABS - 40' SPANS 24' - 6" & 28' - 0" ROADWAYS HS20-44 LOADING | | | | |
| 1300-C | 71052 | SHS-0 | (SHEET 3 OF 4) | STANDARD HIGHWAY SIGNS INDEX | 1449 | 51213 | PCBR-1 (24) | (SHEET 1 OF 1) | PRECAST BARRIER RAIL FOR USE WITH PRECAST SLAB STANDARDS PC-24 | | | | | | |
| 1300-D | 71053 | SHS-0 | (SHEET 4 OF 4) | STANDARD HIGHWAY SIGNS INDEX | 1451 | 51216 | PCBR-1 (34) | (SHEET 1 OF 1) | PRECAST BARRIER RAIL FOR USE WITH PRECAST SLAB STANDARDS PC-34-2 | | | | | | |
| *** | 1301 | 71060 | SHS-1 | STANDARD HIGHWAY SIGNS | 1453 | 51219 | PCBR-1 (40) | (SHEET 1 OF 1) | 40 FT. PRECAST CONCRETE SOLID TYPE BARRIER RAIL | | | | | | |
| *** | 1302 | 71061 | SHS-2 | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| *** | 1303 | 71062 | SHS-3 | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| 1304 | 71063 | SHS-4 | | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| *** | 1305 | 71064 | SHS-5 | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| 1306 | 71065 | SHS-6 | | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| 1307 | 71066 | SHS-7 | | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| *** | 1308 | 71067 | SHS-8 | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| *** | 1309 | 71068 | SHS-9 | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| *** | 1310 | 71069 | SHS-10 | STANDARD HIGHWAY SIGNS | | | | | | | | | | | |
| THESE SHEETS ARE INTENDED ONLY FOR REFERNCE DRAWINGS SHOULD BE LISTED IN THE PLANS UNDER THE NEW FIVE-DIGIT INDEX NUMBERS ONLY | | | | | --- REMOVED FROM THE 2021 BOOK +++ NEW DRAWING OR COMPLETE REPLACEMENT ADDED TO THE 2021 BOOK *** CHANGED OR ADJUSTED SINCE THE 2020 BOOK | | | | | NOT TO SCALE | | | | | |
| | | | | | | | | | | SHEET 4 OF 5 | | | | | |

CROSS REFERENCE INDEX
2021

| | | |
|-------------------------|----------------|-------------|
| REFERENCE PROJECT NO | FISCAL YEAR | SHEET NO |
| | | |

| INDEX NUMBER | | | | |
|--------------|-------|----------------------------------|----------------|--|
| OLD | NEW | | | |
| 1461-1499 | | SUBSTRUCTURE DRAWINGS | | |
| 1463 | 51230 | PCA-2440 | (SHEET 1 OF 1) | PRECAST CONCRETE END BENT CAP FOR USE WITH STEEL PILING AND PRECAST CONCRETE BRIDGE SLABS 24' - 0", 34' - 0", OR 40' - 0" SPANS 24' - 6" CLEAR ROADWAY |
| 1466 | 51233 | PCA-2840 | (SHEET 1 OF 1) | PRECAST CONCRETE END BENT CAP FOR USE WITH STEEL PILING AND PRECAST CONCRETE BRIDGE SLABS 24' - 0", 34' - 0", OR 40' - 0" SPANS 28' - 0" CLEAR ROADWAY |
| *** | 1467 | 51236 | PCA-2840 CP | (SHEET 1 OF 1) PRECAST CONCRETE END BENT CAP FOR USE WITH 14" X 14" CONCRETE PILING AND PRECAST CONCRETE BRIDGE SLABS 24' - 0", 34' - 0", OR 40' - 0" SPANS 28' - 0" CLEAR ROADWAY |
| *** | 1468 | 51239 | PCAB-3540 | (SHEET 1 OF 1) ADAPTATION FOR PRECAST END BENT CAPS, BENT CAPS AND ABUTMENT PANELS FOR USE WITH PRECAST CONCRETE BRIDGE SLABS 24' - 0", 34' - 0", OR 40' - 0" SPANS 35' - 0" CLEAR ROADWAY |
| 1469 | 51242 | PCB-2440 | (SHEET 1 OF 1) | PRECAST CONCRETE BENT CAP FOR USE WITH STEEL PILING AND PRECAST CONCRETE BRIDGE SLABS 24' - 0", 34' - 0", OR 40' - 0" SPANS 24' - 6" CLEAR ROADWAY |
| | 51243 | PCB-2440-1 | (SHEET 1 OF 1) | PRECAST CONCRETE BENT CAP FOR USE WITH STEEL PILING AND PRECAST CONCRETE BRIDGE SLABS CONNECTING 24' - 0", 34' - 0", OR 40' - 0" SPANS 24' - 6" CLEAR ROADWAY |
| 1470 | 51245 | PCB-2840 | (SHEET 1 OF 1) | PRECAST CONCRETE BENT CAP FOR USE WITH STEEL PILING AND PRECAST CONCRETE BRIDGE SLABS 24' - 0", 34' - 0", OR 40' - 0" SPANS 28' - 0" CLEAR ROADWAY |
| 1471 | 51248 | PCB-2840-1 | (SHEET 1 OF 1) | PRECAST CONCRETE BENT CAP FOR USE WITH STEEL PILING AND PRECAST CONCRETE BRIDGE SLABS CONNECTING 40' - 0", 34' - 0", & 24' - 0" SPANS 28' - 0" CLEAR ROADWAY |
| *** | 1472 | 51251 | PCB-2840 CP | (SHEET 1 OF 1) PRECAST CONCRETE BENT CAP FOR USE WITH 14" X 14" CONCRETE PILING AND PRECAST CONCRETE BRIDGE SLABS 24' - 0", 34' - 0", OR 40' - 0" SPANS 28' - 0" CLEAR ROADWAY |
| 1473 | 51254 | PCP-2400 | (SHEET 1 OF 1) | PRECAST CONCRETE ABUTMENT PANELS FOR USE WITH 24', 34', OR 40' PRECAST CONCRETE BRIDGE SLABS 24' - 6" CLEAR ROADWAY 6', 7', 8', & 9' HEIGHT WITH STEEL PILING |
| *** | 1474 | 51257 | PCP-2400 CP | (SHEET 1 OF 1) PRECAST CONCRETE ABUTMENT PANELS FOR USE WITH 24', 34', OR 40' PRECAST CONCRETE BRIDGE SLABS 24' - 6" CLEAR ROADWAY WITH 14" X 14" CONCRETE PILING |
| 1475 | 51260 | PCP-2800 | (SHEET 1 OF 1) | PRECAST CONCRETE ABUTMENT PANELS FOR USE WITH 24', 34', OR 40' PRECAST CONCRETE BRIDGE SLABS 28' - 0" CLEAR ROADWAY 6', 7', 8', & 9' HEIGHT WITH STEEL PILING |
| *** | 1476 | 51263 | PCP-2800 CP | (SHEET 1 OF 1) PRECAST CONCRETE ABUTMENT PANELS FOR USE WITH 24', 34', OR 40' PRECAST CONCRETE BRIDGE SLABS 28' - 0" CLEAR ROADWAY WITH 14" X 14" CONCRETE PILING |
| 1477 | 51266 | AB2400 | (SHEET 1 OF 1) | CAST IN PLACE ABUTMENT DETAIL FOR USE WITH 24'-6" ROADWAY AND 24'-0", 34'-0" OR 40'-0" SPANS |
| 1478 | 51269 | AB2800 | (SHEET 1 OF 1) | CAST IN PLACE ABUTMENT DETAIL FOR USE WITH 28'-0" ROADWAY AND 24'-0", 34'-0" OR 40'-0" SPANS |
| 1500-1599 | | BRIDGE CULVERT STANDARD DRAWINGS | | |
| 1501 | 52420 | CBR-1 | (SHEET 1 OF 2) | CULVERT BARRIER RAIL |
| 1502 | 52421 | CBR-1 | (SHEET 2 OF 2) | CULVERT BARRIER RAIL |
| 1509 | 52401 | CS-3-1 | (SHEET 1 OF 1) | GENERAL NOTES AND MISCELLANEOUS DETAILS |
| 1515 | 52413 | CX | (SHEET 1 OF 1) | TYPICAL DETAILS ADDITIONS TO WINGS AND CURBS |
| 1517 | 52407 | CX-2-1 | (SHEET 1 OF 1) | BEND IN NEW BOX CULVERTS OR METHOD OF JOINING BOX CULVERTS EXTENDED ON SKEW |
| 1520 | 52410 | PEC-1 | (SHEET 1 OF 1) | PIPE ENTRANCE INTO CONCRETE BOX CULVERT SIDES |
| 1523 | 52404 | S-C-1 | (SHEET 1 OF 1) | TYPICAL DETAILS SKEWED STAGE CONSTRUCTION REINF. CONCRETE BOX CULVERT CONSTRUCTION JOINTS |



THESE SHEETS ARE INTENDED ONLY FOR REFERNCE
DRAWINGS SHOULD BE LISTED IN THE PLANS
UNDER THE NEW FIVE-DIGIT INDEX NUMBERS ONLY



--- REMOVED FROM THE 2021 BOOK
+++ NEW DRAWING OR COMPLETE REPLACEMENT ADDED TO THE 2021 BOOK
*** CHANGED OR ADJUSTED SINCE THE 2020 BOOK

NOT TO SCALE

SHEET 5 OF 5