

**Alabama Department of Transportation
Proposal Item Summary**

030. IM-I065(466)

MOBILE COUNTY

Contract Time: 175 Working Days

DBE Goal Percent: 6.00

for constructing the Planing, Resurfacing, and Traffic Stripe on I-65 from the Main Street Overpass in Prichard to just north of the SR-158 Interchange in Saraland. Length 4.580 mi.

The Bracket Estimate on this project is from \$6,734,934 to \$8,231,586.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$33.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Quantity	Units	Description
206C000	42	SQYD	Removing Concrete Sidewalk
206C002	319	SQYD	Removing Concrete Slope Paving
206D000	26	LF	Removing Pipe
206D001	4,547	LF	Removing Guardrail
206D003	36	LF	Removing Curb And Gutter
206E000	2	Each	Removing Headwalls
206E001	1	Each	Removing Inlets
206E002	1	Each	Removing Junction Boxes
206E008	92	Each	Removing Guardrail End Anchor (All Type)
210A000	250	CUYD	Unclassified Excavation
210D022	250	CUYD	Borrow Excavation (Loose Truckbed Measurement)(A-2-4(0) or A-4(0)
214A000	27	CUYD	Structure Excavation
214B001	30	CUYD	Foundation Backfill, Commercial
405A000	35,890	Gal	Tack Coat
407B000	24	Mile	Joint Sealant For Hot Mix Asphalt Pavement
408A051	5,439	SQYD	Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	241,874	SQYD	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	227,471	SQYD	Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410H000	1	Each	Material Remixing Device
410I000	1	Each	Smoothness Testing, Certified Inertial Profiler
420A015	10,486	Ton	Polymer Modified Open Graded Friction Course
420B000	41,943	Gal	Open Graded Friction Course Tack Coat
423A003	23,928	Ton	Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
424A360	15,127	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	165	Ton	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428A001	17	Mile	Scoring Bituminous Pavement Surface
530A104	24	LF	36" Roadway Pipe (Class 3 R.C.) (Extension)
533A098	16	LF	18" Storm Sewer Pipe (Class 3 R.C.)
534D000	70	Each	Cleaning Existing Drop Inlet
534E001	25,551	LF	Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)
534F001	3,366	LF	Cleaning Existing Pipe (Greater Than 48" Horizontal Opening)
600A000	1	LS	Mobilization
610D003	1,950	SQYD	Filter Blanket, Geotextile
614A000	395	CUYD	Slope Paving
618A000	72	SQYD	Concrete Sidewalk, 4" Thick

Item No.	Quantity	Units	Description
619A055	2	Each	36" Roadway Pipe End Treatment, Class 2
620A000	2	CUYD	Minor Structure Concrete
621A011	2	Each	Junction Boxes, Type 1 Or 1P
621C001	1	Each	Inlets, Type B
629E015	988	LF	Bridge Rail Retrofit, Type SC(CB)
630A001	8,600	LF	Steel Beam Guardrail, Class A, Type 2
630C001	28	Each	Guardrail End Anchor, Type 8
630C003	19	Each	Guardrail End Anchor, Type 13
630C050	25	Each	Guardrail End Anchor, Type 20 Series
630C070	9	Each	Guardrail End Anchor, Type 10 Series
650A000	584	CUYD	Topsoil
652A100	1	Acre	Seeding
652C000	500	Acre	Mowing
654A001	1,566	SQYD	Solid Sodding (Bermuda)
656A010	1	Acre	Mulching
665A000	1	Acre	Temporary Seeding
665B001	3	Ton	Temporary Mulching
665E000	250	SQYD	Polyethylene
665G000	500	Each	Sand Bags
665J002	10,000	LF	Silt Fence
665O001	10,000	LF	Silt Fence Removal
665P005	5	Each	Inlet Protection, Stage 3 Or 4
665Q002	500	LF	Wattle
666A001	8	Acre	Pest Control Treatment
680A001	1	LS	Geometric Controls
698A000	1	LS	Construction Fuel (Maximum Bid Limited to \$ 353,965.00)
701A227	12	Mile	Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12	Mile	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	19	Mile	Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B027	274	LF	Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B207	6,823	LF	Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	59	Mile	Broken Temporary Traffic Stripe
701C001	25	Mile	Solid Temporary Traffic Stripe
701G142	8,045	LF	Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	5,776	LF	Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	4,697	LF	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G161	8,045	LF	Broken Black, Class W, Type B Traffic Stripe (5" Wide)
701H002	10,473	LF	Solid Traffic Stripe Removed (Tape)
701H007	8,045	LF	Broken Traffic Stripe Removed (Tape)
701H012	274	LF	Dotted Traffic Stripe Removed (Tape)
703A002	19,964	SQFT	Traffic Control Markings, Class 2, Type A
703A011	132	SQFT	Traffic Control Markings, Class W, Type A
703B002	1,076	SQFT	Traffic Control Legends, Class 2, Type A
703B011	135	SQFT	Traffic Control Legends, Class W, Type A
703D001	1,068	SQFT	Temporary Traffic Control Markings
703H000	2,112	SQFT	Specialty Traffic Control Markings
705A030	5,008	Each	Pavement Markers, Class A-H, Type 2-C
705A037	5	Each	Pavement Markers, Class A-H, Type 2-D
705A038	2,801	Each	Pavement Markers, Class A-H, Type 2-E
707G000	24	Each	Barrier Rail Mounted Delineator (Mono-Directional)
710A115	14	SQFT	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	36	SQFT	Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)

Item No.	Quantity	Units	Description
710B021	56	LF	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2", 14 Ga Square Tubular Steel)
728A000	1	Each	Truck Mounted Impact Attenuator Unit
730H001	4,725	LF	Loop Wire
730I001	450	LF	Loop Detector Lead-In-Cable
730L005	75	LF	2", Non-Metallic, Conduit
740B000	4,149	SQFT	Construction Signs
740C000	126	SQFT	Special Construction Signs
740D000	1,500	Each	Channelizing Drums
740E000	250	Each	Cones (36 Inches High)
740I002	10	Each	Warning Lights, Type B
740M001	250	Each	Ballast For Cone
741C010	2	Each	Portable Sequential Arrow And Chevron Sign Unit
742A001	4	Each	Portable Changeable Message Sign, Type 2
745A000	2,000	HOUR	Uniformed Police Officer