

**Alabama Department of Transportation
Proposal Item Summary**

010. CMAQ-3715(268)

JEFFERSON COUNTY

Contract Time: 45 Working Days

DBE Goal Percent: 6.00

for constructing the Sidewalk Installations from a point on Poinciana Drive north of the junction of Hermosa Drive to the junction of 20th Place South and on 20th Place South from the junction of Poinciana Drive to the junction of Cahaba Road. Length 0.522 mi.

The Bracket Estimate on this project is from \$384,395 to \$469,816.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$18.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Quantity	Units	Description
201A002	1	LS	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 1 Acre)
206C000	27	SQYD	Removing Concrete Sidewalk
206C003	30	SQYD	Removing Concrete Flumes
206C022	50	SQYD	Removing Concrete Slab
206D002	210	LF	Removing Curb
206D003	144	LF	Removing Curb And Gutter
206E000	1	Each	Removing Headwalls
210A000	371	CUYD	Unclassified Excavation
210D001	322	CUYD	Borrow Excavation (Loose Truckbed Measurement)
214A000	22	CUYD	Structure Excavation
214B001	19	CUYD	Foundation Backfill, Commercial
305A051	177	CUYD	Coarse Aggregate, Section 801, For Miscellaneous Use
401A000	30	SQYD	Bituminous Treatment A
405A000	3	Gal	Tack Coat
407B000	1	Mile	Joint Sealant For Hot Mix Asphalt Pavement
424A360	3	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	9	Ton	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	8	Ton	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
517A004	175	LF	Ornamental Handrail
533A097	68	LF	15" Storm Sewer Pipe (Class 3 R.C.)
600A000	1	LS	Mobilization
610D003	183	SQYD	Filter Blanket, Geotextile
618A000	1,774	SQYD	Concrete Sidewalk, 4" Thick
618C000	18	SQFT	Truncated Dome Retrofit
619A001	1	Each	15" Roadway Pipe End Treatment, Class 1
621C049	1	Each	Inlets, Type S1 Or S3 (2 Wing) (Modified)
621C116	2	Each	Inlets, Type S3 (1 Wing) (Special)
623B000	12	LF	Concrete Curb, Type N
623B001	10	LF	Concrete Curb, Type N Special
623B012	30	LF	Concrete Curb, Type N (Modified)
623C000	69	LF	Combination Curb & Gutter, Type C
623C003	103	LF	Combination Curb & Gutter, Type C (Modified)
650A000	235	CUYD	Topsoil
654A001	1,859	SQYD	Solid Sodding (Bermuda)
665A000	1	Acre	Temporary Seeding
665B001	3	Ton	Temporary Mulching

Item No.	Quantity	Units	Description
665G000	125	Each	Sand Bags
665I000	40	Ton	Temporary Riprap, Class 2
665J002	2,660	LF	Silt Fence
665N000	102	Ton	Temporary Coarse Aggregate,ALDOT Number 1
665O001	2,660	LF	Silt Fence Removal
665P005	7	Each	Inlet Protection, Stage 3 Or 4
665Q002	50	LF	Wattle
674A000	200	LF	Construction Safety Fence
680A001	1	LS	Geometric Controls
701H000	36	LF	Solid Traffic Stripe Removed (Paint)
703A002	537	SQFT	Traffic Control Markings, Class 2, Type A
703C000	17	SQFT	Removal Of Existing Traffic Control Markings Or Legends (Paint)
710A165	74	SQFT	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background, Fluorescent)
710B021	126	LF	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)
730C000	1	LS	Furnishing And Installing Traffic Control Unit (Cahaba Road at Lane Park Road/Culver Road/US-280 Ramps)
730H001	1,200	LF	Loop Wire
730I001	750	LF	Loop Detector Lead-In-Cable
730K000	4	Each	Traffic Signal Junction Box
730L005	225	LF	2", Non-Metallic, Conduit
730Q011	2	Each	Pedestrian Signal Head, Type LED
740B000	303	SQFT	Construction Signs
740D000	80	Each	Channelizing Drums
740E000	20	Each	Cones (36 Inches High)
740F001	2	Each	Barricades, Type II
740M001	20	Each	Ballast For Cone
742A001	3	Each	Portable Changeable Message Sign, Type 2
756A028	70	LF	6" Electrical Conduit, 1 Line, Type 5 Installation