

**Alabama Department of Transportation
Proposal Item Summary**

053. STPAA-0095(507) & STPAA-0095(508)

HENRY AND HOUSTON COUNTIES

Contract Time: 65 Working Days

DBE Goal Percent: 2.00

for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on SR-95 from the junction SR-52 in Columbia to the junction of Lapine Drive in Abbeville. Length 21.310 mi.

The Bracket Estimate on this project is from \$4,023,286 to \$4,917,350.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$12.00 per set.

The Principal Items of work are approximately as follows:

| Item No. | Quantity | Units | Description |
|----------|----------|-------|--|
| 206D001 | 700 | LF | Removing Guardrail |
| 206E008 | 38 | Each | Removing Guardrail End Anchor (All Type) |
| 209A000 | 6 | Each | Mailbox Reset, Single |
| 209A002 | 1 | Each | Mailbox Reset, Multiple |
| 405A000 | 35,225 | Gal | Tack Coat |
| 407B000 | 23 | Mile | Joint Sealant For Hot Mix Asphalt Pavement |
| 408B001 | 352,250 | SQYD | Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick) |
| 410H000 | 1 | Each | Material Remixing Device |
| 424A361 | 29,062 | Ton | Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424A370 | 50 | Ton | Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424B655 | 500 | Ton | Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424B701 | 200 | Ton | Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D |
| 428A001 | 41 | Mile | Scoring Bituminous Pavement Surface |
| 430B043 | 240 | Ton | Aggregate Surfacing (1" Down, Crusher Run) |
| 600A000 | 1 | LS | Mobilization |
| 630A001 | 363 | LF | Steel Beam Guardrail, Class A, Type 2 |
| 630C003 | 16 | Each | Guardrail End Anchor, Type 13 |
| 630C080 | 22 | Each | Guardrail End Anchor, Type 20 Series (MASH) |
| 630G001 | 88 | LF | Steel Beam Guardrail for Culvert, Class A, Type 2, Case 1 |
| 698A000 | 1 | LS | Construction Fuel (Maximum Bid Limited to \$ 199,000.00) |
| 701A227 | 44 | Mile | Solid White, Class 2, Type A Traffic Stripe (5" Wide) |
| 701A230 | 22 | Mile | Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide) |
| 701A244 | 16 | Mile | Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide) |
| 701B207 | 249 | LF | Dotted, Class 2, Type A Traffic Stripe (5" Wide) |
| 701C000 | 37 | Mile | Broken Temporary Traffic Stripe |
| 701C001 | 125 | Mile | Solid Temporary Traffic Stripe |
| 701D007 | 2 | Mile | Solid Traffic Stripe Removed (Paint) |
| 701D008 | 2 | Mile | Solid Traffic Stripe Removed (Plastic) |
| 701D014 | 2 | Mile | Broken Traffic Stripe Removed (Paint) |
| 701D015 | 2 | Mile | Broken Traffic Stripe Removed (Plastic) |
| 701G146 | 2,194 | LF | Solid White, Class W, Type A Traffic Stripe (5"Wide) |
| 701G150 | 1,097 | LF | Broken Yellow, Class W, Type A Traffic Stripe (5" Wide) |
| 701G154 | 246 | LF | Solid Yellow, Class W, Type A Traffic Stripe (5" Wide) |
| 703A002 | 2,135 | SQFT | Traffic Control Markings, Class 2, Type A |
| 703B002 | 318 | SQFT | Traffic Control Legends, Class 2, Type A |
| 703D001 | 657 | SQFT | Temporary Traffic Control Markings |

| Item No. | Quantity | Units | Description |
|-----------------|-----------------|--------------|---------------------------------------|
| 705A030 | 30 | Each | Pavement Markers, Class A-H, Type 2-C |
| 705A032 | 848 | Each | Pavement Markers, Class A-H, Type 1-B |
| 705A037 | 1,772 | Each | Pavement Markers, Class A-H, Type 2-D |
| 705A038 | 163 | Each | Pavement Markers, Class A-H, Type 2-E |
| 740B000 | 2,860 | SQFT | Construction Signs |
| 740C000 | 9 | SQFT | Special Construction Signs |
| 740E000 | 200 | Each | Cones (36 Inches High) |
| 740M001 | 200 | Each | Ballast For Cone |
| 740O000 | 1 | Each | Pilot Car |