

**Alabama Department of Transportation
Proposal Item Summary**

017. IM-I085(368)

MACON COUNTY

Contract Time: 90 Working Days

DBE Goal Percent: 6.00

for constructing the Pavement Preservation (Planing, Resurfacing, Guardrail Installation, and Traffic Stripe) on I-85 from the Montgomery County Line to the junction of SR-138. Length 2.860 mi.

The Bracket Estimate on this project is from \$3,980,055 to \$4,864,512.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$6.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Quantity	Units	Description
206D001	12,275	LF	Removing Guardrail
206E008	48	Each	Removing Guardrail End Anchor (All Type)
405A000	23,900	Gal	Tack Coat
407B000	6	Mile	Joint Sealant For Hot Mix Asphalt Pavement
408A052	4,900	SQYD	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	108,775	SQYD	Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1	Each	Material Remixing Device
410I000	1	Each	Smoothness Testing, Certified Inertial Profiler
420A015	3,665	Ton	Polymer Modified Open Graded Friction Course
420B000	18,700	Gal	Open Graded Friction Course Tack Coat
423A003	1,075	Ton	Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
424A280	6,615	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A336	4,415	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424A356	1,575	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A360	2,365	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B002	2,365	Ton	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size mix, ESAL Range C/D
424B003	6,615	Ton	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size mix, ESAL Range E
424B283	500	Ton	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424B287	500	Ton	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
428A001	11	Mile	Scoring Bituminous Pavement Surface
430B043	1,200	Ton	Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	LS	Mobilization
630A001	12,275	LF	Steel Beam Guardrail, Class A, Type 2
630C001	11	Each	Guardrail End Anchor, Type 8
630C079	14	Each	Guardrail End Anchor, Type 13 (MASH)
630C080	23	Each	Guardrail End Anchor, Type 20 Series (MASH)
698A000	1	LS	Construction Fuel (Maximum Bid Limited to \$ 224,000.00)
701A239	6	Mile	Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A270	6	Mile	Solid White, Class 2 Type A Traffic Stripe (10" wide)
701A271	6	Mile	Solid Yellow, Class 2 Type A Traffic Stripe (10" wide)
701C000	16	Mile	Broken Temporary Traffic Stripe
701C001	32	Mile	Solid Temporary Traffic Stripe
701G142	2,140	LF	Broken White, Class W, Type A Traffic Stripe (5" Wide)

Item No.	Quantity	Units	Description
701G146	2,140	LF	Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	2,140	LF	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G161	2,140	LF	Broken Black, Class W, Type B Traffic Stripe (5" Wide)
701H001	4,280	LF	Solid Traffic Stripe Removed (Plastic)
701H006	2,140	LF	Broken Traffic Stripe Removed (Plastic)
703A002	1,800	SQFT	Traffic Control Markings, Class 2, Type A
705A030	380	Each	Pavement Markers, Class A-H, Type 2-C
705A031	1,092	Each	Pavement Markers, Class A-H, Type 1-A
705A032	455	Each	Pavement Markers, Class A-H, Type 1-B
740B000	1,629	SQFT	Construction Signs
740D000	400	Each	Channelizing Drums
740E000	200	Each	Cones (36 Inches High)
740M001	200	Each	Ballast For Cone
741C010	2	Each	Portable Sequential Arrow And Chevron Sign Unit
742A001	8	Each	Portable Changeable Message Sign, Type 2