

**Alabama Department of Transportation
Proposal Item Summary**

031. STPAA-HSIP-0086(502)

PICKENS COUNTY

Contract Time: 60 Working Days

DBE Goal Percent: 1.00

for constructing the Safety Widening, Planing, Resurfacing (Scrub Seal), Curb Ramp Installation, Guardrail Installation, and Traffic Stripe on SR-86 from the junction of Ladow Center Circle to the roundabout (MP 14.075) in Carrollton. Length 4.785 mi.

The Bracket Estimate on this project is from \$2,785,491 to \$3,404,489.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$15.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Quantity	Units	Description
206C000	13	SQYD	Removing Concrete Sidewalk
206C010	75	SQYD	Removing Concrete Driveway
206D001	325	LF	Removing Guardrail
206D002	12	LF	Removing Curb
206E008	4	Each	Removing Guardrail End Anchor (All Type)
209A000	12	Each	Mailbox Reset, Single
210A000	8	CUYD	Unclassified Excavation
305B077	2,747	Ton	Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	24,710	Gal	Tack Coat
408B001	71,426	SQYD	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)
410H000	1	Each	Material Remixing Device
410I000	1	Each	Smoothness Testing, Certified Inertial Profiler
424A356	4,495	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A359	116	Ton	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424B002	5,719	Ton	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size mix, ESAL Range C/D
424B662	2	Ton	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	931	Ton	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B687	3,601	Ton	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	1,954	Ton	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428A001	10	Mile	Scoring Bituminous Pavement Surface
433A000	68,467	SQYD	Scrub Seal
517A002	118	LF	Galvanized Steel Pipe Handrail
600A000	1	LS	Mobilization
614B000	20	CUYD	Reinforced Slope Paving
618C001	20	SQFT	Detectable Warning Surface
623B002	9	LF	Concrete Curb, Type A
630A001	325	LF	Steel Beam Guardrail, Class A, Type 2
630C080	4	Each	Guardrail End Anchor, Type 20 Series (MASH)
654A001	6	SQYD	Solid Sodding (Bermuda)
665E000	50	SQYD	Polyethylene
665J002	660	LF	Silt Fence
665O001	660	LF	Silt Fence Removal
665Q002	500	LF	Wattle

Item No.	Quantity	Units	Description
680A001	1	LS	Geometric Controls
698A000	1	LS	Construction Fuel (Maximum Bid Limited to \$ 145,900.00)
701A227	10	Mile	Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5	Mile	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4	Mile	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	18	Mile	Broken Temporary Traffic Stripe
701C001	81	Mile	Solid Temporary Traffic Stripe
701G146	54	LF	Solid White, Class W, Type A Traffic Stripe (5"Wide)
701H002	54	LF	Solid Traffic Stripe Removed (Tape)
703A002	798	SQFT	Traffic Control Markings, Class 2, Type A
703D001	2,704	SQFT	Temporary Traffic Control Markings
703H000	3	SQFT	Specialty Traffic Control Markings
705A032	126	Each	Pavement Markers, Class A-H, Type 1-B
705A037	281	Each	Pavement Markers, Class A-H, Type 2-D
710A170	3	SQFT	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)
710B021	14	LF	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2", 14 Ga Square Tubular Steel)
710C000	1	LS	Removal Of Existing Roadway Signs
711A000	1	LS	Roadway Sign Relocation
740B000	1,843	SQFT	Construction Signs
740D000	50	Each	Channelizing Drums
740E000	300	Each	Cones (36 Inches High)
740G000	4	Each	Barricades, Type I, (Portable, 24 Inches Wide)
740M001	300	Each	Ballast For Cone
740O000	1	Each	Pilot Car