

**Alabama Department of Transportation
Proposal Item Summary**

025. IM-1065(497)

CONECUH COUNTY

Contract Time: April 1, 2026 Completion Date

DBE Goal Percent: 1.00

for constructing the Bridge Replacements (Grading, Drainage, Pavement, and Bridge) on I-65 over the Sepulga River and Relief northeast of Evergreen. Length 1.325 mi.

The Bracket Estimate on this project is from \$26,906,986 to \$32,886,316.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$85.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Quantity Units	Description
201A002	1 LS	Clearing And Grubbing (Maximum Allowable Bid \$ 8,000.00 Per Acre) (Approximately 5 Acres)
206A000	1 LS	Removal Of Old Bridge, Station 106+30.00 NBR
206A001	1 LS	Removal Of Old Bridge, Station 106+30.00 SBR
206A002	1 LS	Removal Of Old Bridge, Station 120+98.00 NBR
206A003	1 LS	Removal Of Old Bridge, Station 120+98.00 SBR
206A004	1 LS	Removal Of Old Bridge, Station 129+40.00 NBR
206A005	1 LS	Removal Of Old Bridge, Station 129+40.00 SBR
206C002	6,627 SQYD	Removing Concrete Slope Paving
206C013	750 SQYD	Removing Bridge End Slab
206D000	48 LF	Removing Pipe
206D001	8,188 LF	Removing Guardrail
206D007	590 LF	Removing Concrete Flume
206D033	1,622 LF	Removing Cable Guiderail
206E001	8 Each	Removing Inlets
206E008	24 Each	Removing Guardrail End Anchor (All Type)
210A000	14,575 CUYD	Unclassified Excavation
210D012	27,466 CUYD	Borrow Excavation (A-2-4(0) Or A-4(0))
210D025	10,924 CUYD	Borrow Excavation (Improved Roadbed)
214A000	2,887 CUYD	Structure Excavation
214B001	1,444 CUYD	Foundation Backfill, Commercial
215A000	1,401 CUYD	Unclassified Bridge Excavation
215B000	1 LS	Cofferdams Or Sheeting And Shoring, Station 106+30.00
215B001	1 LS	Cofferdams Or Sheeting And Shoring, Station 120+98.00
215B002	1 LS	Cofferdams Or Sheeting And Shoring, Station 129+40.00
230A000	50 RBST	Roadbed Processing
260A001	42 CUYD	Cement Mortar Flowable Backfill, Mix 2
301A012	31,194 SQYD	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
305B078	5,083 Ton	Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
401A000	30,187 SQYD	Bituminous Treatment A
405A000	8,842 Gal	Tack Coat
408B001	30,573 SQYD	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)
410H000	1 Each	Material Remixing Device
420A015	1,630 Ton	Polymer Modified Open Graded Friction Course
420B000	6,521 Gal	Open Graded Friction Course Tack Coat
423A003	2,574 Ton	Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423B001	3,370 Ton	Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
424A360	900 Ton	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B581	13,577 Ton	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E

Item No.	Quantity	Units	Description
424B585	11	Ton	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B589	3,000	Ton	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
424B662	32	Ton	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	35	Ton	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428A001	4	Mile	Scoring Bituminous Pavement Surface
430B043	580	Ton	Aggregate Surfacing (1" Down, Crusher Run)
450A007	1,087	SQYD	Plain Cement Concrete Pavement, 12 Inches Thick
450B000	1,390	SQYD	Reinforced Cement Concrete Bridge End Slab
502A000	269,100	LB	Steel Reinforcement
502B000	1	LS	Steel Reinforcement For Bridge Superstructure, Station 106+30.00, Approximately 209,000 Pounds
502B001	1	LS	Steel Reinforcement For Bridge Superstructure, Station 120+98.00, Approximately 103,900 Pounds
502B002	1	LS	Steel Reinforcement For Bridge Superstructure, Station 129+40.00, Approximately 252,700 Pounds
503A000	759	CUYD	Seal Concrete
503B000	1	LS	Cofferdam And Pumping, Bent 2
503B001	1	LS	Cofferdam And Pumping, Bent 3
505A002	6	Each	Steel Test Piles (HP 12x53)
505B333	6	Each	Dynamic Loading Tests (HP12X53)(Driving)
505B433	18	Each	Dynamic Loading Tests (HP12X53)(Restrike)
505M002	18,639	LF	Steel Piling Furnished And Driven (HP 12x53)
508A000	28,030	LB	Structural Steel
510A007	1,552	CUYD	Bridge Substructure Concrete
510C051	1	LS	Bridge Concrete Superstructure, Station 106+30.00, Approximately 732 Cubic Yards
510C052	1	LS	Bridge Concrete Superstructure, Station 120+98.00, Approximately 365 Cubic Yards
510C053	1	LS	Bridge Concrete Superstructure, Station 129+40.00, Approximately 1,005 Cubic Yards
510E000	7,326	SQYD	Grooving Concrete Bridge Decks
510J000	1,840	LF	Bridge Barrier Rail, Type 36" Single Slope
510J001	1,067	LF	Bridge Barrier Rail, Type 54" CSF Median
511A052	144	Each	Elastomeric Bearing Type 2 (Mark B3)
511A053	72	Each	Elastomeric Bearing Type 2 (Mark B4)
513B005	6,024	LF	Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
513B017	4,914	LF	Pretensioned-Prestressed Concrete Girders, Type BT-72 (Specialty Item)
530A002	3,711	LF	24" Roadway Pipe (Class 3 R.C.)
530A201	228	LF	18" Roadway Pipe (14 Gauge C.C.S.P.I.)
530A800	2	LF	15" Roadway Pipe (14 Gauge C.C.S.) (Stack Pipe)(No Bedding Required)
532A042	3,080	LF	18" Slotted Drain Pipe (With Variable Height Grate)
532A065	2,720	LF	18" 14 Gauge CS Spiral-Rib Slotted Drain Pipe(With Variable Height Grate)
532E002	64	Each	Cleanout Box For Slotted Drain (18")
534D000	4	Each	Cleaning Existing Drop Inlet
534E001	788	LF	Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)
600A000	1	LS	Mobilization
610C001	13,369	Ton	Loose Riprap, Class 2
610D003	26,105	SQYD	Filter Blanket, Geotextile
614A000	33	CUYD	Slope Paving
619A003	1	Each	24" Roadway Pipe End Treatment, Class 1
620A000	13	CUYD	Minor Structure Concrete
621A003	1	Each	Junction Boxes, Type 4 Or 1P
621A011	2	Each	Junction Boxes, Type 1 Or 1P
621C020	2	Each	Inlets, Type Y
621C070	19	Each	Inlets, Type E4

Item No.	Quantity	Units	Description
621D047	41	Each	Inlet Units, Type E4
624B000	2	Each	Cable Guiderail Anchor
629A103	3,898	LF	Concrete Median or Safety Barrier, Type CSF-54
629C002	2	Each	Concrete Median Or Safety Barrier End Section (Type TES)
630A001	6,475	LF	Steel Beam Guardrail, Class A, Type 2
630C079	11	Each	Guardrail End Anchor, Type 13 (MASH)
630C080	2	Each	Guardrail End Anchor, Type 20 Series (MASH)
650A000	650	CUYD	Topsoil
652A100	5	Acre	Seeding
652C000	36	Acre	Mowing
654A001	13,500	SQYD	Solid Sodding (Bermuda)
656A010	5	Acre	Mulching
665A000	5	Acre	Temporary Seeding
665B001	75	Ton	Temporary Mulching
665E000	5,000	SQYD	Polyethylene
665F000	5,000	Each	Hay Bales
665G000	1,000	Each	Sand Bags
665I000	4,500	Ton	Temporary Riprap, Class 2
665J002	4,000	LF	Silt Fence
665L000	1,800	LF	Floating Basin Boom
665N000	1,800	Ton	Temporary Coarse Aggregate,ALDOT Number 1
665N001	500	Ton	Temporary Coarse Aggregate,ALDOT Number 4
665O001	4,000	LF	Silt Fence Removal
665P005	12	Each	Inlet Protection, Stage 3 Or 4
665Q002	110	LF	Wattle
666A001	5	Acre	Pest Control Treatment
672C103	36	Each	Flocculant Application, Inlet Protection
674A000	2,500	LF	Construction Safety Fence
680A001	1	LS	Geometric Controls
698A000	1	LS	Construction Fuel (Maximum Bid Limited to \$ 1,609,860.00)
701A227	3	Mile	Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3	Mile	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3	Mile	Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701C000	10	Mile	Broken Temporary Traffic Stripe
701C001	20	Mile	Solid Temporary Traffic Stripe
701D005	20	Mile	Solid Traffic Stripe Removed
701D013	10	Mile	Broken Traffic Stripe Removed
701G142	1,848	LF	Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1,848	LF	Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	1,848	LF	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	1,212	SQFT	Traffic Control Markings, Class 2, Type A
705A011	2,300	Each	Pavement Markers, Class C, Type 1-A
705A012	3,800	Each	Pavement Markers, Class C, Type 1-B
705A013	950	Each	Pavement Markers, Class C, Type 2-A
705A014	1,500	Each	Pavement Markers, Class C, Type 2-B
705A022	2,800	Each	Pavement Markers, Class C, Type 2-C
705A030	175	Each	Pavement Markers, Class A-H, Type 2-C
705A032	1,433	Each	Pavement Markers, Class A-H, Type 1-B
705A038	517	Each	Pavement Markers, Class A-H, Type 2-E
707G000	197	Each	Barrier Rail Mounted Delineator (Mono-Directional)
720A026	2	Each	Vehicular Impact Attenuator Assembly (Bi-directional,TL-3)
726A000	17,000	LF	Portable Concrete Safety Barriers, Type 6
726A001	90	LF	Portable Concrete Safety Barriers, Type 6-A
726A005	2,772	LF	Portable Concrete Safety Barriers,Type 6(Bridge Bolted)
726D025	9	Each	Portable Impact Attenuator Assembly (Unidirectional,TL-3)

Item No.	Quantity	Units	Description
740B000	1,563	SQFT	Construction Signs
740D000	100	Each	Channelizing Drums
740E000	50	Each	Cones (36 Inches High)
740F002	12	Each	Barricades, Type III
740M001	50	Each	Ballast For Cone
741C010	2	Each	Portable Sequential Arrow And Chevron Sign Unit
742A001	4	Each	Portable Changeable Message Sign, Type 2
999 000	2,800	HOUR	Trainee Hours At 80 Cents Per Hour