

**Alabama Department of Transportation  
Proposal Item Summary**

**020. STPAA-HSIP-0003(646)**

**CHILTON COUNTY**

Contract Time: 75 Working Days

DBE Goal Percent: 3.00

for constructing the Safety Widening, Planing, Resurfacing, Bridge Guardrail Retrofit, Guardrail Installation, and Traffic Stripe on SR-3 (US-31) from the junction of Inverness Drive in Clanton to the junction of Collins Street parallel to the CSX Railroad in Thorsby. Length 7.181 mi.

The Bracket Estimate on this project is from \$4,678,350 to \$5,717,983.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$18.00 per set.

*The Principal Items of work are approximately as follows:*

Item No.	Quantity	Units	Description
206C000	15	SQYD	Removing Concrete Sidewalk
206C010	125	SQYD	Removing Concrete Driveway
206D001	100	LF	Removing Guardrail
206D003	6	LF	Removing Curb And Gutter
206D005	6	LF	Removing Gutter
206E008	4	Each	Removing Guardrail End Anchor (All Type)
206E014	4	Each	Removing Guardrail End Anchor (Type 2A)
209A000	3	Each	Mailbox Reset, Single
209A001	1	Each	Mailbox Reset, Double
209A002	1	Each	Mailbox Reset, Multiple
305B077	1,445	Ton	Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	35,322	Gal	Tack Coat
408A053	149,716	SQYD	Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410H000	1	Each	Material Remixing Device
424A356	8,335	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A359	738	Ton	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424B002	18,145	Ton	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size mix, ESAL Range C/D
424B685	1,577	Ton	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	2,066	Ton	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428A001	11	Mile	Scoring Bituminous Pavement Surface
600A000	1	LS	Mobilization
618A000	12	SQYD	Concrete Sidewalk, 4" Thick
618C001	40	SQFT	Detectable Warning Surface
618D000	15	SQYD	Curb Ramp
629D003	4	Each	Bridge Guardrail Retrofit, Type SC
630A001	150	LF	Steel Beam Guardrail, Class A, Type 2
630C079	4	Each	Guardrail End Anchor, Type 13 (MASH)
630C080	4	Each	Guardrail End Anchor, Type 20 Series (MASH)
665Q002	700	LF	Wattle
680A001	1	LS	Geometric Controls
698A000	1	LS	Construction Fuel (Maximum Bid Limited to \$ 247,900.00)
701A227	15	Mile	Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8	Mile	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3	Mile	Broken White, Class 2, Type A Traffic Stripe (5" Wide)

Item No.	Quantity	Units	Description
701A244	5	Mile	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B063	750	LF	Dotted, Class 2, Type A Traffic Stripe(Lane Drop 10" Wide)
701B207	3,477	LF	Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	13	Mile	Broken Temporary Traffic Stripe
701C001	45	Mile	Solid Temporary Traffic Stripe
701F000	3,477	LF	Dotted Temporary Traffic Stripe
703A002	9,015	SQFT	Traffic Control Markings, Class 2, Type A
703B002	855	SQFT	Traffic Control Legends, Class 2, Type A
703D001	18,029	SQFT	Temporary Traffic Control Markings
705A030	302	Each	Pavement Markers, Class A-H, Type 2-C
705A032	1,417	Each	Pavement Markers, Class A-H, Type 1-B
705A037	578	Each	Pavement Markers, Class A-H, Type 2-D
705A038	116	Each	Pavement Markers, Class A-H, Type 2-E
707B014	4	Each	Type B Object Marker Installation
710A160	9	SQFT	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)
710A170	9	SQFT	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)
710B021	28	LF	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2", 14 Ga Square Tubular Steel)
728A000	2	Each	Truck Mounted Impact Attenuator Unit
730H001	1,102	LF	Loop Wire
740B000	1,850	SQFT	Construction Signs
740D000	500	Each	Channelizing Drums
740O000	1	Each	Pilot Car
741C010	2	Each	Portable Sequential Arrow And Chevron Sign Unit
742A001	4	Each	Portable Changeable Message Sign, Type 2