

**Alabama Department of Transportation
Proposal Item Summary**

025. NH-I065(542)

ELMORE AND AUTAUGA COUNTIES

Contract Time: 40 Working Days

DBE Goal Percent: 1.00

for constructing the Roadway Improvements (Northbound Acceleration Lane Extension) on I-65 at the SR-14 Interchange (Exit 181) for 2400'. Length 0.454 mi.

The Bracket Estimate on this project is from \$597,516 to \$730,298.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$16.00 per set.

The Principal Items of work are approximately as follows:

| Item No. | Quantity Units | Description |
|----------|----------------|--|
| 201A002 | 1 LS | Clearing And Grubbing (Maximum Allowable Bid \$ 8,000.00 Per Acre) (Approximately 2 Acres) |
| 206D007 | 220 LF | Removing Concrete Flume |
| 210A000 | 1,889 CUYD | Unclassified Excavation |
| 210D021 | 150 CUYD | Borrow Excavation (Loose Truckbed Measurement)(A4 or Better) |
| 305B077 | 1,186 Ton | Crushed Aggregate, Section 825, For Miscellaneous Use |
| 401A000 | 3,153 SQYD | Bituminous Treatment A |
| 405A000 | 596 Gal | Tack Coat |
| 408A053 | 3,219 SQYD | Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick) |
| 424A283 | 50 Ton | Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range E |
| 424A286 | 75 Ton | Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E |
| 424A289 | 493 Ton | Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range E |
| 424B291 | 346 Ton | Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range E |
| 424B592 | 993 Ton | Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E |
| 428A001 | 1 Mile | Scoring Bituminous Pavement Surface |
| 600A000 | 1 LS | Mobilization |
| 610D003 | 200 SQYD | Filter Blanket, Geotextile |
| 614A000 | 66 CUYD | Slope Paving |
| 650A000 | 544 CUYD | Topsoil |
| 652A100 | 2 Acre | Seeding |
| 652C000 | 2 Acre | Mowing |
| 654A001 | 4,886 SQYD | Solid Sodding (Bermuda) |
| 656A010 | 2 Acre | Mulching |
| 665A000 | 2 Acre | Temporary Seeding |
| 665B001 | 6 Ton | Temporary Mulching |
| 665G000 | 250 Each | Sand Bags |
| 665J002 | 1,990 LF | Silt Fence |
| 665N000 | 200 Ton | Temporary Coarse Aggregate,ALDOT Number 1 |
| 665O001 | 1,990 LF | Silt Fence Removal |
| 666A001 | 2 Acre | Pest Control Treatment |
| 680A001 | 1 LS | Geometric Controls |
| 698A000 | 1 LS | Construction Fuel (Maximum Bid Limited to \$ 36,000.00) |
| 701B207 | 2,100 LF | Dotted, Class 2, Type A Traffic Stripe (5" Wide) |
| 701C001 | 1 Mile | Solid Temporary Traffic Stripe |
| 701G253 | 2,400 LF | Solid White, Class 2, Type A Traffic Stripe (5" Wide) |
| 703A002 | 200 SQFT | Traffic Control Markings, Class 2, Type A |

| Item No. | Quantity | Units | Description |
|-----------------|-----------------|--------------|---|
| 710A170 | 50 | SQFT | Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background) |
| 710B021 | 102 | LF | Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel) |
| 710C000 | 1 | LS | Removal Of Existing Roadway Signs |
| 740B000 | 712 | SQFT | Construction Signs |
| 740C000 | 35 | SQFT | Special Construction Signs |
| 740D000 | 140 | Each | Channelizing Drums |
| 740E000 | 50 | Each | Cones (36 Inches High) |
| 740M001 | 50 | Each | Ballast For Cone |
| 741C010 | 1 | Each | Portable Sequential Arrow And Chevron Sign Unit |
| 742A001 | 2 | Each | Portable Changeable Message Sign, Type 2 |