

**Alabama Department of Transportation  
Proposal Item Summary**

**032. STPAA-0055(520), HSIP-0055(521) & STPAA-HSIP-0055(519)  
COVINGTON, CONECUH, AND BUTLER COUNTIES**

Contract Time: 180 Working Days

DBE Goal Percent: 5.00

for constructing the Micro-Milling, Resurfacing, Guardrail Installation, Intersection Improvements, and Traffic Stripe on SR-55 from the junction of SR-12 in River Falls to the Butler County Line to include Centerline Scoring from the Conecuh County Line to a point south of the CSX Railroad Bridge (MP 56.070) in Georgiana. Length 21.191 mi.

The Bracket Estimate on this project is from \$10,484,543 to \$12,814,441.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$26.00 per set.

*The Principal Items of work are approximately as follows:*

Item No.	Quantity	Units	Description
206C002	303	SQYD	Removing Concrete Slope Paving
206C010	15	SQYD	Removing Concrete Driveway
206D000	10	LF	Removing Pipe
206D001	1,225	LF	Removing Guardrail
206D003	948	LF	Removing Curb And Gutter
206E000	1	Each	Removing Headwalls
206E001	4	Each	Removing Inlets
206E008	12	Each	Removing Guardrail End Anchor (All Type)
210A000	689	CUYD	Unclassified Excavation
210D021	203	CUYD	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)
212A000	851	STA	Machine Grading Shoulders
214A000	63	CUYD	Structure Excavation
214B001	21	CUYD	Foundation Backfill, Commercial
230A000	12	RBST	Roadbed Processing
301A025	1,055	SQYD	Crushed Aggregate Base Course, Type B, Road Mixed, 6" Compacted Thickness
401A000	1,055	SQYD	Bituminous Treatment A
401B100	275,645	SQYD	Bituminous Treatment E (With Polymer Additive)
405A000	68,002	Gal	Tack Coat
408B001	577,645	SQYD	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)
410H000	1	Each	Material Remixing Device
424A361	51,514	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	374	Ton	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A639	1,100	Ton	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D (Trial Mix)
424B655	660	Ton	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	10,820	Ton	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	185	Ton	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B693	185	Ton	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B701	600	Ton	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D
428A001	55	Mile	Scoring Bituminous Pavement Surface
430B043	746	Ton	Aggregate Surfacing (1" Down, Crusher Run)
530A101	14	LF	18" Roadway Pipe (Class 3 R.C.) (Extension)
530A102	12	LF	24" Roadway Pipe (Class 3 R.C.) (Extension)

Item No.	Quantity	Units	Description
533A098	11	LF	18" Storm Sewer Pipe (Class 3 R.C.)
533A348	30	LF	18" Storm Sewer Pipe (Class 3 R.C.) (Extension)
600A000	1	LS	Mobilization
614A000	205	CUYD	Slope Paving
619A002	1	Each	18" Roadway Pipe End Treatment, Class 1
620A000	1	CUYD	Minor Structure Concrete
621A011	2	Each	Junction Boxes, Type 1 Or 1P
621C002	1	Each	Inlets, Type C, P1 Or P3
621C015	2	Each	Inlets, Type S1 Or S3 (1 Wing)
621C036	1	Each	Inlets, Type S1 Or S3 (1 Wing) (Modified)
621D015	2	Each	Inlet Units, Type S1 Or S3
623A002	34	LF	Concrete Gutter (2' 6" Wide)
623C000	949	LF	Combination Curb & Gutter, Type C
630A001	1,125	LF	Steel Beam Guardrail, Class A, Type 2
630C079	8	Each	Guardrail End Anchor, Type 13 (MASH)
630C080	12	Each	Guardrail End Anchor, Type 20 Series (MASH)
650A000	2,715	CUYD	Topsoil
652A100	20	Acre	Seeding
652C000	207	Acre	Mowing
654A001	821	SQYD	Solid Sodding (Bermuda)
656A010	20	Acre	Mulching
665A000	59	Acre	Temporary Seeding
665B001	176	Ton	Temporary Mulching
665G000	30	Each	Sand Bags
665J002	1,250	LF	Silt Fence
665O001	1,250	LF	Silt Fence Removal
665P005	4	Each	Inlet Protection, Stage 3 Or 4
665Q002	1,250	LF	Wattle
666A001	20	Acre	Pest Control Treatment
680A001	1	LS	Geometric Controls
698A000	1	LS	Construction Fuel (Maximum Bid Limited to \$ 542,800.00)
701A227	36	Mile	Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	33	Mile	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	34	Mile	Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	6,800	LF	Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	66	Mile	Broken Temporary Traffic Stripe
701C001	132	Mile	Solid Temporary Traffic Stripe
701D007	2	Mile	Solid Traffic Stripe Removed (Paint)
701D008	2	Mile	Solid Traffic Stripe Removed (Plastic)
701D014	2	Mile	Broken Traffic Stripe Removed (Paint)
701D015	2	Mile	Broken Traffic Stripe Removed (Plastic)
701G142	779	LF	Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1,558	LF	Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	1,558	LF	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G161	1,560	LF	Broken Black, Class W, Type B Traffic Stripe (5" Wide)
701G251	600	LF	Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	13,863	SQFT	Traffic Control Markings, Class 2, Type A
703B002	1,733	SQFT	Traffic Control Legends, Class 2, Type A
703D001	5,456	SQFT	Temporary Traffic Control Markings
703E001	907	SQFT	Temporary Traffic Control Legends
705A030	3,000	Each	Pavement Markers, Class A-H, Type 2-C
705A032	390	Each	Pavement Markers, Class A-H, Type 1-B
705A037	4,108	Each	Pavement Markers, Class A-H, Type 2-D
705A038	222	Each	Pavement Markers, Class A-H, Type 2-E
705A039	64	Each	Pavement Markers, Class A-H, Type 2-A

<b>Item No.</b>	<b>Quantity</b>	<b>Units</b>	<b>Description</b>
710A165	38	SQFT	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background, Fluorescent)
710A170	32	SQFT	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)
710B021	70	LF	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)
711A000	1	LS	Roadway Sign Relocation
728A000	1	Each	Truck Mounted Impact Attenuator Unit
740B000	4,887	SQFT	Construction Signs
740E000	150	Each	Cones (36 Inches High)
740M001	150	Each	Ballast For Cone
741C010	1	Each	Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each	Portable Changeable Message Sign, Type 2