

**Alabama Department of Transportation
Proposal Item Summary**

015. NH-0035(538)

CHEROKEE COUNTY

Contract Time: 30 Working Days

DBE Goal Percent: 6.00

for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on SR-35 from the junction of SR-273 to the DeKalb County Line. Length 2.999 mi.

The Bracket Estimate on this project is from \$939,958 to \$1,148,837.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$5.00 per set.

The Principal Items of work are approximately as follows:

| Item No. | Quantity | Units | Description |
|----------|----------|-------|--|
| 206E008 | 6 | Each | Removing Guardrail End Anchor (All Type) |
| 210D001 | 100 | CUYD | Borrow Excavation (Loose Truckbed Measurement) |
| 405A000 | 5,917 | Gal | Tack Coat |
| 408B001 | 58,684 | SQYD | Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick) |
| 410H000 | 1 | Each | Material Remixing Device |
| 424A360 | 3,731 | Ton | Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424A369 | 369 | Ton | Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424B655 | 500 | Ton | Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D |
| 428A001 | 8 | Mile | Scoring Bituminous Pavement Surface |
| 430B043 | 1,525 | Ton | Aggregate Surfacing (1" Down, Crusher Run) |
| 600A000 | 1 | LS | Mobilization |
| 630A001 | 713 | LF | Steel Beam Guardrail, Class A, Type 2 |
| 630C079 | 2 | Each | Guardrail End Anchor, Type 13 (MASH) |
| 630C080 | 4 | Each | Guardrail End Anchor, Type 20 Series (MASH) |
| 652A100 | 1 | Acre | Seeding |
| 656A010 | 1 | Acre | Mulching |
| 665J002 | 800 | LF | Silt Fence |
| 665O001 | 800 | LF | Silt Fence Removal |
| 665Q002 | 800 | LF | Wattle |
| 666A001 | 1 | Acre | Pest Control Treatment |
| 698A000 | 1 | LS | Construction Fuel (Maximum Bid Limited to \$ 50,000.00) |
| 701A227 | 6 | Mile | Solid White, Class 2, Type A Traffic Stripe (5" Wide) |
| 701A230 | 5 | Mile | Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide) |
| 701A244 | 1 | Mile | Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide) |
| 701B207 | 340 | LF | Dotted, Class 2, Type A Traffic Stripe (5" Wide) |
| 701C000 | 2 | Mile | Broken Temporary Traffic Stripe |
| 701C001 | 22 | Mile | Solid Temporary Traffic Stripe |
| 701G146 | 930 | LF | Solid White, Class W, Type A Traffic Stripe (5"Wide) |
| 701G154 | 930 | LF | Solid Yellow, Class W, Type A Traffic Stripe (5" Wide) |
| 701H002 | 1,860 | LF | Solid Traffic Stripe Removed (Tape) |
| 703A002 | 1,993 | SQFT | Traffic Control Markings, Class 2, Type A |
| 703B002 | 45 | SQFT | Traffic Control Legends, Class 2, Type A |
| 703D001 | 288 | SQFT | Temporary Traffic Control Markings |
| 705A030 | 10 | Each | Pavement Markers, Class A-H, Type 2-C |
| 705A032 | 127 | Each | Pavement Markers, Class A-H, Type 1-B |
| 705A037 | 329 | Each | Pavement Markers, Class A-H, Type 2-D |
| 740B000 | 816 | SQFT | Construction Signs |

| Item No. | Quantity | Units | Description |
|-----------------|-----------------|--------------|---|
| 740D000 | 200 | Each | Channelizing Drums |
| 740E000 | 200 | Each | Cones (36 Inches High) |
| 740M001 | 200 | Each | Ballast For Cone |
| 740O000 | 1 | Each | Pilot Car |
| 741C010 | 2 | Each | Portable Sequential Arrow And Chevron Sign Unit |