

**Alabama Department of Transportation  
Proposal Item Summary**

**035. STPSU-5221(251)**

**MORGAN COUNTY**

Contract Time: 40 Working Days

DBE Goal Percent: 1.50

for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on Bethel Road from the junction of Lynnwood Circle to the junction of Kimberly Street (Site 1); on Cave Springs Road from the intersection of Bethel Road to the junction of Sunset Acres Avenue (Site 2); and on Skidmore Road from the junction of SR-67 to the junction of Cave Springs Road (Site 3) in Priceville. Length 5.071 mi.

The Bracket Estimate on this project is from \$1,339,730 to \$1,637,447.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

*The Principal Items of work are approximately as follows:*

| Item No. | Quantity | Units | Description   |
|----------|----------|-------|---|
| 305B077  | 1,025    | Ton   | Crushed Aggregate, Section 825, For Miscellaneous Use   |
| 401B108  | 33,459   | SQYD  | Bituminous Treatment G (With Polymer Additive)  |
| 405A000  | 3,800    | Gal   | Tack Coat   |
| 408B000  | 8,434    | SQYD  | Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)                                      |
| 408B001  | 8,835    | SQYD  | Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)                                      |
| 424A340  | 5,225    | Ton   | Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B        |
| 424B635  | 1,180    | Ton   | Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B           |
| 424B640  | 1,584    | Ton   | Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B   |
| 424B642  | 609      | Ton   | Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B |
| 430B042  | 993      | Ton   | Aggregate Surfacing (Crushed Aggregate Base, Type A)  |
| 600A000  | 1        | LS    | Mobilization  |
| 641S500  | 17       | Each  | Valve Box Reset   |
| 698A000  | 1        | LS    | Construction Fuel (Maximum Bid Limited to \$ 70,600.00)   |
| 701A227  | 11       | Mile  | Solid White, Class 2, Type A Traffic Stripe (5" Wide)   |
| 701A230  | 8        | Mile  | Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)  |
| 701A244  | 2        | Mile  | Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)   |
| 701B207  | 675      | LF    | Dotted, Class 2, Type A Traffic Stripe (5" Wide)  |
| 701C000  | 5        | Mile  | Broken Temporary Traffic Stripe   |
| 701C001  | 46       | Mile  | Solid Temporary Traffic Stripe  |
| 703A002  | 1,650    | SQFT  | Traffic Control Markings, Class 2, Type A   |
| 703B002  | 50       | SQFT  | Traffic Control Legends, Class 2, Type A  |
| 703D001  | 1,025    | SQFT  | Temporary Traffic Control Markings  |
| 705A032  | 38       | Each  | Pavement Markers, Class A-H, Type 1-B   |
| 705A037  | 563      | Each  | Pavement Markers, Class A-H, Type 2-D   |
| 705A038  | 55       | Each  | Pavement Markers, Class A-H, Type 2-E   |
| 730H001  | 700      | LF    | Loop Wire   |
| 740B000  | 1,974    | SQFT  | Construction Signs  |
| 740D000  | 250      | Each  | Channelizing Drums  |
| 740E000  | 250      | Each  | Cones (36 Inches High)  |
| 740M001  | 250      | Each  | Ballast For Cone  |
| 740O000  | 1        | Each  | Pilot Car   |