



ALABAMA

Department of Transportation

www.dot.state.al.us



Revised Notice to Contractors Transportation Letting December 7, 2007 10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.850.5328
cell: 334.850.5988

Special Notice to Contractors

Project No. ER – STPAA - 8700 (901) Mobile and Baldwin Counties Fog Warning System Repair On Interstate 10

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10:00 a.m. on December 7, 2007, and at that time publicly opened and read for constructing the Fog Warning System Repair on Interstate 10 in Mobile and Baldwin Counties.

The scope of the project includes the installation of various ITS components including, but not limited to, dynamic message signs, fiber optic cable, video cameras, radar vehicle detectors, and visibility sensors along with the required software integration for those devices. Specific information regarding the project is contained on the plans, specifications and special provisions.

A mandatory pre-bid conference is scheduled to be held in the Conference Room of the Alabama Department of Transportation Ninth Division Office, 1701 West I-65 Service Road North, Mobile, Alabama on November 9, 2007, at 10:00 a.m.

In order to be eligible to bid for this project, prospective bidders must successfully complete a special two step prequalification process and attend the mandatory pre-bid conference.

Step 1 – The prospective bidder must hold a valid qualification certificate for the ITS work classification and thus be on the Alabama Department of Transportation Pre-qualified Prime Contractors List. Prospective bidders not currently holding this certificate must successfully complete a Confidential Financial Statement, Equipment and Experience Questionnaire, available online at www.dot.alabama.gov and at the ALDOT Bureau of Office Engineer (334.242.6441).

A bid package will be made available, at cost, to any prospective bidder who has successfully completed Step 1 listed above. This package will include a bidding proposal, a bidding diskette, a plan set, and the Special Contractor Prequalification Questionnaire for the Fog Warning System Repair on Interstate 10.

Step 2 – The prospective bidder must complete and return the Special Contractor Pre-qualification Questionnaire for the Fog Warning System Repair On Interstate 10 and thus provide evidence of having successfully completed at least two projects since 2000 that include the procurement, installation, testing, and integration of three or more different types of ITS components of comparable complexity to those used on this project. ITS components are such items as (but not limited to): dynamic

or variable message signs, vehicle detection (radar, optical, magnetic), component communication (wireless or optic communications), fog detectors and cameras (fixed or ptz). Contractors with poor prior performance will not be pre-qualified to bid this project. Successful completion is herein defined as all ITS components installed, tested, and operational to the satisfaction of the Owner.

The Special Contractor Pre-qualification Questionnaire for the Fog Warning System Repair on Interstate 10 must be returned to the ALDOT Bureau of Office Engineer no later than November 9, 2007, which is twenty-eight (28) days prior to bid opening. Each questionnaire will be evaluated based upon the number of qualifying successfully completed projects. Each prospective bidder will be notified of the results of the evaluation within fourteen (14) days of the date of receipt of the questionnaire by the Department. The prospective bidder must answer all questions and provide all information requested in the Special Contractor Prequalification Questionnaire for the Fog Warning System Repair on Interstate 10 in order to be considered for prequalification as a valid bidder. Questionnaires must be signed by an authorized signatory of the prospective bidder and witnessed by a notary public.

Bids will not be received from any contractor who has not successfully completed the special two step prequalification process and attended the mandatory pre-bid conference.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, reading "Ronald L. Baldwin".

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E. *Terry McDuffie*
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature
Name: _____
please print
Title: _____
Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

M.G.D. Miller

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

1. Project Number:						2. County:		3. Division:		
4. Prime Contractor:						5. DBE:				
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:						
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date	16. Amount Performed to Date		
Pay Item No.	Item Description									
17. Comments:		18. Total:								19. Total:
20. Signature of Authorized Representative:										Date Signed

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number	Instructions
1.	ALDOT Project Number
2.	County
3.	Division
4.	Prime Contractor for the Project
5.	DBE for this Report
6.	Date of Report
7.	ALDOT Estimate Number
8.	Work Period for this Estimate (Beginning Date - Ending Date)
9.	Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10.	Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11.	Unit Price of Work
12.	Units
13.	Units of Work Accomplished this Period
14.	Amount Performed for this Period (Block 11 times Block 13)
15.	Units Performed to Date
16.	Amount Performed to Date (Block 11 times Block 15)
17.	Comments Pertinent to this DBE-10
18.	Total of Amounts in Block 14
19.	Total of Amounts in Block 16
20.	Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

- Submittals:
- 1) Invoices are required for all supplier and manufacturer credit.
 - 2) Tickets are required for all "Stocking the Plant" hauling.
 - 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.
- Notes:
- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
 - 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
 - 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: _____ Contractor Name: _____
 Letting Date: _____ Address: _____
 Contract Amount: _____
 Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

In accordance with 49 CFR Part 26.1.11, the Alabama Department of Transportation will establish its State Disadvantaged Business Enterprise (DBE) goal using Bidders' Lists of Quoters. These Bidders' Lists of Quoters will be used to determine the relative availability of DBE's and Non-DBE's. Each Bidder's List of Quoters is a compilation of quoters who have submitted quotes to the Bidder during the advertising period. Subsequent to notification as Apparent Low Bidder, the Bidder must submit an updated Form HR-DBE prior to award of contract. Form HR-DBE will accompany Form OE-110 (DBE Utilization Plan) if appropriate.

Each time Form HR-DBE is submitted to the Department, the Bidder shall list the quoters for the project, using additional sheets if necessary. The listing shall include EACH quoter's name, business location, telephone number and whether or not the quoter is an Alabama certified DBE. **FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RENDER THE BID NON-RESPONSIVE AND THE BID MAY BE REJECTED.**

The term "quoter" shall include all subcontractors, manufacturers, and suppliers of materials.

Providing the listing of quoters in compliance with these provisions shall not be a substitute for the requirements of Subcontractors Fair Practices Act, Chapter 18, Laws of 1988, Sections 13-4-31 through 13-4-43.

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failures?

Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.

In the event of diskette failure the night before the letting please call the following numbers for assistance:

334-850-5328

334-850-5988

2.1.2007.3



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 5, 2007

Re: 2008 Calendar Year
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 5, 2007

Re: **2008 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a **\$40.00** per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060**

2008 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2008 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2008. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to **"Alabama Department of Transportation"** to:

**Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060**

Company Name: _____

Shipping Address: _____

Quantity: _____	x \$125.00 per U.S. Book =	\$ _____
_____	x \$125.00 per Metric Book =	\$ _____
_____	x \$25.00 per Compact Disk =	\$ _____
Total:		\$ _____

Delivery Options (Select One)

_____ Standard UPS Ground

_____ Overnight, Provide Shipping Acct Number: _____

_____ Pick up

December 07, 2007

COMPANY NAME: _____ BY: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

MAIL ADDRESS: _____

CITY, STATE, ZIP: _____ PHONE: _____

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA.	NON-BID DISKETTE \$5.00 EA.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 66.00	_____	001 ERF-STPAAF-8700(901) , MOBILE ,ETC.
_____	_____	_____	\$ 91.00	_____	008 EBF-BRF-0006(516) , TUSCALOOSA
_____	_____	_____	\$ 33.00	_____	009 BR-0013(508) , MARENGO
_____	_____	_____	\$ 5.00	_____	012 HPP-NHF-1602(514) , PERRY
_____	_____	_____	\$ 19.00	_____	018 BR-0022(502) , CHILTON
_____	_____	_____	\$ 21.00	_____	019 BR-0052(501) , GENEVA
_____	_____	_____	\$ 7.00	_____	020 BRZ-0200(212) , BALDWIN
_____	_____	_____	\$ 12.00	_____	021 BRZ-HRRR-3800(208) ,ETC. , LAMAR
_____	_____	_____	\$ 15.00	_____	023 EB-HSIP-0014(514) , AUTAUGA
_____	_____	_____	\$ 2.00	_____	027 HRRR-CN08(203) , MARSHALL
_____	_____	_____	\$ 2.00	_____	028 HRRR-CN08(204) , CALHOUN
_____	_____	_____	\$ 2.00	_____	029 HRRR-CN08(208) , LAUDERDALE
_____	_____	_____	\$ 2.00	_____	030 HRRR-CN08(210) , BLOUNT
_____	_____	_____	\$ 2.00	_____	031 HRRR-CN08(211) , ELMORE
_____	_____	_____	\$ 3.00	_____	032 HRRR-CN08(213) , HENRY
_____	_____	_____	\$ 3.00	_____	033 HRRR-CN08(215) , PIKE
_____	_____	_____	\$ 4.00	_____	034 HSIP-0017(518) , LAMAR
_____	_____	_____	\$ 2.00	_____	040 EB-0010(516) , MARENGO
_____	_____	_____	\$ 2.00	_____	041 EB-0017(519) , SUMTER
_____	_____	_____	\$ 2.00	_____	042 EB-0017(520) ,ETC. , CHOCTAW
_____	_____	_____	\$ 3.00	_____	043 EB-0021(519) , MONROE
_____	_____	_____	\$ 3.00	_____	045 STPAA-0161(500) , BALDWIN
_____	_____	_____	\$ 32.00	_____	049 STPHV-8556(600) , MADISON
_____	_____	_____	\$ 3.00	_____	050 STPNU-1820(200) , CONECUH
_____	_____	_____	\$ 3.00	_____	051 STPNU-1823(201) , CONECUH
_____	_____	_____	\$ 4.00	_____	053 STPNU-5404(201) , PICKENS
_____	_____	_____	\$ 5.00	_____	056 STPOA-6019(200) , SUMTER
_____	_____	_____	\$ 6.00	_____	058 STPOA-HRRR-2711(202) , ESCAMBIA
_____	_____	_____	\$ 2.00	_____	060 STPSA-0012(526) ,ETC. , MONROE
_____	_____	_____	\$ 8.00	_____	063 ST-065-013-003 , WASHINGTON
_____	_____	_____	\$ 9.00	_____	067 99-307-162-248-804 , COFFEE

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2007 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2007 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2007 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	_____	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK
MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
TERRY W. ROBINSON - ROOM E-108
MONTGOMERY, ALABAMA 36110
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
ERF-STPAAF-8700(901)
MOBILE AND BALDWIN COUNTIES, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

FOG WARNING SYSTEM REPAIR ON I-10 ACROSS MOBILE BAY

The Length Of This Project Is: 10.661 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By August 14, 2009.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 66.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

A mandatory pre-bid conference is scheduled to be held in the Conference Room of the Alabama Department of Transportation Ninth Division Office, 1701 West I-65 Service Road North, Mobile, Alabama on November 9, 2007, at 10:00 A.M.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$8,000,000 To \$10,000,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
734A009	1650 Linear Foot Cable OSP, Loose Tube, 12F SM
734A012	700 Linear Foot Cable OSP, Loose Tube, 36F SM
734A015	87470 Linear Foot Cable OSP, Loose Tube, 72F SM
734B007	4840 Linear Foot Drop Cable OSP 12F SM Central Core
734E021	3080 Linear Foot Buried Duct HDPE SDR11 2 Inch
734E023	905 Linear Foot Buried Duct HDPE SDR11 3 Inch
734E037	6450 Linear Foot Conduit PVC Schedule 80 2 Inch
734E038	120010 Linear Foot Conduit PVC Schedule 80 3 Inch
734F001	7 Each Distribution Hardware PFDU 72 Fiber
734F003	2 Each Distribution Hardware SFDU 24 Fiber
734F005	66 Each Distribution Hardware SFDU 6 Fiber
734F010	1 Each Equipment Racks And Bays
734G005	38 Each Splice Closure, Aerial With Trays
734G009	1170 Each Splicing, Fusion
734G100	2 Each Splice Closure, Undergrade, 12 Fiber
734H012	51 Each Patch Cord Simplex SM ST 3 Meter
734H025	260 Each Patch Cord Duplex SM, ST To FC 2 Meter
734H026	6 Each Patch Cord Duplex SM, ST To FC 5 Meter
734I900	36 Each ITS Cabinet, 303 Pole Mount
734I901	16 Each ITS Cabinet, 336S Base Mount

734I910	1	Each ITS Cabinet, Double Crossover
734I911	1	Each ITS Cabinet, Single Crossover
734J000	11	Each Commbox F1
734J004	110	Each Pull Box (36 In X 36 In X 24 In) Alum
734N050	60	Each Ethernet Field Switch, Type A
734N051	6	Each Ethernet Field Switch, Type B
734N052	1	Each Ethernet Gigabit Network Switch
734N900	29	Each Video Encoder
734N901	29	Each Video Decoder
734S100	16325	Each Conduit Hanger, Special Bridge Mount
734T110	1	Lump Sum Testing, Fiber Optic Systems
734T120	1	Lump Sum Training, Fiber Optic Systems
737A100	5	Each Dynamic Message Sign, Full Matrix, Walk In
737A101	2	Each Dynamic Message Sign, Full Matrix, Front Access
737A102	24	Each Dynamic Message Sign, Full Color, Led, 4' x 5'
737A103	2	Each Dynamic Message Sign, Full Color, Blankout, 4' x 5'
737T110	1	Lump Sum Testing, Dynamic Message Sign
737T120	1	Lump Sum Training, Dynamic Message Sign
737T130	1	Lump Sum Software Integration, Dynamic Message Sign
738A001	22	Each CCTV Camera, Fixed
738A010	27	Each CCTV Camera Assembly, PTZ
738B030	8	Each Pole, Relocate Light Pole For CCTV
738T110	1	Lump Sum Testing, CCTV
738T120	1	Lump Sum Training, CCTV
738T130	1	Lump Sum Software Intergration, CCTV
739B010	23	Each Radar Vehicle Detection Assembly
739T110	1	Lump Sum Testing, Radar Vehicle Detection
739T120	1	Lump Sum Training, Radar Vehicle Detection
739T130	1	Lump Sum Software Integration, Radar Vehicle Detection
740B000	1757	Square Foot Construction Signs
740C000	109	Square Foot Special Construction Signs
740D000	120	Each Channelizing Drums
740E000	120	Each Cones (36 Inches High)
740F002	5	Each Barricades, Type III
740I005	3	Each Warning Lights, Type B (Detachable Head)
740M001	120	Each Ballast For Cone
741C001	2	Each Portable Sequential Arrow And Chevron Sign Unit (Truck Mounted)
741C010	6	Each Portable Sequential Arrow And Chevron Sign Unit
742A000	2	Each Portable Changeable Message Signs, Type 1 (Truck Mounted)
743J000	1	Lump Sum PLC Remote Station, Site E1
743J001	1	Lump Sum PLC Remote Station, Site E2
743J002	1	Lump Sum PLC Remote Station, Site E4
743J003	1	Lump Sum PLC Remote Station, Site E5
743J004	1	Lump Sum PLC Remote Station, Site E6
743J005	1	Lump Sum PLC Remote Station, Site E7
743J006	1	Lump Sum PLC Remote Station, Site W1
743J007	1	Lump Sum PLC Remote Station, Site W3
743J008	1	Lump Sum PLC Remote Station, Site W4
743J009	1	Lump Sum PLC Remote Station, Site Master
743J010	1	Lump Sum PLC Remote Station, Site Master
743J011	1	Lump Sum PLC Remote Station, Site W5
743J012	1	Lump Sum PLC Remote Station, Site Spare
743J013	1	Lump Sum PLC Remote Station, Site W7
743J014	1	Lump Sum PLC Remote Station, Site W8
743J015	1	Lump Sum PLC Remote Station, Site W9
743L000	40875	Linear Foot Power Cable
743M000	11	Each 5KV Splice And Termination
743M010	2	Each 5 KV In-Line Or T-Splice Termination
743M020	103	Each 5 KV Pull Box
743M025	8	Each Low Voltage Pull Box
743N010	11	Each Transformer, 15KVA, Bridge Mount
743P010	15	Each Remote Load Center
743T110	1	Lump Sum Testing, Programmable Logic Controller
743T120	1	Lump Sum Training, Programmable Logic Controller
743T130	1	Lump Sum Software Integration, Programmable Logic Controller
756A022	410	Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation
998A000	1	Lump Sum Construction Fuel (Maximum Bid Limited To \$ 250,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EBF-BRF-0006(516)
TUSCALOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

ADDITIONAL LANES (PAVEMENT, PARTIAL GRADE & DRAIN & BRIDGES) ON
SR-6 (US-82) FROM EAST OF CR-15 TO EAST OF THE SIPSEY RIVER
NORTH OF BUHL

The Length Of This Project Is: 2.821 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Four Hundred Fifty (450) Working Days.

A 8.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 91.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$18,900,000 To \$23,100,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 30 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 196+45.00
206A001	1 Lump Sum Removal Of Old Bridge, Station 212+50.0
206A002	1 Lump Sum Removal Of Old Bridge, Station 229+85.00
206A003	1 Lump Sum Removal Of Old Bridge, Station 237+24.00
206A004	1 Lump Sum Removal Of Old Bridge, Station 246+58.00
206A005	1 Lump Sum Removal Of Old Bridge, Station 258+26.00
206A006	1 Lump Sum Removal Of Old Bridge, Station 268+08.00
206D000	233 Linear Foot Removing Pipe
206D001	3517 Linear Foot Removing Guardrail
210A000	66980 Cubic Yard Unclassified Excavation
210D011	7370 Cubic Yard Borrow Excavation (A-4 Or Better)
210D025	37749 Cubic Yard Borrow Excavation (Improved Roadbed)
214A000	1474 Cubic Yard Structure Excavation
214B001	264 Cubic Yard Foundation Backfill, Commercial
219A000	8704 Ton Rock Buttress For Landslide Correction
219B000	635 Linear Foot Special Underdrain 6 Inch Diameter

219C001	2620	Square Yard Special Filter Blanket, Fabric, Woven
230A000	376	Roadbed Station Roadbed Processing
301A004	31942	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4" Compacted Thickness
301A008	109679	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
301A012	110127	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
302A000	24117	Square Yard Full Depth Reclamation, 6"
302B000	266	Ton Portland Cement For Full Depth Reclamation
305B077	200	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
327E000	75857	Ton Permeable Asphalt Treated Base
401A000	32588	Square Yard Bituminous Treatment A
401A043	80805	Square Yard Bituminous Treatment AE
401B100	16211	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	20452	Gallon Tack Coat
408A051	16211	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A058	999	Square Yard Planing Existing Pavement (Approximately 7.10" Thru 8.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A281	7585	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A287	50	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A290	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A361	2758	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	132	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B281	15445	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B285	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B289	361	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
424B292	1696	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E
424B581	26187	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B651	29331	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	208	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	6961	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	480	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	54264	Linear Foot Scoring Bituminous Pavement Surface By Cutting
450B000	1280	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	244755	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 196+34.50 Approx. 37905 lbs.
502B001	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 211+98.51 Approx. 74700 lbs.
502B002	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 229+67.50 Approx. 63215 lbs.
502B003	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 236+73.01 Approx. 57000 lbs.
502B004	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 246+44.00 Approx. 50560 lbs.
502B005	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 258+15.74 Approx. 83600 lbs.
505A002	6	Each Steel Test Piles (HP 12x53)
505A005	4	Each Steel Test Piles (HP 14x89)
505B057	6	Each Static Loading Tests (HP 12x53)
505B060	4	Each Static Loading Tests (HP 14x89)
505B087	6	Each Dynamic Loading Tests (HP 12x53)
505B090	4	Each Dynamic Loading Tests (HP 14x89)

505M002	5102	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
505M005	3318	Linear Foot Steel Piling Furnished And Driven (HP 14x89)
506A000	286	Linear Foot Drilled Shaft Excavation, 4'-6" Diameter
506A003	250	Linear Foot Drilled Shaft Excavation, 5'-0" Diameter
506C043	286	Linear Foot Drilled Shaft Construction, 4'-6" Diameter, Class DS1 Concrete
506C044	250	Linear Foot Drilled Shaft Construction, 5'-0" Diameter, Class DS1 Concrete
506F001	109	Linear Foot Permanent Drilled Shaft Casing, 4'-6" Diameter
506F006	94	Linear Foot Permanent Drilled Shaft Casing, 5'-0" Diameter
506G003	4	Each Crosshole Sonic Logging, 4'-6" Diameter
506G004	4	Each Crosshole Sonic Logging, 5'-0" Diameter
508A000	52540	Pound Structural Steel
510A000	1050	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Station 196+34.50 Approx. 145 cu. yds.
510C052	1	Lump Sum Bridge Concrete Superstructure, Station 211+98.51 Approx. 361 cu. yds.
510C053	1	Lump Sum Bridge Concrete Superstructure, Station 229+67.50 Approx. 243 cu. yds.
510C054	1	Lump Sum Bridge Concrete Superstructure, Station 236+73.01 Approx. 243 cu. yds.
510C055	1	Lump Sum Bridge Concrete Superstructure, Station 246+44.00 Approx 194 cu. yds.
510C056	1	Lump Sum Bridge Concrete Superstructure, Station 258+15.74 Approx. 436 cu. yds.
510E000	4968	Square Yard Grooving Concrete Bridge Decks
511A050	204	Each Elastomeric Bearing Type 2 (Mark B1)
511A053	72	Each Elastomeric Bearing Type 2 (Mark B4)
513B003	4085	Linear Foot Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)
513B015	2509	Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-54 (Specialty Item)
513B017	777	Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-72 (Specialty Item)
530A001	433	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	421	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	35	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A005	17	Linear Foot 42" Roadway Pipe (Class 3 R.C.)
530A155	274	Linear Foot 24" Roadway Pipe (14 Gauge C.C.S.)
530A600	494	Linear Foot 15" Roadway Pipe (14 Gauge C.S.) (Temporary)
530A601	277	Linear Foot 18" Roadway Pipe (14 Gauge C.S.) (Temporary)
530B002	76	Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
535A001	60	Linear Foot 18" Side Drain Pipe
535A002	60	Linear Foot 24" Side Drain Pipe
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
605A002	46921	Linear Foot Pavement Edge Drain (Aggregate Filled Underdrain)
605B000	104	Each Special Underdrain Outlet, Type A
606A000	500	Linear Foot 6" Underdrain Pipe
610C001	1908	Ton Loose Riprap, Class 2
610D003	1502	Square Yard Filter Blanket, Geotextile
614A000	575	Cubic Yard Slope Paving
619A002	1	Each 18" Roadway Pipe End Treatment, Class 1
619A003	1	Each 24" Roadway Pipe End Treatment, Class 1
619A004	1	Each 30" Roadway Pipe End Treatment, Class 1
619A056	1	Each 42" Roadway Pipe End Treatment, Class 2
619A101	2	Each 18" Side Drain Pipe End Treatment, Class 1
619A102	2	Each 24" Side Drain Pipe End Treatment, Class 1
619B017	1	Each 29" Span, 18" Rise Roadway Pipe End Treatment, Class 1
620A000	1	Cubic Yard Minor Structure Concrete
621A000	3	Each Junction Boxes, Type 1, 1P Or 5
621A010	5	Each Junction Boxes, Type 3
621A013	1	Each Junction Boxes, Type Special
621A058	3	Each Junction Boxes, Type 3 (Modified)
621C020	10	Each Inlets, Type Y
621C024	6	Each Inlets, Type C Or P1
621C068	22	Each Inlets, Type Y (Partial)
621C132	1	Each Inlets, Type Y (Modified)
621D019	18	Each Inlet Units, Type Y
621D033	4	Each Inlet Units, Type C Or P1
621I000	3	Each Stilling Basins, Type 00
630A001	5958	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	3	Each Guardrail End Anchor, Type 8
630C003	36	Each Guardrail End Anchor, Type 13
630C050	39	Each Guardrail End Anchor, Type 20 Series
650A000	17747	Cubic Yard Topsoil
652A100	33	Acre Seeding

652C000	33 Acre Mowing
654A001	7408 Square Yard Solid Sodding (Bermuda)
656A010	33 Acre Mulching
659A048	282 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	10 Acre Temporary Seeding
665B000	10 Acre Temporary Mulching
665I000	1713 Ton Temporary Riprap, Class 2
665J000	38279 Linear Foot Silt Fence, Type A
665L000	3752 Linear Foot Floating Basin Boom
665O001	38279 Linear Foot Silt Fence Removal
665Q002	3690 Linear Foot Wattle
666A001	33 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
701A227	7 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	6 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	3322 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	8 Mile Solid Temporary Traffic Stripe
701D007	8 Mile Solid Traffic Stripe Removed (Paint)
701E006	1764 Linear Foot Solid Temporary Traffic Stripe (Removable Tape)
701G142	1764 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1764 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	1764 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	500 Square Foot Traffic Control Markings, Class 2, Type A
703B002	292 Square Foot Traffic Control Legends, Class 2, Type A
703D001	142 Square Foot Temporary Traffic Control Markings
703E001	157 Square Foot Temporary Traffic Control Legends
705A011	1542 Each Pavement Markers, Class C, Type 1-A
705A012	497 Each Pavement Markers, Class C, Type 1-B
705A023	354 Each Pavement Markers, Class C, Type 2-D
705A024	652 Each Pavement Markers, Class C, Type 2-E
705A030	8 Each Pavement Markers, Class A-H, Type 2-C
705A031	366 Each Pavement Markers, Class A-H, Type 1-A
705A037	3 Each Pavement Markers, Class A-H, Type 2-D
707B009	2 Each Type A Hazard Marker Installation (Temporary)
710A115	30 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	141 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	351 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	1467 Square Foot Construction Signs
740C000	164 Square Foot Special Construction Signs
740D000	652 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	40 Each Barricades, Type III
740I005	20 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 1,003,000.00)
999 000	3320 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-0013(508)
MARENGO COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (BRIDGE CULVERT) AND APPROACHES ON SR-13
(US-43) AT SPRINGFIELD CREEK IN LINDEN

The Length Of This Project Is: 0.510 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Thirty
(130) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 33.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,600,000 To \$1,900,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1	Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 8 Acres)
206B000	1	Lump Sum Removal Of Old Box Culvert, Station 57+91.22
210A000	23256	Cubic Yard Unclassified Excavation
210D000	26556	Cubic Yard Borrow Excavation
210D011	2400	Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	945	Cubic Yard Structure Excavation
214B001	1395	Cubic Yard Foundation Backfill, Commercial
231B001	650	Ton Roadbed Stabilizing Material, ALDOT #467
235A000	1	Lump Sum Detour Bridge At Station 12+06.42
401A047	4731	Square Yard Bituminous Treatment A, MC-70
405A000	1000	Gallon Tack Coat
424A360	825	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	250	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	841	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	250	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B659	2070	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	375	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	5400	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B000	100	Ton Aggregate Surfacing (ALDOT #467 Or #57)
502A000	44973	Pound Steel Reinforcement
505A002	1	Each Steel Test Piles (HP 12x53)
505B057	1	Each Static Loading Tests (HP 12x53)
505M002	420	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
524A011	316	Cubic Yard Culvert Concrete (Cast In Place)
530A001	70	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A101	42	Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
535A080	444	Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
535A411	48	Linear Foot 18" Side Drain Pipe (Class 3 R.C.) (Extension)
600A000	1	Lump Sum Mobilization
610C001	1293	Ton Loose Riprap, Class 2
610D003	780	Square Yard Filter Blanket, Geotextile
619A101	22	Each 18" Side Drain Pipe End Treatment, Class 1
620A000	2	Cubic Yard Minor Structure Concrete
630A001	375	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4	Each Guardrail End Anchor, Type 13
630C070	8	Each Guardrail End Anchor, Type 10 Series
645J500	1	Each Manhole Cone Reset
650A000	150	Cubic Yard Topsoil
650B000	5470	Cubic Yard Topsoil From Stockpiles
652A100	7	Acre Seeding
656A010	7	Acre Mulching
665A000	7	Acre Temporary Seeding
665B000	7	Acre Temporary Mulching
665F000	200	Each Hay Bales
665I000	80	Ton Temporary Riprap, Class 2
665J000	6000	Linear Foot Silt Fence, Type A
665K000	470	Cubic Yard Drainage Sump Excavation
665O001	6000	Linear Foot Silt Fence Removal
665Q002	1500	Linear Foot Wattle
666A001	7	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
701A227	1	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	1	Mile Broken Temporary Traffic Stripe (Paint)
701C003	3	Mile Solid Temporary Traffic Stripe (Paint)
703A002	24	Square Foot Traffic Control Markings, Class 2, Type A
703B002	165	Square Foot Traffic Control Legends, Class 2, Type A
703D002	144	Square Foot Temporary Traffic Control Markings (Paint)
703E002	493	Square Foot Temporary Traffic Control Legends (Paint)
705A011	140	Each Pavement Markers, Class C, Type 1-A
705A023	56	Each Pavement Markers, Class C, Type 2-D
705A032	25	Each Pavement Markers, Class A-H, Type 1-B
705A037	40	Each Pavement Markers, Class A-H, Type 2-D
707B010	4	Each Type B Hazard Marker Installation (Temporary)
740B000	411	Square Foot Construction Signs
740C000	32	Square Foot Special Construction Signs
740D000	100	Each Channelizing Drums
740E000	200	Each Cones (36 Inches High)
740F002	8	Each Barricades, Type III
740I005	4	Each Warning Lights, Type B (Detachable Head)
740L005	50	Each Vertical Panel, Type I (Double-Sided)
740M001	200	Each Ballast For Cone
998A000	1	Lump Sum Construction Fuel (Maximum Bid Limited To \$ 79,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HPP-NHF-1602(514)
PERRY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-5 FROM CR-0062 TO
NORTH OF SR-183 SOUTHWEST OF MARION

The Length Of This Project Is: 3.950 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,100,000 To \$1,300,000
The Principal Items Of Work Are Approximately As Follows:

206D000	184 Linear Foot Removing Pipe
206D010	80 Linear Foot Removing Safety Barrier
209A000	8 Each Mailbox Reset, Single
209A001	1 Each Mailbox Reset, Double
210D021	1545 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	418 Station Machine Grading Shoulders
214A000	102 Cubic Yard Structure Excavation
214B001	37 Cubic Yard Foundation Backfill, Commercial
305B077	500 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	4821 Gallon Tack Coat
408A051	55616 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
410H000	1 Each Material Remixing Device
424A361	4310 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	4928 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	800 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
502A000	6976 Pound Steel Reinforcement

524A011	68 Cubic Yard Culvert Concrete (Cast In Place)
530A101	14 Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A102	24 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530A105	17 Linear Foot 42" Roadway Pipe (Class 3 R.C.) (Extension)
535A301	330 Linear Foot 18" Side Drain Pipe (Extension)
535A302	24 Linear Foot 24" Side Drain Pipe (Extension)
600A000	1 Lump Sum Mobilization
619A002	2 Each 18" Roadway Pipe End Treatment, Class 1
619A003	2 Each 24" Roadway Pipe End Treatment, Class 1
619A056	1 Each 42" Roadway Pipe End Treatment, Class 2
619A101	33 Each 18" Side Drain Pipe End Treatment, Class 1
619A102	2 Each 24" Side Drain Pipe End Treatment, Class 1
620A000	16 Cubic Yard Minor Structure Concrete
652A100	6 Acre Seeding
656A010	6 Acre Mulching
665J000	3950 Linear Foot Silt Fence, Type A
665O001	3950 Linear Foot Silt Fence Removal
665Q002	1000 Linear Foot Wattle
666A001	6 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	4 Mile Broken Temporary Traffic Stripe (Paint)
701C003	3 Mile Solid Temporary Traffic Stripe (Paint)
703A002	144 Square Foot Traffic Control Markings, Class 2, Type A
703D002	144 Square Foot Temporary Traffic Control Markings (Paint)
705A032	166 Each Pavement Markers, Class A-H, Type 1-B
705A037	259 Each Pavement Markers, Class A-H, Type 2-D
740B000	710 Square Foot Construction Signs
740C000	32 Square Foot Special Construction Signs
740D000	200 Each Channelizing Drums
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 59,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-0022(502)
CHILTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON SR-22 AT BENSON CREEK EAST
OF MAPLESVILLE

The Length Of This Project Is: 0.477 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Fifty (150) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 19.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,160,000 To \$2,640,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 9 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 17+95.0
206D001	682 Linear Foot Removing Guardrail
206D011	4230 Linear Foot Removing Fence
210A000	14686 Cubic Yard Unclassified Excavation
210C000	500 Cubic Yard Muck Excavation
210D011	22299 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	151 Cubic Yard Structure Excavation
214B000	83 Cubic Yard Foundation Backfill, Local
230A000	30 Roadbed Station Roadbed Processing
235A000	1 Lump Sum Detour Bridge At Station 118+37
301A008	4415 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
301A010	2119 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5.5" Compacted Thickness
301A012	4858 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
305B077	100 Ton Crushed Aggregate, Section 825, For Miscellaneous Use

401A000 8887 Square Yard Bituminous Treatment A
 401B106 2098 Square Yard Bituminous Treatment JG (With Polymer Additive)
 405A000 438 Gallon Tack Coat
 424A360 645 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424A363 50 Ton Superpave Bituminous Concrete Wearing Surface Layer,
 Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424A366 50 Ton Superpave Bituminous Concrete Wearing Surface Layer,
 Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424B651 1046 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B659 50 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B662 278 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B681 346 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 450B000 134 Square Yard Reinforced Cement Concrete Bridge End Slab
 502A000 68754 Pound Steel Reinforcement
 502B000 1 Lump Sum Steel Reinforcement For Bridge Superstructure,
 Sta. 17+40.0 Approx. 57,200 Lbs.
 505A002 1 Each Steel Test Piles (HP 12x53)
 505B057 1 Each Static Loading Tests (HP 12x53)
 505B087 1 Each Dynamic Loading Tests (HP 12x53)
 505M002 926 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
 506A005 306 Linear Foot Drilled Shaft Excavation, 3'-6" Diameter
 506C041 306 Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete
 506F000 92 Linear Foot Permanent Drilled Shaft Casing, 3'-6" Diameter
 506G001 4 Each Crosshole Sonic Logging, 3'-6" Diameter
 508A000 7831 Pound Structural Steel
 510A000 142 Cubic Yard Bridge Substructure Concrete, Class A
 510C051 1 Lump Sum Bridge Concrete Superstructure, Sta. 17+40.0, Approx. 229 Cu Yds
 510E000 734 Square Yard Grooving Concrete Bridge Decks
 511A051 40 Each Elastomeric Bearing Type 2 (Mark B2)
 513B004 966 Linear Foot Pretensioned-Prestressed Concrete Girders, Type II (Specialty Item)
 524B011 93 Cubic Yard Culvert Concrete Extension (Cast In Place)
 530A495 58 Linear Foot 24" Roadway Pipe (14 Gauge C.M.) (Temporary)
 535A080 100 Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
 535A086 48 Linear Foot 30" Side Drain Pipe (Class 3 R.C.)
 535A101 52 Linear Foot 18" Side Drain Pipe (14 Gauge C.M.)
 535A103 60 Linear Foot 30" Side Drain Pipe (14 Gauge C.M.)
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 15 Each Right Of Way Markers
 606A000 1000 Linear Foot 6" Underdrain Pipe
 610C001 1833 Ton Loose Riprap, Class 2
 610D003 1443 Square Yard Filter Blanket, Geotextile
 619A101 6 Each 18" Side Drain Pipe End Treatment, Class 1
 619A128 4 Each 30" Side Drain Pipe End Treatment, Class 2
 630A001 300 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C003 8 Each Guardrail End Anchor, Type 13
 630C050 8 Each Guardrail End Anchor, Type 20 Series
 635A000 1077 Linear Foot Woven Wire Fence
 636A000 3812 Linear Foot Barbed Wire Fence, 4 Strands, 4 Feet High
 637A000 1359 Linear Foot Fence Reset
 641A682 65 Linear Foot 6 Inch Ductile Iron Water Main Laid (Restrained Joint)
 641A746 1875 Linear Foot 6 Inch P.V.C. Water Main Laid
 641C500 600 Pound Ductile Iron Fittings
 641J516 2 Each 6 Inch Gate Valve With Box
 641L500 7 Cubic Yard Concrete for Water Mains (Thrust Blocks)
 641O514 2 Each 6 Inch x 6 Inch Tapping Valve And Sleeve
 650A000 3800 Cubic Yard Topsoil
 652A100 8 Acre Seeding
 652C000 8 Acre Mowing
 656A010 8 Acre Mulching
 659A048 500 Square Yard Rolled Erosion Control Product, Type (5A)
 665A000 2 Acre Temporary Seeding
 665B000 2 Acre Temporary Mulching
 665I000 160 Ton Temporary Riprap, Class 2

665J000	5953 Linear Foot Silt Fence, Type A
665L000	385 Linear Foot Floating Basin Boom
665O001	5953 Linear Foot Silt Fence Removal
665Q002	230 Linear Foot Wattle
666A001	8 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	2 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701G146	330 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	330 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
705A011	624 Each Pavement Markers, Class C, Type 1-A
705A023	185 Each Pavement Markers, Class C, Type 2-D
705A037	32 Each Pavement Markers, Class A-H, Type 2-D
726A000	100 Linear Foot Portable Concrete Safety Barriers, Type 6
726D025	2 Each Portable Impact Attenuator Assembly (Unidirectional, TL-3)
740B000	497 Square Foot Construction Signs
740C000	32 Square Foot Special Construction Signs
740E000	50 Each Cones (36 Inches High)
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)
740L005	56 Each Vertical Panel, Type I (Double-Sided)
740M001	50 Each Ballast For Cone
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 117,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-0052(501)
GENEVA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON SR-52 AT HURRICANE CREEK
EAST OF HARTFORD

The Length Of This Project Is: 0.264 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Forty Five (145) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 21.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,245,000 To \$2,700,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre)(Approximately 7 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 99+13.41
206D000	38 Linear Foot Removing Pipe
206D001	252 Linear Foot Removing Guardrail
210A000	8015 Cubic Yard Unclassified Excavation
210D011	21901 Cubic Yard Borrow Excavation (A-4 Or Better)
210D021	1903 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
215A000	215 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheet Piling And Shoring, Sta. 98+75
230A000	12 Roadbed Station Roadbed Processing
301A222	6151 Square Yard Soil Aggregate Base Course, Type C, Road Mixed, 6" Compacted Thickness
401A000	3057 Square Yard Bituminous Treatment A
405A000	2541 Gallon Tack Coat
424A341	2283 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B

424A361	270	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B636	1219	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range A/B
424B648	307	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL A/B
424B651	395	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B681	399	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B000	200	Ton Aggregate Surfacing (ALDOT #467 Or #57)
450B000	108	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	46600	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure,
		Sta. 98+75, Approx. 76,400 LBS.
503A000	45	Cubic Yard Seal Concrete
505A002	2	Each Steel Test Piles (HP 12x53)
505B057	2	Each Static Loading Tests (HP 12x53)
505B087	2	Each Dynamic Loading Tests (HP 12x53)
505M002	3438	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
508A000	7725	Pound Structural Steel
510A000	241	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Sta. 98+75, Approx. 334 cubic yards
510E000	1125	Square Yard Grooving Concrete Bridge Decks
511A052	42	Each Elastomeric Bearing Type 2 (Mark B3)
513B005	1761	Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
535A002	30	Linear Foot 24" Side Drain Pipe
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
602A000	16	Each Right Of Way Markers
610C001	5096	Ton Loose Riprap, Class 2
610D003	3828	Square Yard Filter Blanket, Geotextile
614A000	98	Cubic Yard Slope Paving
619A102	2	Each 24" Side Drain Pipe End Treatment, Class 1
630A001	525	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4	Each Guardrail End Anchor, Type 13
630C050	4	Each Guardrail End Anchor, Type 20 Series
650A000	2270	Cubic Yard Topsoil
652A100	5	Acre Seeding
652C000	5	Acre Mowing
654A001	1959	Square Yard Solid Sodding (Bermuda)
656A010	5	Acre Mulching
665A000	5	Acre Temporary Seeding
665B000	5	Acre Temporary Mulching
665G000	118	Each Sand Bags
665I000	778	Ton Temporary Riprap, Class 2
665J000	4350	Linear Foot Silt Fence, Type A
665O001	4350	Linear Foot Silt Fence Removal
665Q002	156	Linear Foot Wattle
666A001	5	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
701A007	5	Mile Solid White, Class 1, Type A Traffic Stripe (5" Wide)
701A011	3	Mile Broken Yellow, Class 1, Type A Traffic Stripe (5" Wide)
701A016	5	Mile Solid Yellow, Class 1, Type A Traffic Stripe (5" Wide)
701A227	1	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	3	Mile Broken Temporary Traffic Stripe
701C001	5	Mile Solid Temporary Traffic Stripe
701D007	1	Mile Solid Traffic Stripe Removed (Paint)
701D014	1	Mile Broken Traffic Stripe Removed (Paint)
701G146	510	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	510	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A000	244	Square Foot Traffic Control Markings, Class 1, Type A
703D001	244	Square Foot Temporary Traffic Control Markings
705A032	150	Each Pavement Markers, Class A-H, Type 1-B
705A037	290	Each Pavement Markers, Class A-H, Type 2-D
740B000	1307	Square Foot Construction Signs
740D000	50	Each Channelizing Drums

740E000	50 Each Cones (36 Inches High)
740F002	14 Each Barricades, Type III
740I005	7 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 121.000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRZ-0200(212)
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (PRECAST) ON CR-83 AT NEGRO CREEK SOUTHEAST
OF SUMMERDALE

The Length Of This Project Is: 0.022 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five
(75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$390,000 To \$477,000
The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 14+04.62
210A000	906 Cubic Yard Unclassified Excavation
502A001	4560 Pound Steel Reinforcement (Grade 60)
505A015	1 Each Concrete Test Piles (14 Inches Square)
505A017	1 Each Concrete Test Piles (18 Inches Square)
505B045	1 Each Static Loading Tests (14 Inches Square)
505B047	1 Each Static Loading Tests (18 Inches Square)
505N000	1082 Linear Foot Concrete Piling Furnished (14 Inches Square)
505N002	940 Linear Foot Concrete Piling Furnished (18 Inches Square)
505O000	1082 Linear Foot Concrete Piling Driven (14 Inches Square)
505O002	940 Linear Foot Concrete Piling Driven (18 Inches Square)
507A000	2 Each Wire Rope Abutment Anchor Assembly
510A000	27 Cubic Yard Bridge Substructure Concrete, Class A
511A000	48 Each Elastomeric Bearing Type 1
512C017	21 Each Precast Concrete Type 1 Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long
512C025	6 Each Precast Concrete Type 2C Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long
512D025	2 Each Precast Concrete Barrier Rail Intermediate Section, 39'-11" Long
512D030	4 Each Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long
512E013	15 Each Precast Concrete Abutment Panels, Type A3, 6'-1" Long

512E014	10 Each Precast Concrete Abutment Panels, Type A3, 7'-4" Long
512F002	10 Each Precast Concrete Wing Panels, Type W3
512G000	4 Each Precast Concrete Abutment Wing Cap Panels
600A000	1 Lump Sum Mobilization
610C001	230 Ton Loose Riprap, Class 2
610D003	230 Square Yard Filter Blanket, Geotextile
630A001	350 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4 Each Guardrail End Anchor, Type 13
630C070	4 Each Guardrail End Anchor, Type 10 Series
665F000	50 Each Hay Bales
665J000	440 Linear Foot Silt Fence, Type A
665L000	200 Linear Foot Floating Basin Boom
680A000	1 Lump Sum Engineering Controls
740B000	251 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 11,300.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRZ-HRRR-3800(208) & BRZ-HRRR-3800(207)
LAMAR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENTS (2 PRECAST) AND APPROACHES ON WATSON CREEK
ROAD AT WATSON CREEK WEST OF VERNON AND ON PLEASANT RIDGE ROAD
AT MUD CREEK TRIBUTARY NORTH OF MILLPORT

The Length Of This Project Is: 0.259 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Ten
(110) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 12.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$839,000 To \$1,025,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approx. 3 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 9+96.07
206A001	1 Lump Sum Removal Of Old Bridge, Station 110+93.3
210A000	2877 Cubic Yard Unclassified Excavation
210D021	3895 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
230A000	12 Roadbed Station Roadbed Processing
301A012	2567 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
502A000	137 Pound Steel Reinforcement
505A032	2 Each Steel Test Piles (HP 12x53) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505A033	1 Each Steel Test Piles (HP 12x63) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505A034	1 Each Steel Test Piles (HP 12x74) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505B102	2 Each Static Loading Tests (HP 12X53) (Maximum Bid Limited To \$2000 Per Each Loading Test)
505B103	1 Each Static Loading Tests (HP 12x63) (Maximum Bid Limited To \$2000 Per Each Loading Test)

505B104 1 Each Static Loading Tests (HP 12x74) (Maximum Bid Limited To
 \$2000 Per Each Loading Test)
 505M002 3151 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
 505M003 270 Linear Foot Steel Piling Furnished And Driven (HP 12x63)
 505M008 295 Linear Foot Steel Piling Furnished And Driven (HP 12x74)
 507A000 4 Each Wire Rope Abutment Anchor Assembly
 510A000 26 Cubic Yard Bridge Substructure Concrete, Class A
 511A000 80 Each Elastomeric Bearing Type 1
 512A008 4 Each Precast Concrete Abutment Caps, 2'-0" Wide By 1'-7" Deep By
 28'-0" Long
 512B003 4 Each Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 1'-7"
 Deep By 27'-6" Long
 512C004 15 Each Precast Concrete Type 1 Span Section, 3'-6" Wide By 1'-9"
 Deep By 34'-0" Long
 512C007 6 Each Precast Concrete Type 2C Span Section, 3'-6" Wide By 1'-
 9" Deep By 34'-0" Long
 512C017 15 Each Precast Concrete Type 1 Span Section, 3'-6" By 2'-0" Deep By
 39'-11 3/4" Long
 512C025 6 Each Precast Concrete Type 2C Span Section, 3'-6" By 2'-0" Deep
 By 39'-11 3/4" Long
 512D012 4 Each Precast Concrete Barrier Rail End Section, 33' - 11 5/8" Long
 512D015 2 Each Precast Concrete Barrier Rail Intermediate Section, 33' - 11 1/4" Long
 512D025 2 Each Precast Concrete Barrier Rail Intermediate Section, 39'-11" Long
 512D030 4 Each Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long
 512E000 4 Each Precast Concrete Abutment Panels, Type A1
 512E001 20 Each Precast Concrete Abutment Panels, Type A2
 512E002 16 Each Precast Concrete Abutment Panels, Type A3
 512F000 2 Each Precast Concrete Wing Panels, Type W1
 512F001 10 Each Precast Concrete Wing Panels, Type W2
 512F002 8 Each Precast Concrete Wing Panels, Type W3
 512G000 8 Each Precast Concrete Abutment Wing Cap Panels
 600A000 1 Lump Sum Mobilization
 610C001 522 Ton Loose Riprap, Class 2
 610D003 412 Square Yard Filter Blanket, Geotextile
 630C003 8 Each Guardrail End Anchor, Type 13
 630C050 8 Each Guardrail End Anchor, Type 20 Series
 650A000 719 Cubic Yard Topsoil
 652A100 2 Acre Seeding
 652C000 2 Acre Mowing
 656A010 2 Acre Mulching
 665I000 132 Ton Temporary Riprap, Class 2
 665J000 2850 Linear Foot Silt Fence, Type A
 665Q002 120 Linear Foot Wattle
 680A000 1 Lump Sum Engineering Controls
 740B000 266 Square Foot Construction Signs
 740F002 16 Each Barricades, Type III
 740I005 16 Each Warning Lights, Type B (Detachable Head)
 998A000 1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 40,500.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EB-HSIP-0014(514)
AUTAUGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

WIDENING, CLEARING, RESURFACING AND TRAFFIC STRIPE ON SR-14 FROM
FORESTER EAST OF AUTAUGAVILLE TO BEAR CREEK

The Length Of This Project Is: 1.017 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 15.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$535,000 To \$650,000

The Principal Items Of Work Are Approximately As Follows:

201B001	16 Acre Selective Clearing
206D001	52 Linear Foot Removing Guardrail
206E019	2 Each Removing Guardrail End Anchor (Type 10)
210A000	2218 Cubic Yard Unclassified Excavation
210D001	3233 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
405A000	2400 Gallon Tack Coat
424A360	1400 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	2000 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	310 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	380 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	10700 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
600A000	1 Lump Sum Mobilization
602A000	24 Each Right Of Way Markers
630A001	175 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	2 Each Guardrail End Anchor, Type 10 Series

650A000	1140 Cubic Yard Topsoil
652A100	3 Acre Seeding
652C000	3 Acre Mowing
656A010	3 Acre Mulching
665J000	3650 Linear Foot Silt Fence, Type A
665O001	3650 Linear Foot Silt Fence Removal
665Q002	300 Linear Foot Wattle
666A001	3 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
701A227	3 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	10 Mile Solid Temporary Traffic Stripe
705A032	50 Each Pavement Markers, Class A-H, Type 1-B
705A037	75 Each Pavement Markers, Class A-H, Type 2-D
740B000	434 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740I005	2 Each Warning Lights, Type B (Detachable Head)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 29,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(203)
MARSHALL COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 14.200 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$72,000 To \$88,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A235	25 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(204)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND MARKINGS ON COTTAQUILLA ROAD AND MORRISVILLE ROAD AT SITES AS INDICATED ON THE PLANS.

The Length Of This Project Is: 6.750 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$78,300 To \$95,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A231	14 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	14 Mile Solid Yellow, Class 2, Type A Traffic Stripe
703A002	48 Square Foot Traffic Control Markings, Class 2, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(208)
LAUDERDALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

THERMOPLASTIC STRIPING AND PAVEMENT MARKERS ON CR-61, CR-25 AND
CR-89 AT VARIOUS LOCATIONS AS INDICATED BY THE PLANS

The Length Of This Project Is: 13.815 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$180,000 To \$220,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A231	28 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	27 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe
703A002	97 Square Foot Traffic Control Markings, Class 2, Type A
705A037	962 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(210)
BLOUNT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 16.234 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$103,000 To \$126,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	33 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	25 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	6 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701G251	900 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	716 Square Foot Traffic Control Markings, Class 2, Type A
703B002	472 Square Foot Traffic Control Legends, Class 2, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(211)
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 25.900 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$73,200 To \$89,500
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A034	36 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	18 Mile Broken Yellow, Class 2T, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(213)
HENRY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 92.088 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$76,500 To \$93,500
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A008	47 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	123 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(215)
PIKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 86.345 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$77,300 To \$95,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A008	44 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	118 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0017(518)
LAMAR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-17 NORTH OF CR-8,
SOUTH OF DETROIT

The Length Of This Project Is: 0.454 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$220,000 To \$265,000

The Principal Items Of Work Are Approximately As Follows:

210D021	400 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	48 Station Machine Grading Shoulders
305B077	325 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	484 Gallon Tack Coat
408A051	6400 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
410H000	1 Each Material Remixing Device
424A360	400 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1020 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J000	250 Linear Foot Silt Fence, Type A
665O001	250 Linear Foot Silt Fence Removal
665Q002	100 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment

680A000	1 Lump Sum Engineering Controls
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C001	4 Mile Solid Temporary Traffic Stripe
705A037	60 Each Pavement Markers, Class A-H, Type 2-D
740B000	374 Square Foot Construction Signs
740C000	32 Square Foot Special Construction Signs
740D000	50 Each Channelizing Drums
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 12,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EB-0010(516)
MARENGO COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-10 FROM THE
TOMBIGBEE RIVER BRIDGE TO WEST OF SR-69 WEST OF NANAFALIA

The Length Of This Project Is: 1.707 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$373,500 To \$456,500

The Principal Items Of Work Are Approximately As Follows:

305B078	100 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
405A000	1752 Gallon Tack Coat
408A052	35047 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A360	2629 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	1000 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	18026 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	3 Mile Broken Temporary Traffic Stripe (Paint)
701C003	10 Mile Solid Temporary Traffic Stripe (Paint)
703A002	120 Square Foot Traffic Control Markings, Class 2, Type A
703D002	240 Square Foot Temporary Traffic Control Markings (Paint)
705A032	30 Each Pavement Markers, Class A-H, Type 1-B
705A037	150 Each Pavement Markers, Class A-H, Type 2-D

740B000	216 Square Foot Construction Signs
740E000	300 Each Cones (36 Inches High)
740M001	300 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 20,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EB-0017(519)
SUMTER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-17 FROM SR-7
(US-11) TO I-59/I-20 IN YORK

The Length Of This Project Is: 2.108 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$618,000 To \$755,000
The Principal Items Of Work Are Approximately As Follows:

209A000	10 Each Mailbox Reset, Single
305B078	200 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
401B100	35423 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	280 Gallon Tack Coat
408A052	37636 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	9340 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1 Each Material Remixing Device
424A361	3876 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	1649 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	18058 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
665G000	150 Each Sand Bags
665Q002	500 Linear Foot Wattle
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	3 Mile Broken Temporary Traffic Stripe (Paint)

701C003	12 Mile Solid Temporary Traffic Stripe (Paint)
703A002	1461 Square Foot Traffic Control Markings, Class 2, Type A
703B002	68 Square Foot Traffic Control Legends, Class 2, Type A
703D002	1977 Square Foot Temporary Traffic Control Markings (Paint)
705A030	10 Each Pavement Markers, Class A-H, Type 2-C
705A031	10 Each Pavement Markers, Class A-H, Type 1-A
705A032	323 Each Pavement Markers, Class A-H, Type 1-B
705A037	1518 Each Pavement Markers, Class A-H, Type 2-D
705A038	151 Each Pavement Markers, Class A-H, Type 2-E
730H001	300 Linear Foot Loop Wire
740B000	580 Square Foot Construction Signs
740E000	300 Each Cones (36 Inches High)
740M001	300 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 34,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EB-0017(520) & 99-508-124-017-815
CHOCTAW COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, TRAFFIC STRIPE AND GUARDRAIL ON SR-17 FROM
SOUTH OF CR-14 IN GILBERTOWN TO SOUTH OF CR-18 (MP 98.820)

The Length Of This Project Is: 7.459 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five
(75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,000,000 To \$2,400,000
The Principal Items Of Work Are Approximately As Follows:

206D001	1513	Linear Foot Removing Guardrail
206E011	12	Each Removing Guardrail End Anchor (Type 3)
206E016	2	Each Removing Guardrail End Anchor (Type 8)
305B078	500	Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
401B100	108513	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	4352	Gallon Tack Coat
408A052	140918	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	4136	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410H000	1	Each Material Remixing Device
424A360	9284	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	18132	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	700	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B689	1000	Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	75124	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization

630C050	16 Each Guardrail End Anchor, Type 20 Series
631C000	1200 Linear Foot Steel Beam Guardrail, Class A, Type 1 Reset
701A227	15 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	14 Mile Broken Temporary Traffic Stripe (Paint)
701C003	75 Mile Solid Temporary Traffic Stripe (Paint)
701G146	3666 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	1833 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	476 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	4142 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1833 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	780 Square Foot Traffic Control Markings, Class 2, Type A
703D002	2340 Square Foot Temporary Traffic Control Markings (Paint)
705A032	305 Each Pavement Markers, Class A-H, Type 1-B
705A037	790 Each Pavement Markers, Class A-H, Type 2-D
730H001	650 Linear Foot Loop Wire
740B000	988 Square Foot Construction Signs
740E000	300 Each Cones (36 Inches High)
740M001	300 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 105,623.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EB-0021(519)
MONROE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-21 FROM NORTH OF
SR-41 (MP 40.920) TO SOUTH OF SR-47 (MP 43.130) IN MONROEVILLE

The Length Of This Project Is: 2.210 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$704,000 To \$850,000
The Principal Items Of Work Are Approximately As Follows:

405A000	3390 Gallon Tack Coat
408A052	67721 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A281	6603 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
665G000	150 Each Sand Bags
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	349 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	13 Mile Broken Temporary Traffic Stripe (Paint)
701C003	27 Mile Solid Temporary Traffic Stripe (Paint)
703A002	2076 Square Foot Traffic Control Markings, Class 2, Type A
703B002	726 Square Foot Traffic Control Legends, Class 2, Type A
703D002	1394 Square Foot Temporary Traffic Control Markings (Paint)
703E002	1638 Square Foot Temporary Traffic Control Legends (Paint)
705A030	70 Each Pavement Markers, Class A-H, Type 2-C

705A031	262	Each Pavement Markers, Class A-H, Type 1-A
705A032	180	Each Pavement Markers, Class A-H, Type 1-B
705A037	340	Each Pavement Markers, Class A-H, Type 2-D
705A038	90	Each Pavement Markers, Class A-H, Type 2-E
730H001	6420	Linear Foot Loop Wire
740B000	854	Square Foot Construction Signs
740D000	100	Each Channelizing Drums
740E000	200	Each Cones (36 Inches High)
740M001	200	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1	Lump Sum Construction Fuel (Maximum Bid Limited To \$ 38,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0161(500)
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-161 (STATE PARKWAY) FROM
SR-182 TO SR-180 IN ORANGE BEACH

The Length Of This Project Is: 1.678 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$540,000 To \$660,000
The Principal Items Of Work Are Approximately As Follows:

405A000	4015 Gallon Tack Coat
424A360	6620 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A363	25 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428B000	16975 Linear Foot Scoring Bituminous Pavement Surface By Rolling
600A000	1 Lump Sum Mobilization
650A000	1600 Cubic Yard Topsoil
652A100	3 Acre Seeding
656A010	3 Acre Mulching
666A001	3 Acre Pest Control Treatment
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	432 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7 Mile Broken Temporary Traffic Stripe
701C001	7 Mile Solid Temporary Traffic Stripe
703A002	5768 Square Foot Traffic Control Markings, Class 2, Type A
703B002	471 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1615 Square Foot Temporary Traffic Control Markings

705A030	127	Each Pavement Markers, Class A-H, Type 2-C
705A031	210	Each Pavement Markers, Class A-H, Type 1-A
705A032	228	Each Pavement Markers, Class A-H, Type 1-B
705A037	228	Each Pavement Markers, Class A-H, Type 2-D
740B000	880	Square Foot Construction Signs
740C000	64	Square Foot Special Construction Signs
740D000	25	Each Channelizing Drums
740E000	200	Each Cones (36 Inches High)
740M001	200	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1	Lump Sum Construction Fuel (Maximum Bid Limited To \$ 28,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPHV-8556(600)
MADISON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

WIDENING (GRADE, DRAINAGE, PAVEMENT AND SIGNAL) ON WINCHESTER
ROAD FROM THE HUNTSVILLE CITY LIMIT TO DOMINION CIRCLE

The Length Of This Project Is: 1.259 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred
(300) Working Days.

A 8.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 32.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,735,000 To \$4,565,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx. 2 Acres)
206B000	1 Lump Sum Removal Of Old Box Culvert, Station 88+97.00
206B001	1 Lump Sum Removal Of Old Box Culvert, Station 112+70.00
206D000	1950 Linear Foot Removing Pipe
206E000	4 Each Removing Headwalls
206E001	10 Each Removing Inlets
206E002	1 Each Removing Junction Boxes
209A000	7 Each Mailbox Reset, Single
210A000	29323 Cubic Yard Unclassified Excavation
210D000	21491 Cubic Yard Borrow Excavation
214A000	6513 Cubic Yard Structure Excavation
214B001	1622 Cubic Yard Foundation Backfill, Commercial
231B002	7500 Ton Roadbed Stabilizing Material, ALDOT #410 (Modified)
301A012	54684 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	54684 Square Yard Bituminous Treatment A
401B108	4666 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	4350 Gallon Tack Coat

429A261 4510 Ton Improved Bituminous Concrete Wearing Surface Layer, 3/4"
 Maximum Aggregate Size Mix, ESAL Range D
 429B261 13949 Ton Improved Bituminous Concrete Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range D
 429C260 8834 Ton Improved Bituminous Concrete Base Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range D
 430B000 400 Ton Aggregate Surfacing (ALDOT #467 Or #57)
 502A000 41225 Pound Steel Reinforcement
 524A011 226 Cubic Yard Culvert Concrete (Cast In Place)
 530A001 1207 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
 530A002 138 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
 530A003 69 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
 530A004 95 Linear Foot 36" Roadway Pipe (Class 3 R.C.)
 530A154 146 Linear Foot 18" Roadway Pipe (14 Gauge C.C.S.)
 532A042 151 Linear Foot 18" Slotted Drain Pipe (With Variable Height Grate)
 533A097 50 Linear Foot 15" Storm Sewer Pipe (Class 3 R.C.)
 533A098 2420 Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.)
 533A099 1621 Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.)
 533A100 775 Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.)
 533A101 1118 Linear Foot 36" Storm Sewer Pipe (Class 3 R.C.)
 600A000 1 Lump Sum Mobilization
 602A000 47 Each Right Of Way Markers
 610C001 94 Ton Loose Riprap, Class 2
 610D003 133 Square Yard Filter Blanket, Geotextile
 614A000 31 Cubic Yard Slope Paving
 620A000 8 Cubic Yard Minor Structure Concrete
 621A005 4 Each Junction Boxes, Type 1
 621B005 2 Each Junction Box Units, Type 1
 621C004 2 Each Inlets, Type GH
 621C015 37 Each Inlets, Type S1 Or S3 (1 Wing)
 621C016 6 Each Inlets, Type S2 Or S4 (1 Wing)
 621C017 1 Each Inlets, Type S1 Or S3 (2 Wing)
 621C018 2 Each Inlets, Type S2 Or S4 (2 Wing)
 621C027 19 Each Inlets, Type C
 621D002 2 Each Inlet Units, Type C
 621D004 3 Each Inlet Units, Type GH
 621D015 24 Each Inlet Units, Type S1 Or S3
 621D016 11 Each Inlet Units, Type S2 Or S4
 623A000 1451 Linear Foot Concrete Gutter
 623B000 252 Linear Foot Concrete Curb, Type N
 623B001 128 Linear Foot Concrete Curb, Type N Special
 623C000 10201 Linear Foot Combination Curb & Gutter, Type C
 637A001 2136 Linear Foot Fence Reset (Includes All Types)
 650A000 855 Cubic Yard Topsoil
 650B000 7155 Cubic Yard Topsoil From Stockpiles
 652A100 10 Acre Seeding
 652C000 5 Acre Mowing
 654A000 189 Square Yard Solid Sodding
 656A010 5 Acre Mulching
 659A035 1233 Square Yard Rolled Erosion Control Product, Type (2C)
 665A000 5 Acre Temporary Seeding
 665B000 5 Acre Temporary Mulching
 665F000 40 Each Hay Bales
 665G000 100 Each Sand Bags
 665I000 48 Ton Temporary Riprap, Class 2
 665J000 6149 Linear Foot Silt Fence, Type A
 665O001 6149 Linear Foot Silt Fence Removal
 665Q002 500 Linear Foot Wattle
 680A000 1 Lump Sum Engineering Controls
 701A235 3 Mile Solid Yellow, Class 2, Type A Traffic Stripe
 701A240 3 Mile Broken White, Class 2, Type A Traffic Stripe
 701A245 3 Mile Broken Yellow, Class 2, Type A Traffic Stripe
 701B205 1677 Linear Foot Dotted, Class 2, Type A, Traffic Stripe
 701C001 5 Mile Solid Temporary Traffic Stripe
 701G249 1861 Linear Foot Solid White, Class 2, Type A Traffic Stripe
 701G253 1276 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
 703A002 1290 Square Foot Traffic Control Markings, Class 2, Type A
 703B002 112 Square Foot Traffic Control Legends, Class 2, Type A
 705A030 50 Each Pavement Markers, Class A-H, Type 2-C

705A031	145	Each Pavement Markers, Class A-H, Type 1-A
705A032	110	Each Pavement Markers, Class A-H, Type 1-B
705A037	287	Each Pavement Markers, Class A-H, Type 2-D
705A038	60	Each Pavement Markers, Class A-H, Type 2-E
726A000	200	Linear Foot Portable Concrete Safety Barriers, Type 6
730A012	1	Lump Sum Removal Of Existing Traffic Control Unit (Partial) (At Intersection With Moore's Mill Rd., Sta. 123+39.27)
730E000	4	Each Metal Traffic Signal Pole Foundation
730F001	1	Each Metal Traffic Signal Pole With 40' Mast Arm Assembly
730F002	3	Each Metal Traffic Signal Pole With 45' Mast Arm Assembly
730K000	4	Each Traffic Signal Junction Box
730L005	362	Linear Foot 2", Non-Metallic, Conduit
730N000	2	Each Luminaire Extension Assembly, 12'
730P022	5	Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P024	4	Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730U005	1	Lump Sum Furnishing And Installing Video Detection System
740B000	928	Square Foot Construction Signs
740C000	94	Square Foot Special Construction Signs
740D000	100	Each Channelizing Drums
740F002	12	Each Barricades, Type III
740I005	30	Each Warning Lights, Type B (Detachable Head)
741C010	1	Each Portable Sequential Arrow And Chevron Sign Unit
745A000	20	Hour Uniformed Police Officer
756A022	273	Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation
998A000	1	Lump Sum Construction Fuel (Maximum Bid Limited To \$ 310,670.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-1820(200)
CONECUH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-30 FROM CR-22 TO CR-32
NORTHWEST OF LYEFFION

The Length Of This Project Is: 4.149 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty
(40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$320,000 To \$390,000

The Principal Items Of Work Are Approximately As Follows:

212A000	439 Station Machine Grading Shoulders
405A000	2408 Gallon Tack Coat
429A240	3835 Ton Improved Bituminous Concrete Wearing Surface Layer, 1/2"
	Maximum Aggregate Size Mix, ESAL Range C
600A000	1 Lump Sum Mobilization
630A001	675 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	4 Each Guardrail End Anchor, Type 20 Series
650A000	803 Cubic Yard Topsoil
652A100	3 Acre Seeding
656A010	3 Acre Mulching
701A235	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
740B000	257 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 16,700.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-1823(201)
CONECUH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-47 FROM SR-12 (US-84) TO
CR-24 AT BROOKS

The Length Of This Project Is: 3.230 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five
(35) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$250,000 To \$300,000
The Principal Items Of Work Are Approximately As Follows:

212A000	341 Station Machine Grading Shoulders
405A000	1137 Gallon Tack Coat
429A240	2908 Ton Improved Bituminous Concrete Wearing Surface Layer, 1/2"
	Maximum Aggregate Size Mix, ESAL Range C
600A000	1 Lump Sum Mobilization
650A000	790 Cubic Yard Topsoil
652A100	2 Acre Seeding
656A010	2 Acre Mulching
701A235	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe
740B000	186 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 12,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-5404(201)
PICKENS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-2 FROM SR-14 SOUTH OF
ALICEVILLE TO CR-63

The Length Of This Project Is: 11.761 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$980,000 To \$1,195,000
The Principal Items Of Work Are Approximately As Follows:

210D011	6135	Cubic Yard Borrow Excavation (A-4 Or Better)
405A000	4140	Gallon Tack Coat
424A340	8626	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A343	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	6900	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1	Lump Sum Mobilization
652A100	12	Acre Seeding
652C000	12	Acre Mowing
656A010	12	Acre Mulching
665F000	200	Each Hay Bales
665J000	605	Linear Foot Silt Fence, Type A
665O001	605	Linear Foot Silt Fence Removal
701A004	21	Mile Solid White, Class 1, Type A Traffic Stripe
701A008	8	Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	12	Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	8	Mile Broken Temporary Traffic Stripe
701C001	12	Mile Solid Temporary Traffic Stripe
740B000	244	Square Foot Construction Signs

7400000 1 Each Pilot Car
998A000 1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 51,800.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-6019(200)
SUMTER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-10 AND CR-16 FROM SR-7
(US-11) IN CUBA TO CR-9

The Length Of This Project Is: 9.823 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$828,000 To \$1,010,000
The Principal Items Of Work Are Approximately As Follows:

206C000	7 Square Yard Removing Concrete Sidewalk
206D002	40 Linear Foot Removing Curb
305A050	5473 Cubic Yard Borrow, Section 210, For Miscellaneous Use
405A000	3448 Gallon Tack Coat
429A220	8145 Ton Improved Bituminous Concrete Wearing Surface Layer, 1/2"
	Maximum Aggregate Size Mix, ESAL Range B
429B225	250 Ton Improved Bituminous Concrete Binder Layer, Patching, 1"
	Maximum Aggregate Size Mix, ESAL Range B
429B229	2000 Ton Improved Bituminous Concrete Binder Layer, Leveling, 1"
	Maximum Aggregate Size Mix, ESAL Range B
600A000	1 Lump Sum Mobilization
618A000	7 Square Yard Concrete Sidewalk, 4" Thick
630A004	58 Linear Foot Steel Beam Guardrail, Class B, Type 2
630C022	4 Each Guardrail End Anchor, Type Special
630C070	4 Each Guardrail End Anchor, Type 10 Series
652A100	7 Acre Seeding
652C000	7 Acre Mowing
656A010	7 Acre Mulching
665F000	100 Each Hay Bales
665J000	320 Linear Foot Silt Fence, Type A
665O001	320 Linear Foot Silt Fence Removal

701A231	20 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	16 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	8 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	16 Mile Broken Temporary Traffic Stripe
701C001	32 Mile Solid Temporary Traffic Stripe
703A002	420 Square Foot Traffic Control Markings, Class 2, Type A
703B002	250 Square Foot Traffic Control Legends, Class 2, Type A
740B000	263 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 45,900.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-HRRR-2711(202)
ESCAMBIA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND CULVERT REPLACEMENT ON CR-49
FROM THE BREWTON CITY LIMIT TO THE CONECUH COUNTY LINE

The Length Of This Project Is: 9.253 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,030,000 To \$1,260,000

The Principal Items Of Work Are Approximately As Follows:

206B000	1 Lump Sum Removal Of Old Box Culvert, Station 27+60
210D001	4995 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
210D020	1042 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A2 Or Better)
212A000	975 Station Machine Grading Shoulders
214A000	100 Cubic Yard Structure Excavation
214B001	80 Cubic Yard Foundation Backfill, Commercial
301A042	313 Square Yard Granular Soil Base Course, Type A, Road Mixed, 6" Compacted Thickness
401A000	213 Square Yard Bituminous Treatment A
405A000	4662 Gallon Tack Coat
429A220	9300 Ton Improved Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range B
429A226	1800 Ton Improved Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range B
429B222	32 Ton Improved Bituminous Concrete Binder Layer, 1 1/2" Maximum Aggregate Size Mix, ESAL Range B
502A000	7841 Pound Steel Reinforcement
524A011	52 Cubic Yard Culvert Concrete (Cast In Place)
600A000	1 Lump Sum Mobilization
610C001	136 Ton Loose Riprap, Class 2

610D003	150 Square Yard Filter Blanket, Geotextile
630A001	616 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	4 Each Guardrail End Anchor, Type 10 Series
652A100	14 Acre Seeding
656A010	14 Acre Mulching
665F000	40 Each Hay Bales
665J000	700 Linear Foot Silt Fence, Type A
665O001	700 Linear Foot Silt Fence Removal
680A000	1 Lump Sum Engineering Controls
701A231	19 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	16 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C002	2 Mile Broken Temporary Traffic Stripe (Paint)
701C003	35 Mile Solid Temporary Traffic Stripe (Paint)
703A002	288 Square Foot Traffic Control Markings, Class 2, Type A
740B000	858 Square Foot Construction Signs
740E000	60 Each Cones (36 Inches High)
740F002	8 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)
740M001	60 Each Ballast For Cone
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 56,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPSA-0012(526) & EB-0012(528)
MONROE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-12 (US-84) FROM 0.
33 MILES WEST OF SR-136 TO THE CONECUH COUNTY LINE EAST OF EXCEL

The Length Of This Project Is: 1.735 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$560,000 To \$680,000
The Principal Items Of Work Are Approximately As Follows:

209A000	4 Each Mailbox Reset, Single
305B078	300 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
401B100	27231 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	3390 Gallon Tack Coat
408A052	39421 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A360	2427 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	250 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	4158 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	18333 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	2 Mile Broken Temporary Traffic Stripe (Paint)
701C003	26 Mile Solid Temporary Traffic Stripe (Paint)
701G146	340 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	170 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)

701G154	170 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	510 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	170 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	2125 Square Foot Traffic Control Markings, Class 2, Type A
703B002	125 Square Foot Traffic Control Legends, Class 2, Type A
703D002	4440 Square Foot Temporary Traffic Control Markings (Paint)
703E002	320 Square Foot Temporary Traffic Control Legends (Paint)
705A030	170 Each Pavement Markers, Class A-H, Type 2-C
705A032	334 Each Pavement Markers, Class A-H, Type 1-B
705A037	209 Each Pavement Markers, Class A-H, Type 2-D
705A038	295 Each Pavement Markers, Class A-H, Type 2-E
740B000	324 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 29,100)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
ST-065-013-003
WASHINGTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-13 (US-43) FROM
SOUTH OF CR-34 THROUGH LEROY TO THE NORTH END OF THE TOMBIGBEE
RIVER BRIDGE

The Length Of This Project Is: 3.004 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty
(50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 8.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$965,000 To \$1,200,000

The Principal Items Of Work Are Approximately As Follows:

206D001	3541	Linear Foot Removing Guardrail
206E008	10	Each Removing Guardrail End Anchor (All Type)
209A000	2	Each Mailbox Reset, Single
305B078	550	Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
405A000	3735	Gallon Tack Coat
408A052	60650	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A361	6400	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	300	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	1370	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	72203	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
630A035	3200	Linear Foot Steel Beam Guardrail, Class A Type 2 (7'-6" Post)
630C001	2	Each Guardrail End Anchor, Type 8
630C003	3	Each Guardrail End Anchor, Type 13
630C050	3	Each Guardrail End Anchor, Type 20 Series
630C054	3	Each Guardrail End Anchor, Bridge End Attachment (Retrofit)
665Q002	500	Linear Foot Wattle
701A087	2	Mile Broken White, Class W, Type A Traffic Stripe (5" Wide)
701A091	2	Mile Solid White, Class W, Type A Traffic Stripe (5" Wide)
701A099	2	Mile Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A227	7	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)

701A239	7 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	3132 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	14 Mile Broken Temporary Traffic Stripe (Paint)
701C003	28 Mile Solid Temporary Traffic Stripe (Paint)
701D008	3 Mile Solid Traffic Stripe Removed (Plastic)
701D015	2 Mile Broken Traffic Stripe Removed (Plastic)
703A002	4180 Square Foot Traffic Control Markings, Class 2, Type A
703B002	247 Square Foot Traffic Control Legends, Class 2, Type A
703D002	1428 Square Foot Temporary Traffic Control Markings (Paint)
703E002	158 Square Foot Temporary Traffic Control Legends (Paint)
705A030	59 Each Pavement Markers, Class A-H, Type 2-C
705A031	415 Each Pavement Markers, Class A-H, Type 1-A
740B000	869 Square Foot Construction Signs
740C000	32 Square Foot Special Construction Signs
740D000	300 Each Channelizing Drums
740E000	400 Each Cones (36 Inches High)
740I005	1 Each Warning Lights, Type B (Detachable Head)
740M001	400 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 48,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-307-162-248-804
COFFEE COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 07, 2007, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-248 FROM SR-27 TO
COMMON DRIVE IN ENTERPRISE

The Length Of This Project Is: 2.842 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five
(35) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 9.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$940,000 To \$1,200,000

The Principal Items Of Work Are Approximately As Follows:

209A000	1 Each Mailbox Reset, Single
405A000	6420 Gallon Tack Coat
408A052	85592 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	7062 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	200 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2500 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7 Mile Broken Temporary Traffic Stripe
701C001	13 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
703A002	7913 Square Foot Traffic Control Markings, Class 2, Type A
703B002	1109 Square Foot Traffic Control Legends, Class 2, Type A

703D001	2429 Square Foot Temporary Traffic Control Markings
703E001	548 Square Foot Temporary Traffic Control Legends
705A030	284 Each Pavement Markers, Class A-H, Type 2-C
705A031	301 Each Pavement Markers, Class A-H, Type 1-A
705A032	732 Each Pavement Markers, Class A-H, Type 1-B
705A037	265 Each Pavement Markers, Class A-H, Type 2-D
705A038	289 Each Pavement Markers, Class A-H, Type 2-E
730H001	6200 Linear Foot Loop Wire
740B000	945 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 51,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director