


ALABAMA

Department of Transportation

www.dot.state.al.us




Notice to Contractors

Transportation Letting

APRIL 25, 2008

10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.850.5328
cell: 334.850.5988



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: HPP-1702(903) Grade, Drainage, Pavement, and Signing on CR-83 from Foley Beach Express to CR-32 in Summerdale Baldwin County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **April 17, 2008**

Location: Auditorium
ALDOT Ninth Division
1701 I-65 West Service Road North
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: BR-0022(501) Bridge Replacement and Approaches on SR-22 over Mulberry Creek and Relief northeast of Maplesville Chilton County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **April 16, 2008**

Location: Auditorium
ALDOT Fifth Division
2715 East Skyland Boulevard
Tuscaloosa, Alabama 35407

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: NH-0012(531)
& NH-0012 (532)
Structure Removal and Underground
Storage Tank Removal on SR-12 (US-84)
at Various Sites
Coffee County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **April 15, 2008**

Location: Conference Room
ALDOT Seventh Division
299 Elba Highway
Troy, Alabama 36097

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer
Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Prospective Bidders are encouraged to read the attached Memorandum from Mr. Terry McDuffie, P.E., State Construction Engineer, dated January 28, 2008, concerning additional training and reporting requirements for traffic control operations beginning with projects in the February 29, 2008, Letting.

Special Provision No. 06-0685 is effective February 1, 2008, and is included in each proposal in the February 29, 2008, Letting.

The attached **Special Provision No 06-0686** is effective March 1, 2008, and will be included in those proposals which require the use of Pay Item 745A, Uniformed Police Officer.

ntc.2.28.2008.5



ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36130-3050
PHONE (334) 242-6208
FAX (334) 264-3727

BOB RILEY
GOVERNOR

JOE MCINNES
TRANSPORTATION DIRECTOR

January 28, 2008

MEMORANDUM

TO: Mr. Ronald Baldwin
Office Engineer

FROM: Mr. Terry McDuffie
Construction Engineer

RE: **Special Provision No. 06-0685 – effective February 2008 Letting**
Special Provision No. 06-0686 – effective March 2008 Letting

Special Provision No. 06-0685, which modifies Section 740 of the Standard Specifications, and Special Provision No. 06-0686, which modifies Section 745 of the Standard Specifications, were prepared in response to revisions to 23 CFR 630 Subpart J.

Special Provision No. 06-0685

Special Provision No. 06-0685 requires that all Contractor personnel involved in the implementation, operation, and inspection of traffic control to be trained appropriate to the decisions each individual is required to make and to receive periodic training updates that reflect changing industry practices. Effective with the February 2008 letting, the Contractor will be required to furnish a written report at the preconstruction conference of his status toward compliance with this training requirement. Effective with the June 2008 letting, the Contractor will be required to certify at the preconstruction meeting that all personnel are trained, or will be trained prior to beginning work, and to maintain records of this training.

The Department will not be providing this training or approving courses. The Contractor may conduct training internally or use external sources. Possible external sources of training are as follows:

National Highway Institute: www.nhi.fhwa.dot.gov
National Work Zone Safety Information Clearing House: <http://wzsafety.tamu.edu>
American Traffic Safety Services Association: <http://www.atssa.com>
Institute of Transportation Engineers: <http://www.ite.org>

Special Provision No. 06-0686

Effective with the March 2008 letting, Special Provision No. 06-0686 will require that Uniformed Police Officers provided under Pay Item 745A to be trained appropriate to the decisions the Officer is required to make and to receive periodic training updates that reflect changing industry practices. The Contractor will be required to provide a written statement from the Officer that this training requirement has been met prior to the Officer working on the project.

The Department will not be providing this training or approving courses. ATSSA (listed above) offers a training course for law enforcement officers. A training course is also being developed by the Department of Public Safety and will be available on DVD in the near future.

Please make the Contractor aware of these requirements.

TM/JLB/TF

pc: Mr. Don Vaughn Division Engineers Mr. Mike Harper FHWA File

ALABAMA DEPARTMENT OF TRANSPORTATION

DATE: January 25, 2008

Special Provision No. 06-0686

EFFECTIVE DATE: March 1, 2008

SUBJECT: Uniformed Police Officers.

Alabama Standard Specifications, 2006 Edition, SECTION 745 shall be replaced by the following:

SECTION 745 UNIFORMED POLICE OFFICERS

745.01 Description.

This Section shall cover the work of furnishing Uniformed Police Officers to assist in directing traffic through work zones. Officers furnished and paid for under this Section will be allowed only at the direction of, or with the approval of, the Engineer. The officers shall be employed by and paid by the Contractor.

745.02 Qualifications and Training.

Officers furnished under this Section shall be employees of the law enforcement agency having jurisdiction over the location where they are performing the duties covered by this Section. Officers shall have arrest powers for the location in which they are working and shall wear their complete police uniform while working.

Beginning with contracts let in March 2008, officers shall have been trained in accordance with the requirements given in 23 CFR 630 Subpart J. Any course meeting the requirements of 23 CFR 630 Subpart J will be acceptable. A DVD copy of one such course, "Alabama Department of Public Safety Construction Zone Safety Training", may be obtained by contacting the Project Engineer. Other courses may also be available through the ATSSA (American Traffic Safety Services Association).

Officers shall certify in writing prior to the officer beginning work that they have completed the training. The certification shall read as follows: "I do hereby certify that I have completed training appropriate to the job decisions I am required to make in accordance with the requirements given in 23 CFR 630 Subpart J." This wording shall be followed by the officer's signature. The Contractor shall provide a copy of this certification to the Project Engineer prior to the officer beginning work.

745.03 Duties.

The duties of police officers under this Section shall consist of assisting in the directing of public traffic through construction work zones and the enforcement of traffic laws. This shall be done at such locations and for such periods as deemed necessary and appropriate by the Engineer for the control and protection of vehicular and pedestrian traffic in accordance with the MUTCD.

745.04 Method of Measurement.

The item of Uniformed Police Officer measured for payment will be the number of hours this item was ordered and acceptably performed. The number of hours measured for payment will be the total number of hours for each officer performing work under this item.

745.05 Basis of Payment.

(a) UNIT PRICE COVERAGE.

The number of hours this item of work was ordered and acceptably performed, measured as noted above, will be paid for at the contract unit price bid which shall be full compensation for

furnishing all personnel, materials, labor, equipment, tools and incidentals necessary to complete this item of work.

Payment will not be made for an officer for whom the Contractor has not submitted the signed statement certifying that the officer has completed the required training.

(b) PAYMENT WILL BE MADE UNDER ITEM NO.:

745-A Uniformed Police Officer - per hour



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Effective with the January 18, 2008, Letting, certification requirements for Journeyman Electricians involved with Roadway Lighting work are changed. See the attached memorandum from Mr. Terry McDuffie, P.E., State Construction Engineer, dated January 4, 2008.

NTC.2.29.2008.1



Bob Riley
GOVERNOR

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
PHONE (334) 242-6208
FAX (334) 264-3727

January 4, 2008

Joe McInnes
TRANSPORTATION DIRECTOR

MEMORANDUM

TO: ~~Donald I. Baldwin~~
Office Engineer

FROM: Terry McDuffie
Construction Engineer

RE: Requirement for
Journeyman Electricians
IMSA (International Municipal Signal Association)
Roadway Lighting Level 1 Certification
Highway Lighting Items

On January 1, 2008 the requirement that Journeyman Electricians involved with any of the Sections 750 & 751 (Roadway Lighting) work must also have an IMSA "Roadway Lighting Level 1 Certification" became effective. While you may have previously notified interested parties of the coming of this requirement, it is requested that you once again advise any prospective bidders that this requirement is now effective with the January 2008 letting.

Your cooperation is appreciated.

TM/JLB/JCS/jcs
Pc: File



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Ronald L. Baldwin". The signature is fluid and cursive, with the first name "Ronald" being more prominent.

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature
Name: _____
please print
Title: _____
Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

M. J. D. Moore

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

ALDOT FORM DBE-10					
1. Project Number:		2. County:		3. Division:	
4. Prime Contractor:					
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:	
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked
Pay Item No.	Item Description				
17. Comments:				18. Total:	19. Total:
20. Signature of Authorized Representative:					
Printed Name & Title				Date Signed	

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number	Instructions
1 .	ALDOT Project Number
2 .	County
3 .	Division
4 .	Prime Contractor for the Project
5 .	DBE for this Report
6 .	Date of Report
7 .	ALDOT Estimate Number
8 .	Work Period for this Estimate (Beginning Date - Ending Date)
9 .	Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10 .	Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11 .	Unit Price of Work
12 .	Units
13 .	Units of Work Accomplished this Period
14 .	Amount Performed for this Period (Block 11 times Block 13)
15 .	Units Performed to Date
16 .	Amount Performed to Date (Block 11 times Block 15)
17 .	Comments Pertinent to this DBE-10
18 .	Total of Amounts in Block 14
19 .	Total of Amounts in Block 16
20 .	Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

- Submittals:
- 1) Invoices are required for all supplier and manufacturer credit.
 - 2) Tickets are required for all "Stocking the Plant" hauling.
 - 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.
- Notes:
- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
 - 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
 - 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: _____ Contractor Name: _____
 Letting Date: _____ Address: _____
 Contract Amount: _____
 Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

BIDDER'S LIST OF QUOTERS

In accordance with 49 CFR Part 26.11, the Alabama Department of Transportation will establish its State Disadvantaged Business Enterprise (DBE) goal using Bidders' Lists of Quoters. These Bidders' Lists of Quoters will be used to determine the relative availability of DBE's and Non-DBE's. Each Bidder's List of Quoters is a compilation of quotes who have submitted quotes to the Bidder during the advertising period. Subsequent to notification as Apparent Low Bidder, the Bidder must submit an updated Form HR-DBE prior to award of contract. Form HR-DBE will accompany Form OE-110 (DBE Utilization Plan) if appropriate.

Each time Form HR-DBE is submitted to the Department, the Bidder shall list the quoters for the project, using additional sheets if necessary. The listing shall include EACH quoter's name, business location, telephone number and whether or not the quoter is an Alabama certified DBE. **FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RENDER THE BID NON-RESPONSIVE AND THE BID MAY BE REJECTED.**

The term "quoter" shall include all subcontractors, manufacturers, and suppliers of materials.

Providing the listing of quoters in compliance with these provisions shall not be a substitute for the requirements of Subcontractors Fair Practices Act, Chapter 18, Laws of 1988, Sections 13-4-31 through 13-4-43.

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failures?

**Please check your diskette as soon as possible
after receipt. If you experience any problems
contact the Plans and Proposals Section during
regular work hours at 1-800-232-2157
or 334-242-6441.**

**In the event of diskette failure the night before the
letting please call the following numbers for**

assistance:

334-850-5328

334-850-5988

2.1.2007.3

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060**

2008 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2008 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2008. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

**Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060**

Company Name: _____

Shipping Address: _____

Quantity: _____ x \$125.00 per U.S. Book = \$ _____
_____ x \$125.00 per Metric Book = \$ _____
_____ x \$25.00 per Compact Disk = \$ _____
Total: \$ _____

Delivery Options (Select One)

_____ Standard UPS Ground
_____ Overnight, Provide Shipping Acct Number: _____
_____ Pick up

April 25, 2008

COMPANY NAME: _____ BY: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

MAIL ADDRESS: _____

CITY, STATE, ZIP: _____ PHONE: _____

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 20.00	_____	001 IM-I359(300) ,ETC., TUSCALOOSA
_____	_____	_____	\$ 4.00	_____	006 NHF-HSIPF-0157(513), LAWRENCE
_____	_____	_____	\$ 16.00	_____	009 ACGBBRF-BRF-3707(200), JEFFERSON
_____	_____	_____	\$ 17.00	_____	013 STPBHF-CN07(917), JEFFERSON
_____	_____	_____	\$ 36.00	_____	016 HPP-1702(903), BALDWIN
_____	_____	_____	\$ 12.00	_____	017 DE-AL84(915), CLARKE
_____	_____	_____	\$ 28.00	_____	019 BR-0022(501), CHILTON
_____	_____	_____	\$ 23.00	_____	020 BR-9425(600), HOUSTON
_____	_____	_____	\$ 5.00	_____	022 HRRR-CN08(259), ETOWAH
_____	_____	_____	\$ 2.00	_____	023 HRRR-CN08(260), WILCOX
_____	_____	_____	\$ 5.00	_____	025 HSIP-NH-0002(531), MADISON
_____	_____	_____	\$ 4.00	_____	027 HSIP-0096(501), FAYETTE
_____	_____	_____	\$ 4.00	_____	031 STPAA-HSIP-0008(546), DALLAS
_____	_____	_____	\$ 10.00	_____	032 NH-0012(531),ETC., COFFEE
_____	_____	_____	\$ 3.00	_____	036 STPAA-0069(518), WALKER
_____	_____	_____	\$ 5.00	_____	039 STPAA-HSIP-0068(502), CHEROKEE
_____	_____	_____	\$ 12.00	_____	041 STPHS-0006(522), TUSCALOOSA
_____	_____	_____	\$ 3.00	_____	043 STPNU-CN08(262), TALLAPOOSA
_____	_____	_____	\$ 4.00	_____	044 STPNU-3010(201),ETC., FRANKLIN
_____	_____	_____	\$ 3.00	_____	045 STPNU-3604(203), JACKSON
_____	_____	_____	\$ 3.00	_____	046 STPNU-4811(202), MARSHALL
_____	_____	_____	\$ 9.00	_____	047 STPOA-2618(200), ELMORE
_____	_____	_____	\$ 3.00	_____	048 STPOA-CN08(261), CALHOUN
_____	_____	_____	\$ 9.00	_____	052 ST-049-016-006, MOBILE
_____	_____	_____	\$ 5.00	_____	054 99-301-224-053-803, CULLMAN
_____	_____	_____	\$ 3.00	_____	055 99-302-391-101-804, LAUDERDALE
_____	_____	_____	\$ 3.00	_____	056 99-302-673-005-805, WINSTON, ETC.
_____	_____	_____	\$ 4.00	_____	057 99-304-621-038-801, TALLAPOOSA

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	_____	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK
MAKE CHECKS PAYABLE TO:
ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
TERRY W. ROBINSON - ROOM E-108
MONTGOMERY, ALABAMA 36110
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
IM-I359(300) & STPOAF-I359(301)
TUSCALOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, TRAFFIC STRIPE AND GUARDRAIL ON I-359 IN
TUSCALOOSA AT VARIOUS SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 1.731 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By November 1, 2008

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 20.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,000,000 To \$3,600,000
The Principal Items Of Work Are Approximately As Follows:

206D001	3186	Linear Foot Removing Guardrail
206D007	82	Linear Foot Removing Concrete Flume
206D011	2650	Linear Foot Removing Fence
206E001	1	Each Removing Inlets
206E008	46	Each Removing Guardrail End Anchor (All Type)
206E010	4	Each Removing Guardrail End Anchor (Type 2-B)
206E041	1	Each Removing Impact Attenuators
210D021	600	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	182	Station Machine Grading Shoulders
214A000	18	Cubic Yard Structure Excavation
214B001	27	Cubic Yard Foundation Backfill, Commercial
405A000	9362	Gallon Tack Coat
407B000	19	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	37255	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	24831	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
408A054	3373	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
408A056	31631	Square Yard Planing Existing Pavement (Approximately 5.10" Thru 6.0" Thick)
408A059	11708	Square Yard Planing Existing Pavement (Approximately 8.10" Thru 9.0" Thick)
408A060	594	Square Yard Planing Existing Pavement (Approximately 9.1" Thru 10.0" Thick)
410C000	1	Each Contractor Retained Profilograph

410H000	1	Each Material Remixing Device
420A015	2325	Ton Polymer Modified Open Graded Friction Course
423A003	7527	Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423A007	30	Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size, Leveling
423B001	9850	Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
423B013	100	Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size, Patching
423B014	200	Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size, Leveling
428C000	69273	Linear Foot Scoring Bituminous Pavement Surface By Cutting
530A000	80	Linear Foot 15" Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
619A001	1	Each 15" Roadway Pipe End Treatment, Class 1
621A005	1	Each Junction Boxes, Type 1
629A025	1236	Linear Foot Concrete Median Or Safety Barrier, Type Retrofit
630A001	3950	Linear Foot Steel Beam Guardrail, Class A, Type 2
630A018	338	Linear Foot Steel Beam Guardrail, Class A, Type 2 (Double Faced Median Barrier)
630C001	14	Each Guardrail End Anchor, Type 8
630C003	13	Each Guardrail End Anchor, Type 13
630C041	1	Each Guardrail End Anchor, Type 22
630C050	24	Each Guardrail End Anchor, Type 20 Series
630C070	1	Each Guardrail End Anchor, Type 10 Series
634A002	2650	Linear Foot Industrial Fence, 6 Feet High
650A000	1800	Cubic Yard Topsoil
652A100	1	Acre Seeding
656A010	1	Acre Mulching
659A036	1500	Square Yard Rolled Erosion Control Product, Type (2D)
665G000	50	Each Sand Bags
665J002	3000	Linear Foot Silt Fence
665O001	3000	Linear Foot Silt Fence Removal
665P005	1	Each Inlet Protection, Stage 3 Or 4
665Q002	400	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 160,000.00)
701A227	6	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B027	1140	Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B207	4179	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	12	Mile Broken Temporary Traffic Stripe
701C001	25	Mile Solid Temporary Traffic Stripe
701D008	5	Mile Solid Traffic Stripe Removed (Plastic)
701D015	5	Mile Broken Traffic Stripe Removed (Plastic)
701G142	21679	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	12199	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	11314	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	1280	Square Foot Traffic Control Markings, Class 2, Type A
703B002	113	Square Foot Traffic Control Legends, Class 2, Type A
703D001	16575	Square Foot Temporary Traffic Control Markings
705A030	574	Each Pavement Markers, Class A-H, Type 2-C
705A031	1419	Each Pavement Markers, Class A-H, Type 1-A
705A032	504	Each Pavement Markers, Class A-H, Type 1-B
720A025	1	Each Vehicular Impact Attenuator Assembly (Unidirectional, TL-3)
730H001	12496	Linear Foot Loop Wire
731A001	2	Each Traffic Counting Units, Type B
740B000	3086	Square Foot Construction Signs
740C000	29	Square Foot Special Construction Signs
740D000	200	Each Channelizing Drums
740E000	50	Each Cones (36 Inches High)
740F002	20	Each Barricades, Type III
740I005	10	Each Warning Lights, Type B (Detachable Head)
740M001	50	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	6	Each Portable Changeable Message Sign, Type 2
745A000	72	Hour Uniformed Police Officer

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-HSIPF-0157(513)
LAWRENCE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-157 FROM BYLER
ROAD IN MOULTON TO JUST SOUTH OF SR-33 (MP 39.550)

The Length Of This Project Is: 2.950 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy
(70) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,000,000 To \$2,500,000
The Principal Items Of Work Are Approximately As Follows:

305B077	1075 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	16407 Gallon Tack Coat
407B000	19 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	102259 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	21134 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1 Each Material Remixing Device
424A280	9112 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A289	452 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	1922 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B280	2325 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B284	250 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B287	8359 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424C370	3953 Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D

428C000	28129	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
652A100	6	Acre Seeding
656A010	6	Acre Mulching
665J002	300	Linear Foot Silt Fence
665O001	300	Linear Foot Silt Fence Removal
665Q002	200	Linear Foot Wattle
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 108,000.00)
701A227	6	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	6	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	3463	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	21	Mile Broken Temporary Traffic Stripe
701C001	23	Mile Solid Temporary Traffic Stripe
703A002	13027	Square Foot Traffic Control Markings, Class 2, Type A
703B002	471	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1775	Square Foot Temporary Traffic Control Markings
705A030	780	Each Pavement Markers, Class A-H, Type 2-C
705A031	390	Each Pavement Markers, Class A-H, Type 1-A
705A037	780	Each Pavement Markers, Class A-H, Type 2-D
730H001	8600	Linear Foot Loop Wire
730I001	300	Linear Foot Loop Detector Lead-In-Cable
730K000	4	Each Traffic Signal Junction Box
730L005	300	Linear Foot 2", Non-Metallic, Conduit
740B000	745	Square Foot Construction Signs
740C000	72	Square Foot Special Construction Signs
740D000	100	Each Channelizing Drums
740E000	150	Each Cones (36 Inches High)
740M001	150	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
ACGBBRF-BRF-3707(200)
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-61 (ALLIANCE ROAD) AT THE LOCUST FORK
OF THE WARRIOR RIVER WEST OF PORT BIRMINGHAM

The Length Of This Project Is: 0.136 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred
(300) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 16.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$7,720,000 To \$9,350,000
The Principal Items Of Work Are Approximately As Follows:

206A000	1	Lump Sum Removal Of Old Bridge, Station 21+55.02
215A000	6724	Cubic Yard Unclassified Bridge Excavation
450B000	196	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	467615	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta 20+95 (Approx 258,100 Lbs.)
503A000	2617	Cubic Yard Seal Concrete
503B011	1	Lump Sum Cofferdam And Pumping, Pier No. 2
503B012	1	Lump Sum Cofferdam And Pumping, Pier No. 3
503C000	60	Linear Foot Core Drilling Seal Concrete Footings
506A005	156	Linear Foot Drilled Shaft Excavation, 3'-6" Diameter
506B002	100	Linear Foot Special Drilled Shaft Excavation, 3'-6" Diameter
506C021	256	Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS2 Concrete
508A000	5560	Pound Structural Steel
508B000	1	Each Structural Steel Superstructure, 180'-275'-225' Continuous Span Approx. 2,324,030 Lbs., Speciality Item
510A000	2300	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Sta 20+95 (Approx 867 Cu Yds)
510E000	3013	Square Yard Grooving Concrete Bridge Decks

511A004	15 Each Elastomeric Bearing Type 4
511A005	5 Each Elastomeric Bearing Type 5
519A000	1 Lump Sum Navigation Lighting System
600A000	1 Lump Sum Mobilization
610C001	4892 Ton Loose Riprap, Class 2
610D000	4175 Square Yard Filter Blanket
665F000	375 Each Hay Bales
665J002	2455 Linear Foot Silt Fence
665O001	2455 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 416,000.00)
999 000	3000 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPBHF-CN07(917)
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

ROADWAY LIGHTING SYSTEM ON I-20/I-59 FROM WEST OF ARKADELPHIA
ROAD TO EAST OF THE E.B. STEPHENS EXPRESSWAY IN BIRMINGHAM

The Length Of This Project Is: 4.620 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred
(300) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 17.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$5,530,000 To \$6,750,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 182,000.00)
740B000	2617 Square Foot Construction Signs
740C000	289 Square Foot Special Construction Signs
740D000	274 Each Channelizing Drums
740F002	4 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
750Z010	1 Lump Sum Roadway Lighting System

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HPP-1702(903)
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

GRADE, DRAINAGE, PAVEMENT AND SIGNING ON CR-83 FROM FOLEY BEACH
EXPRESS TO CR-32 IN SUMMERDALE

The Length Of This Project Is: 1.619 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Eighty (180) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Thursday, April 17, 2008, in the auditorium of the ALDOT Ninth Division office, 1701 I-65 West Service Road, N., Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 36.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,900,000 To \$4,700,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 5 Acres)
206D000	418 Linear Foot Removing Pipe
210A000	40836 Cubic Yard Unclassified Excavation
210D012	62470 Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0)
214A000	1050 Cubic Yard Structure Excavation
214B000	692 Cubic Yard Foundation Backfill, Local
230A000	87 Roadbed Station Roadbed Processing
301A012	64885 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	59465 Square Yard Bituminous Treatment A
405A000	3713 Gallon Tack Coat
407B000	6 Mile Joint Sealant For Hot Mix Asphalt Pavement
410C000	1 Each Contractor Retained Profilograph
424A361	5307 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	8102 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B681	8479	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B043	500	Ton Aggregate Surfacing (1" Down, Crusher Run)
530A001	92	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	72	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530B001	72	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
530B003	1258	Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
530B004	176	Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)
535A080	204	Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
535A085	68	Linear Foot 24" Side Drain Pipe (Class 3 R.C.)
535A086	68	Linear Foot 30" Side Drain Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
602A000	20	Each Right Of Way Markers
606A000	1000	Linear Foot 6" Underdrain Pipe
610C001	321	Ton Loose Riprap, Class 2
610D002	250	Square Yard Filter Blanket, Geotextile (Non-Woven)
614A000	69	Cubic Yard Slope Paving
618B003	33	Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
619A002	2	Each 18" Roadway Pipe End Treatment, Class 1
619A003	2	Each 24" Roadway Pipe End Treatment, Class 1
619A101	6	Each 18" Side Drain Pipe End Treatment, Class 1
619A102	2	Each 24" Side Drain Pipe End Treatment, Class 1
619A103	2	Each 30" Side Drain Pipe End Treatment, Class 1
619B016	1	Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1
619B283	3	Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2 (Double Line)
619B284	1	Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 2 (Double Line)
619B297	4	Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)
621A011	6	Each Junction Boxes, Type 1 Or 1P
621C020	6	Each Inlets, Type Y
621D019	6	Each Inlet Units, Type Y
623B000	1250	Linear Foot Concrete Curb, Type N
637A000	2650	Linear Foot Fence Reset
650B000	4800	Cubic Yard Topsoil From Stockpiles
652A100	5	Acre Seeding
652C000	18	Acre Mowing
654A001	500	Square Yard Solid Sodding (Bermuda)
656A010	5	Acre Mulching
659A050	10400	Square Yard Rolled Erosion Control Product, Type (5C)
665A000	20	Acre Temporary Seeding
665B000	20	Acre Temporary Mulching
665E000	500	Square Yard Polyethylene
665I000	500	Ton Temporary Riprap, Class 2
665J002	1350	Linear Foot Silt Fence
665K000	500	Cubic Yard Drainage Sump Excavation
665O001	1350	Linear Foot Silt Fence Removal
665P001	6	Each Inlet Protection Device
665Q002	1200	Linear Foot Wattle
666A001	9	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 327,000.00)
701A227	5	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2280	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5	Mile Broken Temporary Traffic Stripe
701C001	13	Mile Solid Temporary Traffic Stripe
703A002	2918	Square Foot Traffic Control Markings, Class 2, Type A
703B002	358	Square Foot Traffic Control Legends, Class 2, Type A
705A011	195	Each Pavement Markers, Class C, Type 1-A
705A023	85	Each Pavement Markers, Class C, Type 2-D
705A030	60	Each Pavement Markers, Class A-H, Type 2-C
705A031	195	Each Pavement Markers, Class A-H, Type 1-A
705A037	85	Each Pavement Markers, Class A-H, Type 2-D
705A038	100	Each Pavement Markers, Class A-H, Type 2-E
707B003	2	Each Type A Hazard Marker Installation
710A115	389	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	235	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)

710B001	1274 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	1268 Square Foot Construction Signs
740D000	150 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	16 Each Barricades, Type III
740I005	8 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
999 000	1500 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
DE-AL84(915)
CLARKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

TURN LANES (GRADE, DRAINAGE AND PAVEMENT) ON SR-13 (US-43) AT
THE THOMASVILLE SOUTH INDUSTRIAL PARK ACCESS ROAD IN THOMASVILLE

The Length Of This Project Is: 0.343 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 12.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$363,600 To \$444,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx. 1 Acre)
206C010	315 Square Yard Removing Concrete Driveway
210A000	3115 Cubic Yard Unclassified Excavation
210D011	365 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	123 Cubic Yard Structure Excavation
214B001	46 Cubic Yard Foundation Backfill, Commercial
230A000	25 Roadbed Station Roadbed Processing
301A102	8704 Square Yard Soil Aggregate Base Course, Type A, Road Mixed, 6" Compacted Thickness
401A000	4352 Square Yard Bituminous Treatment A
405A000	202 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	334 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	537 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	537 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	586 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

530A001	173 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
606A000	200 Linear Foot 6" Underdrain Pipe
619A002	1 Each 18" Roadway Pipe End Treatment, Class 1
621C020	1 Each Inlets, Type Y
621D019	1 Each Inlet Units, Type Y
650A000	550 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
659A028	200 Square Yard Rolled Erosion Control Product, Type (1D)
665F000	18 Each Hay Bales
665I000	36 Ton Temporary Riprap, Class 2
665J002	2046 Linear Foot Silt Fence
665O001	2046 Linear Foot Silt Fence Removal
665Q002	350 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 21,000.00)
701A228	1 Mile Solid White, Class 2, Type A Traffic Stripe (6" Wide)
701A232	1 Mile Solid Yellow, Class 2, Type A Traffic Stripe (6" Wide)
701B209	1130 Linear Foot Dotted, Class 2, Type A Traffic Stripe (6" Wide)
701C001	1 Mile Solid Temporary Traffic Stripe
701D005	1 Mile Solid Traffic Stripe Removed
703A002	1658 Square Foot Traffic Control Markings, Class 2, Type A
703B002	159 Square Foot Traffic Control Legends, Class 2, Type A
705A031	94 Each Pavement Markers, Class A-H, Type 1-A
710A115	25 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	30 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	72 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	342 Square Foot Construction Signs
740D000	75 Each Channelizing Drums
740E000	75 Each Cones (36 Inches High)
740F002	4 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)
740M001	75 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-0022(501)
CHILTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON SR-22 AT MULBERRY CREEK AND
RELIEF NORTHEAST OF MAPLESVILLE

The Length Of This Project Is: 0.556 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In one hundred thirty (130) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, April 16, 2008, in the auditorium of the ALDOT Fifth Division office, 2715 East Skyland Boulevard, Tuscaloosa, AL 35407. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 28.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,300,000 To \$4,000,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 13 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 14+75.74
206A001	1 Lump Sum Removal Of Old Bridge, Station 18+46.57
206D001	470 Linear Foot Removing Guardrail
210A000	20368 Cubic Yard Unclassified Excavation
210C000	7281 Cubic Yard Muck Excavation
210D011	74661 Cubic Yard Borrow Excavation (A-4 Or Better)
210F001	11100 Ton Borrow Excavation (Underwater Embankment)
210F002	3150 Ton Borrow Excavation (Underwater Backfill) (ALDOT #57)
214A000	73 Cubic Yard Structure Excavation
214B001	93 Cubic Yard Foundation Backfill, Commercial
230A000	32 Roadbed Station Roadbed Processing
240A000	4 Each Settlement Plate Assembly
243A035	3450 Square Yard Geosynthetic Reinforcement For Soft Soil Stabilization, Type 3
301A012	8660 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
305B071	100 Ton Coarse Aggregate, Section 801, For Miscellaneous Use ALDOT#57
305B077	100 Ton Crushed Aggregate, Section 825, For Miscellaneous Use

401A000 8660 Square Yard Bituminous Treatment A
 405A000 1402 Gallon Tack Coat
 407B000 3 Mile Joint Sealant For Hot Mix Asphalt Pavement
 424A360 615 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424A363 50 Ton Superpave Bituminous Concrete Wearing Surface Layer,
 Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424A366 50 Ton Superpave Bituminous Concrete Wearing Surface Layer,
 Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424A369 50 Ton Superpave Bituminous Concrete Wearing Surface Layer,
 Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424B651 1347 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B659 450 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B662 368 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B663 50 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424B681 1356 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 450B000 125 Square Yard Reinforced Cement Concrete Bridge End Slab
 502A000 99800 Pound Steel Reinforcement
 502B000 1 Lump Sum Steel Reinforcement For Bridge Superstructure,
 Sta. 28+63.0 Approx. 114,000 Lbs
 505A002 1 Each Steel Test Piles (HP 12x53)
 505B057 1 Each Static Loading Tests (HP 12x53)
 505B087 1 Each Dynamic Loading Tests (HP 12x53)
 505M002 1465 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
 506A008 492 Linear Foot Drilled Shaft Excavation, 4'-0" Diameter
 506C042 500 Linear Foot Drilled Shaft Construction, 4'-0" Diameter, Class DS1 Concrete
 506F008 92 Linear Foot Permanent Drilled Shaft Casing, 4'-0" Diameter
 506G002 6 Each Crosshole Sonic Logging, 4'-0" Diameter
 508A000 9833 Pound Structural Steel
 510A000 259 Cubic Yard Bridge Substructure Concrete, Class A
 510C051 1 Lump Sum Bridge Concrete Superstructure, Sta. 28+63.0 Approx. 468 Cu Yds
 510E000 1615 Square Yard Grooving Concrete Bridge Decks
 511A072 48 Each Elastomeric Bearing Type 4 (Mark VB3)
 513B005 2014 Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
 530A007 109 Linear Foot 54" Roadway Pipe (Class 3 R.C.)
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 26 Each Right Of Way Markers
 606A000 1000 Linear Foot 6" Underdrain Pipe
 608A000 4450 Square Yard Separation Geotextile
 610C001 4557 Ton Loose Riprap, Class 2
 610D003 3633 Square Yard Filter Blanket, Geotextile
 619A058 2 Each 54" Roadway Pipe End Treatment, Class 2
 630A001 488 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C003 4 Each Guardrail End Anchor, Type 13
 630C050 4 Each Guardrail End Anchor, Type 20 Series
 650A000 492 Cubic Yard Topsoil
 650B000 3897 Cubic Yard Topsoil From Stockpiles
 652A100 12 Acre Seeding
 652C000 12 Acre Mowing
 656A010 12 Acre Mulching
 659A036 1040 Square Yard Rolled Erosion Control Product, Type (2D)
 659A048 2219 Square Yard Rolled Erosion Control Product, Type (5A)
 665A000 4 Acre Temporary Seeding
 665B000 4 Acre Temporary Mulching
 665I000 499 Ton Temporary Riprap, Class 2
 665J002 7630 Linear Foot Silt Fence
 665K000 560 Cubic Yard Drainage Sump Excavation
 665L000 373 Linear Foot Floating Basin Boom
 665N002 500 Ton Temporary Coarse Aggregate, ALDOT Number 24
 665O001 7630 Linear Foot Silt Fence Removal
 665Q002 300 Linear Foot Wattle
 680A000 1 Lump Sum Engineering Controls
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 177,000.00)

701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C001	1 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701G146	680 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	680 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
705A037	75 Each Pavement Markers, Class A-H, Type 2-D
740B000	447 Square Foot Construction Signs
740F002	10 Each Barricades, Type III
740I005	5 Each Warning Lights, Type B (Detachable Head)
740L005	95 Each Vertical Panel, Type I (Double-Sided)
740O000	1 Each Pilot Car
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-9425(600)
HOUSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON SR-52 AT THE CSX RAILROAD
OVERPASS IN DOTHAN

The Length Of This Project Is: 0.254 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Sixty
(160) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 23.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,900,000 To \$2,300,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
205A001	1 Each Removal Of Structures, Structure No. 1
206A000	1 Lump Sum Removal Of Old Bridge, Station 24+04.84
206D000	46 Linear Foot Removing Pipe
206D001	411 Linear Foot Removing Guardrail
206D002	210 Linear Foot Removing Curb
206D011	712 Linear Foot Removing Fence
206E000	1 Each Removing Headwalls
206E001	1 Each Removing Inlets
209A000	1 Each Mailbox Reset, Single
210A000	1814 Cubic Yard Unclassified Excavation
210D011	6222 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	96 Cubic Yard Structure Excavation
214B000	32 Cubic Yard Foundation Backfill, Local
215A000	408 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 23+59.73
230A000	14 Roadbed Station Roadbed Processing
301A222	7692 Square Yard Soil Aggregate Base Course, Type C, Road Mixed, 6" Compacted Thickness

401A000	4267	Square Yard Bituminous Treatment A
405A000	385	Gallon Tack Coat
407B000	1	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	633	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	1431	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	1403	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B000	200	Ton Aggregate Surfacing (ALDOT #467 Or #57)
450B000	186	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	76700	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 23+59.73, Approx. 99,100 Lbs
505A002	2	Each Steel Test Piles (HP 12x53)
505B057	2	Each Static Loading Tests (HP 12x53)
505B087	2	Each Dynamic Loading Tests (HP 12x53)
505M002	4632	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
508A000	12310	Pound Structural Steel
510A000	463	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Station 23+59.73, Approx. 366 Cubic Yards
510E000	1270	Square Yard Grooving Concrete Bridge Decks
511A072	48	Each Elastomeric Bearing Type 4 (Mark VB3)
513B005	1734	Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
530A003	116	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
535A001	68	Linear Foot 18" Side Drain Pipe
600A000	1	Lump Sum Mobilization
602A000	21	Each Right Of Way Markers
609A000	1534	Square Yard Aggregate Slope Protection
609B000	1716	Square Yard Geotextile Filter For Aggregate Slope Protection
610C001	46	Ton Loose Riprap, Class 2
610D003	36	Square Yard Filter Blanket, Geotextile
614A000	13	Cubic Yard Slope Paving
619A004	1	Each 30" Roadway Pipe End Treatment, Class 1
619A101	2	Each 18" Side Drain Pipe End Treatment, Class 1
620A000	1	Cubic Yard Minor Structure Concrete
621C002	1	Each Inlets, Type C, P1 Or P3
621D022	1	Each Inlet Units, Type C, P1 Or P3
623B000	195	Linear Foot Concrete Curb, Type N
630A001	225	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4	Each Guardrail End Anchor, Type 13
630C050	4	Each Guardrail End Anchor, Type 20 Series
652C000	1	Acre Mowing
654A001	7225	Square Yard Solid Sodding (Bermuda)
659A025	71	Square Yard Rolled Erosion Control Product, Type (1A)
665A000	1	Acre Temporary Seeding
665B000	1	Acre Temporary Mulching
665J002	2763	Linear Foot Silt Fence
665O001	2763	Linear Foot Silt Fence Removal
665P005	2	Each Inlet Protection, Stage 3 Or 4
665Q002	342	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 101,000.00)
701A227	1	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B027	95	Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B207	273	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	2	Mile Solid Temporary Traffic Stripe
701D007	1	Mile Solid Traffic Stripe Removed (Paint)
701D008	1	Mile Solid Traffic Stripe Removed (Plastic)
701D014	1	Mile Broken Traffic Stripe Removed (Paint)
701D015	1	Mile Broken Traffic Stripe Removed (Plastic)
701G146	442	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	537	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	2037	Square Foot Traffic Control Markings, Class 2, Type A
703A011	75	Square Foot Traffic Control Markings, Class W, Type A
703B002	91	Square Foot Traffic Control Legends, Class 2, Type A

703B011	23 Square Foot Traffic Control Legends, Class W, Type A
703D001	226 Square Foot Temporary Traffic Control Markings
703E001	69 Square Foot Temporary Traffic Control Legends
705A030	21 Each Pavement Markers, Class A-H, Type 2-C
705A032	346 Each Pavement Markers, Class A-H, Type 1-B
705A037	31 Each Pavement Markers, Class A-H, Type 2-D
705A038	173 Each Pavement Markers, Class A-H, Type 2-E
740B000	1146 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740F002	16 Each Barricades, Type III
740I005	11 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(259)
ETOWAH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL AND GUARDRAIL END ANCHOR REPLACEMENT ON VARIOUS COUNTY
ROADS AT SITES AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$66,600 To \$81,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
630A001	338 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1 Each Guardrail End Anchor, Type 8
630C003	4 Each Guardrail End Anchor, Type 13
630C022	10 Each Guardrail End Anchor, Type Special
630C050	10 Each Guardrail End Anchor, Type 20 Series
630C070	7 Each Guardrail End Anchor, Type 10 Series
740B000	96 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(260)
WILCOX COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS AND LEGENDS ON VARIOUS COUNTY ROADS AT
SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 37.50 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$31,000 To \$38,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A008	3 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	62 Mile Solid Yellow, Class 1, Type A Traffic Stripe
703A000	480 Square Foot Traffic Control Markings, Class 1, Type A
703B000	250 Square Foot Traffic Control Legends, Class 1, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-NH-0002(531)
MADISON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-2 (US-72) FROM
JUST EAST OF CR-27 (NANCE ROAD) TO NEAR INDIAN CREEK IN MADISON

The Length Of This Project Is: 1.700 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five
(35) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$862,000 To \$1,050,000

The Principal Items Of Work Are Approximately As Follows:

206C010	94	Square Yard Removing Concrete Driveway
209A000	13	Each Mailbox Reset, Single
405A000	3016	Gallon Tack Coat
407B000	4	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	50265	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	1000	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	3959	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	7330	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	175	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	1397	Ton Superpave Bituminous Concrete Base Layer, Widening, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B040	2890	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
652A100	4	Acre Seeding
656A010	4	Acre Mulching
665J002	1000	Linear Foot Silt Fence

665O001	1000 Linear Foot Silt Fence Removal
665Q002	250 Linear Foot Wattle
666A001	4 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 46,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1180 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	7 Mile Solid Temporary Traffic Stripe
703A002	420 Square Foot Traffic Control Markings, Class 2, Type A
703B002	180 Square Foot Traffic Control Legends, Class 2, Type A
703D001	420 Square Foot Temporary Traffic Control Markings
705A031	225 Each Pavement Markers, Class A-H, Type 1-A
730H001	4145 Linear Foot Loop Wire
730I001	4700 Linear Foot Loop Detector Lead-In-Cable
740B000	908 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0096(501)
FAYETTE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-96 FROM CR-37 TO
NEAR THE WEST CITY LIMIT OF FAYETTE

The Length Of This Project Is: 1.000 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$344,700 To \$421,000

The Principal Items Of Work Are Approximately As Follows:

210D021	90 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
305B077	100 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	1408 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	14080 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A360	951 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	350 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	250 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	200 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Agggregate Size Mix, ESAL Range C/D
424B659	1617 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
650A000	783 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching

665G000	20 Each Sand Bags
665J002	1000 Linear Foot Silt Fence
665O001	1000 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 17,600.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe
703A002	100 Square Foot Traffic Control Markings, Class 2, Type A
703D002	300 Square Foot Temporary Traffic Control Markings (Paint)
705A032	14 Each Pavement Markers, Class A-H, Type 1-B
705A037	106 Each Pavement Markers, Class A-H, Type 2-D
740B000	313 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0008(546)
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-8 (US-80) FROM THE
EDMUND PETTUS BRIDGE AT SELMA TO SR-41

The Length Of This Project Is: 2.421 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$798,000 To \$975,000

The Principal Items Of Work Are Approximately As Follows:

405A000	4400 Gallon Tack Coat
407B000	11 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	75000 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A360	1200 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	6200 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	250 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	400 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	250 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	600 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	13500 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
600A000	1 Lump Sum Mobilization
650A000	700 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching

665F000	300	Each Hay Bales
665J002	500	Linear Foot Silt Fence
665O001	500	Linear Foot Silt Fence Removal
666A001	1	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 42,000.00)
701A227	9	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2000	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5	Mile Broken Temporary Traffic Stripe
701C001	33	Mile Solid Temporary Traffic Stripe
701G142	1320	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1320	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1320	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1320	Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	1800	Square Foot Traffic Control Markings, Class 2, Type A
703B002	410	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1000	Square Foot Temporary Traffic Control Markings
703E001	52	Square Foot Temporary Traffic Control Legends
705A030	25	Each Pavement Markers, Class A-H, Type 2-C
705A031	300	Each Pavement Markers, Class A-H, Type 1-A
705A037	225	Each Pavement Markers, Class A-H, Type 2-D
730H001	3000	Linear Foot Loop Wire
740B000	1154	Square Foot Construction Signs
740D000	100	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NH-0012(531) & NH-0012(532)
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008 and at that time publicly opened for constructing the following:

STRUCTURE REMOVAL AND UNDERGROUND STORAGE TANK REMOVAL ON SR-12
(US-84) AT VARIOUS SITES AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Tuesday, April 15, 2008, in the conference room of the ALDOT Seventh Division office, 299 Elba Highway, Troy, AL 36097. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 10.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$240,000 To \$300,000
The Principal Items Of Work Are Approximately As Follows:

204A000	17 Each Closing Water Well
205A001	1 Each Removal Of Structures, Structure No. 6
205A002	1 Each Removal Of Structures, Structure No. 8
205A003	1 Each Removal Of Structures, Structure No. 10
205A004	1 Each Removal Of Structures, Structure No. 12
205A005	1 Each Removal Of Structures, Structure No. 11
205A006	1 Each Removal Of Structures, Structure No. 21
205A007	1 Each Removal Of Structures, Structure No. 21A
205A008	1 Each Removal Of Structures, Structure No. 20
205A009	1 Each Removal Of Structures, Structure No. 31
205A010	1 Each Removal Of Structures, Structure No. 32
205A011	1 Each Removal Of Structures, Structure No. 32A
205A012	1 Each Removal Of Structures, Structure No. 55
205A013	1 Each Removal Of Structures, Structure No. 3
205A014	1 Each Removal Of Structures, Structure No. 5
205A015	1 Each Removal Of Structures, Structure No. 9
205A016	1 Each Removal Of Structures, Structure No. 9A
205A017	1 Each Removal Of Structures, Structure No. 12
205A018	1 Each Removal Of Structures, Structure No. 14
205A019	1 Each Removal Of Structures, Structure No. 14A
205A020	1 Each Removal Of Structures, Structure No. 18
205A021	1 Each Removal of Structures, Structure No. 21
205A022	1 Each Removal Of Structures, Structure No. 21A

205A023	1 Each Removal Of Structures, Structure No. 27
205A024	1 Each Removal Of Structures, Structure No. 27A
205A025	1 Each Removal Of Structures, Structure No. 37
205A026	1 Each Removal Of Structures, Structure No. 42
205A027	1 Each Removal Of structures, Structure No. 45
205A028	1 Each Removal Of Structures, Structure No. 45A
250B002	50 Cubic Yard Disposal Of Hydrocarbon Contaminated Soil (Specialty Item)
250C000	3 Each Underground Storage Tank Removal (Specialty Item)
250N001	5000 Gallon Removing And Disposing Tank Contents (Sludge) (Specialty Item)
600A000	1 Lump Sum Mobilization
665J002	3500 Linear Foot Silt Fence
665O001	3500 Linear Foot Silt Fence Removal
665Q002	1000 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 12,500.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0069(518)
WALKER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-69 (ELLIOT BOULEVARD) FROM
20TH STREET IN JASPER TO SR-118

The Length Of This Project Is: 2.111 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty
(40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$850,000 To \$1,000,000
The Principal Items Of Work Are Approximately As Follows:

209A000	4 Each Mailbox Reset, Single
405A000	5333 Gallon Tack Coat
407B000	9 Mile Joint Sealant For Hot Mix Asphalt Pavement
410H000	1 Each Material Remixing Device
424A360	5905 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	750 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
665J002	150 Linear Foot Silt Fence
665O001	150 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 45,000.00)
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	148 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8 Mile Broken Temporary Traffic Stripe

701C001	5 Mile Solid Temporary Traffic Stripe
703A002	3506 Square Foot Traffic Control Markings, Class 2, Type A
703B002	247 Square Foot Traffic Control Legends, Class 2, Type A
703D001	520 Square Foot Temporary Traffic Control Markings
705A030	153 Each Pavement Markers, Class A-H, Type 2-C
705A031	564 Each Pavement Markers, Class A-H, Type 1-A
705A032	158 Each Pavement Markers, Class A-H, Type 1-B
705A037	484 Each Pavement Markers, Class A-H, Type 2-D
705A038	79 Each Pavement Markers, Class A-H, Type 2-E
740B000	573 Square Foot Construction Signs
740E000	620 Each Cones (36 Inches High)
740M001	620 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0068(502)
CHEROKEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-68 FROM SR-9 IN
CEDAR BLUFF TO 1 MILE EAST OF SR-35

The Length Of This Project Is: 5.800 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,400,000 To \$1,700,000

The Principal Items Of Work Are Approximately As Follows:

405A000	5957	Gallon Tack Coat
407B000	6	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	106045	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	1335	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	9211	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	11326	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	200	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	350	Ton Superpave Bituminous Concrete Lower Binder Layer,
		Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	4045	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
652A100	1	Acre Seeding
656A010	1	Acre Mulching
665J002	5000	Linear Foot Silt Fence

665L000	600 Linear Foot Floating Basin Boom
665O001	5000 Linear Foot Silt Fence Removal
665Q002	800 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 77,000.00)
701A227	11 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	9 Mile Broken Temporary Traffic Stripe
701C001	32 Mile Solid Temporary Traffic Stripe
701G146	982 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	491 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	982 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	491 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	720 Square Foot Traffic Control Markings, Class 2, Type A
703B002	23 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1296 Square Foot Temporary Traffic Control Markings
703E001	45 Square Foot Temporary Traffic Control Legends
705A030	24 Each Pavement Markers, Class A-H, Type 2-C
705A031	53 Each Pavement Markers, Class A-H, Type 1-A
705A032	109 Each Pavement Markers, Class A-H, Type 1-B
705A037	505 Each Pavement Markers, Class A-H, Type 2-D
730H001	1700 Linear Foot Loop Wire
730I001	200 Linear Foot Loop Detector Lead-In-Cable
740B000	554 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPHS-0006(522)
TUSCALOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

INTERSECTION IMPROVEMENTS INCLUDING SIGNALS ON SR-6 (US-82) AT
SR-7 (US-11) IN TUSCALOOSA

The Length Of This Project Is: 0.341 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 12.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$208,800 To \$255,200

The Principal Items Of Work Are Approximately As Follows:

206C002	331 Square Yard Removing Concrete Slope Paving
206C003	4 Square Yard Removing Concrete Flumes
206D002	595 Linear Foot Removing Curb
206E001	1 Each Removing Inlets
210A000	496 Cubic Yard Unclassified Excavation
210D021	89 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
230A000	6 Roadbed Station Roadbed Processing
401A000	747 Square Yard Bituminous Treatment A
405A000	75 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	2583 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A364	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	310 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	150 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	150 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B662	158 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	68 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
614A000	53 Cubic Yard Slope Paving
621A005	1 Each Junction Boxes, Type 1
621B005	1 Each Junction Box Units, Type 1
621C001	1 Each Inlets, Type B
623B000	635 Linear Foot Concrete Curb, Type N
623C000	268 Linear Foot Combination Curb & Gutter, Type C
650A000	119 Cubic Yard Topsoil
654A001	1109 Square Yard Solid Sodding (Bermuda)
665G000	100 Each Sand Bags
665J002	260 Linear Foot Silt Fence
665O001	260 Linear Foot Silt Fence Removal
665Q002	30 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 6,400.00)
701B207	437 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701E000	2277 Linear Foot Solid Temporary Traffic Stripe
701G253	1946 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G265	1536 Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701H001	2056 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H011	284 Linear Foot Dotted Traffic Stripe Removed (Plastic)
703A002	686 Square Foot Traffic Control Markings, Class 2, Type A
703B002	316 Square Foot Traffic Control Legends, Class 2, Type A
703D001	83 Square Foot Temporary Traffic Control Markings
710A126	25 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	62 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit ((SR 6-US82 @ McFarland Mall South Driveway Entrance/Exit)
730H001	570 Linear Foot Loop Wire
730I001	28 Linear Foot Loop Detector Lead-In-Cable
730L005	60 Linear Foot 2", Non-Metallic, Conduit
730M016	320 Linear Foot Interconnect Cable, Aerial Lashed, #14 AWG, 9 Conductors, IM SA 20-1
730P022	2 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
740B000	658 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-CN08(262)
TALLAPOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-41 FROM SR-22 TO CR-61 WEST
OF NEW SITE

The Length Of This Project Is: 5.032 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$655,000 To \$800,000

The Principal Items Of Work Are Approximately As Follows:

401B108	59045	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	2000	Gallon Tack Coat
407B000	6	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A346	1000	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A347	6050	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C351	1040	Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1995	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A021	50	Linear Foot Steel Beam Guardrail, Class A, Type 2 (Steel Post)
630C070	4	Each Guardrail End Anchor, Type 10 Series
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 35,000)
701A004	11	Mile Solid White, Class 1, Type A Traffic Stripe
701A008	1	Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	11	Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	2	Mile Broken Temporary Traffic Stripe
701C001	22	Mile Solid Temporary Traffic Stripe

703A000	240 Square Foot Traffic Control Markings, Class 1, Type A
705A032	66 Each Pavement Markers, Class A-H, Type 1-B
705A037	665 Each Pavement Markers, Class A-H, Type 2-D
740B000	195 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-3010(201) & STPOA-3036(200)
FRANKLIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND PAVEMENT MARKERS ON CR-23 FROM
SR-19 IN VINA TO SR-24 AND ON CR-79 FROM THE MARION COUNTY
LINE TO SR-243

The Length Of This Project Is: 11.244 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty
(50) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$1,500,000 To \$1,900,000
The Principal Items Of Work Are Approximately As Follows:

201C000	1 Lump Sum Clearing
401B100	66407 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	3927 Gallon Tack Coat
407B000	12 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	10034 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	11303 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	9059 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 86,000.00)
701A231	24 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	21 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C002	3 Mile Broken Temporary Traffic Stripe (Paint)
701C003	32 Mile Solid Temporary Traffic Stripe (Paint)
705A032	132 Each Pavement Markers, Class A-H, Type 1-B
705A037	2772 Each Pavement Markers, Class A-H, Type 2-D

740B000 663 Square Foot Construction Signs
740E000 100 Each Cones (36 Inches High)
740M001 100 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-3604(203)
JACKSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-67 FROM THE MARSHALL COUNTY
LINE TO LAKESHORE DRIVE IN LANGSTON

The Length Of This Project Is: 2.488 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$320,000 To \$400,000
The Principal Items Of Work Are Approximately As Follows:

401B108	29193	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	976	Gallon Tack Coat
407B000	3	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	2530	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range A/B
424B642	500	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	500	Ton Superpave Bituminous Concrete Base Layer, Patching, 1"
		Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1314	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 17,000)
701A231	5	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	3	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2	Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2	Mile Broken Temporary Traffic Stripe
701C001	8	Mile Solid Temporary Traffic Stripe
703A002	40	Square Foot Traffic Control Markings, Class 2, Type A
705A032	82	Each Pavement Markers, Class A-H, Type 1-B
705A037	246	Each Pavement Markers, Class A-H, Type 2-D
740B000	388	Square Foot Construction Signs

740E000 100 Each Cones (36 Inches High)
740M001 100 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-4811(202)
MARSHALL COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND GUARDRAIL ON CR-409 (MARTLING ROAD)
FROM BLUE BEND ROAD TO MARTLING GAP ROAD EAST OF GUNTERSVILLE

The Length Of This Project Is: 2.499 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$286,000 To \$350,000

The Principal Items Of Work Are Approximately As Follows:

405A000	1760 Gallon Tack Coat
407B000	3 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A336	1291 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	2420 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	100 Ton Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	611 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
630A001	63 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	2 Each Guardrail End Anchor, Type 20 Series
630C070	2 Each Guardrail End Anchor, Type 10 Series
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 16,000.00)
701A231	5 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	10 Mile Solid Temporary Traffic Stripe
703A002	100 Square Foot Traffic Control Markings, Class 2, Type A

703B002	120 Square Foot Traffic Control Legends, Class 2, Type A
705A032	132 Each Pavement Markers, Class A-H, Type 1-B
705A037	398 Each Pavement Markers, Class A-H, Type 2-D
740B000	271 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-2618(200)
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-29 AT WEOKA CREEK SOUTHEAST OF TITUS

The Length Of This Project Is: 0.083 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred (100) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 9.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,400,000 To \$1,700,000
The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 12+66.4
210A000	505 Cubic Yard Unclassified Excavation
502A000	118225 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Station 12+55, Approximately 106,240 Lbs
506A000	189 Linear Foot Drilled Shaft Excavation, 4'-6" Diameter
506A005	111 Linear Foot Drilled Shaft Excavation, 3'-6" Diameter
506B002	40 Linear Foot Special Drilled Shaft Excavation, 3'-6" Diameter
506B004	76 Linear Foot Special Drilled Shaft Excavation, 4'-6" Diameter
506C041	151 Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete
506C043	298 Linear Foot Drilled Shaft Construction, 4'-6" Diameter, Class DS1 Concrete
506F001	222 Linear Foot Permanent Drilled Shaft Casing, 4'-6" Diameter
506G001	4 Each Crosshole Sonic Logging, 3'-6" Diameter
506G003	6 Each Crosshole Sonic Logging, 4'-6" Diameter
508A000	5638 Pound Structural Steel
510A000	147 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Station 12+55 Approximately 442 Cu Yd
510E000	1168 Square Yard Grooving Concrete Bridge Decks
511A053	32 Each Elastomeric Bearing Type 2 (Mark B4)
513B019	1742 Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-63 (Specialty Item)

600A000	1 Lump Sum Mobilization
610C001	1447 Ton Loose Riprap, Class 2
610D000	834 Square Yard Filter Blanket
630C003	4 Each Guardrail End Anchor, Type 13
630C050	4 Each Guardrail End Anchor, Type 20 Series
665F000	50 Each Hay Bales
665J002	160 Linear Foot Silt Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 41,000.00)
740B000	198 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN08(261)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CHOCCOLOCCO ROAD (CR-55) FROM
THE ANNISTON EAST CITY LIMIT TO SCARBOROUGH LANE

The Length Of This Project Is: 4.279 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$792,000 To \$968,000
The Principal Items Of Work Are Approximately As Follows:

401B108	60265	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	4041	Gallon Tack Coat
407B000	5	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	4518	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	5584	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B639	50	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	2725	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A001	350	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	4	Each Guardrail End Anchor, Type 10 Series
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 42,000.00)
701A231	9	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	9	Mile Broken Temporary Traffic Stripe
701C001	12	Mile Solid Temporary Traffic Stripe

703A002	974 Square Foot Traffic Control Markings, Class 2, Type A
703B002	26 Square Foot Traffic Control Legends, Class 2, Type A
703D001	974 Square Foot Temporary Traffic Control Markings
705A032	200 Each Pavement Markers, Class A-H, Type 1-B
705A037	170 Each Pavement Markers, Class A-H, Type 2-D
740B000	516 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
ST-049-016-006
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

DRAINAGE IMPROVEMENTS ON SR-16 (US-90) AT MP 16.4 IN THEODORE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 9.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$300,000 To \$370,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
210A000	2350 Cubic Yard Unclassified Excavation
210E000	300 Cubic Yard Borrow Excavation (Underwater Backfill)
214A000	188 Cubic Yard Structure Excavation
214B000	93 Cubic Yard Foundation Backfill, Local
214B001	300 Cubic Yard Foundation Backfill, Commercial
301A012	363 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	363 Square Yard Bituminous Treatment A
424A363	30 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	40 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	40 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	200 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
530B006	116 Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
533A350	16 Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.) (Extension)
535A086	24 Linear Foot 30" Side Drain Pipe (Class 3 R.C.)
535B091	24 Linear Foot 29" Span, 18" Rise Side Drain Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
602A000	22 Each Right Of Way Markers
610C001	61 Ton Loose Riprap, Class 2
610D003	48 Square Yard Filter Blanket, Geotextile
614B000	100 Cubic Yard Reinforced Slope Paving
619A128	1 Each 30" Side Drain Pipe End Treatment, Class 2
619B071	2 Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 2
634A002	1426 Linear Foot Industrial Fence, 6 Feet High
650A000	737 Cubic Yard Topsoil

652A100	2 Acre Seeding
654A001	300 Square Yard Solid Sodding (Bermuda)
656A010	2 Acre Mulching
659A048	2737 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	2 Acre Temporary Seeding
665B000	2 Acre Temporary Mulching
665F000	180 Each Hay Bales
665G000	200 Each Sand Bags
665I000	60 Ton Temporary Riprap, Class 2
665J002	3000 Linear Foot Silt Fence
665Q001	3000 Linear Foot Silt Fence Removal
665Q002	300 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 26,000.00)
740B000	446 Square Foot Construction Signs
740D000	300 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	6 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-301-224-053-803
CULLMAN COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-53 (US-231) FROM
THE BLOUNT COUNTY LINE TO THE MARSHALL COUNTY LINE

The Length Of This Project Is: 3.574 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,000,000 To \$1,200,000
The Principal Items Of Work Are Approximately As Follows:

405A000	4594	Gallon Tack Coat
407B000	4	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	74395	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	4000	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	5022	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	11160	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	600	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	3254	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 52,500.00)
701A227	8	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	848	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7	Mile Broken Temporary Traffic Stripe
701C001	23	Mile Solid Temporary Traffic Stripe
703A002	1238	Square Foot Traffic Control Markings, Class 2, Type A
703B002	68	Square Foot Traffic Control Legends, Class 2, Type A

703D001	2404 Square Foot Temporary Traffic Control Markings
703E001	135 Square Foot Temporary Traffic Control Legends
705A030	64 Each Pavement Markers, Class A-H, Type 2-C
705A031	64 Each Pavement Markers, Class A-H, Type 1-A
705A032	113 Each Pavement Markers, Class A-H, Type 1-B
705A037	262 Each Pavement Markers, Class A-H, Type 2-D
705A038	69 Each Pavement Markers, Class A-H, Type 2-E
740B000	628 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-302-391-101-804
LAUDERDALE COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-101 FROM SR-2
(US-72) THROUGH LEXINGTON TO THE TENNESSEE STATE LINE

The Length Of This Project Is: 10.799 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five
(75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,900,000 To \$2,300,000

The Principal Items Of Work Are Approximately As Follows:

209A000	18	Each Mailbox Reset, Single
209A001	2	Each Mailbox Reset, Double
209A002	1	Each Mailbox Reset, Multiple
305B077	1790	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	9853	Gallon Tack Coat
407B000	12	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	197005	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A360	14827	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	441	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B653	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	11448	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Agggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 96,000.00)
701A227	22	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	15	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1498	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	14	Mile Broken Temporary Traffic Stripe
701C001	71	Mile Solid Temporary Traffic Stripe

703A002	3059 Square Foot Traffic Control Markings, Class 2, Type A
703D001	1124 Square Foot Temporary Traffic Control Markings
705A032	765 Each Pavement Markers, Class A-H, Type 1-B
705A037	907 Each Pavement Markers, Class A-H, Type 2-D
705A038	203 Each Pavement Markers, Class A-H, Type 2-E
740B000	985 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-304-621-038-801
TALLAPOOSA COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., April 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-38 (US-280) FROM
JUST EAST OF SR-63 TO THE TALLAPOOSA RIVER BRIDGE SOUTHEAST OF
ALEXANDER CITY

The Length Of This Project Is: 3.790 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty
(120) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$4,700,000 To \$5,300,000
The Principal Items Of Work Are Approximately As Follows:

206C008	367	Square Yard Removing Concrete Median
206D000	7	Linear Foot Removing Pipe
206D001	11600	Linear Foot Removing Guardrail
206D002	4440	Linear Foot Removing Curb
206D007	2075	Linear Foot Removing Concrete Flume
206E000	2	Each Removing Headwalls
206E008	37	Each Removing Guardrail End Anchor (All Type)
210A000	4392	Cubic Yard Unclassified Excavation
210D000	8500	Cubic Yard Borrow Excavation
214A000	20	Cubic Yard Structure Excavation
214B001	12	Cubic Yard Foundation Backfill, Commercial
301B007	1297	Cubic Yard Crushed Aggregate Base Course, Type B, Yard Mixed
401B100	113277	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	11686	Gallon Tack Coat
407B000	25	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	267	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	106726	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	1067	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410B000	1	Each State Furnished Profilograph
410H000	1	Each Material Remixing Device
420A015	1227	Ton Polymer Modified Open Graded Friction Course
424A280	8483	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range E

424A358	2610	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A360	6910	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	1200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	104	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B288	14477	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B581	1815	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B650	11314	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	600	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B661	119	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	1397	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C280	1815	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424C360	1397	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	69813	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	292	Ton Aggregate Surfacing (1" Down, Crusher Run)
530A002	8	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A102	20	Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
600A000	1	Lump Sum Mobilization
606A000	200	Linear Foot 6" Underdrain Pipe
614A000	202	Cubic Yard Slope Paving
619A003	2	Each 24" Roadway Pipe End Treatment, Class 1
620A000	1	Cubic Yard Minor Structure Concrete
621A005	1	Each Junction Boxes, Type 1
630A001	9275	Linear Foot Steel Beam Guardrail, Class A, Type 2
630A018	2326	Linear Foot Steel Beam Guardrail, Class A, Type 2 (Double Faced Median Barrier)
630C001	16	Each Guardrail End Anchor, Type 8
630C041	6	Each Guardrail End Anchor, Type 22
630C065	2	Each Guardrail End Anchor, Type 13 (Retrofit)
630C070	14	Each Guardrail End Anchor, Type 10 Series
630F000	1	Each Box Beam Median End Anchor (BEAT-MT)
650A000	1150	Cubic Yard Topsoil
654A001	606	Square Yard Solid Sodding (Bermuda)
665A000	2	Acre Temporary Seeding
665B000	2	Acre Temporary Mulching
665G000	200	Each Sand Bags
665I000	35	Ton Temporary Riprap, Class 2
665J002	1000	Linear Foot Silt Fence
665L000	300	Linear Foot Floating Basin Boom
665O001	1000	Linear Foot Silt Fence Removal
665Q002	420	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 255,000.00)
701A227	8	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	8	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1750	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	25	Mile Broken Temporary Traffic Stripe
701C001	46	Mile Solid Temporary Traffic Stripe
703A002	9850	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1250	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1500	Square Foot Temporary Traffic Control Markings
740B000	1474	Square Foot Construction Signs
740D000	100	Each Channelizing Drums
740E000	250	Each Cones (36 Inches High)
740M001	250	Each Ballast For Cone
741C010	1	Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director