



ALABAMA

Department of Transportation

www.dot.state.al.us



Notice to Contractors
Transportation Letting
DECEMBER 5, 2008
10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.850.5988
cell: 334.850.5328



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: HPP-NHF-EBF-A109(901)
Anniston East Bypass, Base, Pavement,
and Partial Grade and Drain from 700'
North of Choccolocco Road to 1500'
South of Lake Yahou
Calhoun County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Monday, November 24, 2008**

Location: Calhoun County Highway Department
160 Seaton Drive
Anniston, Alabama 36205

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: 99-407-351-095-502
SR-95, Drainage Improvements between
US-84 and SR-52 south of Columbia
Houston County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday, November 19, 2008**

Location: Conference Room
ALDOT Seventh Division
299 Elba Highway
Troy, Alabama 36081

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060**

2009 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2009 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2009. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060

Company Name: _____

Shipping Address: _____

Quantity: _____ x \$125.00 per U.S. Book = \$ _____
 _____ x \$125.00 per Metric Book = \$ _____
 _____ x \$25.00 per Compact Disk = \$ _____
Total: _____ \$ _____

Delivery Options (Select One)

_____ Standard UPS Ground
_____ Overnight, Provide Shipping Acct Number: _____
_____ Pick up



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 7, 2008

Re: **2009 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a **\$40.00** per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 7, 2008

Re: 2009 Calendar Year
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Alabama Department of Transportation Specification 108.04(b)8 permits up to 17 acres of clearing and exposure of erodible material at any one time. If, during your review of plans for each letting, you determine that a project cannot reasonably be constructed without an increase in the allowable acreage of exposed erodible material, it is requested that you make written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increase in acreage prior to receiving bids.

August 29, 2008



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer
Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110



Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ronald L. Baldwin".

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- Prime contractor or subcontractor hires the trucker.
- Trucker is hauling to or from the project site.
- The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature
Name: _____
please print
Title: _____
Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

1. Project Number:		2. County:		3. Division:				
4. Prime Contractor:		5. DBE:						
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:				
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date	16. Amount Performed to Date
Pay Item No.	Item Description							
17. Comments:								
								18. Total:
								19. Total:
20. Signature of Authorized Representative:		Printed Name & Title		Date Signed				

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number Instructions

1. ALDOT Project Number
2. County
3. Division
4. Prime Contractor for the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Original ☐
Revised ☐

Project Number & County: _____

Contractor Name: _____

Letting Date: _____

Address: _____

Contract Amount: _____

Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices OR list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

DBE Certification Number: _____

In accordance with 49 CFR Part 26.111, the Alabama Department of Transportation will establish its State Disadvantaged Business Enterprise (DBE) goal using Bidders' Lists of Quoters. These Bidders' Lists of Quoters will be used to determine the relative availability of DBE's and Non-DBE's. Each Bidder's List of Quoters is a compilation of quoters who have submitted quotes to the Bidder during the advertising period. Subsequent to notification as Apparent Low Bidder, the Bidder must submit an updated Form HR-DBE prior to award of contract. Form HR-DBE will accompany Form OE-110 (DBE Utilization Plan) if appropriate.

Each time Form HR-DBE is submitted to the Department, the Bidder shall list the quoters for the project, using additional sheets if necessary. The listing shall include EACH quoter's name, business location, telephone number and whether or not the quoter is an Alabama certified DBE. **FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RENDER THE BID NON-RESPONSIVE AND THE BID MAY BE REJECTED.**

The term "quoter" shall include all subcontractors, manufacturers, and suppliers of materials.

Providing the listing of quoters in compliance with these provisions shall not be a substitute for the requirements of Subcontractors Fair Practices Act, Chapter 18, Laws of 1988, Sections 13-4-31 through 13-4-43.


BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failure

Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.

In the event of diskette failure the night before the letting please call the following numbers for assistance:
334-850-5988
334-850-5328

December 05, 2008

COMPANY NAME: _____ BY: _____
SHIPPING ADDRESS: _____
CITY, STATE, ZIP: _____

MAIL ADDRESS: _____
CITY, STATE, ZIP: _____ PHONE: _____
=====

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 34.00	_____	001 HPP-NHF-EBF-A109(901), CALHOUN
_____	_____	_____	\$ 4.00	_____	004 NHF-0074(519), CULLMAN
_____	_____	_____	\$ 3.00	_____	006 HSIPF-I065(389), BUTLER
_____	_____	_____	\$ 3.00	_____	007 HSIPF-I085(329), MACON
_____	_____	_____	\$ 6.00	_____	009 BR-4553(200), MADISON
_____	_____	_____	\$ 7.00	_____	010 BRZ-0200(213), BALDWIN
_____	_____	_____	\$ 3.00	_____	013 HRRR-CN09(206), MORGAN
_____	_____	_____	\$ 3.00	_____	014 HRRR-1512(200), CLEBURNE
_____	_____	_____	\$ 3.00	_____	015 HRRR-4129(200), LEE
_____	_____	_____	\$ 6.00	_____	017 HSIP-0007(518),ETC., DEKALB
_____	_____	_____	\$ 4.00	_____	018 HSIP-0025(517), HALE
_____	_____	_____	\$ 3.00	_____	019 HSIP-0089(501),ETC., DALLAS
_____	_____	_____	\$ 4.00	_____	022 STPAA-0009(529), CHEROKEE
_____	_____	_____	\$ 3.00	_____	023 STPAA-0010(518), CHOCTAW,ETC.
_____	_____	_____	\$ 3.00	_____	024 STPAA-0177(500), CLARKE
_____	_____	_____	\$ 4.00	_____	025 STPAA-0180(502), BALDWIN
_____	_____	_____	\$ 5.00	_____	026 STPAA-0227(500), MARSHALL
_____	_____	_____	\$ 3.00	_____	028 STPAA-HSIP-0006(534), BULLOCK
_____	_____	_____	\$ 3.00	_____	029 STPAA-HSIP-0008(551), MACON
_____	_____	_____	\$ 4.00	_____	030 STPAA-HSIP-0163(501), MOBILE
_____	_____	_____	\$ 2.00	_____	032 STPNU-1815(200), CONECUH
_____	_____	_____	\$ 17.00	_____	033 STPNU-4912(200), MOBILE
_____	_____	_____	\$ 3.00	_____	035 STPOA-0621(200), BULLOCK
_____	_____	_____	\$ 3.00	_____	040 99-308-503-041-904, MONROE
_____	_____	_____	\$ 20.00	_____	041 99-407-351-095-502, HOUSTON
_____	_____	_____	\$ 3.00	_____	042 99-706-062-110-801, BULLOCK
_____	_____	_____	\$ 2.00	_____	043 99-509-022-182-950, BALDWIN

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$125.00	_____	2009 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2009 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2009 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 20.00	_____	2008 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK
MAKE CHECKS PAYABLE TO:
ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
TERRY W. ROBINSON - ROOM E-108
MONTGOMERY, ALABAMA 36110
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
HPP-NHF-EBF-A109(901)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

BASE, PAVEMENT AND PARTIAL GRADE AND DRAIN ON THE ANNISTON EAST BYPASS
FROM 700' NORTH OF CHOCCOLOCCO ROAD TO 1500' SOUTH OF LAKE YAHOU

The Length Of This Project Is: 2.756 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Fifty (250) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Monday, November 24, 2008, at the Calhoun County Highway Department office, 160 Seaton Drive, Anniston, AL 36205. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$34.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$11,400,000 To \$14,000,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00) (Approximately 5 Acres)
206D000	266 Linear Foot Removing Pipe
206D001	1967 Linear Foot Removing Guardrail
206D011	500 Linear Foot Removing Fence
206E002	1 Each Removing Junction Boxes
206E008	6 Each Removing Guardrail End Anchor (All Type)
206E032	4 Each Removing Type III Barricades
210A000	78231 Cubic Yard Unclassified Excavation
214A000	1317 Cubic Yard Structure Excavation
214B001	254 Cubic Yard Foundation Backfill, Commercial
231B002	1357 Ton Roadbed Stabilizing Material, ALDOT #410 (Modified)
231C000	179 Roadbed Station Stabilizing Roadbed With In-Place Material
301A004	23594 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4" Compacted Thickness
301A008	25777 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
301A012	169958 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness

401A000 188090 Square Yard Bituminous Treatment A
 401A006 30000 Square Yard Bituminous Treatment G
 405A000 22934 Gallon Tack Coat
 407B000 26 Mile Joint Sealant For Hot Mix Asphalt Pavement
 408A052 2634 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
 410A002 1 Each Profilograph
 410H000 1 Each Material Remixing Device
 424A280 5623 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
 Maximum Aggregate Size Mix, ESAL Range E
 424A286 100 Ton Superpave Bituminous Concrete Wearing Surface Layer,
 Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
 424A360 7169 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B280 8081 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
 Maximum Aggregate Size Mix, ESAL Range E
 424B581 38051 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range E
 424B585 100 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching,
 1" Maximum Aggregate Size Mix, ESAL Range E
 424B650 9239 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B681 16103 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B688 775 Ton Superpave Bituminous Concrete Lower Binder Layer,
 Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
 428C000 40600 Linear Foot Scoring Bituminous Pavement Surface By Cutting
 430B011 2708 Ton Aggregate Surfacing (ALDOT #5)
 430B014 400 Ton Aggregate Surfacing (ALDOT #410 Modified)
 502A000 73065 Pound Steel Reinforcement
 505I001 400 Linear Foot Temporary Steel Sheet Piling
 524A011 133 Cubic Yard Culvert Concrete (Cast In Place)
 524B011 256 Cubic Yard Culvert Concrete Extension (Cast In Place)
 530A002 293 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 3 Each Right Of Way Markers
 610C001 387 Ton Loose Riprap, Class 2
 610D003 366 Square Yard Filter Blanket, Geotextile
 614A000 345 Cubic Yard Slope Paving
 619A003 1 Each 24" Roadway Pipe End Treatment, Class 1
 619A008 1 Each 54" Roadway Pipe End Treatment, Class 1
 621C015 2 Each Inlets, Type S1 Or S3 (1 Wing)
 621C020 1 Each Inlets, Type Y
 621C056 10 Each Inlets, Type S3 (1 Wing) (Partial)
 621C158 2 Each Inlets, Type E3 (Partial)
 621C159 18 Each Inlets, Type E4 (Partial)
 621D015 1 Each Inlet Units, Type S1 Or S3
 623C000 2968 Linear Foot Combination Curb & Gutter, Type C
 629A057 8276 Linear Foot Concrete Median Or Safety Barrier, Type GS-54
 629C001 2 Each Concrete Median Or Safety Barrier End Section (Type TES Modified)
 634A002 2147 Linear Foot Industrial Fence, 6 Feet High
 650A000 4682 Cubic Yard Topsoil
 652A100 5 Acre Seeding
 652C000 33 Acre Mowing
 654A001 652 Square Yard Solid Sodding (Bermuda)
 656A010 5 Acre Mulching
 659A036 10989 Square Yard Rolled Erosion Control Product, Type (2D)
 659A048 1548 Square Yard Rolled Erosion Control Product, Type (5A)
 665A000 3 Acre Temporary Seeding
 665B000 3 Acre Temporary Mulching
 665C010 1000 Linear Foot Temporary Pipe
 665E000 3000 Square Yard Polyethylene
 665G000 2520 Each Sand Bags
 665I000 25 Ton Temporary Riprap, Class 2
 665J002 11970 Linear Foot Silt Fence
 665O001 44186 Linear Foot Silt Fence Removal
 665P005 42 Each Inlet Protection, Stage 3 Or 4
 665Q002 2280 Linear Foot Wattle
 680A000 1 Lump Sum Engineering Controls

698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 730,000.00)
701A227	10 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	6 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1141 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	21 Mile Solid Temporary Traffic Stripe
703A002	2222 Square Foot Traffic Control Markings, Class 2, Type A
703B002	338 Square Foot Traffic Control Legends, Class 2, Type A
703D001	504 Square Foot Temporary Traffic Control Markings
705A030	10 Each Pavement Markers, Class A-H, Type 2-C
705A031	325 Each Pavement Markers, Class A-H, Type 1-A
705A032	40 Each Pavement Markers, Class A-H, Type 1-B
705A037	246 Each Pavement Markers, Class A-H, Type 2-D
707B003	1 Each Type A Hazard Marker Installation
707G000	414 Each Barrier Rail Mounted Delineator (Mono-Directional)
710A115	294 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	45 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	377 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
720A031	2 Each Vehicular Impact Attenuator Assembly (Bi-directional,"70 MPH")
726A000	510 Linear Foot Portable Concrete Safety Barriers,Type 6
740B000	524 Square Foot Construction Signs
740D000	250 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740F002	16 Each Barricades, Type III
740I005	8 Each Warning Lights, Type B (Detachable Head)
740M001	200 Each Ballast For Cone
741C010	3 Each Portable Sequential Arrow And Chevron Sign Unit
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0074(519)
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-74 (US-278) FROM
MP 69.417 AT SPRING HILL TO MP 75.327

The Length Of This Project Is: 4.580 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five
(35) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,255,000 To \$1,530,000
The Principal Items Of Work Are Approximately As Follows:

405A000	5310 Gallon Tack Coat
407B000	5 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	72006 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	6000 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1 Each Contractor Retained Profilograph
410H000	1 Each Material Remixing Device
424A360	6640 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	8852 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1050 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	1082 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 65,500.00)
701A227	10 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)

701B207	1130 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	15 Mile Solid Temporary Traffic Stripe
703A002	2049 Square Foot Traffic Control Markings, Class 2, Type A
703B002	45 Square Foot Traffic Control Legends, Class 2, Type A
703D001	2049 Square Foot Temporary Traffic Control Markings
705A032	148 Each Pavement Markers, Class A-H, Type 1-B
705A037	662 Each Pavement Markers, Class A-H, Type 2-D
705A038	118 Each Pavement Markers, Class A-H, Type 2-E
740B000	952 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIPF-I065(389)
BUTLER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

CABLE GUIDERAIL MEDIAN PROTECTION ON I-65 FROM THE CONECUH
COUNTY LINE TO ONE MILE NORTH OF CR-28

The Length Of This Project Is: 15.609 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty
(120) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,785,000 To \$2,100,000

The Principal Items Of Work Are Approximately As Follows:

206E008	15 Each Removing Guardrail End Anchor (All Type)
210D001	190 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
600A000	1 Lump Sum Mobilization
624C005	63154 Linear Foot Tensioned Cable Guiderail, 4:1 Slopes
630A001	660 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	5 Each Guardrail End Anchor, Type 8
630C050	4 Each Guardrail End Anchor, Type 20 Series
630C070	32 Each Guardrail End Anchor, Type 10 Series
631F001	1115 Linear Foot Steel Beam Guardrail, Class A, Type 2 Relocated
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	2225 Linear Foot Silt Fence
665O001	2225 Linear Foot Silt Fence Removal
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 71,500.00)
740B000	1752 Square Foot Construction Signs
740D000	700 Each Channelizing Drums
740I005	30 Each Warning Lights, Type B (Detachable Head)
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIPF-I085(329)
MACON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

CABLE GUIDERAIL MEDIAN PROTECTION ON I-85 FROM CR-36 TO 0.5 MILE
WEST OF THE LEE COUNTY LINE

The Length Of This Project Is: 11.169 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
(90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,605,000 To \$1,960,000

The Principal Items Of Work Are Approximately As Follows:

206D001	1305 Linear Foot Removing Guardrail
206E008	17 Each Removing Guardrail End Anchor (All Type)
210D001	530 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
600A000	1 Lump Sum Mobilization
624C005	37293 Linear Foot Tensioned Cable Guiderail, 4:1 Slopes
629D000	5 Each Bridge Guardrail Retrofit, Type IC
630A001	3125 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	7 Each Guardrail End Anchor, Type 8
630C003	5 Each Guardrail End Anchor, Type 13
630C050	1 Each Guardrail End Anchor, Type 20 Series
630C070	20 Each Guardrail End Anchor, Type 10 Series
631F001	150 Linear Foot Steel Beam Guardrail, Class A, Type 2 Relocated
631G009	1 Each Guardrail End Anchor, Type 10 Series Relocated
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	4025 Linear Foot Silt Fence
665O001	4025 Linear Foot Silt Fence Removal
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 53,000.00)
740B000	1752 Square Foot Construction Signs

740D000	700 Each Channelizing Drums
740I005	18 Each Warning Lights, Type B (Detachable Head)
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-4553(200)
MADISON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (BRIDGE CULVERT) AND APPROACHES ON CAVE
SPRINGS ROAD AT BAKER SPRINGS BRANCH IN OWENS CROSS ROADS

The Length Of This Project Is: 0.094 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$460,000 To \$560,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206A000	1 Lump Sum Removal Of Old Bridge, Station 11+90.00
206C010	40 Square Yard Removing Concrete Driveway
206D000	50 Linear Foot Removing Pipe
206D008	45 Linear Foot Removing Retaining Wall
206D011	660 Linear Foot Removing Fence
209A000	2 Each Mailbox Reset, Single
210A000	234 Cubic Yard Unclassified Excavation
210D001	1512 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
214A000	709 Cubic Yard Structure Excavation
214B001	265 Cubic Yard Foundation Backfill, Commercial
301A008	1340 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
401A000	1340 Square Yard Bituminous Treatment A
405A000	78 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	83 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	136 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B

424B666	189 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
430B041	24 Ton Aggregate Surfacing (ALDOT #8910 Or #57)
502A000	83923 Pound Steel Reinforcement
524A011	334 Cubic Yard Culvert Concrete (Cast In Place)
535A085	40 Linear Foot 24" Side Drain Pipe (Class 3 R.C.)
535A087	28 Linear Foot 36" Side Drain Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
610C001	550 Ton Loose Riprap, Class 2
610D000	650 Square Yard Filter Blanket
618B000	43 Square Yard Concrete Driveway, 4" Thick
619A102	2 Each 24" Side Drain Pipe End Treatment, Class 1
619A104	2 Each 36" Side Drain Pipe End Treatment, Class 1
635A002	690 Linear Foot Woven Wire Fence (Wood Post)
650A000	530 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	120 Each Hay Bales
665I000	40 Ton Temporary Riprap, Class 2
665J002	1100 Linear Foot Silt Fence
665O001	1100 Linear Foot Silt Fence Removal
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 15,000.00)
701A004	1 Mile Solid White, Class 1, Type A Traffic Stripe
701A012	1 Mile Solid Yellow, Class 1, Type A Traffic Stripe
740B000	173 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRZ-0200(213)
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-62 AT MILL CREEK NORTHEAST OF
ROBERTSDALE

The Length Of This Project Is: 0.015 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy
(70) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$360,000 To \$440,000

The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 15+12.76
210A000	53 Cubic Yard Unclassified Excavation
210D000	52 Cubic Yard Borrow Excavation
502A001	9379 Pound Steel Reinforcement (Grade 60)
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta 15+00, Approx. 18,666 Lbs
505A015	1 Each Concrete Test Piles (14 Inches Square)
505B045	1 Each Static Loading Tests (14 Inches Square)
505N000	1377 Linear Foot Concrete Piling Furnished (14 Inches Square)
505O000	1377 Linear Foot Concrete Piling Driven (14 Inches Square)
508A000	2954 Pound Structural Steel
510A000	50 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Sta. 15+00, Approx. 70 Cu. Yds.
510E000	213 Square Yard Grooving Concrete Bridge Decks
511A050	16 Each Elastomeric Bearing Type 2 (Mark B1)
513B003	307 Linear Foot Prestensioned-Prestressed Concrete Girders, Type I (Specialty Item)
600A000	1 Lump Sum Mobilization
610C001	180 Ton Loose Riprap, Class 2
610D003	180 Square Yard Filter Blanket, Geotextile
630C003	4 Each Guardrail End Anchor, Type 13
630C070	4 Each Guardrail End Anchor, Type 10 Series

665F000	50 Each Hay Bales
665J002	490 Linear Foot Silt Fence
665L000	200 Linear Foot Floating Basin Boom
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 11,500.00)
740B000	69 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN09(206)
MORGAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, PAVEMENT MARKERS AND GUARDRAIL ON CR-1087 AND
CR-1004 AT SITES NEAR DECATUR AS INDICATED ON THE PLANS

The Length Of This Project Is: 4.249 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$72,000 To \$88,000

The Principal Items Of Work Are Approximately As Follows:

206E008	1 Each Removing Guardrail End Anchor (All Type)
210D001	50 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
600A000	1 Lump Sum Mobilization
630A001	50 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C022	4 Each Guardrail End Anchor, Type Special
630C050	2 Each Guardrail End Anchor, Type 20 Series
630C070	1 Each Guardrail End Anchor, Type 10 Series
631F001	25 Linear Foot Steel Beam Guardrail, Class A, Type 2 Relocated
650A000	50 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	200 Linear Foot Silt Fence
665O001	200 Linear Foot Silt Fence Removal
701A231	9 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
705A032	91 Each Pavement Markers, Class A-H, Type 1-B
705A037	442 Each Pavement Markers, Class A-H, Type 2-D
740B000	96 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-1512(200)
CLEBURNE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

WIDENING, TRAFFIC STRIPE, SIGNING AND FLASHING BEACONS ON CR-24
FROM THE CALHOUN COUNTY LINE TO SR-281 SOUTHWEST OF HEFLIN

The Length Of This Project Is: 2.016 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$55,800 To \$68,000

The Principal Items Of Work Are Approximately As Follows:

407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
424B647	143 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	325 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
701A030	4 Mile Solid White, Class 2T, Type A Traffic Stripe
710A115	210 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710B001	306 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs
730Y300	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon
730Y301	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With Flashing Beacon
740B000	148 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-4129(200)
LEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL, TRAFFIC STRIPE, PAVEMENT MARKERS AND SIGNING ON
CR-010 FROM CR-022 AT THE AUBURN CITY LIMIT TO CR-023

The Length Of This Project Is: 1.539 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$48,600 To \$59,400

The Principal Items Of Work Are Approximately As Follows:

210D001	519 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
600A000	1 Lump Sum Mobilization
630A001	600 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	2 Each Guardrail End Anchor, Type 20 Series
650A000	86 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	25 Each Hay Bales
665J002	750 Linear Foot Silt Fence
665O001	750 Linear Foot Silt Fence Removal
701A030	2 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	2 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	2 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
705A032	32 Each Pavement Markers, Class A-H, Type 1-B
705A037	106 Each Pavement Markers, Class A-H, Type 2-D
710A115	91 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710B001	364 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs
740B000	96 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)

740M001 25 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0007(518), 99-301-253-007-902 & 99-301-253-068-901
DEKALB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-7 (US-11) AND SR-68
AT SITES IN AND AROUND COLLINSVILLE AS INDICATED ON THE PLANS

The Length Of This Project Is: 11.260 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
(90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,665,000 To \$3,255,000

The Principal Items Of Work Are Approximately As Follows:

206C010	13 Square Yard Removing Concrete Driveway
405A000	16521 Gallon Tack Coat
407B000	12 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	96541 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	95877 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	5670 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1 Each Contractor Retained Profilograph
410H000	1 Each Material Remixing Device
424A360	7605 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	8047 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	17416 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	990 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	2682 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	117724 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting (10 Inch Wide)
430B040	2297 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)

600A000	1 Lump Sum Mobilization
652A100	13 Acre Seeding
656A010	13 Acre Mulching
665J002	6000 Linear Foot Silt Fence
665O001	6000 Linear Foot Silt Fence Removal
665Q002	1800 Linear Foot Wattle
666A001	13 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 135,000.00)
701A227	24 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	14 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1940 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	37 Mile Solid Temporary Traffic Stripe
701G146	1183 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	1183 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	3261 Square Foot Traffic Control Markings, Class 2, Type A
703B002	337 Square Foot Traffic Control Legends, Class 2, Type A
703D001	3261 Square Foot Temporary Traffic Control Markings
705A032	412 Each Pavement Markers, Class A-H, Type 1-B
705A037	1181 Each Pavement Markers, Class A-H, Type 2-D
730H001	3000 Linear Foot Loop Wire
730I001	780 Linear Foot Loop Detector Lead-In-Cable
740B000	1068 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0025(517)
HALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

SAFETY IMPROVEMENTS ON SR-25 FROM 1.160 MILES NORTH OF CR-16 TO
0.700 MILES SOUTH OF PICKS CREEK SOUTH OF GREENSBORO

The Length Of This Project Is: 0.800 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$481,000 To \$585,000

The Principal Items Of Work Are Approximately As Follows:

210D021	1000 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	85 Station Machine Grading Shoulders
305B079	200 Ton Crushed Aggregate, Section 825, Type A, For Miscellaneous Use
405A000	1127 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	11264 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	930 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	3465 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
650A000	200 Cubic Yard Topsoil
652A100	2 Acre Seeding
656A010	2 Acre Mulching
659A028	300 Square Yard Rolled Erosion Control Product, Type (1D)
665J002	500 Linear Foot Silt Fence
665O001	500 Linear Foot Silt Fence Removal

665Q002	100 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 24,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	4 Mile Solid Temporary Traffic Stripe
705A031	30 Each Pavement Markers, Class A-H, Type 1-A
705A037	79 Each Pavement Markers, Class A-H, Type 2-D
740B000	324 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0089(501) & 99-306-245-089-801
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND DRAINAGE EXTENSIONS ON SR-89
FROM THE WILCOX COUNTY LINE THROUGH CARLOWVILLE TO SR-41

The Length Of This Project Is: 8.680 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five
(75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,000,000 To \$2,400,000

The Principal Items Of Work Are Approximately As Follows:

206C010	15 Square Yard Removing Concrete Driveway
206E000	6 Each Removing Headwalls
210D021	20000 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
401B113	142590 Square Yard Bituminous Treatment E, PG64-22 (With Polymer Additive)
405A000	2900 Gallon Tack Coat
407B000	27 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	12690 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	5620 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	3750 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	91660 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	400 Ton Aggregate Surfacing (ALDOT #410 Or #467)
530A101	32 Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A102	20 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530A103	8 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
600A000	1 Lump Sum Mobilization
610C001	25 Ton Loose Riprap, Class 2

619A002	6 Each 18" Roadway Pipe End Treatment, Class 1
619A003	2 Each 24" Roadway Pipe End Treatment, Class 1
619A054	1 Each 30" Roadway Pipe End Treatment, Class 2
620A000	2 Cubic Yard Minor Structure Concrete
630A001	100 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	4 Each Guardrail End Anchor, Type 20 Series
650A000	4500 Cubic Yard Topsoil
652A100	16 Acre Seeding
654A001	500 Square Yard Solid Sodding (Bermuda)
656A010	16 Acre Mulching
659A027	3000 Square Yard Rolled Erosion Control Product, Type (1C)
665A000	11 Acre Temporary Seeding
665B000	11 Acre Temporary Mulching
665F000	500 Each Hay Bales
665J002	3000 Linear Foot Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
666A001	16 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 103,100.00)
701A227	9 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7 Mile Broken Temporary Traffic Stripe
701C001	41 Mile Solid Temporary Traffic Stripe
703A002	580 Square Foot Traffic Control Markings, Class 2, Type A
703D001	1160 Square Foot Temporary Traffic Control Markings
705A032	250 Each Pavement Markers, Class A-H, Type 1-B
705A037	780 Each Pavement Markers, Class A-H, Type 2-D
740B000	1249 Square Foot Construction Signs
740D000	450 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740L005	120 Each Vertical Panel, Type I (Double-Sided)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0009(529)
CHEROKEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-9 FROM THE CALHOUN COUNTY
LINE TO THE ELLIS BRIDGE SOUTH OF COLOMA

The Length Of This Project Is: 7.196 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,900,000 To \$2,300,000
The Principal Items Of Work Are Approximately As Follows:

405A000	7660	Gallon Tack Coat
407B000	8	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	127663	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	1000	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	8618	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	15958	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	150	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	76328	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
430B040	5700	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
665J002	600	Linear Foot Silt Fence
665O001	600	Linear Foot Silt Fence Removal
665Q002	50	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 97,000.00)

701A227	15 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	10 Mile Broken Temporary Traffic Stripe
701C001	44 Mile Solid Temporary Traffic Stripe
703A002	168 Square Foot Traffic Control Markings, Class 2, Type A
703D001	336 Square Foot Temporary Traffic Control Markings
705A032	176 Each Pavement Markers, Class A-H, Type 1-B
705A037	673 Each Pavement Markers, Class A-H, Type 2-D
740B000	618 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0010(518)
CHOCTAW AND MARENGO COUNTIES, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-10 FROM 0.413 MILES EAST OF SR-17 IN BUTLER TO THE EAST END OF THE TOMBIGBEE RIVER BRIDGE

The Length Of This Project Is: 11.142 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,900,000 To \$2,285,000

The Principal Items Of Work Are Approximately As Follows:

209A000	9	Each Mailbox Reset, Single
209A002	1	Each Mailbox Reset, Multiple
401B100	165445	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	200	Gallon Tack Coat
407B000	23	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	205851	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	3269	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	17253	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	563	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	105593	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	500	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization

665J002	100 Linear Foot Silt Fence
665O001	100 Linear Foot Silt Fence Removal
665Q002	100 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 99,000.00)
701A227	20 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	24 Mile Broken Temporary Traffic Stripe (Paint)
701C003	21 Mile Solid Temporary Traffic Stripe (Paint)
701G146	9374 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	3317 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	4630 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	14004 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	3317 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	24521 Square Foot Traffic Control Markings, Class 2, Type A
703B002	180 Square Foot Traffic Control Legends, Class 2, Type A
703D002	10488 Square Foot Temporary Traffic Control Markings (Paint)
705A030	1058 Each Pavement Markers, Class A-H, Type 2-C
705A032	278 Each Pavement Markers, Class A-H, Type 1-B
705A037	805 Each Pavement Markers, Class A-H, Type 2-D
705A038	155 Each Pavement Markers, Class A-H, Type 2-E
740B000	696 Square Foot Construction Signs
740C000	32 Square Foot Special Construction Signs
740C002	20 Square Foot Special Construction Signs(Motorcycle Plaque)
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0177(500)
CLARKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-177 FROM ALGIERS STREET TO SR-13 (US-43) IN JACKSON

The Length Of This Project Is: 2.779 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$600,000 To \$732,000

The Principal Items Of Work Are Approximately As Follows:

405A000	3612 Gallon Tack Coat
407B000	9 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	62878 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	5188 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
665G000	100 Each Sand Bags
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 32,000.00)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	410 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	9 Mile Broken Temporary Traffic Stripe (Paint)
701C003	4 Mile Solid Temporary Traffic Stripe (Paint)
701G253	530 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
703A002	1576 Square Foot Traffic Control Markings, Class 2, Type A

703B002	408 Square Foot Traffic Control Legends, Class 2, Type A
703D002	3547 Square Foot Temporary Traffic Control Markings (Paint)
703E002	546 Square Foot Temporary Traffic Control Legends (Paint)
705A030	35 Each Pavement Markers, Class A-H, Type 2-C
705A032	217 Each Pavement Markers, Class A-H, Type 1-B
705A037	307 Each Pavement Markers, Class A-H, Type 2-D
705A038	60 Each Pavement Markers, Class A-H, Type 2-E
730H001	8040 Linear Foot Loop Wire
740B000	1242 Square Foot Construction Signs
740C000	64 Square Foot Special Construction Signs
740C002	20 Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	100 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0180(502)
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-180 FROM FORT
MORGAN STATE HISTORICAL SITE TO WEST 2ND STREET IN GULF SHORES

The Length Of This Project Is: 20.173 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
(90) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,300,000 To \$4,000,000

The Principal Items Of Work Are Approximately As Follows:

405A000	21815	Gallon Tack Coat
407B000	22	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	389530	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	32813	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	4546	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	204092	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
430B043	330	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
650A000	15000	Cubic Yard Topsoil
652A100	20	Acre Seeding
656A010	20	Acre Mulching
665G000	200	Each Sand Bags
665J002	4000	Linear Foot Silt Fence

665O001	4000	Linear Foot Silt Fence Removal
665Q002	600	Linear Foot Wattle
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 176,000.00)
701A227	43	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	19	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	14	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1527	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	15	Mile Broken Temporary Traffic Stripe
701C001	20	Mile Solid Temporary Traffic Stripe
703A002	3881	Square Foot Traffic Control Markings, Class 2, Type A
703B002	640	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1440	Square Foot Temporary Traffic Control Markings
705A030	78	Each Pavement Markers, Class A-H, Type 2-C
705A031	78	Each Pavement Markers, Class A-H, Type 1-A
705A032	679	Each Pavement Markers, Class A-H, Type 1-B
705A037	1415	Each Pavement Markers, Class A-H, Type 2-D
705A038	153	Each Pavement Markers, Class A-H, Type 2-E
740B000	852	Square Foot Construction Signs
740C000	42	Square Foot Special Construction Signs
740D000	100	Each Channelizing Drums
740E000	250	Each Cones (36 Inches High)
740M001	250	Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0227(500)
MARSHALL COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-227 FROM SIGNAL
POINT ROAD TO GUNTER AVENUE IN GUNTERSVILLE

The Length Of This Project Is: 1.906 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,200,000 To \$1,400,000

The Principal Items Of Work Are Approximately As Follows:

405A000	1812 Gallon Tack Coat
407B000	8 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	60348 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	8000 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1 Each Contractor Retained Profilograph
410H000	1 Each Material Remixing Device
424A360	4526 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	9958 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1200 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	690 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 60,000)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	900 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe

701C001	8 Mile Solid Temporary Traffic Stripe
701G142	951 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	951 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	951 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	1981 Square Foot Traffic Control Markings, Class 2, Type A
703B002	164 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1481 Square Foot Temporary Traffic Control Markings
705A031	253 Each Pavement Markers, Class A-H, Type 1-A
705A037	372 Each Pavement Markers, Class A-H, Type 2-D
730H001	1900 Linear Foot Loop Wire
730I001	250 Linear Foot Loop Detector Lead-In-Cable
740B000	1048 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0006(534)
BULLOCK COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-6 (US-82) FROM
SR-51 THROUGH MIDWAY TO THE BARBOUR COUNTY LINE

The Length Of This Project Is: 12.139 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred
(100) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,330,000 To \$4,000,000
The Principal Items Of Work Are Approximately As Follows:

210D021	500	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
405A000	28000	Gallon Tack Coat
407B000	37	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	171100	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	17600	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	23100	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	1000	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B691	3300	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	128200	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	400	Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1	Lump Sum Mobilization

645K500	1 Each Manhole Frame And Cover Reset
650A000	3700 Cubic Yard Topsoil
652A100	12 Acre Seeding
654A000	250 Square Yard Solid Sodding
656A010	12 Acre Mulching
659A028	500 Square Yard Rolled Erosion Control Product, Type (1D)
665A000	12 Acre Temporary Seeding
665B000	12 Acre Temporary Mulching
665F000	400 Each Hay Bales
665J002	3000 Linear Foot Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
666A001	12 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 181,000.00)
701A227	25 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	15 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7 Mile Broken Temporary Traffic Stripe
701C001	136 Mile Solid Temporary Traffic Stripe
703A002	480 Square Foot Traffic Control Markings, Class 2, Type A
703D001	1440 Square Foot Temporary Traffic Control Markings
705A032	432 Each Pavement Markers, Class A-H, Type 1-B
705A037	956 Each Pavement Markers, Class A-H, Type 2-D
740B000	1819 Square Foot Construction Signs
740C000	162 Square Foot Special Construction Signs
740C002	54 Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	400 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0008(551)
MACON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-8 (US-80) (WESTBOUND ONLY)
FROM MP 167.420 TO MP 171.100 IN TUSKEGEE

The Length Of This Project Is: 3.680 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$925,000 To \$1,130,000

The Principal Items Of Work Are Approximately As Follows:

210D021	500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
401B113	60450 Square Yard Bituminous Treatment E, PG64-22 (With Polymer Additive)
405A000	1000 Gallon Tack Coat
407B000	12 Mile Joint Sealant For Hot Mix Asphalt Pavement
410A002	1 Each Profilograph
410H000	1 Each Material Remixing Device
424A361	5376 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	572 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	1587 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	38861 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	400 Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1 Lump Sum Mobilization

650A000	1100	Cubic Yard Topsoil
652A100	4	Acre Seeding
654A000	250	Square Yard Solid Sodding
656A010	4	Acre Mulching
659A028	500	Square Yard Rolled Erosion Control Product, Type (1D)
665A000	4	Acre Temporary Seeding
665B000	4	Acre Temporary Mulching
665F000	200	Each Hay Bales
665J002	2000	Linear Foot Silt Fence
665O001	2000	Linear Foot Silt Fence Removal
666A001	4	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 50,000.00)
701A227	4	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2059	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8	Mile Broken Temporary Traffic Stripe
701C001	15	Mile Solid Temporary Traffic Stripe
703A002	105	Square Foot Traffic Control Markings, Class 2, Type A
703B002	203	Square Foot Traffic Control Legends, Class 2, Type A
703D001	210	Square Foot Temporary Traffic Control Markings
705A030	12	Each Pavement Markers, Class A-H, Type 2-C
705A031	243	Each Pavement Markers, Class A-H, Type 1-A
740B000	828	Square Foot Construction Signs
740D000	400	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0163(501)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-163 FROM PERCH CREEK TO McVAY DRIVE IN MOBILE

The Length Of This Project Is: 4.836 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy (70) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,400,000 To \$1,700,000
The Principal Items Of Work Are Approximately As Follows:

405A000	7276	Gallon Tack Coat
407B000	29	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	144425	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	14550	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	165	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	6199	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
600A000	1	Lump Sum Mobilization
650A000	600	Cubic Yard Topsoil
652A100	1	Acre Seeding
656A010	1	Acre Mulching
665F000	50	Each Hay Bales
665J002	440	Linear Foot Silt Fence
665O001	440	Linear Foot Silt Fence Removal

665Q002	340	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 76,000.00)
701A227	9	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	9	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2410	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	9	Mile Broken Temporary Traffic Stripe
701C001	9	Mile Solid Temporary Traffic Stripe
701G142	1658	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1658	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1658	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	3316	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1658	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	3345	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1428	Square Foot Traffic Control Legends, Class 2, Type A
703D001	3345	Square Foot Temporary Traffic Control Markings
703E001	1092	Square Foot Temporary Traffic Control Legends
705A030	320	Each Pavement Markers, Class A-H, Type 2-C
705A031	650	Each Pavement Markers, Class A-H, Type 1-A
705A032	1055	Each Pavement Markers, Class A-H, Type 1-B
705A037	1055	Each Pavement Markers, Class A-H, Type 2-D
740B000	1066	Square Foot Construction Signs
740C000	42	Square Foot Special Construction Signs
740E000	250	Each Cones (36 Inches High)
740M001	250	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-1815(200)
CONECUH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-106 FROM CR-79 TO CR-29 AT
MIXONVILLE

The Length Of This Project Is: 3.369 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$470,000 To \$570,000

The Principal Items Of Work Are Approximately As Follows:

212A000	356 Station Machine Grading Shoulders
405A000	1305 Gallon Tack Coat
407B000	4 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	4450 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
650A000	2500 Cubic Yard Topsoil
652A100	7 Acre Seeding
656A010	7 Acre Mulching
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 24,000.00)
701A235	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe
740B000	230 Square Foot Construction Signs
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-4912(200)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND DRAINAGE IMPROVEMENTS ON CR-41
(CELESTE ROAD) FROM CR-84 (SALCO ROAD WEST) TO THE CITRONELLE
CITY LIMIT

The Length Of This Project Is: 9.973 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
(90) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$17.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$3,045,000 To \$3,720,000
The Principal Items Of Work Are Approximately As Follows:

201C000	1 Lump Sum Clearing
206C010	481 Square Yard Removing Concrete Driveway
206D000	44 Linear Foot Removing Pipe
206E000	9 Each Removing Headwalls
209A000	79 Each Mailbox Reset, Single
209A001	11 Each Mailbox Reset, Double
209A002	7 Each Mailbox Reset, Multiple
210A000	500 Cubic Yard Unclassified Excavation
210D000	6811 Cubic Yard Borrow Excavation
214A000	70 Cubic Yard Structure Excavation
214B001	51 Cubic Yard Foundation Backfill, Commercial
405A000	9127 Gallon Tack Coat
407B000	10 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A360	10565 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	19650 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
430B003	286 Ton Aggregate Surfacing (ALDOT #57)

530A101 8 Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
 530A102 72 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
 530A103 32 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
 530B015 16 Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.) (Extension)
 533A349 11 Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.) (Extension)
 600A000 1 Lump Sum Mobilization
 618B001 330 Square Yard Concrete Driveway, 5" Thick
 619A002 1 Each 18" Roadway Pipe End Treatment, Class 1
 619A003 4 Each 24" Roadway Pipe End Treatment, Class 1
 619A004 2 Each 30" Roadway Pipe End Treatment, Class 1
 619B019 1 Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 1
 620A000 7 Cubic Yard Minor Structure Concrete
 621A005 1 Each Junction Boxes, Type 1
 623B120 184 Linear Foot Concrete Curb, (Type Special)
 630A033 3050 Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
 630C050 12 Each Guardrail End Anchor, Type 20 Series
 630C070 8 Each Guardrail End Anchor, Type 10 Series
 641A614 55 Linear Foot 8 Inch Ductile Iron Water Main Laid
 641A746 50 Linear Foot 6 Inch P.V.C. Water Main Laid
 641A748 270 Linear Foot 8 Inch P.V.C. Water Main Laid
 641C500 225 Pound Ductile Iron Fittings
 641J516 2 Each 6 Inch Gate Valve With Box
 641J518 4 Each 8 Inch Gate Valve With Box
 641L500 6 Cubic Yard Concrete for Water Mains (Thrust Blocks)
 641N510 1 Each 6 Inch x 6 Inch Anchor Tee
 641S500 2 Each Valve Box Reset
 650A000 5201 Cubic Yard Topsoil
 652A100 29 Acre Seeding
 652C000 29 Acre Mowing
 654A001 500 Square Yard Solid Sodding (Bermuda)
 656A010 15 Acre Mulching
 665A000 44 Acre Temporary Seeding
 665B000 29 Acre Temporary Mulching
 665F000 250 Each Hay Bales
 665J002 29450 Linear Foot Silt Fence
 665O001 29450 Linear Foot Silt Fence Removal
 680A000 1 Lump Sum Engineering Controls
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 149,500.00)
 701A227 20 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
 701A230 15 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
 701A244 4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
 701C002 8 Mile Broken Temporary Traffic Stripe (Paint)
 701C003 70 Mile Solid Temporary Traffic Stripe (Paint)
 703A002 242 Square Foot Traffic Control Markings, Class 2, Type A
 703D002 242 Square Foot Temporary Traffic Control Markings (Paint)
 705A032 530 Each Pavement Markers, Class A-H, Type 1-B
 705A037 990 Each Pavement Markers, Class A-H, Type 2-D
 740B000 744 Square Foot Construction Signs
 740D000 50 Each Channelizing Drums
 740E000 300 Each Cones (36 Inches High)
 740M001 300 Each Ballast For Cone
 740O000 1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-0621(200)
BULLOCK COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008 , and at that time publicly opened for constructing the following:

FULL DEPTH RECLAMATION (CEMENT) ON CR-23 FROM SR-15 (US-29)
NORTH OF UNION SPRINGS TO THE MACON COUNTY LINE

The Length Of This Project Is: 7.612 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
(90) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$1,200,000 To \$1,500,000
The Principal Items Of Work Are Approximately As Follows:

302A000	107200	Square Yard Full Depth Reclamation, 7" Thick
302B000	1900	Ton Portland Cement For Full Depth Reclamation
401A000	107200	Square Yard Bituminous Treatment A
407B000	8	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A336	5700	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1	Lump Sum Mobilization
650A000	3000	Cubic Yard Topsoil
652A100	10	Acre Seeding
656A010	10	Acre Mulching
665F000	360	Each Hay Bales
665J002	3100	Linear Foot Silt Fence
665O001	3100	Linear Foot Silt Fence Removal
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$61,000)
701A030	15	Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	17	Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	6	Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	12	Mile Broken Temporary Traffic Stripe
701C001	34	Mile Solid Temporary Traffic Stripe

703A004	100 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	350 Each Pavement Markers, Class A-H, Type 1-B
705A037	1100 Each Pavement Markers, Class A-H, Type 2-D
740B000	330 Square Foot Construction Signs
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-308-503-041-904
 MONROE COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-41 FROM 0.040 MILES SOUTH OF CR-17 (MP 65.000) TO THE NORTH END OF THE RAILROAD OVERPASS BRIDGE NEAR FRANKLIN

The Length Of This Project Is: 9.098 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
 (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,100,000 To \$1,400,000
 The Principal Items Of Work Are Approximately As Follows:

209A000	6	Each Mailbox Reset, Single
209A001	2	Each Mailbox Reset, Double
401B100	126750	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	250	Gallon Tack Coat
407B000	10	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	10706	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	300	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
430B043	1400	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
665J002	100	Linear Foot Silt Fence
665O001	100	Linear Foot Silt Fence Removal
665Q002	100	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 59,000.00)
701A227	19	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	16	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	5	Mile Broken Temporary Traffic Stripe (Paint)
701C003	31	Mile Solid Temporary Traffic Stripe (Paint)
701G146	1020	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)

701G150	355 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	665 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1685 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	355 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	120 Square Foot Traffic Control Markings, Class 2, Type A
705A032	113 Each Pavement Markers, Class A-H, Type 1-B
705A037	1051 Each Pavement Markers, Class A-H, Type 2-D
740B000	332 Square Foot Construction Signs
740C002	6 Square Foot Special Construction Signs(Motorcycle Plaque)
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-407-351-095-502
HOUSTON COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

DRAINAGE IMPROVEMENTS AT VARIOUS SITES ON SR-95 BETWEEN US-84
AND SR-52 SOUTH OF COLUMBIA

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Thirty
(130) Working Days.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, November 19, 2008, in the Conference Room of the ALDOT Seventh Division office, 299 Elba Highway, Troy, AL 36081. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$20.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$875,000 To \$1,070,000 The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$4,000 Per Acre) (Approximately 4 Acres)
206D011	406 Linear Foot Removing Fence
210A000	2908 Cubic Yard Unclassified Excavation
210D011	9340 Cubic Yard Borrow Excavation (A-4 Or Better)
212A000	37 Station Machine Grading Shoulders
214A000	357 Cubic Yard Structure Excavation
214B001	536 Cubic Yard Foundation Backfill, Commercial
502A000	49479 Pound Steel Reinforcement
524B011	373 Cubic Yard Culvert Concrete Extension (Cast In Place)
600A000	1 Lump Sum Mobilization
601A000	1 Each Furnishing Base, Soil And Structure Laboratories
602A000	33 Each Right Of Way Markers
610C001	2941 Ton Loose Riprap, Class 2
610D003	2745 Square Yard Filter Blanket, Geotextile
636A000	496 Linear Foot Barbed Wire Fence, 4 Strands, 4 Feet High
640B005	1 Lump Sum Underground Utility Adjustment (Water)
640B006	1 Lump Sum Underground Utility Adjustment (Sewerage)
654A001	15654 Square Yard Solid Sodding (Bermuda)
665A000	4 Acre Temporary Seeding
665B000	4 Acre Temporary Mulching
665J002	3764 Linear Foot Silt Fence
665O001	3764 Linear Foot Silt Fence Removal
665Q002	312 Linear Foot Wattle
666A001	4 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls

698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 23,500.00)
740B000	784 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740I005	8 Each Warning Lights, Type B (Detachable Head)
740M001	100 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-706-062-110-801
BULLOCK COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

SAFETY IMPROVEMENTS ON SR-110 SOUTH OF MITCHELL STATION

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00 , and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$310,000 To \$380,000

The Principal Items Of Work Are Approximately As Follows:

210D021	2500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
405A000	1500 Gallon Tack Coat
407B000	3 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A055	1500 Square Yard Planing Existing Pavement (Approximately 4.10" Thru 5.0" Thick)
424A361	1400 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	600 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	450 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	10500 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
600A000	1 Lump Sum Mobilization
650A000	800 Cubic Yard Topsoil
652A100	2 Acre Seeding
656A010	2 Acre Mulching
665J002	1000 Linear Foot Silt Fence
665O001	1000 Linear Foot Silt Fence Removal
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 16,500.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C001	7 Mile Solid Temporary Traffic Stripe
705A037	135 Each Pavement Markers, Class A-H, Type 2-D
740B000	408 Square Foot Construction Signs
740C000	27 Square Foot Special Construction Signs
740C002	18 Square Foot Special Construction Signs(Motorcycle Plaque)
740E000	100 Each Cones (36 Inches High)

740M001 100 Each Ballast For Cone
740O000 1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-509-022-182-950
 BALDWIN COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., December 05, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE DREDGING AT LITTLE LAGOON PASS IN GULF SHORES

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred Sixty Five (365) Calendar Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$485,000 To \$590,000 The Principal Items Of Work Are Approximately As Follows:

210J000	1000 Hour Dredge Pumping
210K000	3 Each Setting Up And Dismantling Of Dredging Equipment
210L000	12 Month Rental Of Dredging Equipment
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 25,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director