

ALABAMA

Department of Transportation

www.dot.state.al.us




Notice to Contractors

Transportation Letting

FEBRUARY 29, 2008

10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals

telephone: 334.242.6444

e-mail: offengr@dot.state.al.us

fax: 334.264.7976

cell: 334.850.5328

cell: 334.850.5988



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number NHF-0013(548) SR-13 (US-43) Interchange at Dow Badische Road South of Calvert Mobile County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: Friday, February 15, 2008

Location: Auditorium
ALDOT Ninth Division Office
1701 I-65 West Service Road North
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number STPOA-0025(514) Relocation of SR-25 (US-411) from Gadsden to Turkeytown Etowah County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 9:00 a.m.
Date: Tuesday, February 12, 2008
Location: Conference Room
ALDOT First Division Office
23445 US Highway 431
Guntersville, Alabama 35976

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPBH-7136(600)
SR-119 Widening at Four Sites from
CR-379 to Double Oak Lane in Indian
Springs Village, Shelby County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 9:30 a.m.

Date: Monday, February 11, 2008

Location: Auditorium
ALDOT Third Division
1020 Bankhead Highway West
Birmingham, Alabama 35204

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Prospective Bidders are encouraged to read the attached Memorandum from Mr. Terry McDuffie, P.E., State Construction Engineer, dated January 28, 2008, concerning additional training and reporting requirements for traffic control operations beginning with projects in the February 29, 2008, Letting.

Special Provision No. 06-0685 is effective February 1, 2008, and is included in each proposal in the February 29, 2008, Letting.

The attached **Special Provision No 06-0686** is effective March 1, 2008, and will be included in those proposals which require the use of Pay Item 745A, Uniformed Police Officer.



ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36130-3050
PHONE (334) 242-6208
FAX (334) 264-3727


BOB RILEY
GOVERNOR

JOE MCINNES
TRANSPORTATION DIRECTOR

January 28, 2008

MEMORANDUM

TO: Mr. Ronald Baldwin
Office Engineer

FROM: Mr. Terry McDuffie 
Construction Engineer

RE: **Special Provision No. 06-0685 – effective February 2008 Letting**
Special Provision No. 06-0686 – effective March 2008 Letting

Special Provision No. 06-0685, which modifies Section 740 of the Standard Specifications, and Special Provision No. 06-0686, which modifies Section 745 of the Standard Specifications, were prepared in response to revisions to 23 CFR 630 Subpart J.

Special Provision No. 06-0685

Special Provision No. 06-0685 requires that all Contractor personnel involved in the implementation, operation, and inspection of traffic control to be trained appropriate to the decisions each individual is required to make and to receive periodic training updates that reflect changing industry practices. Effective with the February 2008 letting, the Contractor will be required to furnish a written report at the preconstruction conference of his status toward compliance with this training requirement. Effective with the June 2008 letting, the Contractor will be required to certify at the preconstruction meeting that all personnel are trained, or will be trained prior to beginning work, and to maintain records of this training.

The Department will not be providing this training or approving courses. The Contractor may conduct training internally or use external sources. Possible external sources of training are as follows:

National Highway Institute: www.nhi.fhwa.dot.gov
National Work Zone Safety Information Clearing House: <http://wzsafety.tamu.edu>
American Traffic Safety Services Association: <http://www.atssa.com>
Institute of Transportation Engineers: <http://www.ite.org>

Special Provision No. 06-0686

Effective with the March 2008 letting, Special Provision No. 06-0686 will require that Uniformed Police Officers provided under Pay Item 745A to be trained appropriate to the decisions the Officer is required to make and to receive periodic training updates that reflect changing industry practices. The Contractor will be required to provide a written statement from the Officer that this training requirement has been met prior to the Officer working on the project.

The Department will not be providing this training or approving courses. ATSSA (listed above) offers a training course for law enforcement officers. A training course is also being developed by the Department of Public Safety and will be available on DVD in the near future.

Please make the Contractor aware of these requirements.

TM/JLB/TF

pc: Mr. Don Vaughn Division Engineers Mr. Mike Harper FHWA File

ALABAMA DEPARTMENT OF TRANSPORTATION

DATE: January 25, 2008

Special Provision No. 06-0686

EFFECTIVE DATE: March 1, 2008

SUBJECT: Uniformed Police Officers.

Alabama Standard Specifications, 2006 Edition, SECTION 745 shall be replaced by the following:

SECTION 745 UNIFORMED POLICE OFFICERS

745.01 Description.

This Section shall cover the work of furnishing Uniformed Police Officers to assist in directing traffic through work zones. Officers furnished and paid for under this Section will be allowed only at the direction of, or with the approval of, the Engineer. The officers shall be employed by and paid by the Contractor.

745.02 Qualifications and Training.

Officers furnished under this Section shall be employees of the law enforcement agency having jurisdiction over the location where they are performing the duties covered by this Section. Officers shall have arrest powers for the location in which they are working and shall wear their complete police uniform while working.

Beginning with contracts let in March 2008, officers shall have been trained in accordance with the requirements given in 23 CFR 630 Subpart J. Any course meeting the requirements of 23 CFR 630 Subpart J will be acceptable. A DVD copy of one such course, "Alabama Department of Public Safety Construction Zone Safety Training", may be obtained by contacting the Project Engineer. Other courses may also be available through the ATSSA (American Traffic Safety Services Association).

Officers shall certify in writing prior to the officer beginning work that they have completed the training. The certification shall read as follows: "I do hereby certify that I have completed training appropriate to the job decisions I am required to make in accordance with the requirements given in 23 CFR 630 Subpart J.". This wording shall be followed by the officer's signature. The Contractor shall provide a copy of this certification to the Project Engineer prior to the officer beginning work.

745.03 Duties.

The duties of police officers under this Section shall consist of assisting in the directing of public traffic through construction work zones and the enforcement of traffic laws. This shall be done at such locations and for such periods as deemed necessary and appropriate by the Engineer for the control and protection of vehicular and pedestrian traffic in accordance with the MUTCD.

745.04 Method of Measurement.

The item of Uniformed Police Officer measured for payment will be the number of hours this item was ordered and acceptably performed. The number of hours measured for payment will be the total number of hours for each officer performing work under this item.

745.05 Basis of Payment.

(a) UNIT PRICE COVERAGE.

The number of hours this item of work was ordered and acceptably performed, measured as noted above, will be paid for at the contract unit price bid which shall be full compensation for

furnishing all personnel, materials, labor, equipment, tools and incidentals necessary to complete this item of work.

Payment will not be made for an officer for whom the Contractor has not submitted the signed statement certifying that the officer has completed the required training.

(b) PAYMENT WILL BE MADE UNDER ITEM NO.:

745-A Uniformed Police Officer - per hour



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Effective with the January 18, 2008, Letting, certification requirements for Journeyman Electricians involved with Roadway Lighting work are changed. See the attached memorandum from Mr. Terry McDuffie, P.E., State Construction Engineer, dated January 4, 2008.

NTC.2.29.2008.1



Bob Riley
GOVERNOR

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
PHONE (334) 242-6208
FAX (334) 264-3727

Joe McInnes
TRANSPORTATION DIRECTOR

January 4, 2008

MEMORANDUM

TO: ~~William L. Baldwin~~
Office Engineer

FROM: Terry McDuffie
Construction Engineer

RE: Requirement for
Journeyman Electricians
IMSA (International Municipal Signal Association)
Roadway Lighting Level 1 Certification
Highway Lighting Items

On January 1, 2008 the requirement that Journeyman Electricians involved with any of the Sections 750 & 751 (Roadway Lighting) work must also have an IMSA "Roadway Lighting Level 1 Certification" became effective. While you may have previously notified interested parties of the coming of this requirement, it is requested that you once again advise any prospective bidders that this requirement is now effective with the January 2008 letting.

Your cooperation is appreciated.

TM/JLB/JCS/jcs
Pc: File



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ronald L. Baldwin".

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- Prime contractor or subcontractor hires the trucker.
- Trucker is hauling to or from the project site.
- The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature

Name: _____
please print

Title: _____

Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

M. J. D. Moore

JAT
[Signature]

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number Instructions

- 1 . ALDOT Project Number
- 2 . County
- 3 . Division
- 4 . Prime Contractor for the Project
- 5 . DBE for this Report
- 6 . Date of Report
- 7 . ALDOT Estimate Number
- 8 . Work Period for this Estimate (Beginning Date - Ending Date)
- 9 . Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
- 10 . Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
- 11 . Unit Price of Work
- 12 . Units
- 13 . Units of Work Accomplished this Period
- 14 . Amount Performed for this Period (Block 11 times Block 13)
- 15 . Units Performed to Date
- 16 . Amount Performed to Date (Block 11 times Block 15)
- 17 . Comments Pertinent to this DBE-10
- 18 . Total of Amounts in Block 14
- 19 . Total of Amounts in Block 16
- 20 . Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: _____ Contractor Name: _____
 Letting Date: _____ Address: _____
 Contract Amount: _____
 Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failures?

Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.

In the event of diskette failure the night before the letting please call the following numbers for assistance:

334-850-5328

334-850-5988

2.1.2007.3

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060**

2008 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2008 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2008. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

**Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060**

Company Name: _____

Shipping Address: _____

Quantity: _____	x \$125.00 per U.S. Book =	\$ _____
_____	x \$125.00 per Metric Book =	\$ _____
_____	x \$25.00 per Compact Disk =	\$ _____
Total:		\$ _____

Delivery Options (Select One)

_____ Standard UPS Ground

_____ Overnight, Provide Shipping Acct Number: _____

_____ Pick up



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 5, 2007

Re: **2008 Calendar Year**
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 5, 2007

Re: **2008 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a \$40.00 per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

February 29, 2008

COMPANY NAME: _____ BY: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

MAIL ADDRESS: _____

CITY, STATE, ZIP: _____ PHONE: _____

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)

(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)

_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
 YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
 DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA.	NON-BID DISKETTE \$5.00 EA.	PLANS PRICE EACH	PLANS QTY.	
\$10.00 EA.	QTY.	QTY.			
_____	_____	_____	\$ 6.00	_____	001 IM-1010(322) , BALDWIN
_____	_____	_____	\$ 14.00	_____	004 NHF-HSIPF-0001(535) , HOUSTON ,ETC.
_____	_____	_____	\$ 12.00	_____	005 NHF-0004(513) , MARION
_____	_____	_____	\$132.00	_____	006 NHF-0013(548) , MOBILE
_____	_____	_____	\$ 13.00	_____	007 NHF-HSIPF-0053(528) , DALE ,ETC.
_____	_____	_____	\$ 3.00	_____	008 NHF-HSIPF-0074(516) , WINSTON
_____	_____	_____	\$ 33.00	_____	010 ACBRF-0101(562) , CONECUH
_____	_____	_____	\$ 31.00	_____	014 BHFF-0012(524) , MONROE
_____	_____	_____	\$147.00	_____	016 STPOA-0025(514) , ETOWAH
_____	_____	_____	\$ 13.00	_____	020 BR-0129(501) , MARION
_____	_____	_____	\$ 37.00	_____	021 BR-0025(509) , SHELBY
_____	_____	_____	\$ 4.00	_____	024 EB-0016(507) , MOBILE
_____	_____	_____	\$ 2.00	_____	025 HRRR-CN08(205) , COLBERT
_____	_____	_____	\$ 3.00	_____	026 HRRR-CN08(224) , CHEROKEE
_____	_____	_____	\$ 2.00	_____	027 HRRR-CN08(227) , PICKENS
_____	_____	_____	\$ 2.00	_____	028 HRRR-CN08(228) , CHAMBERS
_____	_____	_____	\$ 2.00	_____	029 HRRR-CN08(229) , TALLADEGA
_____	_____	_____	\$ 2.00	_____	030 HRRR-CN08(230) , BUTLER
_____	_____	_____	\$ 2.00	_____	031 HRRR-CN08(231) , FRANKLIN
_____	_____	_____	\$ 2.00	_____	032 HRRR-CN08(234) , COOSA
_____	_____	_____	\$ 3.00	_____	033 HRRR-CN08(236) , HOUSTON
_____	_____	_____	\$ 2.00	_____	034 HRRR-CN08(240) , RUSSELL
_____	_____	_____	\$ 2.00	_____	035 HRRR-3623(200) , JACKSON
_____	_____	_____	\$ 3.00	_____	036 HRRR-1600(221) , COFFEE
_____	_____	_____	\$ 7.00	_____	038 HSIP-0134(502) , ETC. , DALE
_____	_____	_____	\$ 2.00	_____	040 HRRR-CN08(239) , GREENE
_____	_____	_____	\$ 3.00	_____	041 NH-0002(527) , LAUDERDALE
_____	_____	_____	\$ 6.00	_____	042 NH-0009(523) , COVINGTON
_____	_____	_____	\$ 18.00	_____	043 NH-0013(547) , ETC. , MARENGO ,ETC.
_____	_____	_____	\$ 8.00	_____	047 STPAA-0052(507) , HOUSTON ,ETC.
_____	_____	_____	\$ 4.00	_____	048 STPAA-0069(515) , CULLMAN
_____	_____	_____	\$ 6.00	_____	049 STPAA-0167(502) , COFFEE
_____	_____	_____	\$ 3.00	_____	050 STPAA-0186(500) , MACON
_____	_____	_____	\$ 35.00	_____	054 STPBH-7136(600) , SHELBY
_____	_____	_____	\$ 3.00	_____	055 STPNU-CN08(225) , RANDOLPH
_____	_____	_____	\$ 47.00	_____	056 STPNU-0516(200) , BLOUNT
_____	_____	_____	\$ 3.00	_____	059 STPNU-HRRR-5310(201) , PERRY
_____	_____	_____	\$ 8.00	_____	060 ACTCSP-08AL(001) , ETC. , HOUSTON
_____	_____	_____	\$ 14.00	_____	062 STPOA-7407(600) , ETC. , CALHOUN
_____	_____	_____	\$ 6.00	_____	063 HSIP-0051(501) , ETC. , COFFEE
_____	_____	_____	\$ 17.00	_____	064 STPSA-0141(501) , ETC. , COFFEE
_____	_____	_____	\$ 9.00	_____	067 ST-049-016-006 , MOBILE
_____	_____	_____	\$ 3.00	_____	068 99-302-171-247-803 , COLBERT
_____	_____	_____	\$ 4.00	_____	069 99-303-052-079-816 , BLOUNT
_____	_____	_____	\$ 4.00	_____	070 99-303-052-160-806 , BLOUNT
_____	_____	_____	\$ 3.00	_____	071 99-303-582-004-822 , ST. CLAIR
_____	_____	_____	\$ 4.00	_____	072 99-303-644-195-810 , WALKER
_____	_____	_____	\$ 2.00	_____	073 99-304-191-009-801 , COOSA
_____	_____	_____	\$ 3.00	_____	074 99-402-692-000-802 , FRANKLIN ,ETC.
_____	_____	_____	\$ 3.00	_____	075 99-402-693-000-803 , WINSTON ,ETC.
_____	_____	_____	\$ 17.00	_____	076 99-406-001-000-803 , ETC. , AUTAUGA ,ETC.
_____	_____	_____	\$ 6.00	_____	077 99-409-273-041-732 , ESCAMBIA

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	_____	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 COLISEUM BOULEVARD

TERRY W. ROBINSON - ROOM E-108

MONTGOMERY, ALABAMA 36110

PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976

e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
IM-I010(322)
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TENSIONED CABLE GUIDERAIL ON I-10 FROM SR-42 (US-98) TO SR-181
AT MALBIS

The Length Of This Project Is: 3.548 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$535,000 To \$650,000

The Principal Items Of Work Are Approximately As Follows:

206D001	150 Linear Foot Removing Guardrail
206E008	5 Each Removing Guardrail End Anchor (All Type)
600A000	1 Lump Sum Mobilization
624C004	18707 Linear Foot Tensioned Cable Guiderail, TL 4
630A001	88 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	2 Each Guardrail End Anchor, Type 20 Series
630C070	1 Each Guardrail End Anchor, Type 10 Series
650A000	68 Cubic Yard Topsoil
652A100	1 Acre Seeding
654A001	68 Square Yard Solid Sodding (Bermuda)
665G000	480 Each Sand Bags
665J002	240 Linear Feet Silt Fence
665O001	240 Linear Foot Silt Fence Removal
665Q002	920 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 29,000.00)
740B000	808 Square Foot Construction Signs
740D000	250 Each Channelizing Drums
740I005	2 Each Warning Lights, Type B (Detachable Head)
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	1 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-HSIPF-0001(535)
HOUSTON AND HENRY COUNTIES, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-1 (US-431) FROM
SPEIGNER STREET IN DOTHAN TO JUST NORTH OF THE HEADLAND SOUTH
CITY LIMIT

The Length Of This Project Is: 5.934 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 14.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,665,000 To \$3,255,000

The Principal Items Of Work Are Approximately As Follows:

209A000	2	Each Mailbox Reset, Single
209A002	2	Each Mailbox Reset, Multiple
210D021	3583	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	284	Station Machine Grading Shoulders
405A000	29242	Gallon Tack Coat
408A052	179510	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A358	6056	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	19692	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B656	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	8831	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	28385	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
652A100	20	Acre Seeding

652C000	20 Acre Mowing
656A010	20 Acre Mulching
665G000	500 Each Sand Bags
665J002	7000 Linear Feet Silt Fence
665O001	7000 Linear Foot Silt Fence Removal
665P005	59 Each Inlet Protection, Stage 3 Or 4
665Q002	500 Linear Foot Wattle
665R000	200 Linear Foot Silt Dikes
666A001	20 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 144,000.00)
701A227	15 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	13 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	18670 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	26 Mile Broken Temporary Traffic Stripe
701C001	51 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G252	120 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
703A002	8333 Square Foot Traffic Control Markings, Class 2, Type A
703B002	1099 Square Foot Traffic Control Legends, Class 2, Type A
703D001	6700 Square Foot Temporary Traffic Control Markings
705A030	1718 Each Pavement Markers, Class A-H, Type 2-C
705A031	1748 Each Pavement Markers, Class A-H, Type 1-A
705A032	168 Each Pavement Markers, Class A-H, Type 1-B
705A037	106 Each Pavement Markers, Class A-H, Type 2-D
705A038	84 Each Pavement Markers, Class A-H, Type 2-E
730H001	11680 Linear Foot Loop Wire
740B000	1217 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0004(513)
MARION COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-4 (CORRIDOR X)
FROM MP 6.000 TO MP 10.000 JUST WEST OF HAMILTON

The Length Of This Project Is: 4.033 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 12.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,780,000 To \$4,625,000

The Principal Items Of Work Are Approximately As Follows:

210A000	453 Cubic Yard Unclassified Excavation
210D000	384 Cubic Yard Borrow Excavation
301A012	2950 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
305B077	1300 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401A000	2950 Square Yard Bituminous Treatment A
405A000	26594 Gallon Tack Coat
407A000	2575 Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	73974 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	132515 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410B000	1 Each State Furnished Profilograph
410H000	1 Each Material Remixing Device
420A015	5831 Ton Polymer Modified Open Graded Friction Course
423A003	14661 Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423B001	20615 Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
423B013	500 Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size, Patching
423B014	500 Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size, Leveling

423B019	500 Ton Stone Matrix Asphalt Binder Layer, 1/2" Maximum Aggregate Size, Patching
428C000	95138 Linear Foot Scoring Bituminous Pavement Surface By Cutting
534A000	56 Each Cleaning Pipe Underdrain Outlets
600A000	1 Lump Sum Mobilization
630A001	639 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	4 Each Guardrail End Anchor, Type 20 Series
650A000	807 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	2000 Linear Feet Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
665Q002	1000 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 205,000.00)
701A227	10 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	9 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1934 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	34 Mile Broken Temporary Traffic Stripe
701C001	67 Mile Solid Temporary Traffic Stripe
703A002	4334 Square Foot Traffic Control Markings, Class 2, Type A
703D001	180 Square Foot Temporary Traffic Control Markings
705A030	24 Each Pavement Markers, Class A-H, Type 2-C
705A031	1204 Each Pavement Markers, Class A-H, Type 1-A
705A032	108 Each Pavement Markers, Class A-H, Type 1-B
740B000	1516 Square Foot Construction Signs
740C000	33 Square Foot Special Construction Signs
740D000	300 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0013(548)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE (GRADE, DRAINAGE, PAVEMENT, LIGHTING & BRIDGES) ON
SR-13 (US-43) AT DOW BADISCHE ROAD SOUTH OF CALVERT

The Length Of This Project Is: 0.697 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By September 30, 2009

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 a.m. on Friday, February 15, 2008, in the auditorium of the ALDOT Ninth Division Office, 1701 I-65 West Service Road North, Mobile, Alabama, 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 132.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$19,100,000 To \$23,400,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000 Per Acre) (Approximately 18 Acres)
201B000	3 Acre Clearing
206D011	405 Linear Foot Removing Fence
210A000	252010 Cubic Yard Unclassified Excavation
210D000	749430 Cubic Yard Borrow Excavation
210E000	237600 Cubic Yard Borrow Excavation (Underwater Backfill)
214A000	919 Cubic Yard Structure Excavation
214B000	1758 Cubic Yard Foundation Backfill, Local
214B001	20 Cubic Yard Foundation Backfill, Commercial
215A000	832 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 101+32.59 EBL
215B001	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 101+32.59 WBL
215B002	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 108+11.00 EBL
215B003	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 108+11.00 WBL
230A000	187 Roadbed Station Roadbed Processing
240A000	8 Each Settlement Plate Assembly
301A012	45430 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	48500 Square Yard Bituminous Treatment A

405A000	3134	Gallon Tack Coat
410H000	1	Each Material Remixing Device
424A280	5430	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	292	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B281	6170	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B581	12750	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B651	487	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	11100	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B040	140	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
450B000	360	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	202113	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, EBL Station 101+32.59, Approx. 58,300 lbs.
502B001	1	Lump Sum Steel Reinforcement For Bridge Superstructure, WBL Station 101+32.59, Approx. 58,300 lbs
502B002	1	Lump Sum Steel Reinforcement For Bridge Superstructure, EBL Station 108+11.00, Approx. 72,200 lbs
502B003	1	Lump Sum Steel Reinforcement For Bridge Superstructure, WBL Station 108+11.00, Approx. 72,200 lbs
505A004	4	Each Steel Test Piles (HP 14x73)
505B059	4	Each Static Loading Tests (HP 14x73)
505B089	4	Each Dynamic Loading Tests (HP 14x73)
505M004	13182	Linear Foot Steel Piling Furnished And Driven (HP 14x73)
508A000	26586	Pound Structural Steel
510A000	1058	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, EBL Station 101+32.59, Approx. 253 Cu. Yds.
510C052	1	Lump Sum Bridge Concrete Superstructure, WBL Station 101+32.59, Approx. 253 Cu. Yds.
510C053	1	Lump Sum Bridge Concrete Superstructure, EBL Station 108+11.00, Approx. 346 Cu. Yds.
510C054	1	Lump Sum Bridge Concrete Superstructure, WBL Station 108+11.00, Approx. 346 Cu. Yds.
510E000	3230	Square Yard Grooving Concrete Bridge Decks
511A053	72	Each Elastomeric Bearing Type 2 (Mark B4)
511A072	64	Each Elastomeric Bearing Type 4 (Mark VB3)
513B005	2288	Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
513B019	2756	Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-63 (Specialty Item)
524B011	29	Cubic Yard Culvert Concrete Extension (Cast In Place)
530A001	337	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A004	681	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A100	22	Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)
530A212	172	Linear Foot 18" Roadway Pipe (14 Gauge C.C.M.P.I.)
530B001	66	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
530B204	192	Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P.I.)
600A000	1	Lump Sum Mobilization
602A000	28	Each Right Of Way Markers
606A000	5805	Linear Foot 6" Underdrain Pipe
607B000	2881656	Linear Foot Vertical Drainage Wicks
609A000	900	Square Yard Aggregate Slope Protection
609B000	900	Square Yard Geotextile Filter For Aggregate Slope Protection
610C001	517	Ton Loose Riprap, Class 2
610D003	2286	Square Yard Filter Blanket, Geotextile
614A000	164	Cubic Yard Slope Paving
619A001	1	Each 15" Roadway Pipe End Treatment, Class 1
619A002	3	Each 18" Roadway Pipe End Treatment, Class 1
619A055	2	Each 36" Roadway Pipe End Treatment, Class 2
619A101	2	Each 18" Side Drain Pipe End Treatment, Class 1

619A229	2 Each 36" Roadway Pipe End Treatment, Class 2 (Double Line)
619A259	2 Each 36" Roadway Pipe End Treatment, Class 2 (Triple Line)
619B016	2 Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1
619B314	2 Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)
620A000	1 Cubic Yard Minor Structure Concrete
621A012	3 Each Junction Boxes, Type 3 Or 3P
621A058	3 Each Junction Boxes, Type 3 (Modified)
621C020	3 Each Inlets, Type Y
621C069	1 Each Inlets, Type E3
621D019	3 Each Inlet Units, Type Y
629A051	343 Linear Foot Concrete Median Or Safety Barrier, Type 1 (Modified)
629C001	1 Each Concrete Median Or Safety Barrier End Section (Type TES Modified)
630A001	3376 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	5 Each Guardrail End Anchor, Type 8
630C003	8 Each Guardrail End Anchor, Type 13
630C050	7 Each Guardrail End Anchor, Type 20 Series
630C070	5 Each Guardrail End Anchor, Type 10 Series
634A002	7767 Linear Foot Industrial Fence, 6 Feet High
650A000	17000 Cubic Yard Topsoil
650B000	11000 Cubic Yard Topsoil From Stockpiles
652A100	53 Acre Seeding
652C000	53 Acre Mowing
654A001	50750 Square Yard Solid Sodding (Bermuda)
656A010	53 Acre Mulching
659A028	11145 Square Yard Rolled Erosion Control Product, Type (1D)
659A048	2897 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	80 Acre Temporary Seeding
665B000	80 Acre Temporary Mulching
665C010	700 Linear Foot Temporary Pipe
665E000	800 Square Yard Polyethylene
665G000	100 Each Sand Bags
665I000	560 Ton Temporary Riprap, Class 2
665J002	24200 Linear Feet Silt Fence
665K000	1050 Cubic Yard Drainage Sump Excavation
665O001	30800 Linear Foot Silt Fence Removal
665P005	6 Each Inlet Protection, Stage 3 Or 4
665Q002	1300 Linear Foot Wattle
665T000	900 Linear Foot Temporary Earth Berms
666A001	53 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 1,028,000.00)
701A087	1 Mile Broken White, Class W, Type A Traffic Stripe (5" Wide)
701A091	1 Mile Solid White, Class W, Type A Traffic Stripe (5" Wide)
701A099	1 Mile Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1100 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	9 Mile Solid Temporary Traffic Stripe
703A002	8975 Square Foot Traffic Control Markings, Class 2, Type A
703A011	250 Square Foot Traffic Control Markings, Class W, Type A
703B002	157 Square Foot Traffic Control Legends, Class 2, Type A
705A011	510 Each Pavement Markers, Class C, Type 1-A
705A012	302 Each Pavement Markers, Class C, Type 1-B
705A023	21 Each Pavement Markers, Class C, Type 2-D
705A030	109 Each Pavement Markers, Class A-H, Type 2-C
705A031	599 Each Pavement Markers, Class A-H, Type 1-A
705A032	162 Each Pavement Markers, Class A-H, Type 1-B
710A115	209 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	42 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A140	611 Square Foot Class 6, Aluminum Multiple Flat Sign Panels 0.125" Thick Or Steel Multiple Flat Sign Panels 12 Gauge (Ty. III Background)
710B001	780 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710B007	128 Linear Foot Roadway Sign Post (W6 x 15 Steel Beam)
710B011	84 Linear Foot Roadway Sign Post (W6 x 12 Steel Beam)
720A025	1 Each Vehicular Impact Attenuator Assembly (Unidirectional, TL-3)

726A000	2200	Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	40	Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D000	4	Each Portable Impact Attenuator (Unidirectional, TL-2)
740B000	1320	Square Foot Construction Signs
740D000	200	Each Channelizing Drums
740E000	50	Each Cones (36 Inches High)
740F002	46	Each Barricades, Type III
740I005	22	Each Warning Lights, Type B (Detachable Head)
740M001	50	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2
750Z010	1	Lump Sum Roadway Lighting System
999 000	2280	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-HSIPF-0053(528)
DALE AND HOUSTON COUNTIES, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-53 (US-231) FROM
JUST SOUTH OF TROY UNIVERSITY DRIVE TO SOUTH OF CR-63 IN PINCKARD

The Length Of This Project Is: 4.576 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five (65) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 13.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,160,000 To \$3,860,000

The Principal Items Of Work Are Approximately As Follows:

206D001	500	Linear Foot Removing Guardrail
210D011	5575	Cubic Yard Borrow Excavation (A-4 Or Better)
212A000	967	Station Machine Grading Shoulders
405A000	22187	Gallon Tack Coat
408A052	128891	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A281	15342	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A286	250	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424B280	14178	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B293	5180	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range E
428C000	67600	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
630A001	100	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	5	Each Guardrail End Anchor, Type 20 Series

652A100	33 Acre Seeding
652C000	33 Acre Mowing
656A010	33 Acre Mulching
665G000	500 Each Sand Bags
665J002	5000 Linear Feet Silt Fence
665O001	5000 Linear Foot Silt Fence Removal
665P005	43 Each Inlet Protection, Stage 3 Or 4
665Q002	1000 Linear Foot Wattle
666A001	33 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 170,000.00)
701A227	11 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	10 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	9165 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	19 Mile Broken Temporary Traffic Stripe
701C001	37 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G142	548 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	548 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	548 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G252	1200 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
703A002	1182 Square Foot Traffic Control Markings, Class 2, Type A
703B002	1025 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1182 Square Foot Temporary Traffic Control Markings
703E001	263 Square Foot Temporary Traffic Control Legends
705A030	490 Each Pavement Markers, Class A-H, Type 2-C
705A031	855 Each Pavement Markers, Class A-H, Type 1-A
705A032	309 Each Pavement Markers, Class A-H, Type 1-B
705A037	124 Each Pavement Markers, Class A-H, Type 2-D
730H001	5096 Linear Foot Loop Wire
730K000	9 Each Traffic Signal Junction Box
740B000	2167 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A002	2 Each Portable Changeable Message Sign, Type 1

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-HSIPF-0074(516)
WINSTON COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-74 (US-278) FROM BRUSHY
CREEK (MP 51.783) TO CR-41 IN ADDISON

The Length Of This Project Is: 5.033 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,130,000 To \$1,380,000

The Principal Items Of Work Are Approximately As Follows:

305B077	1743 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	5688 Gallon Tack Coat
408A051	1000 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
410H000	1 Each Material Remixing Device
424A360	7132 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	213 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	8322 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	52070 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 61,000.00)
701A227	11 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)

701B207	746	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4	Mile Broken Temporary Traffic Stripe
701C001	59	Mile Solid Temporary Traffic Stripe
703A002	1468	Square Foot Traffic Control Markings, Class 2, Type A
703B002	90	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1472	Square Foot Temporary Traffic Control Markings
705A032	70	Each Pavement Markers, Class A-H, Type 1-B
705A037	574	Each Pavement Markers, Class A-H, Type 2-D
730H001	4100	Linear Foot Loop Wire
740B000	533	Square Foot Construction Signs
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
7400000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
ACBRF-0101(562)
CONECUH COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON US-84 OVER THE ALABAMA
RAILROAD IN REPTON

The Length Of This Project Is: 0.553 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Eighty (180) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 33.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,900,000 To \$4,700,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 12 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
206A000	1 Lump Sum Removal Of Old Bridge, Station 23+46.83
206C010	220 Square Yard Removing Concrete Driveway
206D000	445 Linear Foot Removing Pipe
206D001	260 Linear Foot Removing Guardrail
206E001	3 Each Removing Inlets
206E008	4 Each Removing Guardrail End Anchor (All Type)
206E050	6 Each Removing Slope Paved Headwall
210A000	13460 Cubic Yard Unclassified Excavation
210D012	40653 Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0)
214A000	334 Cubic Yard Structure Excavation
214B000	151 Cubic Yard Foundation Backfill, Local
215A000	580 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheet piling And Shoring, Sta. 23+50.00
230A000	36 Roadbed Station Roadbed Processing

301A252	9781	Square Yard Soil Aggregate Base Course, Type C, Yard Mixed, 6" Compacted Thickness
401A000	9206	Square Yard Bituminous Treatment A
405A000	1234	Gallon Tack Coat
424A360	1126	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	1850	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	165	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	1250	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B689	1784	Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C361	1611	Ton Superpave Bituminous Concrete Base Layer, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
430B039	30	Ton Aggregate Surfacing (Soil Aggregate Base, Type C)
450B000	250	Square Yard Reinforced Cement Concrete Bridge End Slab
502A001	78787	Pound Steel Reinforcement (Grade 60)
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, STA. 23+50, Approx. 83571 Lbs
505A002	2	Each Steel Test Piles (HP 12x53)
505B057	2	Each Static Loading Tests (HP 12x53)
505B087	2	Each Dynamic Loading Tests (HP 12x53)
505H000	915	Linear Foot Pilot Holes
505M002	6168	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
508A000	11195	Pound Structural Steel
510A000	455	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, STA. 23+50, Approx. 381 Cu Yd
510E000	1421	Square Yard Grooving Concrete Bridge Decks
511A001	30	Each Elastomeric Bearing Type 2
511A004	50	Each Elastomeric Bearing Type 4
513B005	1641	Linear Foot Prestensioned-Prestressed Concrete Girders, Type III (Specialty Item)
513C000	13	Each Prestressed Concrete Interior Span Sections, (Specialty Item) 4'-0" Wide By 1'-9" Deep by 54' -2 7/8" Long
513D000	2	Each Prestressed Concrete Exterior Span Sections, (Specialty Item) 4'-0" Wide By 1'-9" Deep by 54'-2 7/8" Long
530A001	522	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A101	7	Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530B001	51	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
535A001	206	Linear Foot 18" Side Drain Pipe
600A000	1	Lump Sum Mobilization
602A000	10	Each Right Of Way Markers
606A005	1000	Linear Foot 6" Underdrain Pipe, Type 9
609A000	935	Square Yard Aggregate Slope Protection
609B000	935	Square Yard Geotextile Filter For Aggregate Slope Protection
614A000	24	Cubic Yard Slope Paving
619A101	7	Each 18" Side Drain Pipe End Treatment, Class 1
619B116	2	Each 22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1
620A000	1	Cubic Yard Minor Structure Concrete
621A011	3	Each Junction Boxes, Type 1 Or 1P
621C001	2	Each Inlets, Type B
621C020	1	Each Inlets, Type Y
621C027	3	Each Inlets, Type C
621D001	3	Each Inlet Units, Type B
623B006	176	Linear Foot Concrete Curb, Type F
630A001	825	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1	Each Guardrail End Anchor, Type 8
630C003	4	Each Guardrail End Anchor, Type 13
630C050	1	Each Guardrail End Anchor, Type 20 Series
630C070	4	Each Guardrail End Anchor, Type 10 Series
650B000	1674	Cubic Yard Topsoil From Stockpiles
652A100	4	Acre Seeding
652C000	8	Acre Mowing
654A001	7155	Square Yard Solid Sodding (Bermuda)
656A010	4	Acre Mulching
659A041	1694	Square Yard Rolled Erosion Control Product, Type (3B)

665A000	5 Acre Temporary Seeding
665B000	5 Acre Temporary Mulching
665C010	100 Linear Foot Temporary Pipe
665E000	500 Square Yard Polyethylene
665J002	1754 Linear Feet Silt Fence
665O001	1754 Linear Foot Silt Fence Removal
665P005	7 Each Inlet Protection, Stage 3 Or 4
665Q002	700 Linear Foot Wattle
666A001	4 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 251,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	155 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	2 Mile Broken Temporary Traffic Stripe (Paint)
701C003	3 Mile Solid Temporary Traffic Stripe (Paint)
701C006	1 Mile Solid Temporary Traffic Stripe (Removable Tape)
701D007	3 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D009	1 Mile Solid Traffic Stripe Removed (Tape)
701D014	2 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G146	504 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1008 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	2982 Square Foot Traffic Control Markings, Class 2, Type A
703A011	898 Square Foot Traffic Control Markings, Class W, Type A
703B002	113 Square Foot Traffic Control Legends, Class 2, Type A
703D001	200 Square Foot Temporary Traffic Control Markings
705A011	400 Each Pavement Markers, Class C, Type 1-A
705A023	200 Each Pavement Markers, Class C, Type 2-D
705A030	64 Each Pavement Markers, Class A-H, Type 2-C
705A031	328 Each Pavement Markers, Class A-H, Type 1-A
705A032	102 Each Pavement Markers, Class A-H, Type 1-B
705A037	69 Each Pavement Markers, Class A-H, Type 2-D
705A038	102 Each Pavement Markers, Class A-H, Type 2-E
710A126	165 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	98 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
713A000	25 Linear Foot Permanent Barricades
726A000	550 Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	20 Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D020	2 Each Portable Impact Attenuator Assembly (Unidirectional, TL-2)
730A000	1 Lump Sum Removal Of Existing Traffic Control Unit (US 84 And Jackson Street)
730A001	1 Lump Sum Removal Of Existing Traffic Control Unit (US 84 And Church Street)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit (US 84 And SR 41)
730E000	3 Each Metal Traffic Signal Pole Foundation
730G001	3 Each Metal Traffic Signal Strain Pole
730L002	50 Linear Foot 1", Metallic, Conduit
730L003	100 Linear Foot 1", Non-Metallic, Conduit
730N010	3 Each Luminaire Extension Assembly, 12 Feet
730P021	3 Each Vehicular Signal Head, 12 Inch, 2 Section, Type LED
740B000	799 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740F002	11 Each Barricades, Type III
740L005	200 Each Vertical Panel, Type I (Double-Sided)
740M001	200 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BHPF-0012(524)
MONROE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

BRIDGE COATING ON SR-12 (US-84) AT THE ALABAMA RIVER IN
CLAIBORNE

The Length Of This Project Is: 0.419 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Ten (110) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 31.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$1,000,000 To \$1,300,000 The Principal Items Of Work Are Approximately As Follows:

521B001	1 Lump Sum Coating Existing Bridge At Station 145+55.21
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 34,000.00)
740B000	280 Square Foot Construction Signs
740D000	150 Each Channelizing Drums
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-0025(514)
ETOWAH COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RELOCATION (GRADE, DRAINAGE AND PARTIAL BASE AND PAVE) OF SR-25
(US-411) FROM THE EXISTING FOUR LANE IN GADSDEN TO TURKEYTOWN

The Length Of This Project Is: 7.751 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred Eighty Five (385) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 9:00 a.m. on Tuesday, February 12, 2008, in the Conference Room of the ALDOT First Division Office, 23445 US Highway 431, Guntersville, Alabama, 35976. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 147.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$17,000,000 To \$20,500,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000 Per Acre) (Approximately 228 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
205A005	1 Each Removal Of Structures, Structure No. 5
205A008	1 Each Removal Of Structures, Structure No. 8
205A012	1 Each Removal Of Structures, Structure No. 12
205A013	1 Each Removal Of Structures, Structure No. 13
205A014	1 Each Removal Of Structures, Structure No. 14
205A015	1 Each Removal Of Structures, Structure No. 15
205A016	1 Each Removal Of Structures, Structure No. 16
205A017	1 Each Removal Of Structures, Structure No. 17
205A018	1 Each Removal Of Structures, Structure No. 18
205A019	1 Each Removal Of Structures, Structure No. 19
205A021	1 Each Removal of Structures, Structure No. 21
205A022	1 Each Removal Of Structures, Structure No. 22
205A024	1 Each Removal Of Structures, Structure No. 24

205A025	1 Each Removal Of Structures, Structure No. 25
205A028	1 Each Removal Of Structures, Structure No. 28
205A029	1 Each Removal Of Structures, Structure No. 29
205A031	1 Each Removal Of Structures, Structure No. 31
205A032	1 Each Removal Of Structures, Structure No. 32
205A033	1 Each Removal Of Structures, Structure No. 33
205A034	1 Each Removal Of Structures, Structure No. 34
205A035	1 Each Removal Of Structures, Structure No. 35
205A036	1 Each Removal Of Structures, Structure No. 36
205A040	1 Each Removal Of Structures, Structure No. 40
205A041	1 Each Removal Of Structures, Structure No. 41
205A042	1 Each Removal Of Structures, Structure No. 42
205A043	1 Each Removal Of Structures, Structure No. 43
205A044	1 Each Removal Of Structures, Structure No. 44
205A045	1 Each Removal Of Structures, Structure No. 45
205A046	1 Each Removal Of Structures, Structure No. 46
205A047	1 Each Removal Of Structures, Structure No. 47
205A048	1 Each Removal Of Structures, Structure No. 48
205A049	1 Each Removal Of Structures, Structure No. 49
205A050	1 Each Removal Of Structures, Structure No. 50
205A051	1 Each Removal Of Structures, Structure No. 51
205A052	1 Each Removal Of Structures, Structure No. 52
205A053	1 Each Removal Of Structures, Structure No. 53
205A054	1 Each Removal Of Structures, Structure No. 54
205A055	1 Each Removal Of Structures, Structure No. 55
205A056	1 Each Removal Of Structures, Structure No. 56
205A057	1 Each Removal Of Structures, Structure No. 57
205A061	1 Each Removal Of Structures, Structure No. 61
205A062	1 Each Removal Of Structures, Structure No. 62
205A063	1 Each Removal Of Structures, Structure No. 63
205A064	1 Each Removal Of Structures, Structure No. 64
205A065	1 Each Removal Of Structures, Structure No. 65
205A067	1 Each Removal Of Structures, Structure No. 67
205A068	1 Each Removal Of Structures, Structure No. 68
205A070	1 Each Removal Of Structures, Structure No. 70
205A071	1 Each Removal Of Structures, Structure No. 71
205A072	1 Each Removal Of Structures, Structure No. 72
206A000	1 Lump Sum Removal Of Old Bridge, Station 492+45
206D000	1416 Linear Foot Removing Pipe
206D002	426 Linear Foot Removing Curb
210A000	1133511 Cubic Yard Unclassified Excavation
210C000	40583 Cubic Yard Muck Excavation
210D000	381701 Cubic Yard Borrow Excavation
210F001	16994 Ton Borrow Excavation (Underwater Embankment)
214A000	19333 Cubic Yard Structure Excavation
214B001	6176 Cubic Yard Foundation Backfill, Commercial
224A000	100 Cubic Yard Lime Sink Excavation
224C002	100 Ton Special Backfill For Lime Sink, ALDOT #57, #67 Or #467
224D000	50 Cubic Yard Concrete Seal For Lime Sink
301A008	40509 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
305B078	114 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
401A000	29741 Square Yard Bituminous Treatment A
401A011	10676 Square Yard Bituminous Treatment AKG
405A000	822 Gallon Tack Coat
424A340	1662 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	3356 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C340	237 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B014	73080 Ton Aggregate Surfacing (ALDOT #410 Modified)
502A000	863802 Pound Steel Reinforcement
524A011	1907 Cubic Yard Culvert Concrete (Cast In Place)
524A012	3010 Cubic Yard Culvert Concrete (Precast)
524B011	46 Cubic Yard Culvert Concrete Extension (Cast In Place)
530A001	4020 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	778 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A004	777 Linear Foot 36" Roadway Pipe (Class 3 R.C.)

530A005 612 Linear Foot 42" Roadway Pipe (Class 3 R.C.)
 530A006 1121 Linear Foot 48" Roadway Pipe (Class 3 R.C.)
 530A800 12 Linear Foot 15" Roadway Pipe (14 Gauge C.C.S.) (Stack Pipe) (No Bedding Required)
 530B005 670 Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)
 535A001 772 Linear Foot 18" Side Drain Pipe
 535A002 304 Linear Foot 24" Side Drain Pipe
 535A004 60 Linear Foot 36" Side Drain Pipe
 535A006 60 Linear Foot 48" Side Drain Pipe
 535B014 92 Linear Foot 51" Span, 31" Rise Side Drain Pipe
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 350 Each Right Of Way Markers
 606A000 1000 Linear Foot 6" Underdrain Pipe
 610C001 21007 Ton Loose Riprap, Class 2
 610D003 22364 Square Yard Filter Blanket, Geotextile
 618B003 633 Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
 619A002 35 Each 18" Roadway Pipe End Treatment, Class 1
 619A003 12 Each 24" Roadway Pipe End Treatment, Class 1
 619A005 6 Each 36" Roadway Pipe End Treatment, Class 1
 619A007 8 Each 48" Roadway Pipe End Treatment, Class 1
 619A055 6 Each 36" Roadway Pipe End Treatment, Class 2
 619A057 4 Each 48" Roadway Pipe End Treatment, Class 2
 619A101 32 Each 18" Side Drain Pipe End Treatment, Class 1
 619A102 10 Each 24" Side Drain Pipe End Treatment, Class 1
 619A104 2 Each 36" Side Drain Pipe End Treatment, Class 1
 619A106 2 Each 48" Side Drain Pipe End Treatment, Class 1
 619A206 4 Each 42" Roadway Pipe End Treatment, Class 1 (Double Line)
 619B270 6 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 1 (Double Line)
 619B342 2 Each 51" Span, 31" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)
 620A000 1 Cubic Yard Minor Structure Concrete
 621A019 5 Each Junction Boxes, Type 1 Or 2P
 621B014 6 Each Junction Box Units, Type 1 Or 2P
 621C068 52 Each Inlets, Type Y (Partial)
 621D019 82 Each Inlet Units, Type Y
 630A001 624 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C050 2 Each Guardrail End Anchor, Type 20 Series
 630C070 4 Each Guardrail End Anchor, Type 10 Series
 637A001 952 Linear Foot Fence Reset (Includes All Types)
 641A514 500 Linear Foot 1 Inch Copper Water Service Line Laid
 650B000 83425 Cubic Yard Topsoil From Stockpiles
 652A100 330 Acre Seeding
 652C000 555 Acre Mowing
 656A010 330 Acre Mulching
 659A041 83540 Square Yard Rolled Erosion Control Product, Type (3B)
 659A048 72681 Square Yard Rolled Erosion Control Product, Type (5A)
 665A000 160 Acre Temporary Seeding
 665B000 160 Acre Temporary Mulching
 665G000 1300 Each Sand Bags
 665I000 2184 Ton Temporary Riprap, Class 2
 665J002 70390 Linear Feet Silt Fence
 665K000 5529 Cubic Yard Drainage Sump Excavation
 665L000 620 Linear Foot Floating Basin Boom
 665N000 335 Ton Temporary Coarse Aggregate, ALDOT Number 1
 665N001 416 Ton Temporary Coarse Aggregate, ALDOT Number 4
 665O001 70390 Linear Foot Silt Fence Removal
 665P005 50 Each Inlet Protection, Stage 3 Or 4
 665Q002 17720 Linear Foot Wattle
 666A001 229 Acre Pest Control Treatment
 674A000 2000 Linear Foot Construction Safety Fence
 680A000 1 Lump Sum Engineering Controls
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 919,000.00)
 701A004 6 Mile Solid White, Class 1, Type A Traffic Stripe
 701A012 6 Mile Solid Yellow, Class 1, Type A Traffic Stripe
 701C001 12 Mile Solid Temporary Traffic Stripe
 701D007 1 Mile Solid Traffic Stripe Removed (Paint)
 703A000 133 Square Foot Traffic Control Markings, Class 1, Type A
 703D001 157 Square Foot Temporary Traffic Control Markings
 705A037 365 Each Pavement Markers, Class A-H, Type 2-D

710A115	209 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	21 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	350 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
713A000	125 Linear Foot Permanent Barricades
740B000	2101 Square Foot Construction Signs
740D000	720 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	156 Each Barricades, Type III
740I005	78 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
999 000	3000 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-0129(501)
MARION COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON THE SR-129 CONNECTOR AT THE
BUTTAHATCHEE RIVER AT WHITEHOUSE

The Length Of This Project Is: 0.151 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Five (105) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 13.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,244,000 To \$1,520,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 2 Acres)
206A001	1 Lump Sum Removal Of Old Bridge, Station 15+24.4
206D001	90 Linear Foot Removing Guardrail
206D011	450 Linear Foot Removing Fence
206E008	4 Each Removing Guardrail End Anchor (All Type)
210A000	1934 Cubic Yard Unclassified Excavation
210D000	1281 Cubic Yard Borrow Excavation
301A008	424 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
301A012	2823 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	3033 Square Yard Bituminous Treatment A
405A000	263 Gallon Tack Coat
424A360	216 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	507 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	446 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

428C000	1180	Linear Foot Scoring Bituminous Pavement Surface By Cutting
450B000	125	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	54200	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, STA. 15+33.0, Approx. 71,200 Lbs.
505G003	28	Each Pile Points (Type A, 12")
505M002	698	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
506A003	71	Linear Foot Drilled Shaft Excavation, 5'-0" Diameter
506B005	43	Linear Foot Special Drilled Shaft Excavation, 5'-0" Diameter
506C044	114	Linear Foot Drilled Shaft Construction, 5'-0" Diameter, Class DS1 Concrete
506F006	71	Linear Foot Permanent Drilled Shaft Casing, 5'-0" Diameter
506G004	4	Each Crosshole Sonic Logging, 5'-0" Diameter
508A000	7500	Pound Structural Steel
510A000	204	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Station 15+33.0, Approximately 289 Cu. Yds.
510E000	935	Square Yard Grooving Concrete Bridge Decks
511A052	36	Each Elastomeric Bearing Type 2 (Mark B3)
513B005	1241	Linear Foot Prestensioned-Prestressed Concrete Girders, Type III (Specialty Item)
600A000	1	Lump Sum Mobilization
606A000	200	Linear Foot 6" Underdrain Pipe
610C001	2945	Ton Loose Riprap, Class 2
610D000	2027	Square Yard Filter Blanket
630A001	450	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4	Each Guardrail End Anchor, Type 13
630C070	4	Each Guardrail End Anchor, Type 10 Series
650A000	809	Cubic Yard Topsoil
652A100	2	Acre Seeding
652C000	2	Acre Mowing
654A000	1160	Square Yard Solid Sodding
656A010	2	Acre Mulching
659A036	1160	Square Yard Rolled Erosion Control Product, Type (2D)
659A048	311	Square Yard Rolled Erosion Control Product, Type (5A)
665A000	2	Acre Temporary Seeding
665B000	2	Acre Temporary Mulching
665E000	200	Square Yard Polyethylene
665I000	214	Ton Temporary Riprap, Class 2
665J002	1910	Linear Feet Silt Fence
665L000	350	Linear Foot Floating Basin Boom
665N001	34	Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	1910	Linear Foot Silt Fence Removal
665Q002	60	Linear Foot Wattle
666A001	2	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 67,000.00)
701A227	1	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701G146	420	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	420	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
705A037	20	Each Pavement Markers, Class A-H, Type 2-D
710A115	16	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710B001	26	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	155	Square Foot Construction Signs
740D000	25	Each Channelizing Drums
740E000	25	Each Cones (36 Inches High)
740F002	12	Each Barricades, Type III
740I005	4	Each Warning Lights, Type B (Detachable Head)
740M001	25	Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-0025(509)
SHELBY COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON SR-25 AT THE SOUTHERN
RAILROAD SOUTH OF WILTON

The Length Of This Project Is: 0.766 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Fifty (150) Working Days.

A 8.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 37.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,915,000 To \$3,560,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 20 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
206A000	1 Lump Sum Removal Of Old Bridge, Station 131+76.3
206B000	1 Lump Sum Removal Of Old Box Culvert, Station 141+54.7
206C002	523 Square Yard Removing Concrete Slope Paving
206D000	307 Linear Foot Removing Pipe
206D001	794 Linear Foot Removing Guardrail
206E008	4 Each Removing Guardrail End Anchor (All Type)
210A000	26405 Cubic Yard Unclassified Excavation
210D000	64759 Cubic Yard Borrow Excavation
214A000	683 Cubic Yard Structure Excavation
214B001	231 Cubic Yard Foundation Backfill, Commercial
215A000	169 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheet Piling And Shoring, Sta. 131+48
305B071	136 Ton Coarse Aggregate, Section 801, For Miscellaneous Use
401B108	6805 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	2834 Gallon Tack Coat
424A361	1928 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D

424B651 3040 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B655 27 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B658 1513 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
 424B681 2913 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424C360 7037 Ton Superpave Bituminous Concrete Base Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 430B026 130 Ton Aggregate Surfacing (ALDOT #467, #57 Or #810)
 450B000 108 Square Yard Reinforced Cement Concrete Bridge End Slab
 502A000 48136 Pound Steel Reinforcement
 502B000 1 Lump Sum Steel Reinforcement For Bridge Superstructure,
 Sta. 131+48, Approx. 49963 LBS
 505A002 1 Each Steel Test Piles (HP 12x53)
 505B057 1 Each Static Loading Tests (HP 12x53)
 505B087 1 Each Dynamic Loading Tests (HP 12x53)
 505G003 20 Each Pile Points (Type A, 12")
 505M002 2333 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
 508A000 7550 Pound Structural Steel
 510A000 200 Cubic Yard Bridge Substructure Concrete, Class A
 510C051 1 Lump Sum Bridge Concrete Superstructure, Sta. 131+48, Approx. 180 Cu. Yds.
 510E000 622 Square Yard Grooving Concrete Bridge Decks
 511A070 24 Each Elastomeric Bearing Type 4 (Mark VB1)
 511A071 12 Each Elastomeric Bearing Type 4 (Mark VB2)
 513B003 474 Linear Foot Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)
 513B004 357 Linear Foot Pretensioned-Prestressed Concrete Girders, Type II (Specialty Item)
 524B011 2 Cubic Yard Culvert Concrete Extension (Cast In Place)
 530A001 194 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
 530A002 256 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
 530A004 64 Linear Foot 36" Roadway Pipe (Class 3 R.C.)
 530A015 108 Linear Foot 36" Roadway Pipe (Class 4 R.C.)
 530A600 46 Linear Foot 15" Roadway Pipe (14 Gauge C.S.) (Temporary)
 535A001 312 Linear Foot 18" Side Drain Pipe
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 34 Each Right Of Way Markers
 606A000 1000 Linear Foot 6" Underdrain Pipe
 610C001 1818 Ton Loose Riprap, Class 2
 610D000 1532 Square Yard Filter Blanket
 614A000 62 Cubic Yard Slope Paving
 619A002 3 Each 18" Roadway Pipe End Treatment, Class 1
 619A003 4 Each 24" Roadway Pipe End Treatment, Class 1
 619A005 2 Each 36" Roadway Pipe End Treatment, Class 1
 619A101 10 Each 18" Side Drain Pipe End Treatment, Class 1
 619A103 1 Each 30" Side Drain Pipe End Treatment, Class 1
 621A005 2 Each Junction Boxes, Type 1
 621B005 2 Each Junction Box Units, Type 1
 621I000 1 Each Stilling Basins, Type 00
 630A001 1075 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C003 4 Each Guardrail End Anchor, Type 13
 630C070 4 Each Guardrail End Anchor, Type 10 Series
 641A682 115 Linear Foot 6 Inch Ductile Iron Water Main Laid (Restrained Joint)
 641A746 2960 Linear Foot 6 Inch P.V.C. Water Main Laid
 641C500 328 Pound Ductile Iron Fittings
 641I510 4 Each 1 Inch Air Release Valve
 641J516 1 Each 6 Inch Gate Valve With Box
 641L500 17 Cubic Yard Concrete for Water Mains (Thrust Blocks)
 641O514 2 Each 6 Inch x 6 Inch Tapping Valve And Sleeve
 649A535 120 Linear Foot 12 Inch Steel Encasement Pipe, Type 1 Installation
 649A635 235 Linear Foot 12 Inch Steel Encasement Pipe, Type 2 Installation
 650A000 5177 Cubic Yard Topsoil
 652A100 10 Acre Seeding
 652C000 10 Acre Mowing
 656A010 10 Acre Mulching
 659A036 4136 Square Yard Rolled Erosion Control Product, Type (2D)
 659A048 2522 Square Yard Rolled Erosion Control Product, Type (5A)
 665A000 10 Acre Temporary Seeding

665B000	10 Acre Temporary Mulching
665C010	360 Linear Foot Temporary Pipe
665E000	840 Square Yard Polyethylene
665G000	200 Each Sand Bags
665I000	1200 Ton Temporary Riprap, Class 2
665J002	5035 Linear Feet Silt Fence
665K000	1190 Cubic Yard Drainage Sump Excavation
665O001	5035 Linear Foot Silt Fence Removal
665Q002	2485 Linear Foot Wattle
665T000	1020 Linear Foot Temporary Earth Berms
666A001	10 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 169,500.00)
701A227	3 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1480 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	9 Mile Solid Temporary Traffic Stripe
701D007	3 Mile Solid Traffic Stripe Removed (Paint)
701E006	568 Linear Foot Solid Temporary Traffic Stripe (Removable Tape)
701G146	284 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	284 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G252	300 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
701H002	568 Linear Foot Solid Traffic Stripe Removed (Tape)
703A002	1384 Square Foot Traffic Control Markings, Class 2, Type A
703B002	180 Square Foot Traffic Control Legends, Class 2, Type A
703C000	50 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Paint)
703D001	434 Square Foot Temporary Traffic Control Markings
705A011	40 Each Pavement Markers, Class C, Type 1-A
705A023	180 Each Pavement Markers, Class C, Type 2-D
705A030	48 Each Pavement Markers, Class A-H, Type 2-C
705A032	371 Each Pavement Markers, Class A-H, Type 1-B
705A037	97 Each Pavement Markers, Class A-H, Type 2-D
705A038	185 Each Pavement Markers, Class A-H, Type 2-E
710A115	164 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	16 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A141	64 Square Foot Class 6, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III Background)
710B001	364 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	899 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	14 Each Barricades, Type III
740I005	10 Each Warning Lights, Type B (Detachable Head)
740L005	72 Each Vertical Panel, Type I (Double-Sided)
740M001	50 Each Ballast For Cone
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EB-0016(507)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-16 (US-90) FROM
WEST OF I-165 TO MP 32.050 AND FROM CONNECTOR LOOP TO SR-13
(US-43) SOUTHEAST OF PRICHARD

The Length Of This Project Is: 1.014 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$570,000 To \$700,000

The Principal Items Of Work Are Approximately As Follows:

405A000	2800 Gallon Tack Coat
408A052	21850 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	6553 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
424A361	4050 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	25 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	50 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	820 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
650A000	330 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 31,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)

701B027	282	Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B207	2760	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	3	Mile Broken Temporary Traffic Stripe
701C001	3	Mile Solid Temporary Traffic Stripe
701G142	3000	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	3335	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	3000	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	6335	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	3282	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	5686	Square Foot Traffic Control Markings, Class 2, Type A
703A011	33	Square Foot Traffic Control Markings, Class W, Type A
703B002	1285	Square Foot Traffic Control Legends, Class 2, Type A
703B011	45	Square Foot Traffic Control Legends, Class W, Type A
703C001	78	Square Foot Removal Of Existing Traffic Control Markings Or Legends (Plastic)
703D001	3133	Square Foot Temporary Traffic Control Markings
703E001	479	Square Foot Temporary Traffic Control Legends
705A030	630	Each Pavement Markers, Class A-H, Type 2-C
705A031	805	Each Pavement Markers, Class A-H, Type 1-A
705A032	200	Each Pavement Markers, Class A-H, Type 1-B
705A037	30	Each Pavement Markers, Class A-H, Type 2-D
705A038	60	Each Pavement Markers, Class A-H, Type 2-E
740B000	828	Square Foot Construction Signs
740C000	224	Square Foot Special Construction Signs
740D000	190	Each Channelizing Drums
740E000	190	Each Cones (36 Inches High)
740M001	190	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(205)
COLBERT COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS, LEGENDS AND PAVEMENT MARKERS ON
VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 32.489 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$74,000 To \$91,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A000	1 Mile Broken White, Class 1, Type A Traffic Stripe
701A004	47 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	27 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	40 Mile Solid Yellow, Class 1, Type A Traffic Stripe
703A002	1388 Square Foot Traffic Control Markings, Class 2, Type A
703B002	503 Square Foot Traffic Control Legends, Class 2, Type A
705A032	644 Each Pavement Markers, Class A-H, Type 1-B
705A037	2470 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(224)
CHEROKEE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND GUARDRAIL ON VARIOUS COUNTY ROADS AS
INDICATED ON THE PLANS

The Length Of This Project Is: 19.985 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$41,400 To \$50,600

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
630A001	400 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	6 Each Guardrail End Anchor, Type 10 Series
701A008	3 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	39 Mile Solid Yellow, Class 1, Type A Traffic Stripe
740B000	96 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(227)
PICKENS COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED BY THE PLANS

The Length Of This Project Is: 19.854 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$40,000 To \$49,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	41 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	9 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	32 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(228)
CHAMBERS COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AT SITES AS INDICATED ON
THE PLANS

The Length Of This Project Is: 33.262 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$81,600 To \$98,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	12 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	40 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	19 Mile Broken Yellow, Class 2T, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(229)
TALLADEGA COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, PAVEMENT MARKERS AND SIGNING ON CR-207 AND
CR-203 AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 32.949 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$108,000 To \$130,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	66 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	23 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	33 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701G251	2200 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	224 Square Foot Traffic Control Markings, Class 2, Type A
705A032	729 Each Pavement Markers, Class A-H, Type 1-B
705A037	2916 Each Pavement Markers, Class A-H, Type 2-D
710A115	72 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	41 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	192 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(230)
BUTLER COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS ON VARIOUS COUNTY
ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 34.215Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$81,000 To \$98,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A034	45 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	23 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A004	426 Square Foot Traffic Control Markings, Class 2T, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08 (231)
FRANKLIN COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND PAVEMENT MARKERS ON VARIOUS COUNTY ROADS AT
SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 25.612 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$65,700 To \$80,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A034	38 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	13 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
705A032	132 Each Pavement Markers, Class A-H, Type 1-B
705A037	979 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(234)
COOSA COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 57.500 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$54,000 To \$66,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A008	11 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	106 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(236)
HOUSTON COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL AND GUARDRAIL END ANCHORS AT VARIOUS SITES AS
INDICATED ON THE PLANS

The Length Of This Project Is: 0.193 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$55,800 To \$68,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
630A001	1150 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	24 Each Guardrail End Anchor, Type 10 Series
740B000	224 Square Foot Construction Signs
740E000	30 Each Cones (36 Inches High)
740M001	30 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08 (240)
RUSSELL COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS AND PAVEMENT MARKERS ON VARIOUS COUNTY
ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 18.460 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$93,200 To \$114,000 The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A231	4 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	24 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	12 Mile Broken Yellow, Class 2, Type A Traffic Stripe
703A002	40 Square Foot Traffic Control Markings, Class 2, Type A
705A032	384 Each Pavement Markers, Class A-H, Type 1-B
705A037	796 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-3623(200)
JACKSON COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS, LEGENDS AND PAVEMENT MARKERS ON CR-17
FROM SR-35 AT LARKINSVILLE TO SR-79

The Length Of This Project Is: 9.333 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$103,500 To \$126,500
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A231	19 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	19 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe
703A002	180 Square Foot Traffic Control Markings, Class 2, Type A
703B002	137 Square Foot Traffic Control Legends, Class 2, Type A
705A032	34 Each Pavement Markers, Class A-H, Type 1-B
705A037	1199 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-1600(221)
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL REPLACEMENT ON CR-537 AT DOUBLE BRIDGES CREEK WEST OF ENTERPRISE

The Length Of This Project Is: 0.053 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$27,800 To \$34,000

The Principal Items Of Work Are Approximately As Follows:

206D001	282 Linear Foot Removing Guardrail
600A000	1 Lump Sum Mobilization
630A001	50 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A004	266 Linear Foot Steel Beam Guardrail, Class B, Type 2
630C022	4 Each Guardrail End Anchor, Type Special
630C050	4 Each Guardrail End Anchor, Type 20 Series
740B000	96 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0134(502) & 99-307-234-134-801
DALE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-134 FROM SR-85 IN
DALEVILLE TO SR-123 IN NEWTON

The Length Of This Project Is: 6.833 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 7.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,700,000 To \$2,000,000

The Principal Items Of Work Are Approximately As Follows:

210D021	2800	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	660	Station Machine Grading Shoulders
405A000	18709	Gallon Tack Coat
408A052	118863	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A358	4754	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	11646	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	2054	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
652A100	14	Acre Seeding
652C000	14	Acre Mowing
656A010	14	Acre Mulching
659A036	1500	Square Yard Rolled Erosion Control Product, Type (2D)
665J002	7000	Linear Feet Silt Fence
665O001	7000	Linear Foot Silt Fence Removal
665Q002	800	Linear Foot Wattle
666A001	14	Acre Pest Control Treatment

680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 92,000.00)
701A227	14 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	620 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	12 Mile Broken Temporary Traffic Stripe
701C001	43 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G146	1526 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G150	763 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	763 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	5209 Square Foot Traffic Control Markings, Class 2, Type A
703B002	695 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1329 Square Foot Temporary Traffic Control Markings
705A030	61 Each Pavement Markers, Class A-H, Type 2-C
705A031	74 Each Pavement Markers, Class A-H, Type 1-A
705A032	820 Each Pavement Markers, Class A-H, Type 1-B
705A037	646 Each Pavement Markers, Class A-H, Type 2-D
705A038	315 Each Pavement Markers, Class A-H, Type 2-E
740B000	1217 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(239)
GREENE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS, PAVEMENT MARKERS AND SIGNING ON CR-191
AND CR-20 AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 15.769 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$109,000 To \$130,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	12 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	4 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	6 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701A231	20 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	7 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701G251	250 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	370 Square Foot Traffic Control Markings, Class 2, Type A
705A032	548 Each Pavement Markers, Class A-H, Type 1-B
705A037	1270 Each Pavement Markers, Class A-H, Type 2-D
710A115	36 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	90 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	252 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NH-0002(527)
LAUDERDALE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

WIDENING (TURN LANE), PLANING, RESURFACING & TRAFFIC STRIPE ON
SR-2 (US-72) FROM EAST OF CR-504 (WHEELER-HILLS ROAD) TO EAST
OF SR-207 IN ROGERSVILLE

The Length Of This Project Is: 1.027 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$500,000 To \$600,000

The Principal Items Of Work Are Approximately As Follows:

305B077	652 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	1291 Gallon Tack Coat
408A052	40545 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A360	3112 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	34 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	250 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	1289 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	496 Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	6201 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	200 Linear Feet Silt Fence
665O001	200 Linear Foot Silt Fence Removal

665Q002	300 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 27,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1378 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	8 Mile Solid Temporary Traffic Stripe
703A002	1585 Square Foot Traffic Control Markings, Class 2, Type A
703B002	225 Square Foot Traffic Control Legends, Class 2, Type A
703D001	2148 Square Foot Temporary Traffic Control Markings
705A030	25 Each Pavement Markers, Class A-H, Type 2-C
705A031	135 Each Pavement Markers, Class A-H, Type 1-A
705A032	59 Each Pavement Markers, Class A-H, Type 1-B
705A037	270 Each Pavement Markers, Class A-H, Type 2-D
705A038	29 Each Pavement Markers, Class A-H, Type 2-E
730H001	1830 Linear Foot Loop Wire
740B000	843 Square Foot Construction Signs
740D000	20 Each Channelizing Drums
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NH-0009(523)
COVINGTON COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-9 (US-331) FROM
EAST OF COLLEGE STREET IN OPP TO SR-299 (OPP BYPASS)

The Length Of This Project Is: 2.383 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$850,000 To \$1,000,000

The Principal Items Of Work Are Approximately As Follows:

405A000	8228 Gallon Tack Coat
408A052	109700 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	9050 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	200 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 46,000.00)
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	855 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	10 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)

701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
703A002	5980 Square Foot Traffic Control Markings, Class 2, Type A
703B002	1267 Square Foot Traffic Control Legends, Class 2, Type A
703D001	3620 Square Foot Temporary Traffic Control Markings
703E001	819 Square Foot Temporary Traffic Control Legends
705A030	197 Each Pavement Markers, Class A-H, Type 2-C
705A031	384 Each Pavement Markers, Class A-H, Type 1-A
705A032	260 Each Pavement Markers, Class A-H, Type 1-B
705A037	587 Each Pavement Markers, Class A-H, Type 2-D
705A038	130 Each Pavement Markers, Class A-H, Type 2-E
740B000	1021 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NH-0013(547) & ST-046-008-002
MARENGO AND GREENE COUNTIES, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, INTERSECTION IMPROVEMENTS AT VARIOUS SITES
AS INDICATED BY THE PLANS

The Length Of This Project Is: 3.284 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Eighty (80) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 18.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$1,000,000 To \$1,300,000 The Principal Items Of Work Are Approximately As Follows:

206C000	150 Square Yard Removing Concrete Sidewalk
206D000	6 Linear Foot Removing Pipe
206D002	2280 Linear Foot Removing Curb
206D003	530 Linear Foot Removing Curb And Gutter
206D011	150 Linear Foot Removing Fence
206E001	3 Each Removing Inlets
206E020	1 Each Removing Existing Overhead Sign Structure
210A000	80 Cubic Yard Unclassified Excavation
214A000	15 Cubic Yard Structure Excavation
214B001	8 Cubic Yard Foundation Backfill, Commercial
305B078	292 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
405A000	3688 Gallon Tack Coat
408A052	69409 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A280	320 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A287	25 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A360	5049 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	250 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D

424B291	216 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B655	1000 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	50 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	339 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	665 Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	11178 Linear Foot Scoring Bituminous Pavement Surface By Cutting
533A856	1 Linear Foot 15" Storm Sewer Pipe
600A000	1 Lump Sum Mobilization
614A000	80 Cubic Yard Slope Paving
621A011	2 Each Junction Boxes, Type 1 Or 1P
621C015	1 Each Inlets, Type S1 Or S3 (1 Wing)
621D015	1 Each Inlet Units, Type S1 Or S3
623B000	1730 Linear Foot Concrete Curb, Type N
623B001	200 Linear Foot Concrete Curb, Type N Special
623C000	470 Linear Foot Combination Curb & Gutter, Type C
652A100	1 Acre Seeding
654A000	1185 Square Yard Solid Sodding
656A010	1 Acre Mulching
665G000	350 Each Sand Bags
665J002	300 Linear Feet Silt Fence
665O001	300 Linear Foot Silt Fence Removal
665Q002	600 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 58,000.00)
701A091	2 Mile Solid White, Class W, Type A Traffic Stripe (5" Wide)
701A095	1 Mile Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A099	1 Mile Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A227	7 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1642 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	6 Mile Broken Temporary Traffic Stripe (Paint)
701C003	16 Mile Solid Temporary Traffic Stripe (Paint)
701D008	3 Mile Solid Traffic Stripe Removed (Plastic)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701H001	500 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H011	500 Linear Foot Dotted Traffic Stripe Removed (Plastic)
703A002	5480 Square Foot Traffic Control Markings, Class 2, Type A
703B002	674 Square Foot Traffic Control Legends, Class 2, Type A
703C001	200 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Plastic)
703D002	2430 Square Foot Temporary Traffic Control Markings (Paint)
705A030	89 Each Pavement Markers, Class A-H, Type 2-C
705A032	81 Each Pavement Markers, Class A-H, Type 1-B
705A037	315 Each Pavement Markers, Class A-H, Type 2-D
705A038	41 Each Pavement Markers, Class A-H, Type 2-E
710A141	20 Square Foot Class 6, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III Background)
710B001	42 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
730H001	7020 Linear Foot Loop Wire
740B000	1684 Square Foot Construction Signs
740D000	400 Each Channelizing Drums
740E000	600 Each Cones (36 Inches High)
740M001	600 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and Regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0052(507)
HOUSTON AND GENEVA COUNTIES, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

REMOVAL OF STRUCTURES AND UST REMOVAL ALONG SR-52 FROM CR-59
(BRANNON STAND ROAD) IN TAYLOR TO CR-300 (SCOTT ROAD) IN MALVERN

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 8.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$115,000 To \$140,000

The Principal Items Of Work Are Approximately As Follows:

204A000	1 Each Closing Water Well
205A001	1 Each Removal Of Structures, Structure No. 2
205A002	1 Each Removal Of Structures, Structure No. 12
205A003	1 Each Removal Of Structures, Structure No. 12A
205A004	1 Each Removal Of Structures, Structure No. 13
205A005	1 Each Removal Of Structures, Structure No. 14
205A006	1 Each Removal Of Structures, Structure No. 17A
205A007	1 Each Removal Of Structures, Structure No. 18
205A008	1 Each Removal Of Structures, Structure No. 20
205A009	1 Each Removal Of Structures, Structure No. 26
205A010	1 Each Removal Of Structures, Structure No. 27
205A011	1 Each Removal Of Structures, Structure No. 29
205A012	1 Each Removal Of Structures, Structure No. 30
205A013	1 Each Removal Of Structures, Structure No. 31
250B002	50 Cubic Yard Disposal Of Hydrocarbon Contaminated Soil (Specialty Item)
250C000	1 Each Underground Storage Tank Removal (Specialty Item)
250N001	100 Gallon Removing And Disposing Tank Contents (Sludge) (Specialty Item)
600A000	1 Lump Sum Mobilization
665J002	1000 Linear Feet Silt Fence
665O001	1000 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 7,500.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0069(515)
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-69 FROM SR-74
(US-278) TO FAIRVIEW CITY LIMITS

The Length Of This Project Is: 8.450 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,600,000 To \$2,000,000

The Principal Items Of Work Are Approximately As Follows:

405A000	4130 Gallon Tack Coat
408A052	137656 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	286 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1 Each Contractor Retained Profilograph
410H000	1 Each Material Remixing Device
424A360	8605 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	17210 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	6350 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 86,000.00)
701A227	17 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	14 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	3 Mile Broken Temporary Traffic Stripe

701C001	31 Mile Solid Temporary Traffic Stripe
703A002	33 Square Foot Traffic Control Markings, Class 2, Type A
705A031	39 Each Pavement Markers, Class A-H, Type 1-A
705A032	100 Each Pavement Markers, Class A-H, Type 1-B
705A037	991 Each Pavement Markers, Class A-H, Type 2-D
740B000	457 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0167(502)
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-167 FROM CR-153 TO
THE PIKE COUNTY LINE

The Length Of This Project Is: 12.360 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty (40) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,665,000 To \$2,000,000

The Principal Items Of Work Are Approximately As Follows:

209A000	1 Each Mailbox Reset, Single
405A000	17888 Gallon Tack Coat
408A052	232058 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	20726 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	1000 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	12700 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ to \$85,600.00)
701A227	25 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1600 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7 Mile Broken Temporary Traffic Stripe
701C001	33 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)

701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G253	2784 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G265	2784 Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
703A002	1761 Square Foot Traffic Control Markings, Class 2, Type A
703B002	90 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1201 Square Foot Temporary Traffic Control Markings
705A030	34 Each Pavement Markers, Class A-H, Type 2-C
705A032	272 Each Pavement Markers, Class A-H, Type 1-B
705A037	1041 Each Pavement Markers, Class A-H, Type 2-D
705A038	96 Each Pavement Markers, Class A-H, Type 2-E
740B000	1456 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0186(500)
MACON COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-186 FROM I-85 TO
THE EXISTING FOUR LANE SOUTHWEST OF ALLIANCE

The Length Of This Project Is: 3.839 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,365,000 To \$1,665,000

The Principal Items Of Work Are Approximately As Follows:

405A000	11300 Gallon Tack Coat
408A055	62700 Square Yard Planing Existing Pavement (Approximately 4.10" Thru 5.0" Thick)
410C000	1 Each Contractor Retained Profilograph
410H000	1 Each Material Remixing Device
424A361	8545 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	10865 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	39300 Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B012	100 Ton Aggregate Surfacing (ALDOT #410 Or #467)
430B043	693 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	100 Each Hay Bales

665J002	1000 Linear Feet Silt Fence
665O001	1000 Linear Foot Silt Fence Removal
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 70,500.00)
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	40 Mile Solid Temporary Traffic Stripe
701G146	1284 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	1284 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	2568 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	400 Square Foot Traffic Control Markings, Class 2, Type A
703D001	400 Square Foot Temporary Traffic Control Markings
705A031	25 Each Pavement Markers, Class A-H, Type 1-A
705A032	170 Each Pavement Markers, Class A-H, Type 1-B
705A037	180 Each Pavement Markers, Class A-H, Type 2-D
740B000	728 Square Foot Construction Signs
740D000	250 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPBH-7136(600)
SHELBY COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

WIDENING (GRADE, DRAINAGE AND PAVEMENT) ON SR-119 (CAHABA VALLEY ROAD) AT FOUR SITES FROM CR-379 TO DOUBLE OAK LANE IN INDIAN SPRINGS VILLAGE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 9:30 a.m. on Monday, February 11, 2008, in the auditorium of the ALDOT Third Division Office, 1020 Bankhead Highway West, Birmingham, Alabama, 35204. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 35.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,450,000 To \$2,950,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1	Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 17 Acres)
206D000	1274	Linear Foot Removing Pipe
210A000	7656	Cubic Yard Unclassified Excavation
214A000	1526	Cubic Yard Structure Excavation
214B001	339	Cubic Yard Foundation Backfill, Commercial
305B077	305	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	1495	Gallon Tack Coat
424A360	2721	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	50	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	2362	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	12	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	2671	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	5689	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

430B017 528 Ton Aggregate Surfacing (ALDOT #410, #467 Or #810)
 502A000 35067 Pound Steel Reinforcement
 524A012 189 Cubic Yard Culvert Concrete (Precast)
 530A003 158 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
 530B000 74 Linear Foot 18" Span, 11" Rise Roadway Pipe (Class 3 R.C.)
 530B003 56 Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
 530B004 68 Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)
 530B005 63 Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)
 530B006 63 Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
 530B007 74 Linear Foot 65" Span, 40" Rise Roadway Pipe (Class 3 R.C.)
 535A000 194 Linear Foot 15" Side Drain Pipe
 535A001 70 Linear Foot 18" Side Drain Pipe
 535A002 184 Linear Foot 24" Side Drain Pipe
 535A003 142 Linear Foot 30" Side Drain Pipe
 535B009 50 Linear Foot 18" Span, 11" Rise Side Drain Pipe
 535B011 51 Linear Foot 22" Span, 14" Rise Side Drain Pipe
 535B012 98 Linear Foot 29" Span, 18" Rise Side Drain Pipe
 600A000 1 Lump Sum Mobilization
 602A000 5 Each Right Of Way Markers
 602B000 1 Each Land Survey Markers
 610C001 287 Ton Loose Riprap, Class 2
 610D000 226 Square Yard Filter Blanket
 614A000 382 Cubic Yard Slope Paving
 618B003 166 Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
 619A100 12 Each 15" Side Drain Pipe End Treatment, Class 1
 619A101 4 Each 18" Side Drain Pipe End Treatment, Class 1
 619A102 2 Each 24" Side Drain Pipe End Treatment, Class 1
 619A203 2 Each 30" Roadway Pipe End Treatment, Class 1 (Double Line)
 619A272 2 Each 24" Side Drain Pipe End Treatment, Class 1 (Double Line)
 619A273 4 Each 30" Side Drain Pipe End Treatment, Class 1 (Double Line)
 619B015 2 Each 18" Span, 11" Rise Roadway Pipe End Treatment, Class 1
 619B019 2 Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 1
 619B068 2 Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2
 619B070 2 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 2
 619B071 1 Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 2
 619B072 2 Each 65" Span, 40" Rise Roadway Pipe End Treatment, Class 2
 619B115 4 Each 18" Span, 11" Rise Side Drain Pipe End Treatment, Class 1
 619B116 4 Each 22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1
 619B339 2 Each 29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1
 (Double Line)
 621A019 1 Each Junction Boxes, Type 1 Or 2P
 623C000 268 Linear Foot Combination Curb & Gutter, Type C
 630A001 150 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C050 2 Each Guardrail End Anchor, Type 20 Series
 641A514 1000 Linear Foot 1 Inch Copper Water Service Line Laid
 641A612 100 Linear Foot 6 Inch Ductile Iron Water Main Laid
 641A614 3000 Linear Foot 8 Inch Ductile Iron Water Main Laid
 641A618 4760 Linear Foot 12 Inch Ductile Iron Water Main Laid
 641A682 80 Linear Foot 6 Inch Ductile Iron Water Main Laid (Restrained Joint)
 641A684 220 Linear Foot 8 Inch Ductile Iron Water Main Laid (Restrained Joint)
 641A688 240 Linear Foot 12 Inch Ductile Iron Water Main Laid (Restrained Joint)
 641C500 11000 Pound Ductile Iron Fittings
 641D500 2 Each Fire Hydrant
 641E500 3 Each Fire Hydrant Reset
 641J516 11 Each 6 Inch Gate Valve With Box
 641J518 10 Each 8 Inch Gate Valve With Box
 641J522 6 Each 12 Inch Gate Valve With Box
 641O514 3 Each 6 Inch x 6 Inch Tapping Valve And Sleeve
 641O520 2 Each 8 Inch x 8 Inch Tapping Valve And Sleeve
 641O554 1 Each 12 Inch x 12 Inch Tapping Valve And Sleeve
 641P520 39 Each 1 Inch Service Tap
 649A600 930 Linear Foot 2 Inch Steel Encasement Pipe, Type 2 Installation
 649A645 125 Linear Foot 16 Inch Steel Encasement Pipe, Type 2 Installation
 650B000 2773 Cubic Yard Topsoil From Stockpiles
 652A100 4 Acre Seeding
 652C000 4 Acre Mowing
 654A000 1217 Square Yard Solid Sodding
 656A010 4 Acre Mulching
 665A000 5 Acre Temporary Seeding

665B000	5 Acre Temporary Mulching
665G000	784 Each Sand Bags
665J002	9479 Linear Feet Silt Fence
665N000	250 Ton Temporary Coarse Aggregate, ALDOT Number 1
665O001	9479 Linear Foot Silt Fence Removal
665Q002	320 Linear Foot Wattle
666A001	4 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 137,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	897 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	2 Mile Broken Temporary Traffic Stripe (Paint)
701C003	21 Mile Solid Temporary Traffic Stripe (Paint)
703A002	2524 Square Foot Traffic Control Markings, Class 2, Type A
703B002	225 Square Foot Traffic Control Legends, Class 2, Type A
705A030	64 Each Pavement Markers, Class A-H, Type 2-C
705A032	264 Each Pavement Markers, Class A-H, Type 1-B
705A037	325 Each Pavement Markers, Class A-H, Type 2-D
705A038	132 Each Pavement Markers, Class A-H, Type 2-E
726A000	600 Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	40 Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D020	4 Each Portable Impact Attenuator Assembly (Unidirectional, TL-2)
740B000	1231 Square Foot Construction Signs
740D000	394 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
742A001	2 Each Portable Changeable Message Sign, Type 2
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-CN08(225)
RANDOLPH COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-73 FROM SR-22 TO CR-26 JUST
WEST OF ROANOKE AND ON CR-26 FROM CR-15 TO THE ROANOKE CITY
LIMIT

The Length Of This Project Is: 11.676 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,045,000 To \$1,275,000

The Principal Items Of Work Are Approximately As Follows:

401B108	137000	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	4111	Gallon Tack Coat
424A347	11703	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C351	654	Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	5700	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630C050	2	Each Guardrail End Anchor, Type 20 Series
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$53,980.00)
701A004	25	Mile Solid White, Class 1, Type A Traffic Stripe
701A008	1	Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	23	Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	2	Mile Broken Temporary Traffic Stripe
701C001	46	Mile Solid Temporary Traffic Stripe
701G251	750	Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)

703A000	160 Square Foot Traffic Control Markings, Class 1, Type A
705A032	132 Each Pavement Markers, Class A-H, Type 1-B
705A037	1410 Each Pavement Markers, Class A-H, Type 2-D
740B000	600 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-0516(200)
BLOUNT COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND DRAINAGE ON CR-25 FROM SR-53
(US-231) IN SUMMIT TO THE MARSHALL COUNTY LINE

The Length Of This Project Is: 4.160 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Eighty (180) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 47.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,900,000 To \$2,300,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approx. 12 Acres)
206C010	195 Square Yard Removing Concrete Driveway
206D000	1098 Linear Foot Removing Pipe
206D001	25 Linear Foot Removing Guardrail
206E008	1 Each Removing Guardrail End Anchor (All Type)
209A000	19 Each Mailbox Reset, Single
210A000	10366 Cubic Yard Unclassified Excavation
210D013	10026 Cubic Yard Borrow Excavation (A-4(0) Or Better)
214A000	236 Cubic Yard Structure Excavation
214B001	351 Cubic Yard Foundation Backfill, Commercial
305B071	1100 Ton Coarse Aggregate, Section 801, For Miscellaneous Use
401B108	49000 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	1500 Gallon Tack Coat
424A338	1000 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424A341	4300 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	6500 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B

424B644	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C345	1220 Ton Superpave Bituminous Concrete Base Layer, Patching, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
502A000	42296 Pound Steel Reinforcement
524B011	257 Cubic Yard Culvert Concrete Extension (Cast In Place)
530A001	184 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	120 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A004	40 Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A005	80 Linear Foot 42" Roadway Pipe (Class 3 R.C.)
530A007	64 Linear Foot 54" Roadway Pipe (Class 3 R.C.)
530A008	56 Linear Foot 60" Roadway Pipe (Class 3 R.C.)
530A103	4 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
535A078	208 Linear Foot 15" Side Drain Pipe (Class 3 R.C.)
535A080	208 Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
535B090	56 Linear Foot 18" Span, 11" Rise Side Drain Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
606A000	300 Linear Foot 6" Underdrain Pipe
610C000	53 Ton Loose Riprap, Class 1
610C001	553 Ton Loose Riprap, Class 2
610D000	539 Square Yard Filter Blanket
618B001	195 Square Yard Concrete Driveway, 5" Thick
619A002	11 Each 18" Roadway Pipe End Treatment, Class 1
619A003	10 Each 24" Roadway Pipe End Treatment, Class 1
619A004	6 Each 30" Roadway Pipe End Treatment, Class 1
619A005	2 Each 36" Roadway Pipe End Treatment, Class 1
619A006	4 Each 42" Roadway Pipe End Treatment, Class 1
619A008	2 Each 54" Roadway Pipe End Treatment, Class 1
619A009	2 Each 60" Roadway Pipe End Treatment, Class 1
619A100	16 Each 15" Side Drain Pipe End Treatment, Class 1
619A101	10 Each 18" Side Drain Pipe End Treatment, Class 1
619B115	4 Each 18" Span, 11" Rise Side Drain Pipe End Treatment, Class 1
620A000	7 Cubic Yard Minor Structure Concrete
621C027	1 Each Inlets, Type C
621D002	1 Each Inlet Units, Type C
630A001	367 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	3 Each Guardrail End Anchor, Type 10 Series
650B000	8127 Cubic Yard Topsoil From Stockpiles
652A100	62 Acre Seeding
652C000	31 Acre Mowing
656A010	31 Acre Mulching
665A000	15 Acre Temporary Seeding
665B000	15 Acre Temporary Mulching
665F000	655 Each Hay Bales
665J002	20429 Linear Feet Silt Fence
665O001	20429 Linear Foot Silt Fence Removal
665Q002	600 Linear Foot Wattle
666A001	31 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 94,000.00)
701A030	9 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	6 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	3 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	12 Mile Solid Temporary Traffic Stripe
701G251	225 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	392 Square Foot Traffic Control Markings, Class 2, Type A
703B002	152 Square Foot Traffic Control Legends, Class 2, Type A
703D002	312 Square Foot Temporary Traffic Control Markings (Paint)
703E002	80 Square Foot Temporary Traffic Control Legends (Paint)
705A032	100 Each Pavement Markers, Class A-H, Type 1-B
705A037	400 Each Pavement Markers, Class A-H, Type 2-D
710A120	98 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thickness (Type III Or Type IV Background)
710A126	35 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	290 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	581 Square Foot Construction Signs
740D000	150 Each Channelizing Drums

740F002	4 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-HRRR-5310(201)
PERRY COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-29 FROM BURGER CURB ROAD
NORTHWEST OF MARION TO THE HALE COUNTY LINE

The Length Of This Project Is: 9.499 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,045,000 To \$1,275,000

The Principal Items Of Work Are Approximately As Follows:

405A000	3327 Gallon Tack Coat
424A341	9400 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	286 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	4282 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630A001	388 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	10 Each Guardrail End Anchor, Type 10 Series
650A000	4938 Cubic Yard Topsoil
652A100	7 Acre Seeding
656A010	7 Acre Mulching
665F000	100 Each Hay Bales
665J002	550 Linear Feet Silt Fence
665O001	550 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 53,000.00)
701A030	20 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	15 Mile Solid Yellow, Class 2T, Type A Traffic Stripe

701A044	5 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	20 Mile Solid Temporary Traffic Stripe
703A004	98 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	257 Each Pavement Markers, Class A-H, Type 1-B
705A037	1960 Each Pavement Markers, Class A-H, Type 2-D
740B000	240 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
ACTCSP-08AL(001) & ST-035-888-006
HOUSTON COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-59 AT BEAVER CREEK IN DOTHAN

The Length Of This Project Is: .038 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety (90) Calendar Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 8.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,100,000 To \$1,300,000

The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 5+00
502A000	29610 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 5+00, Approx. 100,440 Lbs.
505M002	1732 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
505M004	2151 Linear Foot Steel Piling Furnished And Driven (HP 14x73)
508A000	19050 Pound Structural Steel
510A000	324 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Sta. 5+00, Approx. 358 Cu.Yds.
510E000	1347 Square Yard Grooving Concrete Bridge Decks
511A050	118 Each Elastomeric Bearing Type 2 (Mark B1)
513B003	1791 Linear Foot Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)
600A000	1 Lump Sum Mobilization
610C001	2264 Ton Loose Riprap, Class 2
610D003	1786 Square Yard Filter Blanket, Geotextile
630C003	4 Each Guardrail End Anchor, Type 13
630C050	4 Each Guardrail End Anchor, Type 20 Series
665F000	50 Each Hay Bales
665J002	500 Linear Feet Silt Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 30,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-7407(600) & STPOA-7418(600)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

WIDENING, RESURFACING AND TRAFFIC STRIPE AT SITES ON GREENBRIER
DEAR ROAD AND WILMER AVENUE IN ANNISTON AS INDICATED ON THE
PLANS

The Length Of This Project Is: 0.324 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty Five (125) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 14.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$714,000 To \$873,000

The Principal Items Of Work Are Approximately As Follows:

206C000	12 Square Yard Removing Concrete Sidewalk
206C003	150 Square Yard Removing Concrete Flumes
206C010	313 Square Yard Removing Concrete Driveway
206D001	762 Linear Foot Removing Guardrail
206D003	875 Linear Foot Removing Curb And Gutter
206D005	193 Linear Foot Removing Gutter
206D006	870 Linear Foot Removing Industrial Fence
206E008	4 Each Removing Guardrail End Anchor (All Type)
206E042	6 Each Removing Inlets (Partial)
209A000	1 Each Mailbox Reset, Single
210A000	760 Cubic Yard Unclassified Excavation
210D001	215 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
214A000	280 Cubic Yard Structure Excavation
214B001	319 Cubic Yard Foundation Backfill, Commercial
405A000	204 Gallon Tack Coat
408A051	1250 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A340	445 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	400 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B

424A347	875	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	770	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B669	50	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B676	146	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B677	212	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C350	423	Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B012	135	Ton Aggregate Surfacing (ALDOT #410 Or #467)
502A000	11706	Pound Steel Reinforcement
524A010	65	Cubic Yard Culvert Concrete
530A001	193	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530B000	6	Linear Foot 18" Span, 11" Rise Roadway Pipe (Class 3 R.C.)
530B002	14	Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
539A000	195	Linear Foot 4 Inch Trench Drain
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
614A000	12	Cubic Yard Slope Paving
618A000	17	Square Yard Concrete Sidewalk, 4" Thick
618B003	548	Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
620A000	8	Cubic Yard Minor Structure Concrete
621A011	4	Each Junction Boxes, Type 1 Or 1P
621A013	1	Each Junction Boxes, Type Special
621C015	3	Each Inlets, Type S1 Or S3 (1 Wing)
622B000	2	Each Gratings Reset
623A001	644	Linear Foot Concrete Gutter (Valley)
623C000	1514	Linear Foot Combination Curb & Gutter, Type C
630A001	607	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	1	Each Guardrail End Anchor, Type 13
630C050	3	Each Guardrail End Anchor, Type 20 Series
634B000	816	Linear Foot Industrial Fence, 6 Feet High Plus Barbed Wire (45 Degree Arms)
634D008	2	Each Gate, 4 Feet Wide, Complete With Fittings (Without Barbed Wire)
641A512	30	Linear Foot 3/4 Inch Copper Water Service Line Laid
641A516	10	Linear Foot 1 1/2 Inch Copper Water Service Line Laid
641A518	30	Linear Foot 2 Inch Copper Water Service Line Laid
641A614	60	Linear Foot 8 Inch Ductile Iron Water Main Laid
641E500	1	Each Fire Hydrant Reset
641R510	3	Each 3/4 Inch Water Meter And Box Reset
641S500	5	Each Valve Box Reset
645K500	8	Each Manhole Frame And Cover Reset
650A000	57	Cubic Yard Topsoil
654A001	2470	Square Yard Solid Sodding (Bermuda)
665A000	2	Acre Temporary Seeding
665B000	2	Acre Temporary Mulching
665G000	130	Each Sand Bags
665J002	1910	Linear Feet Silt Fence
665O001	1910	Linear Foot Silt Fence Removal
674A000	816	Linear Foot Construction Safety Fence
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 38,000.00)
701A235	2	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701C000	1	Mile Broken Temporary Traffic Stripe
701C001	1	Mile Solid Temporary Traffic Stripe
701D005	1	Mile Solid Traffic Stripe Removed
701D014	1	Mile Broken Traffic Stripe Removed (Paint)
701G240	503	Linear Foot Broken White, Class 2, Type A Traffic Stripe
701G249	255	Linear Foot Solid White, Class 2, Type A Traffic Stripe
701G258	466	Linear Foot Broken Yellow, Class 2, Type A Traffic Stripe
703A002	504	Square Foot Traffic Control Markings, Class 2, Type A
703B002	112	Square Foot Traffic Control Legends, Class 2, Type A
703D001	50	Square Foot Temporary Traffic Control Markings
710A115	13	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	17	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)

710B001	60 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	296 Square Foot Construction Signs
740D000	75 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	16 Each Barricades, Type III
740I005	12 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0051(501) & 99-307-162-051-801
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-51 FROM SR-12 (US-84) IN
ENTERPRISE TO SR-167

The Length Of This Project Is: 5.762 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,200,000 To \$1,450,000

The Principal Items Of Work Are Approximately As Follows:

206C010	417 Square Yard Removing Concrete Driveway
209A000	9 Each Mailbox Reset, Single
209A001	1 Each Mailbox Reset, Double
210D011	6762 Cubic Yard Borrow Excavation (A-4 Or Better)
212A000	609 Station Machine Grading Shoulders
401B108	74377 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	150 Gallon Tack Coat
424A361	7896 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	4578 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
652A100	21 Acre Seeding
652C000	21 Acre Mowing
656A010	21 Acre Mulching
665G000	100 Each Sand Bags
665J002	2000 Linear Feet Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle

666A001	21 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 65,000.00)
701A227	12 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	200 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	9 Mile Broken Temporary Traffic Stripe
701C001	9 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
703A002	399 Square Foot Traffic Control Markings, Class 2, Type A
703B002	135 Square Foot Traffic Control Legends, Class 2, Type A
703D001	399 Square Foot Temporary Traffic Control Markings
705A030	25 Each Pavement Markers, Class A-H, Type 2-C
705A032	414 Each Pavement Markers, Class A-H, Type 1-B
705A037	360 Each Pavement Markers, Class A-H, Type 2-D
740B000	1210 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPSA-0141(501), STPSA-0166(500), 99-307-162-141-802 & 99-307-162-166-803
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON VARIOUS STATE ROUTES
AS INDICATED ON THE PLANS

The Length Of This Project Is: 7.169 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 17.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$1,600,000 To \$1,900,000 The Principal Items Of Work Are Approximately As Follows:

209A000	2 Each Mailbox Reset, Single
210D021	3550 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	740 Station Machine Grading Shoulders
405A000	20622 Gallon Tack Coat
408A052	127061 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A338	5083 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424A341	11822 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	1991 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL A/B
600A000	1 Lump Sum Mobilization
652A100	14 Acre Seeding
652C000	14 Acre Mowing
656A010	14 Acre Mulching
665J002	3500 Linear Feet Silt Fence
665O001	3500 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
666A001	14 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 80,000.00)

701A227	17 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1800 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	13 Mile Broken Temporary Traffic Stripe
701C001	53 Mile Solid Temporary Traffic Stripe
701D007	2 Mile Solid Traffic Stripe Removed (Paint)
701D008	2 Mile Solid Traffic Stripe Removed (Plastic)
701D014	2 Mile Broken Traffic Stripe Removed (Paint)
701D015	2 Mile Broken Traffic Stripe Removed (Plastic)
703A002	4708 Square Foot Traffic Control Markings, Class 2, Type A
703B002	950 Square Foot Traffic Control Legends, Class 2, Type A
703D001	842 Square Foot Temporary Traffic Control Markings
703E001	546 Square Foot Temporary Traffic Control Legends
705A030	341 Each Pavement Markers, Class A-H, Type 2-C
705A031	207 Each Pavement Markers, Class A-H, Type 1-A
705A032	920 Each Pavement Markers, Class A-H, Type 1-B
705A037	527 Each Pavement Markers, Class A-H, Type 2-D
705A038	604 Each Pavement Markers, Class A-H, Type 2-E
730H001	10176 Linear Foot Loop Wire
740B000	1749 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
ST-049-016-006
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

DRAINAGE IMPROVEMENTS ON SR-16 (US-90) AT MP 16.4 IN THEODORE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 9.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$300,000 To \$370,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
210A000	2350 Cubic Yard Unclassified Excavation
210E000	300 Cubic Yard Borrow Excavation (Underwater Backfill)
214A000	188 Cubic Yard Structure Excavation
214B000	93 Cubic Yard Foundation Backfill, Local
214B001	300 Cubic Yard Foundation Backfill, Commercial
301A012	363 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	363 Square Yard Bituminous Treatment A
424A363	30 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	40 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	40 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	200 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
530B006	116 Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
533A350	16 Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.) (Extension)
535A086	24 Linear Foot 30" Side Drain Pipe (Class 3 R.C.)
535B091	24 Linear Foot 29" Span, 18" Rise Side Drain Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
602A000	22 Each Right Of Way Markers
610C001	61 Ton Loose Riprap, Class 2
610D003	48 Square Yard Filter Blanket, Geotextile
614B000	100 Cubic Yard Reinforced Slope Paving
619A128	1 Each 30" Side Drain Pipe End Treatment, Class 2
619B071	2 Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 2
634A002	1426 Linear Foot Industrial Fence, 6 Feet High
650A000	737 Cubic Yard Topsoil

652A100	2 Acre Seeding
654A001	300 Square Yard Solid Sodding (Bermuda)
656A010	2 Acre Mulching
659A048	2737 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	2 Acre Temporary Seeding
665B000	2 Acre Temporary Mulching
665F000	180 Each Hay Bales
665G000	200 Each Sand Bags
665I000	60 Ton Temporary Riprap, Class 2
665J002	3000 Linear Feet Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
665Q002	300 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 26,000.00)
740B000	446 Square Foot Construction Signs
740D000	300 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	6 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-302-171-247-803
COLBERT COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-247 FROM NORTH OF
CR-58 (MP 15.000) TO CR-144 (POSEY LOOP ROAD) AT FAWN LAKE

The Length Of This Project Is: 4.023 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$885,000 To \$1,080,000

The Principal Items Of Work Are Approximately As Follows:

209A000	1 Each Mailbox Reset, Single
305B077	1693 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	3622 Gallon Tack Coat
407A000	242 Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	95081 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A340	5615 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B638	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	5779 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 49,000.00)
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	24 Mile Solid Temporary Traffic Stripe
703A002	216 Square Foot Traffic Control Markings, Class 2, Type A
703D001	432 Square Foot Temporary Traffic Control Markings
705A032	117 Each Pavement Markers, Class A-H, Type 1-B
705A037	333 Each Pavement Markers, Class A-H, Type 2-D
740B000	388 Square Foot Construction Signs

740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-303-052-079-816
BLOUNT COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, GUARDRAIL AND TRAFFIC STRIPE ON SR-79 FROM
THE JEFFERSON COUNTY LINE TO PINE BLUFF ROAD IN LOCUST FORK

The Length Of This Project Is: 8.445 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,500,000 To \$1,800,000

The Principal Items Of Work Are Approximately As Follows:

206D001	525 Linear Foot Removing Guardrail
206E008	7 Each Removing Guardrail End Anchor (All Type)
209A000	6 Each Mailbox Reset, Single
209A002	1 Each Mailbox Reset, Multiple
210D001	700 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1000 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	4414 Gallon Tack Coat
407A000	517 Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	147112 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A361	12137 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
630A001	525 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	6 Each Guardrail End Anchor, Type 20 Series
630C070	1 Each Guardrail End Anchor, Type 10 Series
650A000	140 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	150 Linear Feet Silt Fence

6650001	150 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 78,000.00)
701A227	17 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	14 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	238 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	9 Mile Broken Temporary Traffic Stripe
701C001	61 Mile Solid Temporary Traffic Stripe
703A002	1289 Square Foot Traffic Control Markings, Class 2, Type A
703B002	23 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1728 Square Foot Temporary Traffic Control Markings
705A030	7 Each Pavement Markers, Class A-H, Type 2-C
705A032	498 Each Pavement Markers, Class A-H, Type 1-B
705A037	933 Each Pavement Markers, Class A-H, Type 2-D
705A038	114 Each Pavement Markers, Class A-H, Type 2-E
740B000	1654 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-303-052-160-806
BLOUNT COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, GUARDRAIL AND TRAFFIC STRIPE ON SR-160
FROM EAST OF CR-119 (ATWOOD DRIVE) IN HAYDEN TO BRANHAM ROAD IN
NECTAR

The Length Of This Project Is: 9.070 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,400,000 To \$1,700,000

The Principal Items Of Work Are Approximately As Follows:

206D001	400 Linear Foot Removing Guardrail
206E008	8 Each Removing Guardrail End Anchor (All Type)
210D001	800 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	500 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	5086 Gallon Tack Coat
407A000	619 Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	169478 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	13569 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A365	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	1427 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	5819 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
630A001	400 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	6 Each Guardrail End Anchor, Type 20 Series
630C070	2 Each Guardrail End Anchor, Type 10 Series
650A000	160 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	150 Linear Feet Silt Fence
665O001	150 Linear Foot Silt Fence Removal

665Q002	50 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 74,000.00)
701A227	19 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	17 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	106 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	69 Mile Solid Temporary Traffic Stripe
703A002	1443 Square Foot Traffic Control Markings, Class 2, Type A
703B002	180 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1488 Square Foot Temporary Traffic Control Markings
705A030	23 Each Pavement Markers, Class A-H, Type 2-C
705A031	11 Each Pavement Markers, Class A-H, Type 1-A
705A032	443 Each Pavement Markers, Class A-H, Type 1-B
705A037	1077 Each Pavement Markers, Class A-H, Type 2-D
705A038	127 Each Pavement Markers, Class A-H, Type 2-E
740B000	1809 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-303-582-004-822
 ST. CLAIR COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-4 (US-78) FROM THE
 JEFFERSON COUNTY LINE TO JUST WEST OF CR-511 (GOLDEN CHASE
 DRIVE) AT COOKS SPRINGS

The Length Of This Project Is: 7.067 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty (40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$830,000 To \$1,010,000

The Principal Items Of Work Are Approximately As Follows:

206D001	550 Linear Foot Removing Guardrail
206E008	8 Each Removing Guardrail End Anchor (All Type)
209A000	5 Each Mailbox Reset, Single
209A001	5 Each Mailbox Reset, Double
209A002	12 Each Mailbox Reset, Multiple
210D001	800 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1200 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	3252 Gallon Tack Coat
407A000	435 Gallon Joint Sealant For Hot Mix Asphalt Pavement
424A361	8941 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C371	1356 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
630A001	550 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	6 Each Guardrail End Anchor, Type 20 Series
630C070	2 Each Guardrail End Anchor, Type 10 Series
650A000	160 Cubic Yard Topsoil
652A100	1 Acre Seeding

656A010	1 Acre Mulching
665J002	150 Linear Feet Silt Fence
665O001	150 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 44,000.00)
701A227	14 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	444 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	24 Mile Solid Temporary Traffic Stripe
701G146	539 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	539 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1078 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	1169 Square Foot Traffic Control Markings, Class 2, Type A
703B002	101 Square Foot Traffic Control Legends, Class 2, Type A
703D001	336 Square Foot Temporary Traffic Control Markings
705A030	9 Each Pavement Markers, Class A-H, Type 2-C
705A031	22 Each Pavement Markers, Class A-H, Type 1-A
705A032	151 Each Pavement Markers, Class A-H, Type 1-B
705A037	687 Each Pavement Markers, Class A-H, Type 2-D
740B000	1395 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-303-644-195-810
WALKER COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-195 FROM NORTH OF CR-27
(FALL CITY ROAD) TO THE WINSTON COUNTY LINE

The Length Of This Project Is: 5.798 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$859,000 To \$1,050,000

The Principal Items Of Work Are Approximately As Follows:

206D001	1000 Linear Foot Removing Guardrail
206E008	4 Each Removing Guardrail End Anchor (All Type)
209A000	5 Each Mailbox Reset, Single
210D001	400 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1500 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	2969 Gallon Tack Coat
407A000	348 Gallon Joint Sealant For Hot Mix Asphalt Pavement
424A361	8163 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	750 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C371	2939 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
630A001	1000 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	4 Each Guardrail End Anchor, Type 10 Series
650A000	80 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	150 Linear Feet Silt Fence
665O001	150 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle

666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 46,000.00)
701A227	12 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	17 Mile Solid Temporary Traffic Stripe
703A002	360 Square Foot Traffic Control Markings, Class 2, Type A
703D001	360 Square Foot Temporary Traffic Control Markings
705A032	186 Each Pavement Markers, Class A-H, Type 1-B
705A037	447 Each Pavement Markers, Class A-H, Type 2-D
740B000	1253 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows:
"... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-304-191-009-801
COOSA COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-9 FROM THE ELMORE COUNTY LINE TO SR-22

The Length Of This Project Is: 8.034 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty Five (55) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,550,000 To \$1,850,000

The Principal Items Of Work Are Approximately As Follows:

209A000	9 Each Mailbox Reset, Single
401B100	104582 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	6800 Gallon Tack Coat
408A051	104582 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	7603 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410B000	1 Each State Furnished Profilograph
424A356	6390 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A358	200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A359	200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	11400 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	200 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	540 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B661	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B688	600 Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	82000 Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	2675 Ton Aggregate Surfacing (1" Down, Crusher Run)

600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 84,000.00)
701A227	17 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	6 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	24 Mile Broken Temporary Traffic Stripe
701C001	96 Mile Solid Temporary Traffic Stripe
703A002	1050 Square Foot Traffic Control Markings, Class 2, Type A
703B002	25 Square Foot Traffic Control Legends, Class 2, Type A
703D001	420 Square Foot Temporary Traffic Control Markings
740B000	870 Square Foot Construction Signs
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-402-692-000-802
 FRANKLIN AND LAWRENCE COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING ON VARIOUS STATE ROUTES AT SITES AS
 INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Five (105) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$286,000 To \$350,000

The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 3141 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 24,000.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-402-693-000-803
 WINSTON AND MARION COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING ALONG VARIOUS STATE ROUTES AS
 INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Five (105) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$302,000 To \$370,000

The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 2425 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 25,000.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-406-001-000-803, 99-406-002-000-802, 99-406-004-000-801, & 99-406-005-000-802
 AUTAUGA, ELMORE, MACON, BUTLER,
 LOWNDES, MONTGOMERY AND DALLAS COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING ON VARIOUS SITES AS INDICATED ON THE
 PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Fourteen (114) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 17.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
 The Bracket Estimate On This Project Is From \$390,000 To \$475,000
 The Principal Items Of Work Are Approximately As Follows:

655A009	2 Cycle Maintenance Roadside Mowing (Approximately 1249 Acres)
655A010	1 Cycle Maintenance Roadside Mowing (Approximately 465 Acres)
655A011	2 Cycle Maintenance Roadside Mowing (Approximately 1363 Acres)
655A012	1 Cycle Maintenance Roadside Mowing (Approximately 734 Acres)
655A013	2 Cycle Maintenance Roadside Mowing (Approximately 2200 Acres)
655A014	1 Cycle Maintenance Roadside Mowing (Approximately 1475 Acres)
655A015	2 Cycle Maintenance Roadside Mowing (Approximately 1529 Acres)
655A016	1 Cycle Maintenance Roadside Mowing (Approximately 808 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 33,000.00)
740B000	512 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows:
 "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director

Notice To Contractors
State Maintenance Project No.
99-409-273-041-732
ESCAMBIA COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10 AM., February 29, 2008, and at that time publicly opened for constructing the following:

DRAINAGE IMPROVEMENTS ON SR-41 IN BREWTON

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$130,000 To \$150,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 per Acre) (Approx. 1 Acre)
206C000	40 Square Yard Removing Concrete Sidewalk
206C001	22 Square Yard Removing Concrete Pavement
206D000	40 Linear Foot Removing Pipe
206D005	88 Linear Foot Removing Gutter
206E001	2 Each Removing Inlets
210A000	60 Cubic Yard Unclassified Excavation
214A000	612 Cubic Yard Structure Excavation
214B000	514 Cubic Yard Foundation Backfill, Local
214B001	85 Cubic Yard Foundation Backfill, Commercial
424A363	10 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	10 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	10 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
530B001	8 Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
530B002	40 Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
533A858	528 Linear Foot 24" Storm Sewer Pipe
600A000	1 Lump Sum Mobilization
610C001	65 Ton Loose Riprap, Class 2
610D003	52 Square Yard Filter Blanket, Geotextile
618A000	40 Square Yard Concrete Sidewalk, 4" Thick
619A003	1 Each 24" Roadway Pipe End Treatment, Class 1
619B016	1 Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1
621A011	3 Each Junction Boxes, Type 1 Or 1P

621B011	1 Each Junction Box Units, Type 1 Or 1P
621C126	2 Each Inlets, Type V1
623A001	78 Linear Foot Concrete Gutter (Valley)
650A000	100 Cubic Yard Topsoil
652A100	1 Acre Seeding
654A001	50 Square Yard Solid Sodding (Bermuda)
656A010	1 Acre Mulching
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665F000	50 Each Hay Bales
665J002	1940 Linear Feet Silt Fence
665L000	90 Linear Foot Floating Basin Boom
665O001	1940 Linear Foot Silt Fence Removal
665P005	3 Each Inlet Protection, Stage 3 Or 4
665Q002	200 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
674A000	275 Linear Foot Construction Safety Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 6,700.00)
740B000	336 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740I005	2 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director