

# ALABAMA

## Department of Transportation

[www.dot.state.al.us](http://www.dot.state.al.us)




### Notice to Contractors

### Transportation Letting

### **JANUARY 18, 2008**

10:00 am



Alabama Department of Transportation  
1409 Coliseum Boulevard, Room E-108  
Montgomery Alabama 36110

Plans and Proposals  
telephone: 334.242.6444  
e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)  
fax: 334.264.7976  
cell: 334.850.5328  
cell: 334.850.5988



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

### Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley  
Governor

# ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes  
Transportation Director

December 12, 2005

## MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin  
State Office Engineer 

RE: Sublet Approval Requirements for  
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. G. M. Harper  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. Terry Robinson  
Alabama Road Builders Association  
File



ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley  
Governor

Mr. Joe D. Wilkerson  
Division Administrator  
Federal Highway Administration  
500 Eastern Boulevard, Suite 200  
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation  
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ronald L. Baldwin".

Ronald L. Baldwin  
State Office Engineer

RLB:CPM:agh  
Attachment

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. David Bollie  
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

\*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley  
Governor

**ALABAMA**  
**DEPARTMENT OF TRANSPORTATION**  
CONSTRUCTION BUREAU  
1409 COLISEUM BOULEVARD  
MONTGOMERY, ALABAMA 36110  
Telephone: (334) 242-6208  
FAX: (334) 264-3727



Joe McInnes  
Transportation Director

January 29, 2007

**Construction Information Memorandum No. 1-2007**

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.  
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.



The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION  
Certification of Actual Payments to DBE Firms

Project No.: \_\_\_\_\_  
County: \_\_\_\_\_

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: \_\_\_\_\_  
was or will be paid \$ \_\_\_\_\_

Note: this amount does / does not include gross receipts tax and bond.  
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: \_\_\_\_\_  
signature

Name: \_\_\_\_\_  
please print

Title: \_\_\_\_\_

Date: \_\_\_\_\_



GEORGE C. WALLACE  
GOVERNOR

*File*

STATE OF ALABAMA  
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

*M. G. S. Moore*

*JAT*

RAY D. BASS  
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog  
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship  
Federal Highway Administration  
File

ALDOT FORM DBE-18								
1. Project Number:		2. County:		3. Division:				
4. Prime Contractor:		5. DBE:						
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:				
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date	16. Amount Performed to Date
Pay Item No.	Item Description							
17. Comments:		18. Total: 19. Total:						
20. Signature of Authorized Representative:		Printed Name & Title Date Signed						

# Alabama Department of Transportation

## ALDOT Form DBE 10 Instructions

Block Number	Instructions
1.	ALDOT Project Number
2.	County
3.	Division
4.	Prime Contractor for the Project
5.	DBE for this Report
6.	Date of Report
7.	ALDOT Estimate Number
8.	Work Period for this Estimate (Beginning Date - Ending Date)
9.	Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10.	Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11.	Unit Price of Work
12.	Units
13.	Units of Work Accomplished this Period
14.	Amount Performed for this Period (Block 11 times Block 13)
15.	Units Performed to Date
16.	Amount Performed to Date (Block 11 times Block 15)
17.	Comments Pertinent to this DBE-10
18.	Total of Amounts in Block 14
19.	Total of Amounts in Block 16
20.	Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

- Submittals:
- 1) Invoices are required for all supplier and manufacturer credit.
  - 2) Tickets are required for all "Stocking the Plant" hauling.
  - 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.
- Notes:
- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
  - 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
  - 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet ). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

**Alabama Department of Transportation  
Disadvantaged Business Enterprise (DBE) Utilization Plan**

Project Number & County: \_\_\_\_\_ Contractor Name: \_\_\_\_\_  
 Letting Date: \_\_\_\_\_ Address: \_\_\_\_\_  
 Contract Amount: \_\_\_\_\_  
 Percent DBE Utilization Required: \_\_\_\_\_

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
<b>Instructions:</b> 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer				Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____

ALDOT Approval: \_\_\_\_\_

Date: \_\_\_\_\_

Project Number: \_\_\_\_\_

County: \_\_\_\_\_

**Certification of Prime Contractor:**

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

Certification of Non-DBE Subcontractor: \_\_\_\_\_

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

Certification of DBE Subcontractor: \_\_\_\_\_

Address: \_\_\_\_\_

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

DBE Certification Number: \_\_\_\_\_

BIDDER'S NAME: \_\_\_\_\_ PROJECT NUMBER: \_\_\_\_\_ COUNTY: \_\_\_\_\_

[illegible]





## **ALABAMA DEPARTMENT OF TRANSPORTATION**

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

## **Diskette Failures?**

**Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.**

**In the event of diskette failure the night before the letting please call the following numbers for**

**assistance:**

**334-850-5328**

**334-850-5988**

2.1.2007.3



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

October 5, 2007

Re: **2008 Calendar Year**  
Bid Tabulations Subscription  
Alabama Department of  
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: [www.dot.state.al.us](http://www.dot.state.al.us). If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD ROOM E-108  
MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

---

---

---

---



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

October 5, 2007

Re: **2008 Calendar Year**  
Notice to Contractors Subscription  
Alabama Department of  
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a **\$40.00** per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD, ROOM E-108  
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

---

---

---

---

---

**ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
MONTGOMERY ALABAMA 36110-2060**

**2008 SPECIAL AND STANDARD HIGHWAY DRAWINGS**

The Alabama Department of Transportation is using the 2008 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2008. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at [www.dot.state.al.us](http://www.dot.state.al.us) look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

**Alabama Department of Transportation  
c/o Terry W. Robinson  
1409 Coliseum Boulevard - Room E-108  
Montgomery Alabama 36110-2060**

---

Company Name: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

Quantity: \_\_\_\_\_ x \$125.00 per U.S. Book = \$ \_\_\_\_\_  
                  \_\_\_\_\_ x \$125.00 per Metric Book = \$ \_\_\_\_\_  
                  \_\_\_\_\_ x \$25.00 per Compact Disk = \$ \_\_\_\_\_  
Total: \_\_\_\_\_ \$ \_\_\_\_\_

Delivery Options (Select One)

\_\_\_\_\_ Standard UPS Ground

\_\_\_\_\_ Overnight, Provide Shipping Acct Number: \_\_\_\_\_

\_\_\_\_\_ Pick up

January 18, 2008

COMPANY NAME: \_\_\_\_\_ BY: \_\_\_\_\_  
SHIPPING ADDRESS: \_\_\_\_\_  
CITY, STATE, ZIP: \_\_\_\_\_  
-----  
MAIL ADDRESS: \_\_\_\_\_  
CITY, STATE, ZIP: \_\_\_\_\_ PHONE: \_\_\_\_\_  
=====

DELIVERY OPTIONS: \_\_\_\_\_ STANDARD MAIL/SHIP (VIA UPS)  
(CHECK ONE) \_\_\_\_\_ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # \_\_\_\_\_)  
\_\_\_\_\_ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.  
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.  
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.
_____	_____	_____	\$ 14.00	007
_____	_____	_____	\$ 3.00	008
_____	_____	_____	\$ 3.00	009
_____	_____	_____	\$ 2.00	018
_____	_____	_____	\$ 2.00	019
_____	_____	_____	\$ 2.00	020
_____	_____	_____	\$ 15.00	021
_____	_____	_____	\$ 2.00	022
_____	_____	_____	\$ 2.00	023
_____	_____	_____	\$ 2.00	024
_____	_____	_____	\$ 2.00	025
_____	_____	_____	\$ 5.00	027
_____	_____	_____	\$ 11.00	028
_____	_____	_____	\$ 4.00	029
_____	_____	_____	\$ 3.00	034
_____	_____	_____	\$ 2.00	035
_____	_____	_____	\$ 5.00	041
_____	_____	_____	\$ 55.00	042
_____	_____	_____	\$ 3.00	048
_____	_____	_____	\$ 3.00	049
_____	_____	_____	\$ 3.00	050
_____	_____	_____	\$ 3.00	052
_____	_____	_____	\$ 10.00	054
_____	_____	_____	\$ 2.00	057
_____	_____	_____	\$ 8.00	059
_____	_____	_____	\$132.00	060
_____	_____	_____	\$ 2.00	064
_____	_____	_____	\$ 2.00	065
_____	_____	_____	\$ 4.00	067
_____	_____	_____	\$ 4.00	068
_____	_____	_____	\$ 4.00	069
_____	_____	_____	\$ 2.00	070
_____	_____	_____	\$ 3.00	071
_____	_____	_____	\$ 17.00	072
_____	_____	_____	\$ 21.00	073

007 EBF-0053(527), PIKE  
008 EBF-0074(515), MARION  
009 EBF-HSIPF-0157(512), LAWRENCE  
018 HRRR-CN08(206), MONTGOMERY  
019 HRRR-CN08(207), AUTAUGA  
020 HRRR-CN08(209), WINSTON  
021 HRRR-CN08(216), LAMAR  
022 HRRR-CN08(218), DALLAS  
023 HRRR-CN08(221), MARENGO  
024 HRRR-CN08(222), LIMESTONE  
025 HRRR-4000(218), LAWRENCE  
027 HSIP-0005(518),ETC., BIBB  
028 HSIP-0025(515),ETC., HALE  
029 HSIP-0107(500),ETC., FAYETTE  
034 STPAA-HSIP-0009(522), CALHOUN  
035 STPAA-0017(522), SUMTER  
041 STPAA-HSIP-0003(534), MORGAN  
042 STPAA-2210(200), CULLMAN  
048 STPNU-0902(200), CHAMBERS  
049 STPNU-2603(202), ELMORE  
050 STPNU-3414(202), HENRY  
052 STPNU-HRRR-5310(201), PERRY  
054 STPOA-CNO8(217), HOUSTON  
057 HSIP-0028(504),ETC., MARENGO,ETC.  
059 ST-035-888-006, HOUSTON  
060 ST-049-013-007, MOBILE  
064 99-302-302-243-801, FRANKLIN,ETC.  
065 99-302-473-019-802, MARION  
067 99-303-595-145-811, SHELBY  
068 99-303-644-005-803, WALKER  
069 99-303-644-257-807, WALKER  
070 99-308-663-010-807, WILCOX  
071 99-506-005-088-701,ETC., MONTGOMERY  
072 99-509-022-000-821,ETC., BALDWIN ,ETC.  
073 99-609-022-181-761, BALDWIN

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	_____	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

\*\* SEND ONE CHECK ONLY.\*\* FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK  
MAKE CHECKS PAYABLE TO:  
ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
TERRY W. ROBINSON - ROOM E-108  
MONTGOMERY, ALABAMA 36110  
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976  
e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ \_\_\_\_\_ PAID BY: \_\_\_\_\_ DATE: \_\_\_\_\_

Notice To Contractors  
Federal Aid Project No.  
EBF-0053(527)  
PIKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-53/10 (US-231)  
FROM THE TROY CITY LIMITS TO 0.87 MILES NORTH OF SR-10 (US-29)

The Length Of This Project Is: 4.887 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Eighty Five (85) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 14.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,700,000 To \$4,600,000

The Principal Items Of Work Are Approximately As Follows:

209A000	2	Each Mailbox Reset, Single
405A000	25728	Gallon Tack Coat
408A052	188695	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	67783	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
423A003	13153	Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423B001	8812	Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
424A286	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A361	11518	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B285	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	25665	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
680A000	1	Lump Sum Engineering Controls
701A227	15	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)

701A239	10 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	5702 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	11 Mile Broken Temporary Traffic Stripe
701C001	26 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G142	1055 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1055 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	284 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G252	600 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
703A002	9724 Square Foot Traffic Control Markings, Class 2, Type A
703A011	379 Square Foot Traffic Control Markings, Class W, Type A
703B002	4898 Square Foot Traffic Control Legends, Class 2, Type A
703B011	23 Square Foot Traffic Control Legends, Class W, Type A
703D001	7225 Square Foot Temporary Traffic Control Markings
703E001	820 Square Foot Temporary Traffic Control Legends
705A030	1553 Each Pavement Markers, Class A-H, Type 2-C
705A031	633 Each Pavement Markers, Class A-H, Type 1-A
705A032	692 Each Pavement Markers, Class A-H, Type 1-B
705A037	109 Each Pavement Markers, Class A-H, Type 2-D
705A038	346 Each Pavement Markers, Class A-H, Type 2-E
730H001	22475 Linear Foot Loop Wire
740B000	1500 Square Foot Construction Signs
740D000	250 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A002	2 Each Portable Changeable Message Sign, Type 1
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 200,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
EBF-0074(515)  
MARION COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-74 (US-278) FROM  
WEST OF SR-129 AT WHITEHOUSE TO THE WINSTON COUNTY LINE

The Length Of This Project Is: 6.250 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,390,000 To \$1,700,000

The Principal Items Of Work Are Approximately As Follows:

209A000	3 Each Mailbox Reset, Single
305B077	2056 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	3944 Gallon Tack Coat
408A052	131462 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A360	10125 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	64 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	250 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	9645 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Agggregate Size Mix, ESAL Range C/D
428C000	66000 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)



701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	19 Mile Broken Temporary Traffic Stripe
701C001	58 Mile Solid Temporary Traffic Stripe
703A002	696 Square Foot Traffic Control Markings, Class 2, Type A
703D001	2236 Square Foot Temporary Traffic Control Markings
705A030	268 Each Pavement Markers, Class A-H, Type 2-C
705A031	120 Each Pavement Markers, Class A-H, Type 1-A
705A032	114 Each Pavement Markers, Class A-H, Type 1-B
705A037	519 Each Pavement Markers, Class A-H, Type 2-D
740B000	908 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 75,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
EBF-HSIPF-0157(512)  
LAWRENCE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-157 FROM 0.1 MILE  
SOUTH OF SR-101 TO THE COLBERT COUNTY LINE NORTHWEST OF HATTON

The Length Of This Project Is: 4.545 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,300,000 To \$2,800,000

The Principal Items Of Work Are Approximately As Follows:

209A000	5 Each Mailbox Reset, Single
305B077	7686 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	6633 Gallon Tack Coat
408A052	65894 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	90894 Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410H000	1 Each Material Remixing Device
424A360	15550 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	1586 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B653	1000 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	5746 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	10286 Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	96000 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
652A100	7 Acre Seeding

656A010	7 Acre Mulching
665J000	100 Linear Foot Silt Fence, Type A
665O001	100 Linear Foot Silt Fence Removal
665Q002	300 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
701A227	10 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	10 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	4217 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	28 Mile Broken Temporary Traffic Stripe
701C001	58 Mile Solid Temporary Traffic Stripe
703A002	475 Square Foot Traffic Control Markings, Class 2, Type A
703B002	225 Square Foot Traffic Control Legends, Class 2, Type A
703D001	620 Square Foot Temporary Traffic Control Markings
705A031	600 Each Pavement Markers, Class A-H, Type 1-A
740B000	755 Square Foot Construction Signs
740D000	20 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 121,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(206)  
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, PAVEMENT MARKERS, MARKINGS AND LEGENDS ON CR-85  
(OLD CARTER HILL ROAD AND PIKE ROAD) FROM SR-6 (US-82) TO SR-8  
(US-80) AT MT. MEIGS

The Length Of This Project Is: 12.976 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$76,500 To \$93,500

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	26 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	12 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	10 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701B007	311 Linear Foot Dotted, Class 2T, Type A Traffic Stripe
703A004	97 Square Foot Traffic Control Markings, Class 2T, Type A
703B004	23 Square Foot Traffic Control Legends, Class 2T, Type A
705A032	281 Each Pavement Markers, Class A-H, Type 1-B
705A037	1106 Each Pavement Markers, Class A-H, Type 2-D
705A039	594 Each Pavement Markers, Class A-H, Type 2-A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(207)  
AUTAUGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 18.248 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$71,000 To \$87,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	16 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	28 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	8 Mile Broken Yellow, Class 2T, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(209)  
WINSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 41.726 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$85,000 To \$104,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	86 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	12 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	74 Mile Solid Yellow, Class 1, Type A Traffic Stripe



The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(216)  
LAMAR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, GUARDRAIL AND END ANCHORS ON VARIOUS COUNTY  
ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 31.066 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 15.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$90,000 To \$110,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
630A001	375 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	2 Each Guardrail End Anchor, Type 20 Series
701A030	4 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	47 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	11 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
740B000	96 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(218)  
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS AND LEGENDS AT VARIOUS SITES AS  
INDICATED ON THE PLANS

The Length Of This Project Is: 39.592 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$100,000 To \$120,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A034	73 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	8 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A004	1080 Square Foot Traffic Control Markings, Class 2T, Type A
703B004	274 Square Foot Traffic Control Legends, Class 2T, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(221)  
MARENGO COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 43.707 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$101,000 To \$123,000  
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A034	61 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	22 Mile Broken Yellow, Class 2T, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(222)  
LIMESTONE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008 , and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 25.745 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$71,000 To \$87,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A000	1 Mile Broken White, Class 1, Type A Traffic Stripe
701A004	53 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	11 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	28 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701B000	5280 Linear Foot Dotted, Class 1, Type A Traffic Stripe
705A032	680 Each Pavement Markers, Class A-H, Type 1-B
705A037	2710 Each Pavement Markers, Class A-H, Type 2-D



The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-4000(218)  
LAWRENCE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008 , and at that time publicly opened for constructing the following:

GUARDRAIL INSTALLATION TO EXISTING BRIDGE STRUCTURES ON VARIOUS  
COUNTY ROADS AS INDICATED ON THE PLANS

The Length Of This Project Is: 0.110 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$53,000 To \$65,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
630A001	13 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1 Each Guardrail End Anchor, Type 8
630C003	12 Each Guardrail End Anchor, Type 13
630C050	11 Each Guardrail End Anchor, Type 20 Series
740B000	396 Square Foot Construction Signs
740E000	30 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project Nos.  
HSIP-0005(518) & 99-305-044-005-801  
BIBB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-5 FROM THE PERRY  
COUNTY LINE TO THE BRENT CITY LIMITS

The Length Of This Project Is: 6.434 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,700,000 To \$2,100,000

The Principal Items Of Work Are Approximately As Follows:

206D001	3300	Linear Foot Removing Guardrail
209A000	3	Each Mailbox Reset, Single
210D021	881	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	679	Station Machine Grading Shoulders
305B077	1475	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	9947	Gallon Tack Coat
408A052	90817	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A356	4225	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	11353	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	415	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	336	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	3331	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D

424B685	829 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
630A001	2638 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	14 Each Guardrail End Anchor, Type 20 Series
630C055	20 Each Guardrail End Anchor, Type 2A (Retrofit)
652A100	10 Acre Seeding
656A010	10 Acre Mulching
659A036	1500 Square Yard Rolled Erosion Control Product, Type (2D)
665J000	600 Linear Foot Silt Fence, Type A
665O001	600 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
666A001	10 Acre Pest Control Treatment
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	919 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	15 Mile Broken Temporary Traffic Stripe
701C001	50 Mile Solid Temporary Traffic Stripe
703A002	1112 Square Foot Traffic Control Markings, Class 2, Type A
703B002	68 Square Foot Traffic Control Legends, Class 2, Type A
703D001	424 Square Foot Temporary Traffic Control Markings
705A032	429 Each Pavement Markers, Class A-H, Type 1-B
705A037	414 Each Pavement Markers, Class A-H, Type 2-D
705A038	226 Each Pavement Markers, Class A-H, Type 2-E
740B000	690 Square Foot Construction Signs
740D000	400 Each Channelizing Drums
740I005	2 Each Warning Lights, Type B (Detachable Head)
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 91,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project Nos.  
HSIP-0025(515) & 99-305-335-025-801  
HALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, TRAFFIC STRIPE AND DRAINAGE EXTENSIONS ON  
SR-25 FROM THE GREENSBORO CITY LIMITS TO CR-29

The Length Of This Project Is: 11.782 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Fifty (150) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 11.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$3,400,000 To \$4,100,000  
The Principal Items Of Work Are Approximately As Follows:

206D000	24	Linear Foot Removing Pipe
206D001	1975	Linear Foot Removing Guardrail
209A000	11	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
209A002	2	Each Mailbox Reset, Multiple
210D011	38690	Cubic Yard Borrow Excavation (A-4 Or Better)
212A000	1210	Station Machine Grading Shoulders
214A000	219	Cubic Yard Structure Excavation
214B001	329	Cubic Yard Foundation Backfill, Commercial
305B077	500	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401B100	168227	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	9167	Gallon Tack Coat
408A051	144730	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A336	6851	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424A339	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	18505	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B

424B639	1200 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	150 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	452 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B678	4703 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
502A000	49678 Pound Steel Reinforcement
524B011	363 Cubic Yard Culvert Concrete Extension (Cast In Place)
530A102	48 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530A103	24 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
600A000	1 Lump Sum Mobilization
619A003	4 Each 24" Roadway Pipe End Treatment, Class 1
619A054	2 Each 30" Roadway Pipe End Treatment, Class 2
620A000	2 Cubic Yard Minor Structure Concrete
630A001	1763 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	1 Each Guardrail End Anchor, Type 10 Series
630C003	16 Each Guardrail End Anchor, Type 13
630C050	15 Each Guardrail End Anchor, Type 20 Series
652A100	14 Acre Seeding
656A010	14 Acre Mulching
665J000	6000 Linear Foot Silt Fence, Type A
665O001	6000 Linear Foot Silt Fence Removal
665Q002	1000 Linear Foot Wattle
666A001	14 Acre Pest Control Treatment
701A227	24 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	10 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	27 Mile Broken Temporary Traffic Stripe
701C001	98 Mile Solid Temporary Traffic Stripe
701G146	983 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	492 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	983 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	492 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	340 Square Foot Traffic Control Markings, Class 2, Type A
703D001	640 Square Foot Temporary Traffic Control Markings
705A032	405 Each Pavement Markers, Class A-H, Type 1-B
705A037	563 Each Pavement Markers, Class A-H, Type 2-D
740B000	1638 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740I005	2 Each Warning Lights, Type B (Detachable Head)
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 181,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director



Notice To Contractors  
Federal Aid Project Nos.  
HSIP-0107(500) & 99-305-291-107-801  
FAYETTE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-107 FROM SR-18  
THROUGH BLUFF TO THE MARION COUNTY LINE

The Length Of This Project Is: 15.944 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,700,000 To \$3,300,000

The Principal Items Of Work Are Approximately As Follows:

209A000	16	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
210D021	6236	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	1684	Station Machine Grading Shoulders
305B077	1825	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401B100	261907	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	467	Gallon Tack Coat
408A051	224492	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
410H000	1	Each Material Remixing Device
424A340	20510	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A347	1000	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	2300	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B647	9354	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1	Lump Sum Mobilization
652A100	8	Acre Seeding
656A010	8	Acre Mulching
659A025	400	Square Yard Rolled Erosion Control Product, Type (1A)

665J000	3000 Linear Foot Silt Fence, Type A
665O001	3000 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
666A001	8 Acre Pest Control Treatment
701A227	32 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	24 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	56 Mile Solid Temporary Traffic Stripe
703A002	288 Square Foot Traffic Control Markings, Class 2, Type A
703D001	288 Square Foot Temporary Traffic Control Markings
705A032	404 Each Pavement Markers, Class A-H, Type 1-B
705A037	1219 Each Pavement Markers, Class A-H, Type 2-D
740B000	979 Square Foot Construction Signs
740D000	250 Each Channelizing Drums
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 145,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-HSIP-0009(522)  
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, TRAFFIC STRIPE AND DRAINAGE EXTENSIONS ON  
SR-9 FROM SR-4 (US-78) (MP 219.319) TO SOUTH OF HOLLEY  
CROSSROADS (MP 230.150)

The Length Of This Project Is: 10.831 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Forty (140) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,290,000 To \$4,000,000

The Principal Items Of Work Are Approximately As Follows:

206D001	534	Linear Foot Removing Guardrail
206E008	4	Each Removing Guardrail End Anchor (All Type)
209A000	7	Each Mailbox Reset, Single
210D000	13075	Cubic Yard Borrow Excavation
214A000	422	Cubic Yard Structure Excavation
214B001	140	Cubic Yard Foundation Backfill, Commercial
401B100	152516	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	14110	Gallon Tack Coat
407A000	3427	Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A051	152516	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	3200	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	750	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
424A356	7665	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A358	1400	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A359	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D

424B658	21604	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B661	220	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	847	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C371	5078	Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
430B043	2328	Ton Aggregate Surfacing (1" Down, Crusher Run)
502A000	26657	Pound Steel Reinforcement
524B011	173	Cubic Yard Culvert Concrete Extension (Cast In Place)
530A235	106	Linear Foot 72" Roadway Pipe (14 Gauge C.C.S.P.I.) (Extension)
600A000	1	Lump Sum Mobilization
610C001	286	Ton Loose Riprap, Class 2
610D003	292	Square Yard Filter Blanket, Geotextile
619A061	8	Each 72" Roadway Pipe End Treatment, Class 2
630A001	2024	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C000	14	Each Guardrail End Anchor, Type 10
630C007	12	Each Guardrail End Anchor, Type 2A
652A100	2	Acre Seeding
656A010	2	Acre Mulching
665J000	4250	Linear Foot Silt Fence, Type A
665O001	4250	Linear Foot Silt Fence Removal
665Q002	1150	Linear Foot Wattle
666A001	2	Acre Pest Control Treatment
701A227	22	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	10	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	800	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	39	Mile Broken Temporary Traffic Stripe
701C001	113	Mile Solid Temporary Traffic Stripe
703A002	4050	Square Foot Traffic Control Markings, Class 2, Type A
703B002	140	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1300	Square Foot Temporary Traffic Control Markings
740B000	1373	Square Foot Construction Signs
740D000	50	Each Channelizing Drums
740E000	50	Each Cones (36 Inches High)
740M001	50	Each Ballast For Cone
740O000	1	Each Pilot Car
998A000	1	Lump Sum Construction Fuel (Maximum Bid Limited To \$ 177,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-0017(522)  
SUMTER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-17 FROM BODKA CREEK (MP 162.466) TO SOUTH OF CANEY CREEK (MP 166.891) IN GEIGER

The Length Of This Project Is: 4.424 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,445,000 To \$1,765,000

The Principal Items Of Work Are Approximately As Follows:

209A000	13	Each Mailbox Reset, Single
209A001	2	Each Mailbox Reset, Double
209A002	1	Each Mailbox Reset, Multiple
305B078	1000	Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
405A000	6657	Gallon Tack Coat
408A052	83204	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A360	5201	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	10401	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	400	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	4500	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	45708	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
701A227	9	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)

701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	12 Mile Broken Temporary Traffic Stripe (Paint)
701C003	31 Mile Solid Temporary Traffic Stripe (Paint)
701G146	1020 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	1020 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	2040 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	210 Square Foot Traffic Control Markings, Class 2, Type A
703D002	420 Square Foot Temporary Traffic Control Markings (Paint)
705A032	45 Each Pavement Markers, Class A-H, Type 1-B
705A037	321 Each Pavement Markers, Class A-H, Type 2-D
740B000	348 Square Foot Construction Signs
740E000	300 Each Cones (36 Inches High)
740M001	300 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 78,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-HSIP-0003(534)  
MORGAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008 , and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-3 (US-31) FROM  
SOUTH OF SR-36 IN HARTSELLE TO FLINT CREEK

The Length Of This Project Is: 3.810 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,823,000 To \$2,227,000

The Principal Items Of Work Are Approximately As Follows:

206C010	93 Square Yard Removing Concrete Driveway
405A000	8000 Gallon Tack Coat
408A052	112655 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	500 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1 Each Material Remixing Device
424A360	8216 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	410 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	19715 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	88 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	3130 Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	250 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1 Lump Sum Mobilization
652A100	1 Acre Seeding
656A010	1 Acre Mulching



665J000	1000 Linear Foot Silt Fence, Type A
665O001	1000 Linear Foot Silt Fence Removal
665Q002	250 Linear Foot Wattle
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	8 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	3992 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	16 Mile Solid Temporary Traffic Stripe
703A002	1275 Square Foot Traffic Control Markings, Class 2, Type A
703B002	381 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1275 Square Foot Temporary Traffic Control Markings
705A030	844 Each Pavement Markers, Class A-H, Type 2-C
705A031	504 Each Pavement Markers, Class A-H, Type 1-A
730H001	4350 Linear Foot Loop Wire
730I001	2340 Linear Foot Loop Detector Lead-In-Cable
740B000	852 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 98,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-2210(200)  
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

ADDITIONAL LANES INCLUDING BRIDGE WIDENING ON CR-222 FROM  
INDUSTRIAL PARK NUMBER 3 TO SR-69 IN CULLMAN

The Length Of This Project Is: 1.706 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred (200) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 55.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,660,000 To \$4,475,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 per Acre) (Approximately 14 Acres)
206A050	1 Lump Sum Removal Of Old Bridge, Partial, Station 52+77.81
206C010	175 Square Yard Removing Concrete Driveway
206D000	1590 Linear Foot Removing Pipe
206D011	1174 Linear Foot Removing Fence
210A000	28658 Cubic Yard Unclassified Excavation
210D000	71648 Cubic Yard Borrow Excavation
214A000	1575 Cubic Yard Structure Excavation
214B001	205 Cubic Yard Foundation Backfill, Commercial
215A000	402 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheet Piling And Shoring, STA. 52+77.81
230A000	88 Roadbed Station Roadbed Processing
301A012	46390 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
305B071	218 Ton Coarse Aggregate, Section 801, For Miscellaneous Use
401A000	45199 Square Yard Bituminous Treatment A
401B107	8316 Square Yard Bituminous Treatment KG (With Polymer Additive)
405A000	3525 Gallon Tack Coat

408A054	1364	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
424A341	125	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range A/B
424A361	3148	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	6200	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B681	7696	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B685	29	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	3459	Ton Superpave Bituminous Concrete Base Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B014	138	Ton Aggregate Surfacing (ALDOT #410 Modified)
450B000	248	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	39300	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 52+77.81, Approximately 61400 Lbs.
505G002	22	Each Pile Points (Type A, 10")
505M000	740	Linear Foot Steel Piling Furnished And Driven (HP 10x42)
508A000	1890	Pound Structural Steel
510A000	200	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Sta. 52+77.81, Approximately 260 Cu. Yds
510E000	813	Square Yard Grooving Concrete Bridge Decks
511A052	40	Each Elastomeric Bearing Type 2 (Mark B3)
513B005	1213	Linear Foot Prestensioned-Prestressed Concrete Girders, Type III (Specialty Item)
530A001	455	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	717	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A004	81	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A006	393	Linear Foot 48" Roadway Pipe (Class 3 R.C.)
530A102	30	Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
535A001	478	Linear Foot 18" Side Drain Pipe
600A000	1	Lump Sum Mobilization
602A000	50	Each Right Of Way Markers
606A000	500	Linear Foot 6" Underdrain Pipe
609A000	784	Square Yard Aggregate Slope Protection
609B000	784	Square Yard Geotextile Filter For Aggregate Slope Protection
610A004	755	Square Yard Loose Riprap, Class 2, 24" Thick
610C001	1474	Ton Loose Riprap, Class 2
610D000	1645	Square Yard Filter Blanket
618B003	85	Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
619A002	1	Each 18" Roadway Pipe End Treatment, Class 1
619A003	6	Each 24" Roadway Pipe End Treatment, Class 1
619A005	2	Each 36" Roadway Pipe End Treatment, Class 1
619A007	1	Each 48" Roadway Pipe End Treatment, Class 1
619A052	5	Each 18" Roadway Pipe End Treatment, Class 2
619A053	1	Each 24" Roadway Pipe End Treatment, Class 2
619A101	8	Each 18" Side Drain Pipe End Treatment, Class 1
619A207	3	Each 48" Roadway Pipe End Treatment, Class 1 (Double Line)
620A000	2	Cubic Yard Minor Structure Concrete
621A004	3	Each Junction Boxes, Type 4
621A005	2	Each Junction Boxes, Type 1
621B004	2	Each Junction Box Units, Type 4
621C015	3	Each Inlets, Type S1 Or S3 (1 Wing)
621C027	3	Each Inlets, Type C
621C109	1	Each Inlets, Type PD
621D002	3	Each Inlet Units, Type C
623A001	268	Linear Foot Concrete Gutter (Valley)
623C000	840	Linear Foot Combination Curb & Gutter, Type C
629E001	247	Linear Foot Bridge Rail Retrofit, Type IC
630A001	4463	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	2	Each Guardrail End Anchor, Type 8
630C003	4	Each Guardrail End Anchor, Type 13
630C070	11	Each Guardrail End Anchor, Type 10 Series
635A001	155	Linear Foot Woven Wire Fence (Metal Post)
637A000	2586	Linear Foot Fence Reset
650B000	11073	Cubic Yard Topsoil From Stockpiles
652A100	7	Acre Seeding

652C000	14 Acre Mowing
654A000	180 Square Yard Solid Sodding
656A010	7 Acre Mulching
659A035	50 Square Yard Rolled Erosion Control Product, Type (2C)
659A036	17097 Square Yard Rolled Erosion Control Product, Type (2D)
665B000	5 Acre Temporary Mulching
665G000	50 Each Sand Bags
665I000	767 Ton Temporary Riprap, Class 2
665J000	13110 Linear Foot Silt Fence, Type A
665K000	1132 Cubic Yard Drainage Sump Excavation
665N000	400 Ton Temporary Coarse Aggregate, ALDOT Number 1
665O001	13110 Linear Foot Silt Fence Removal
665Q002	1180 Linear Foot Wattle
666A001	7 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
701A091	1 Mile Solid White, Class W, Type A Traffic Stripe (5" Wide)
701A095	1 Mile Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A099	1 Mile Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	942 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	4 Mile Solid Temporary Traffic Stripe
701D005	2 Mile Solid Traffic Stripe Removed
703A002	1700 Square Foot Traffic Control Markings, Class 2, Type A
703B002	384 Square Foot Traffic Control Legends, Class 2, Type A
705A023	224 Each Pavement Markers, Class C, Type 2-D
705A032	144 Each Pavement Markers, Class A-H, Type 1-B
705A038	72 Each Pavement Markers, Class A-H, Type 2-E
710A098	18 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type I Background)
710A115	89 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	64 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	252 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
713A000	50 Linear Foot Permanent Barricades
726A000	1190 Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	48 Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D021	2 Each Portable Impact Attenuator Assembly (Bi-directional, TL-2)
726D026	2 Each Portable Impact Attenuator Assembly (Bi-directional, TL-3)
740B000	1850 Square Foot Construction Signs
740C000	336 Square Foot Special Construction Signs
740D000	667 Each Channelizing Drums
740E000	25 Each Cones (36 Inches High)
740F002	22 Each Barricades, Type III
740I005	11 Each Warning Lights, Type B (Detachable Head)
740L006	49 Each Vertical Panel, Type II (Double-Sided)
740M001	25 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 264,000.00)
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPNU-0902(200)  
CHAMBERS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

FULL DEPTH RECLAMATION, SURFACE TREATMENT AND TRAFFIC STRIPE ON  
CR-1389 FROM THE LEE COUNTY LINE TO SWEET HOPE CHURCH AT CUSSETA

The Length Of This Project Is: 4.455 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$572,000 To \$700,000

The Principal Items Of Work Are Approximately As Follows:

302A000	58647	Square Yard Full Depth Reclamation, 6 Inches Thick
302B000	890	Ton Portland Cement For Full Depth Reclamation
401A000	58817	Square Yard Bituminous Treatment A
401B106	56073	Square Yard Bituminous Treatment JG (With Polymer Additive)
430B043	500	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A001	250	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	4	Each Guardrail End Anchor, Type 10 Series
652A100	4	Acre Seeding
656A010	4	Acre Mulching
666A001	4	Acre Pest Control Treatment
701A231	9	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	6	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe
703A002	80	Square Foot Traffic Control Markings, Class 2, Type A
705A032	130	Each Pavement Markers, Class A-H, Type 1-B
705A037	442	Each Pavement Markers, Class A-H, Type 2-D
740B000	428	Square Foot Construction Signs
740E000	50	Each Cones (36 Inches High)
740F002	12	Each Barricades, Type III
740I005	8	Each Warning Lights, Type B (Detachable Head)

740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 30,500.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPNU-2603(202)  
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-8 FROM CR-73 TO THE  
TALLASSEE CITY LIMITS

The Length Of This Project Is: 4.113 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$460,000 To \$560,000

The Principal Items Of Work Are Approximately As Follows:

206D001	570 Linear Foot Removing Guardrail
206E008	4 Each Removing Guardrail End Anchor (All Type)
405A000	5311 Gallon Tack Coat
408A053	1064 Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
424A340	4528 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A345	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	2125 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	815 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
630A001	100 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A004	570 Linear Foot Steel Beam Guardrail, Class B, Type 2
630C022	4 Each Guardrail End Anchor, Type Special
630C070	4 Each Guardrail End Anchor, Type 10 Series
701A030	9 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	6 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	3 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701B007	93 Linear Foot Dotted, Class 2T, Type A Traffic Stripe
701C000	6 Mile Broken Temporary Traffic Stripe



701C001	12 Mile Solid Temporary Traffic Stripe
703A004	387 Square Foot Traffic Control Markings, Class 2T, Type A
703B004	23 Square Foot Traffic Control Legends, Class 2T, Type A
705A032	120 Each Pavement Markers, Class A-H, Type 1-B
705A037	408 Each Pavement Markers, Class A-H, Type 2-D
740B000	372 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 24,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPNU-3414(202)  
HENRY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-7 FROM CR-62 NORTHWEST OF  
NEWVILL TO SR-27

The Length Of This Project Is: 2.465 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$295,000 To \$360,000

The Principal Items Of Work Are Approximately As Follows:

210D021	2000 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	260 Station Machine Grading Shoulders
401B108	28923 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	870 Gallon Tack Coat
424A340	2269 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1000 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B638	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
652A100	4 Acre Seeding
656A010	4 Acre Mulching
665F000	50 Each Hay Bales
665J000	200 Linear Foot Silt Fence, Type A
665O001	200 Linear Foot Silt Fence Removal
701A004	5 Mile Solid White, Class 1, Type A Traffic Stripe
701A235	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe

703A000	40 Square Foot Traffic Control Markings, Class 1, Type A
703D001	40 Square Foot Temporary Traffic Control Markings
705A032	66 Each Pavement Markers, Class A-H, Type 1-B
705A037	198 Each Pavement Markers, Class A-H, Type 2-D
740B000	212 Square Foot Construction Signs
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 16,200.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPNU-HRRR-5310(201)  
PERRY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-29 FROM BURGER CURB ROAD  
NORTHWEST OF MARION TO THE HALE COUNTY LINE

The Length Of This Project Is: 9.499 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,045,000 To \$1,275,000

The Principal Items Of Work Are Approximately As Follows:

210D021	4938 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	1001 Station Machine Grading Shoulders
405A000	3327 Gallon Tack Coat
424A341	9400 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	286 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	4282 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630A001	388 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	10 Each Guardrail End Anchor, Type 10 Series
652A100	7 Acre Seeding
656A010	7 Acre Mulching
665F000	100 Each Hay Bales
665J000	550 Linear Foot Silt Fence, Type A
665O001	550 Linear Foot Silt Fence Removal
701A030	20 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	15 Mile Solid Yellow, Class 2T, Type A Traffic Stripe

701A044	5 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	20 Mile Solid Temporary Traffic Stripe
703A004	98 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	257 Each Pavement Markers, Class A-H, Type 1-B
705A037	1960 Each Pavement Markers, Class A-H, Type 2-D
740B000	240 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 53,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-CNO8 (217)  
HOUSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

TURN LANES, RESURFACING, TRAFFIC STRIPE AND SIGNALS ON MURPHY  
MILL ROAD AT NORTH BRANNON STAND ROAD NORTHWEST OF DOTHAN

The Length Of This Project Is: 0.441 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 10.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$580,000 To \$700,000

The Principal Items Of Work Are Approximately As Follows:

210A000	5160 Cubic Yard Unclassified Excavation
210D011	11267 Cubic Yard Borrow Excavation (A-4 Or Better)
230A000	44 Roadbed Station Roadbed Processing
301A222	8385 Square Yard Soil Aggregate Base Course, Type C, Road Mixed, 6" Compacted Thickness
401A000	8385 Square Yard Bituminous Treatment A
401B108	5590 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	840 Gallon Tack Coat
424A340	1475 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	50 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	1385 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
650A000	100 Cubic Yard Topsoil
650B000	3279 Cubic Yard Topsoil From Stockpiles
665J000	2332 Linear Foot Silt Fence, Type A
701A231	3 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701B205	1420 Linear Foot Dotted, Class 2, Type A, Traffic Stripe

701C001	4 Mile Solid Temporary Traffic Stripe
703A002	6450 Square Foot Traffic Control Markings, Class 2, Type A
703B002	247 Square Foot Traffic Control Legends, Class 2, Type A
703D001	566 Square Foot Temporary Traffic Control Markings
703E001	247 Square Foot Temporary Traffic Control Legends
705A037	109 Each Pavement Markers, Class A-H, Type 2-D
730A000	1 Lump Sum Removal Of Existing Traffic Control Unit (
	At Intersection Of Brannon Stand And Murphy Mill Roads)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit (
	At Intersection Of Brannon Stand And Murphy Mill Roads)
730E000	4 Each Metal Traffic Signal Pole Foundation
730G001	4 Each Metal Traffic Signal Strain Pole
730H001	2592 Linear Foot Loop Wire
730I001	1350 Linear Foot Loop Detector Lead-In-Cable
730J010	8 Each Vehicle Loop Detector
730K000	4 Each Traffic Signal Junction Box
730L002	20 Linear Foot 1", Metallic, Conduit
730L003	90 Linear Foot 1", Non-Metallic, Conduit
730L005	150 Linear Foot 2", Non-Metallic, Conduit
730P022	4 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P024	4 Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730R022	1 Each Controller Assembly, Type III, 8 Phase
730T000	1 Each Wood Pole
740B000	320 Square Foot Construction Signs
740D000	76 Each Channelizing Drums
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 29,500.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project Nos.  
HSIP-0028(504) & 99-308-692-028-806  
MARENGO AND WILCOX COUNTIES, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-28 FROM EAST OF  
SR-66 TO SR-5 NORTH OF CATHERINE

The Length Of This Project Is: 6.281 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$1,600,000 To \$1,900,000  
The Principal Items Of Work Are Approximately As Follows:

305B078	3000 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
401B100	103176 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	2848 Gallon Tack Coat
408A052	90062 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	6551 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	10481 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	100 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	2580 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	66328 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
600A000	1 Lump Sum Mobilization
652A100	4 Acre Seeding
656A010	4 Acre Mulching
665J000	3000 Linear Foot Silt Fence, Type A
665O001	3000 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle
666A001	4 Acre Pest Control Treatment
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)



701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	15 Mile Broken Temporary Traffic Stripe (Paint)
701C003	56 Mile Solid Temporary Traffic Stripe (Paint)
703A002	45 Square Foot Traffic Control Markings, Class 2, Type A
703D002	135 Square Foot Temporary Traffic Control Markings (Paint)
705A032	195 Each Pavement Markers, Class A-H, Type 1-B
705A037	515 Each Pavement Markers, Class A-H, Type 2-D
740B000	300 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 80,000.00)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
ST-035-888-006  
HOUSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-59 AT BEAVER CREEK IN DOTHAN

The Length Of This Project Is: .038 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety (90) Calendar Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 8.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,110,000 To \$1,355,000

The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 5+00
502A000	29610 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 5+00, Approx. 100,440 Lbs.
505M002	1732 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
505M004	2151 Linear Foot Steel Piling Furnished And Driven (HP 14x73)
508A000	19050 Pound Structural Steel
510A000	324 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Sta. 5+00, Approx. 358 Cu.Yds.
510E000	1347 Square Yard Grooving Concrete Bridge Decks
511A050	118 Each Elastomeric Bearing Type 2 (Mark B1)
513B003	1791 Linear Foot Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)
600A000	1 Lump Sum Mobilization
610C001	2264 Ton Loose Riprap, Class 2
610D003	1786 Square Yard Filter Blanket, Geotextile
630C003	4 Each Guardrail End Anchor, Type 13
630C050	4 Each Guardrail End Anchor, Type 20 Series
665F000	50 Each Hay Bales
665J000	500 Linear Foot Silt Fence, Type A
680A000	1 Lump Sum Engineering Controls
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 30,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
ST-049-013-007  
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE (GRADE, DRAINAGE, PAVEMENT, LIGHTING & BRIDGES) ON  
SR-13 (US-43) AT DOW BADISCHE ROAD SOUTH OF CALVERT

The Length Of This Project Is: 0.697 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By September 30, 2009

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 132 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$19,100,000 To \$23,400,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000 Per Acre) (Approximately 18 Acres)
201B000	3 Acre Clearing
206D011	405 Linear Foot Removing Fence
210A000	252010 Cubic Yard Unclassified Excavation
210D000	749430 Cubic Yard Borrow Excavation
210E000	237600 Cubic Yard Borrow Excavation (Underwater Backfill)
214A000	919 Cubic Yard Structure Excavation
214B000	1758 Cubic Yard Foundation Backfill, Local
214B001	20 Cubic Yard Foundation Backfill, Commercial
215A000	832 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 101+32.59 EBL
215B001	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 101+32.59 WBL
215B002	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 108+11.00 EBL
215B003	1 Lump Sum Cofferdams Or Sheeting And Shoring, Station 108+11.00 WBL
230A000	187 Roadbed Station Roadbed Processing
240A000	8 Each Settlement Plate Assembly
301A012	45430 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	48500 Square Yard Bituminous Treatment A
405A000	3134 Gallon Tack Coat
410H000	1 Each Material Remixing Device
424A280	5430 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	292 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D

424A367	200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B281	6170	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B581	12750	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B651	487	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	11100	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B040	140	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
450B000	360	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	202113	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 101+32.59. Approx 58,300 lbs.
502B001	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 101+32.59. Approx 58,300 lbs.
502B002	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 108+11.00. Approx. 72,200 lbs
502B003	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Station 108+11.00. Approx. 72,200 lbs
505A004	4	Each Steel Test Piles (HP 14x73)
505B059	4	Each Static Loading Tests (HP 14x73)
505B089	4	Each Dynamic Loading Tests (HP 14x73)
505M004	13182	Linear Foot Steel Piling Furnished And Driven (HP 14x73)
508A000	26586	Pound Structural Steel
510A000	1058	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Station 101+32.59. Approx. 253 cu. yds
510C052	1	Lump Sum Bridge Concrete Superstructure, Station 101+32.59. Approx. 253 cu. yds
510C053	1	Lump Sum Bridge Concrete Superstructure, Station 108+11.00. Approx. 346 cu. yds
510C054	1	Lump Sum Bridge Concrete Superstructure, Station 108+11.00. Approx. 346 cu. yds
510E000	3230	Square Yard Grooving Concrete Bridge Decks
511A053	72	Each Elastomeric Bearing Type 2 (Mark B4)
511A072	64	Each Elastomeric Bearing Type 4 (Mark VB3)
513B005	2288	Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
513B019	2756	Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-63 (Specialty Item)
524B011	29	Cubic Yard Culvert Concrete Extension (Cast In Place)
530A001	337	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A004	681	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A100	22	Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)
530A212	172	Linear Foot 18" Roadway Pipe (14 Gauge C.C.M.P.I.)
530B001	66	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
530B204	192	Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P.I.)
600A000	1	Lump Sum Mobilization
602A000	28	Each Right Of Way Markers
606A000	5805	Linear Foot 6" Underdrain Pipe
607B000	2881656	Linear Foot Vertical Drainage Wicks
609A000	900	Square Yard Aggregate Slope Protection
610C001	517	Ton Loose Riprap, Class 2
610D003	2286	Square Yard Filter Blanket, Geotextile
614A000	164	Cubic Yard Slope Paving
619A001	1	Each 15" Roadway Pipe End Treatment, Class 1
619A002	3	Each 18" Roadway Pipe End Treatment, Class 1
619A055	2	Each 36" Roadway Pipe End Treatment, Class 2
619A101	2	Each 18" Side Drain Pipe End Treatment, Class 1
619A229	2	Each 36" Roadway Pipe End Treatment, Class 2 (Double Line)
619A259	2	Each 36" Roadway Pipe End Treatment, Class 2 (Triple Line)
619B016	2	Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1
619B314	2	Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)
620A000	1	Cubic Yard Minor Structure Concrete
621A012	3	Each Junction Boxes, Type 3 Or 3P
621A058	3	Each Junction Boxes, Type 3 (Modified)
621C020	3	Each Inlets, Type Y
621C069	1	Each Inlets, Type E3
621D019	3	Each Inlet Units, Type Y
629A051	343	Linear Foot Concrete Median Or Safety Barrier, Type 1 (Modified)
629C001	1	Each Concrete Median Or Safety Barrier End Section (Type TES Modified)
630A001	3376	Linear Foot Steel Beam Guardrail, Class A, Type 2

630C000	5 Each Guardrail End Anchor, Type 10
630C001	5 Each Guardrail End Anchor, Type 8
630C003	8 Each Guardrail End Anchor, Type 13
630C050	7 Each Guardrail End Anchor, Type 20 Series
634A002	7767 Linear Foot Industrial Fence, 6 Feet High
650A000	17000 Cubic Yard Topsoil
650B000	11000 Cubic Yard Topsoil From Stockpiles
652A100	53 Acre Seeding
652C000	53 Acre Mowing
654A001	50750 Square Yard Solid Sodding (Bermuda)
656A010	53 Acre Mulching
659A028	11145 Square Yard Rolled Erosion Control Product, Type (1D)
659A048	2897 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	80 Acre Temporary Seeding
665B000	80 Acre Temporary Mulching
665C010	700 Linear Foot Temporary Pipe
665E000	800 Square Yard Polyethylene
665G000	100 Each Sand Bags
665I000	560 Ton Temporary Riprap, Class 2
665J000	24200 Linear Foot Silt Fence, Type A
665K000	1050 Cubic Yard Drainage Sump Excavation
665O001	30800 Linear Foot Silt Fence Removal
665P005	6 Each Inlet Protection, Stage 3 Or 4
665Q002	1300 Linear Foot Wattle
665T000	900 Linear Foot Temporary Earth Berms
666A001	53 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
701A087	1 Mile Broken White, Class W, Type A Traffic Stripe (5" Wide)
701A091	1 Mile Solid White, Class W, Type A Traffic Stripe (5" Wide)
701A099	1 Mile Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1100 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	9 Mile Solid Temporary Traffic Stripe
703A002	8975 Square Foot Traffic Control Markings, Class 2, Type A
703A011	250 Square Foot Traffic Control Markings, Class W, Type A
703B002	157 Square Foot Traffic Control Legends, Class 2, Type A
705A011	510 Each Pavement Markers, Class C, Type 1-A
705A012	302 Each Pavement Markers, Class C, Type 1-B
705A023	21 Each Pavement Markers, Class C, Type 2-D
705A030	109 Each Pavement Markers, Class A-H, Type 2-C
705A031	599 Each Pavement Markers, Class A-H, Type 1-A
705A032	162 Each Pavement Markers, Class A-H, Type 1-B
710A115	209 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	42 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A140	611 Square Foot Class 6, Aluminum Multiple Flat Sign Panels 0.125" Thick Or Steel Multiple Flat Sign Panels 12 Gauge (Type III Background)
710B001	780 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710B007	128 Linear Foot Roadway Sign Post (W6 x 15 Steel Beam)
710B011	84 Linear Foot Roadway Sign Post (W6 x 12 Steel Beam)
720A025	1 Each Vehicular Impact Attenuator Assembly (Unidirectional, TL-3)
726A000	2200 Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	40 Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D000	4 Each Portable Impact Attenuator (Unidirectional, TL-2)
740B000	1320 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	46 Each Barricades, Type III
740I005	22 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
750Z010	1 Lump Sum Roadway Lighting System
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 1,028,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-302-302-243-801  
FRANKLIN AND WINSTON COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-243 FROM SOUTH OF THE WINSTON/FRANKLIN COUNTY LINE (MP 3.400) THROUGH POSEY MILL TO MP 9.490

The Length Of This Project Is: 6.090 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty (40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,500,000 To \$1,800,000  
The Principal Items Of Work Are Approximately As Follows:

305B077	2006 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	2700 Gallon Tack Coat
407A000	368 Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	88967 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	6940 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	35 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B653	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	14703 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	9 Mile Broken Temporary Traffic Stripe
701C001	65 Mile Solid Temporary Traffic Stripe
703A002	488 Square Foot Traffic Control Markings, Class 2, Type A
703D001	976 Square Foot Temporary Traffic Control Markings
705A032	163 Each Pavement Markers, Class A-H, Type 1-B
705A037	847 Each Pavement Markers, Class A-H, Type 2-D



740B000	515 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 80,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-302-473-019-802  
MARION COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-19 FROM MP 17.507  
TO THE FRANKLIN COUNTY LINE NORTHEAST OF SHOTTSVILLE

The Length Of This Project Is: 5.947 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty (40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,200,000 To \$1,500,000

The Principal Items Of Work Are Approximately As Follows:

209A000	3	Each Mailbox Reset, Single
305B077	1938	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	2755	Gallon Tack Coat
407A000	360	Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	89579	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A340	7116	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B638	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	8576	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B644	300	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range A/B
428C000	62016	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
680A000	1	Lump Sum Engineering Controls
701A227	12	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7	Mile Broken Temporary Traffic Stripe
701C001	63	Mile Solid Temporary Traffic Stripe
701G146	792	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	396	Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	302	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)

701H001	1094 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	396 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	336 Square Foot Traffic Control Markings, Class 2, Type A
703D001	672 Square Foot Temporary Traffic Control Markings
705A032	127 Each Pavement Markers, Class A-H, Type 1-B
705A037	838 Each Pavement Markers, Class A-H, Type 2-D
740B000	452 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 65,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-303-595-145-811  
SHELBY COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-145 FROM THE  
CHILTON COUNTY LINE (MP 14.986) TO MP 26.966

The Length Of This Project Is: 11.980 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,615,000 To \$1,975,000

The Principal Items Of Work Are Approximately As Follows:

206E008	20 Each Removing Guardrail End Anchor (All Type)
209A000	10 Each Mailbox Reset, Single
209A002	6 Each Mailbox Reset, Multiple
210D001	2000 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	500 Ton Crushed Aggregate, Section 825, For Miscellaneous Use -
405A000	6033 Gallon Tack Coat
407A000	719 Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	185880 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A341	16589 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424A345	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424C351	3283 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630C050	2 Each Guardrail End Anchor, Type 20 Series
630C070	18 Each Guardrail End Anchor, Type 10 Series
650A000	400 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J000	275 Linear Foot Silt Fence, Type A
665O001	275 Linear Foot Silt Fence Removal

665Q002	50 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
701A227	24 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	14 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	10 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	201 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	20 Mile Broken Temporary Traffic Stripe
701C001	75 Mile Solid Temporary Traffic Stripe
701G146	1215 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	407 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	402 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1215 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	407 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	841 Square Foot Traffic Control Markings, Class 2, Type A
703B002	180 Square Foot Traffic Control Legends, Class 2, Type A
703D001	768 Square Foot Temporary Traffic Control Markings
705A030	40 Each Pavement Markers, Class A-H, Type 2-C
705A032	135 Each Pavement Markers, Class A-H, Type 1-B
705A037	1398 Each Pavement Markers, Class A-H, Type 2-D
740B000	1958 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 87,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-303-644-005-803  
WALKER COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-5 FROM NORTH OF THE BUCK CREEK BRIDGE NORTHWEST OF JASPER TO THE WINSTON COUNTY LINE

The Length Of This Project Is: 6.943 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty (40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$855,000 To \$1,040,000

The Principal Items Of Work Are Approximately As Follows:

206D001	175 Linear Foot Removing Guardrail
206E008	4 Each Removing Guardrail End Anchor (All Type)
209A000	7 Each Mailbox Reset, Single
210D001	400 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1200 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	3115 Gallon Tack Coat
407A000	419 Gallon Joint Sealant For Hot Mix Asphalt Pavement
424A361	8566 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A365	750 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	2000 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
630A001	500 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	4 Each Guardrail End Anchor, Type 10 Series
650A000	80 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J000	150 Linear Foot Silt Fence, Type A
665O001	150 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
701A227	14 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)

701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1548 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	24 Mile Solid Temporary Traffic Stripe
701G146	360 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	360 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	719 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	1041 Square Foot Traffic Control Markings, Class 2, Type A
703B002	23 Square Foot Traffic Control Legends, Class 2, Type A
703D001	504 Square Foot Temporary Traffic Control Markings
705A030	7 Each Pavement Markers, Class A-H, Type 2-C
705A032	437 Each Pavement Markers, Class A-H, Type 1-B
705A037	641 Each Pavement Markers, Class A-H, Type 2-D
705A038	142 Each Pavement Markers, Class A-H, Type 2-E
740B000	1357 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 46,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-303-644-257-807  
WALKER COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL, RESURFACING AND TRAFFIC STRIPE ON SR-257 FROM SR-195  
TO CR-43 NORTH OF JASPER

The Length Of This Project Is: 6.786 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,100,000 To \$1,300,000

The Principal Items Of Work Are Approximately As Follows:

206D001	2738	Linear Foot Removing Guardrail
206E008	12	Each Removing Guardrail End Anchor (All Type)
209A000	17	Each Mailbox Reset, Single
209A002	5	Each Mailbox Reset, Multiple
210D001	1200	Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1260	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	3674	Gallon Tack Coat
407A000	409	Gallon Joint Sealant For Hot Mix Asphalt Pavement
424A361	10103	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	1357	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
630A001	2738	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	12	Each Guardrail End Anchor, Type 20 Series
650A000	240	Cubic Yard Topsoil
652A100	1	Acre Seeding
656A010	1	Acre Mulching
665J000	150	Linear Foot Silt Fence, Type A
665O001	150	Linear Foot Silt Fence Removal
665Q002	50	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment
701A227	14	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)



701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	745 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	25 Mile Solid Temporary Traffic Stripe
701G146	655 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	655 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1310 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	2516 Square Foot Traffic Control Markings, Class 2, Type A
703B002	389 Square Foot Traffic Control Legends, Class 2, Type A
703D001	504 Square Foot Temporary Traffic Control Markings
705A030	46 Each Pavement Markers, Class A-H, Type 2-C
705A032	1007 Each Pavement Markers, Class A-H, Type 1-B
705A037	619 Each Pavement Markers, Class A-H, Type 2-D
705A038	414 Each Pavement Markers, Class A-H, Type 2-E
740B000	1345 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 57,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-308-663-010-807  
WILCOX COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-10 FROM WEST OF  
SR-221 TO SR-28 IN CAMDEN

The Length Of This Project Is: 2.579 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$654,000 To \$800,000

The Principal Items Of Work Are Approximately As Follows:

305B078	100 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
405A000	3760 Gallon Tack Coat
408A052	62589 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	5810 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
	Maximum Aggregate Size Mix, ESAL Range C/D
424B655	980 Ton Superpave Bituminous Concrete Upper Binder Layer,
	Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	27235 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
701A227	6 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2525 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	2 Mile Broken Temporary Traffic Stripe (Paint)
701C003	11 Mile Solid Temporary Traffic Stripe (Paint)
701G242	575 Linear Foot Broken White, Class 2, Type A Traffic Stripe (5" Wide)
703A002	8004 Square Foot Traffic Control Markings, Class 2, Type A
703B002	440 Square Foot Traffic Control Legends, Class 2, Type A
703D002	4935 Square Foot Temporary Traffic Control Markings (Paint)
703E002	104 Square Foot Temporary Traffic Control Legends (Paint)
705A030	170 Each Pavement Markers, Class A-H, Type 2-C
705A031	80 Each Pavement Markers, Class A-H, Type 1-A
705A032	1195 Each Pavement Markers, Class A-H, Type 1-B
705A037	266 Each Pavement Markers, Class A-H, Type 2-D

705A038	576 Each Pavement Markers, Class A-H, Type 2-E
740B000	632 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 35,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
 State Maintenance Project Nos.  
 99-506-005-088-701, 99-506-013-887-701 & 99-506-015-782-701  
 MONTGOMERY COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

BRIDGE SCOUR REPAIR ON SR-3 (US-31) AT CATOMA CREEK IN  
 MONTGOMERY AND ON SR-8 (US-80) AT LINE CREEK RELIEF EAST OF  
 MONTGOMERY

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
 The Bracket Estimate On This Project Is From \$435,000 To \$530,000  
 The Principal Items Of Work Are Approximately As Follows:

504G001	34 Linear Foot Steel Piling Encasement, Dry Condition
600A000	1 Lump Sum Mobilization
610C001	9310 Ton Loose Riprap, Class 2
610D000	8690 Square Yard Filter Blanket
652A100	2 Acre Seeding
656A010	2 Acre Mulching
665F000	700 Each Hay Bales
665J000	1800 Linear Foot Silt Fence, Type A
665L000	1010 Linear Foot Floating Basin Boom
665N001	300 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	1800 Linear Foot Silt Fence Removal
666A001	2 Acre Pest Control Treatment
740B000	486 Square Foot Construction Signs
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 15,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
 Transportation Director

Notice To Contractors  
 State Maintenance Project Nos.  
 99-509-022-000-821, 99-509-022-000-822 & 99-509-491-000-823  
 BALDWIN AND MOBILE COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008, and at that time publicly opened for constructing the following:

BRIDGE COATING AT 6 SITES AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Thirty Five (135) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 17.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$505,000 To \$620,000

The Principal Items Of Work Are Approximately As Follows:

521B000	1 Lump Sum Coating Existing Bridge At M.P. 20.279 - M.P. 20.316, U.S. 31 NBR
521B001	1 Lump Sum Coating Existing Bridge At M.P. 20.279 - M.P. 20.316, U.S. 31 SBR
521B002	1 Lump Sum Coating Existing Bridge At M.P. 76.021 - M.P. 76.175, U.S. 90
521B003	1 Lump Sum Coating Existing Bridge At M.P. 76.710 - M.P. 76.819, U.S. 90
521B004	1 Lump Sum Coating Existing Bridge At M.P. 13.043 - M.P. 13.089, I-65 SBR
521B005	1 Lump Sum Coating Existing Bridge At M.P. 13.043 - M.P. 13.089, I-65 NBR
600A000	1 Lump Sum Mobilization
740B000	1864 Square Foot Construction Signs
740C000	192 Square Foot Special Construction Signs
740D000	150 Each Channelizing Drums
741C010	3 Each Portable Sequential Arrow And Chevron Sign Unit
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 15,700.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
 Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-609-022-181-761  
BALDWIN COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 18, 2008 , and at that time publicly opened for constructing the following:

WIDENING (TURN LANES) ON SR-181 AT CR-44 AND AT CR-30 EAST OF FAIRHOPE

The Length Of This Project Is: 0.739 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 21.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$565,000 To \$690,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 3 Acres)
206C003	358 Square Yard Removing Concrete Flumes
206D000	232 Linear Foot Removing Pipe
206E000	7 Each Removing Headwalls
206E002	1 Each Removing Junction Boxes
206E062	1 Each Removing Tree (19 - 36 Inch)
209A000	6 Each Mailbox Reset, Single
210A000	2340 Cubic Yard Unclassified Excavation
210D022	2249 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0)
214A000	41 Cubic Yard Structure Excavation
214B000	21 Cubic Yard Foundation Backfill, Local
230A000	29 Roadbed Station Roadbed Processing
301A012	3830 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	3830 Square Yard Bituminous Treatment A
405A000	971 Gallon Tack Coat
424A360	1011 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A363	50 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	50 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	405 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B681	405 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	500 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
530A101	8 Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A102	8 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530B015	12 Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.) (Extension)
530B018	12 Linear Foot 65" Span, 40" Rise Roadway Pipe (Class 3 R.C.) (Extension)
535A085	12 Linear Foot 24" Side Drain Pipe (Class 3 R.C.)
535A087	39 Linear Foot 36" Side Drain Pipe (Class 3 R.C.)
535A089	192 Linear Foot 48" Side Drain Pipe (Class 3 R.C.)
535B088	227 Linear Foot 22" Span, 14" Rise Side Drain Pipe (Class 3 R.C.)
535B090	80 Linear Foot 18" Span, 11" Rise Side Drain Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
610D003	820 Square Yard Filter Blanket, Geotextile
614A000	90 Cubic Yard Slope Paving
619A002	1 Each 18" Roadway Pipe End Treatment, Class 1
619A102	1 Each 24" Side Drain Pipe End Treatment, Class 1
619A291	1 Each 48" Side Drain Pipe End Treatment, Class 2 (Double Line)
619B115	4 Each 18" Span, 11" Rise Side Drain Pipe End Treatment, Class 1
619B116	6 Each 22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1
620A000	2 Cubic Yard Minor Structure Concrete
621A034	2 Each Junction Boxes, Type 4 (Modified)
621B025	2 Each Junction Box Units, Type 4 (Modified)
621C110	1 Each Inlets, Type PD-6
621C112	1 Each Inlets, Type C (Modified) (Grate & Grateseat)
650A000	405 Cubic Yard Topsoil
652A100	2 Acre Seeding
654A001	1556 Square Yard Solid Sodding (Bermuda)
656A010	2 Acre Mulching
665G000	80 Each Sand Bags
665J000	1206 Linear Foot Silt Fence, Type A
665O001	1206 Linear Foot Silt Fence Removal
665P005	2 Each Inlet Protection, Stage 3 Or 4
665Q002	480 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	860 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	4 Mile Solid Temporary Traffic Stripe
701G256	600 Linear Foot Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
703A002	1737 Square Foot Traffic Control Markings, Class 2, Type A
703B002	113 Square Foot Traffic Control Legends, Class 2, Type A
705A030	25 Each Pavement Markers, Class A-H, Type 2-C
705A032	687 Each Pavement Markers, Class A-H, Type 1-B
705A037	25 Each Pavement Markers, Class A-H, Type 2-D
705A038	222 Each Pavement Markers, Class A-H, Type 2-E
740B000	909 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
998A000	1 Lump Sum Construction Fuel (Maximum Bid Limited To \$ 31,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered." Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director