



ALABAMA

Department of Transportation

www.dot.state.al.us



Notice to Contractors
Transportation Letting
JULY 25, 2008
10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.850.5328
cell: 334.850.5988



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: EBF-0012(510) Additional Lanes on SR-12 (US-84) from SR-141 to CR-364 in Elba Coffee County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday July 16, 2008**

Location: Auditorium
ALDOT Seventh Division
299 Elba Highway
Troy, Alabama 36097

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.

**Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery, Alabama 36110-2060**

The Alabama Department of Transportation intends to use the ***2008 Edition of the Standard Specifications for Highway Construction*** (Spec Book) beginning with the August 29, 2008 Letting. The 2008 Spec Book is a single volume that contains both U. S. Customary and Metric units of measurement.

The cost of the book is \$20.00 each including standard shipping via UPS ground. Books can also be picked up in person or sent overnight via FedEx if you provide your account number. Unless otherwise specified your order will be shipped standard ground.

Please fill out the request form below and mail it along with a check or money order made payable to:

**Alabama Department of Transportation
c/o Terry W. Robinson, Plans & Proposals Section
1409 Coliseum Boulevard – Room E-108
Montgomery, Alabama 36110-2060**

COMPANY NAME: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

QUANTITY: _____ X \$20.00 PER BOOK = \$ _____

DELIVERY OPTIONS (SELECT ONE)

_____ STANDARD MAIL/SHIP (VIA UPS)

_____ PICK UP

_____ OVERNIGHT (PROVIDE YOUR FEDEX ACCOUNT NUMBER):



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

It is anticipated that Project Number APD-0471(501) Jefferson County, will be in an upcoming Letting. The project is to construct the grade, drain, base, pave, and bridges, etc., for the Corridor X / I-65 Route Interchange in Birmingham.

Due to the size and complex nature of the project a preliminary plan set is available for contractor review. The plan set is on compact disk in .pdf format and is available at no cost to the contractor. If you would like a compact disk containing the preliminary plan set please provide your company name, phone number, and shipping address in the space provided below and fax or mail this form to:

**Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard - Room E-108
Montgomery Alabama 36110-2060
FAX: 334.264.7976**

Company Name

Shipping Address

Phone Number

NTC.4.9.2009



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ronald L. Baldwin".

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____

was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature

Name: _____
please print

Title: _____

Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

M. J. D. [unclear]

JAT
[Signature]

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

[illegible]

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number Instructions

- 1 . ALDOT Project Number
- 2 . County
- 3 . Division
- 4 . Prime Contractor for the Project
- 5 . DBE for this Report
- 6 . Date of Report
- 7 . ALDOT Estimate Number
- 8 . Work Period for this Estimate (Beginning Date - Ending Date)
- 9 . Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
- 10 . Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
- 11 . Unit Price of Work
- 12 . Units
- 13 . Units of Work Accomplished this Period
- 14 . Amount Performed for this Period (Block 11 times Block 13)
- 15 . Units Performed to Date
- 16 . Amount Performed to Date (Block 11 times Block 15)
- 17 . Comments Pertinent to this DBE-10
- 18 . Total of Amounts in Block 14
- 19 . Total of Amounts in Block 16
- 20 . Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

**Alabama Department of Transportation
Disadvantaged Business Enterprise (DBE) Utilization Plan**

Project Number & County: _____ Contractor Name: _____
 Letting Date: _____ Address: _____
 Contract Amount: _____
 Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer				Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____

ALDOT Approval: _____
 Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

Letting Date: _____

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failures?

Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.

In the event of diskette failure the night before the letting please call the following numbers for assistance:

334-850-5328

334-850-5988

2.1.2007.3

July 25, 2008

COMPANY NAME: _____ BY: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

MAIL ADDRESS: _____

CITY, STATE, ZIP: _____ PHONE: _____

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.
_____	_____	_____	\$ 75.00	_____
_____	_____	_____	\$ 4.00	_____
_____	_____	_____	\$ 5.00	_____
_____	_____	_____	\$ 5.00	_____
_____	_____	_____	\$ 6.00	_____
_____	_____	_____	\$ 9.00	_____
_____	_____	_____	\$ 10.00	_____
_____	_____	_____	\$ 14.00	_____
_____	_____	_____	\$ 7.00	_____
_____	_____	_____	\$ 6.00	_____
_____	_____	_____	\$ 7.00	_____
_____	_____	_____	\$ 11.00	_____
_____	_____	_____	\$ 2.00	_____
_____	_____	_____	\$ 19.00	_____
_____	_____	_____	\$ 4.00	_____
_____	_____	_____	\$ 6.00	_____
_____	_____	_____	\$ 5.00	_____
_____	_____	_____	\$ 3.00	_____
_____	_____	_____	\$ 3.00	_____
_____	_____	_____	\$ 3.00	_____
_____	_____	_____	\$ 26.00	_____
_____	_____	_____	\$ 7.00	_____
_____	_____	_____	\$ 2.00	_____
_____	_____	_____	\$ 3.00	_____
_____	_____	_____	\$ 10.00	_____
			001 EBF-0012(510) , COFFEE	
			003 RECAF-HSIPF-0074(518) , BLOUNT	
			006 NHF-0014(515) , DALLAS	
			007 EBF-0038(521) , SHELBY	
			009 BR-0114(200) , AUTAUGA	
			010 BR-6409(200) , WALKER	
			012 BRZ-4100(212) , LEE	
			013 BRZ-6100(204) , TALLADEGA	
			015 HSIP-0069(516) , ETC. , CLARKE	
			016 HSIP-0003(538) , CULLMAN	
			018 HSIP-0095(500) , ETC. , HOUSTON	
			019 HSIP-0165(501) , ETC. , BARBOUR	
			021 PFH-49-1(906) , LAWRENCE	
			024 STPAA-0003(533) , ETC. , ESCAMBIA	
			025 RECA-HSIP-0075(513) , DEKALB	
			026 STPAA-0096(502) , LAMAR	
			027 STPAA-HSIP-0010(517) , BUTLER	
			030 STPOA-CN08(265) , DALLAS	
			031 STPOA-6720(200) , WINSTON	
			033 STPOA-3129(200) , GENEVA	
			037 ST-017-888-017 , ETC. , COLBERT	
			039 99-307-203-015-801 , COVINGTON	
			041 99-506-245-005-802 , ETC. , DALLAS	
			042 99-509-002-370-860 , ETC. , MOBILE	
			043 99-409-022-042-833 , BALDWIN	

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	_____	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 COLISEUM BOULEVARD

TERRY W. ROBINSON - ROOM E-108

MONTGOMERY, ALABAMA 36110

PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976

e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
EBF-0012(510)
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

ADDITIONAL LANES (GRADE, DRAINAGE, BRIDGE AND UST REMOVAL) ON
SR-12 (US-84) FROM SR-141 TO CR-364 IN ELBA

The Length Of This Project Is: 5.582 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Eighty Five (285) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, July 16, 2008, in the auditorium of the ALDOT Seventh Division office, 299 Elba Highway, Troy, AL 36097. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$75.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$9,800,000 To \$11,900,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 159 Acres)
204A000	9 Each Closing Water Well
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
205A005	1 Each Removal Of Structures, Structure No. 5
205A006	1 Each Removal Of Structures, Structure No. 6
205A007	1 Each Removal Of Structures, Structure No. 7
205A008	1 Each Removal Of Structures, Structure No. 8
205A009	1 Each Removal Of Structures, Structure No. 9
205A010	1 Each Removal Of Structures, Structure No. 13
205A011	1 Each Removal Of Structures, Structure No. 14
205A012	1 Each Removal Of Structures, Structure No. 15
205A013	1 Each Removal Of Structures, Structure No. 16
205A014	1 Each Removal Of Structures, Structure No. 17
205A015	1 Each Removal Of Structures, Structure No. 18
205A016	1 Each Removal Of Structures, Structure No. 19

205A017 1 Each Removal Of Structures, Structure No. 20
 205A018 1 Each Removal Of Structures, Structure No. 21
 205A019 1 Each Removal Of Structures, Structure No. 22
 205A020 1 Each Removal Of Structures, Structure No. 23
 205A021 1 Each Removal of Structures, Structure No. 24
 205A022 1 Each Removal Of Structures, Structure No. 25
 205A023 1 Each Removal Of Structures, Structure No. 26
 205A024 1 Each Removal Of Structures, Structure No. 27
 205A025 1 Each Removal Of Structures, Structure No. 28
 205A026 1 Each Removal Of Structures, Structure No. 29
 205A027 1 Each Removal Of structures, Structure No. 30
 205A028 1 Each Removal Of Structures, Structure No. 31
 205A029 1 Each Removal Of Structures, Structure No. 32
 205A030 1 Each Removal Of Structures, Structure No. 33
 205A031 1 Each Removal Of Structures, Structure No. 34
 205A032 1 Each Removal Of Structures, Structure No. 35
 205A033 1 Each Removal Of Structures, Structure No. 36
 205A034 1 Each Removal Of Structures, Structure No. 37
 205A035 1 Each Removal Of Structures, Structure No. 38
 205A036 1 Each Removal Of Structures, Structure No. 39
 206B009 1 Lump Sum Removal Of Old Box Culvert, Partial, Station 691+73
 206B010 1 Lump Sum Removal Of Old Box Culvert, Partial, Station 725+00
 206C010 252 Square Yard Removing Concrete Driveway
 206C022 9999 Square Yard Removing Concrete Slab
 206D000 1005 Linear Foot Removing Pipe
 206D007 1121 Linear Foot Removing Concrete Flume
 210A000 683072 Cubic Yard Unclassified Excavation
 210D011 20482 Cubic Yard Borrow Excavation (A-4 Or Better)
 210E001 7094 Cubic Yard Borrow Excavation (Underwater Embankment)
 214A000 11379 Cubic Yard Structure Excavation
 214B001 2409 Cubic Yard Foundation Backfill, Commercial
 250B002 100 Cubic Yard Disposal Of Hydrocarbon Contaminated Soil (Specialty Item)
 250C000 4 Each Underground Storage Tank Removal (Specialty Item)
 250N001 400 Gallon Removing And Disposing Tank Contents (Sludge) (Specialty Item)
 430B000 1370 Ton Aggregate Surfacing (ALDOT #467 Or #57)
 502A000 465008 Pound Steel Reinforcement
 502B000 1 Lump Sum Steel Reinforcement For Bridge Superstructure,
 Sta. 787+45 Approx. 130,830 LBS.
 505A002 1 Each Steel Test Piles (HP 12x53)
 505B057 1 Each Static Loading Tests (HP 12x53)
 505M002 1547 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
 506A003 434 Linear Foot Drilled Shaft Excavation, 5'-0" Diameter
 506C044 434 Linear Foot Drilled Shaft Construction, 5'-0" Diameter, Class DS1 Concrete
 506G004 8 Each Crosshole Sonic Logging, 5'-0" Diameter
 508A000 10720 Pound Structural Steel
 510A000 271 Cubic Yard Bridge Substructure Concrete, Class A
 510C051 1 Lump Sum Bridge Concrete Superstructure, Sta. 787+45 Approx. 568 Cu Yds.
 510E000 1632 Square Yard Grooving Concrete Bridge Decks
 511A071 24 Each Elastomeric Bearing Type 4 (Mark VB2)
 511A073 36 Each Elastomeric Bearing Type 4 (Mark VB4)
 513B004 650 Linear Foot Pretensioned-Prestressed Concrete Girders, Type II (Specialty Item)
 513B015 1812 Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-54
 (Specialty Item)
 524B011 1572 Cubic Yard Culvert Concrete Extension (Cast In Place)
 530A000 300 Linear Foot 15" Roadway Pipe (Class 3 R.C.)
 530A001 28 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
 530A002 3248 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
 530A003 498 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
 530A006 323 Linear Foot 48" Roadway Pipe (Class 3 R.C.)
 530A018 219 Linear Foot 54" Roadway Pipe (Class 4 R.C.)
 530A155 529 Linear Foot 24" Roadway Pipe (14 Gauge C.C.S.)
 530B002 137 Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
 530B004 95 Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)
 535A001 1062 Linear Foot 18" Side Drain Pipe
 535A002 256 Linear Foot 24" Side Drain Pipe
 535A651 200 Linear Foot 18" Side Drain Pipe (Temporary)
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 170 Each Right Of Way Markers

606A000	2000 Linear Foot 6" Underdrain Pipe
610C001	12899 Ton Loose Riprap, Class 2
610D003	8016 Square Yard Filter Blanket, Geotextile
614A000	4698 Cubic Yard Slope Paving
619A002	1 Each 18" Roadway Pipe End Treatment, Class 1
619A003	17 Each 24" Roadway Pipe End Treatment, Class 1
619A004	3 Each 30" Roadway Pipe End Treatment, Class 1
619A007	3 Each 48" Roadway Pipe End Treatment, Class 1
619A008	1 Each 54" Roadway Pipe End Treatment, Class 1
619A101	38 Each 18" Side Drain Pipe End Treatment, Class 1
619A102	14 Each 24" Side Drain Pipe End Treatment, Class 1
619A203	2 Each 30" Roadway Pipe End Treatment, Class 1 (Double Line)
619B019	1 Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 1
619B117	2 Each 29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1
620A000	2 Cubic Yard Minor Structure Concrete
621A005	1 Each Junction Boxes, Type 1
621A012	4 Each Junction Boxes, Type 3 Or 3P
621A058	4 Each Junction Boxes, Type 3 (Modified)
621B005	3 Each Junction Box Units, Type 1
621C020	26 Each Inlets, Type Y
621D019	34 Each Inlet Units, Type Y
621I001	4 Each Stilling Basins, Type 1
621I002	1 Each Stilling Basins, Type 2
630A001	500 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	2 Each Guardrail End Anchor, Type 20 Series
650B000	46517 Cubic Yard Topsoil From Stockpiles
651B000	200 Ton Agricultural Limestone
652A100	151 Acre Seeding
652C000	302 Acre Mowing
654A001	9297 Square Yard Solid Sodding (Bermuda)
656A010	151 Acre Mulching
659A036	2000 Square Yard Rolled Erosion Control Product, Type (2D)
665A000	159 Acre Temporary Seeding
665B000	159 Acre Temporary Mulching
665C010	1708 Linear Foot Temporary Pipe
665E000	4588 Square Yard Polyethylene
665F000	500 Each Hay Bales
665G000	500 Each Sand Bags
665I000	1710 Ton Temporary Riprap, Class 2
665J002	53990 Linear Foot Silt Fence
665K000	1120 Cubic Yard Drainage Sump Excavation
665L000	1694 Linear Foot Floating Basin Boom
665N000	1290 Ton Temporary Coarse Aggregate, ALDOT Number 1
665N001	200 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	26995 Linear Foot Silt Fence Removal
665P005	74 Each Inlet Protection, Stage 3 Or 4
665Q002	14144 Linear Foot Wattle
665T000	9175 Linear Foot Temporary Earth Berms
666A001	151 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 533,000.00)
726A000	850 Linear Foot Portable Concrete Safety Barriers, Type 6
740B000	1059 Square Foot Construction Signs
740D000	800 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740F002	53 Each Barricades, Type III
740I005	6 Each Warning Lights, Type B (Detachable Head)
740M001	100 Each Ballast For Cone
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 Federal Aid Project No.
 RECAF-HSIPF-0074(518)
 BLOUNT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-74 (US-278) FROM
 SR-53 (US-231) TO EAST OF SR-79 IN BROOKSVILLE

The Length Of This Project Is: 3.180 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty
 (50) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,300,000 To \$1,600,000

The Principal Items Of Work Are Approximately As Follows:

305B077	500 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	7372 Gallon Tack Coat
407B000	10 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	105371 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A281	10356 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A287	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A367	1681 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	93 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B285	1500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424C371	1435 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	29009 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization

652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	50 Each Hay Bales
665G000	50 Each Sand Bags
665J002	300 Linear Foot Silt Fence
665O001	300 Linear Foot Silt Fence Removal
665Q002	250 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 69,000.00)
701A227	7 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	6 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	5830 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	12 Mile Broken Temporary Traffic Stripe
701C001	23 Mile Solid Temporary Traffic Stripe
701G251	2400 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	2276 Square Foot Traffic Control Markings, Class 2, Type A
703B002	854 Square Foot Traffic Control Legends, Class 2, Type A
703D001	384 Square Foot Temporary Traffic Control Markings
705A031	350 Each Pavement Markers, Class A-H, Type 1-A
705A032	576 Each Pavement Markers, Class A-H, Type 1-B
705A037	98 Each Pavement Markers, Class A-H, Type 2-D
705A038	280 Each Pavement Markers, Class A-H, Type 2-E
740B000	1441 Square Foot Construction Signs
740C000	32 Square Foot Special Construction Signs
740E000	1318 Each Cones (36 Inches High)
740M001	1318 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0014(515)
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-8 (US-80) FROM
SR-14 TO BROAD STREET AND ON SR-14 FROM BROAD STREET TO SR-41 IN
SELMA

The Length Of This Project Is: 3.120 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$2,280,000 To \$2,790,000
The Principal Items Of Work Are Approximately As Follows:

405A000	12000	Gallon Tack Coat
407B000	17	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	125000	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	600	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
408A055	18300	Square Yard Planing Existing Pavement (Approximately 4.10" Thru 5.0" Thick)
410H000	1	Each Material Remixing Device
423A003	12100	Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423B001	3450	Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
424B285	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B289	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	17450	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
641S500	12	Each Valve Box Reset
645K500	11	Each Manhole Frame And Cover Reset
650A000	250	Cubic Yard Topsoil
652A100	1	Acre Seeding

654A000	250	Square Yard Solid Sodding
656A010	1	Acre Mulching
659A026	500	Square Yard Rolled Erosion Control Product, Type (1B)
665F000	200	Each Hay Bales
665J002	2000	Linear Foot Silt Fence
665O001	2000	Linear Foot Silt Fence Removal
666A001	1	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 123,000.00)
701A227	5	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	7	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	8250	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	20	Mile Broken Temporary Traffic Stripe
701C001	22	Mile Solid Temporary Traffic Stripe
701F000	16500	Linear Foot Dotted Temporary Traffic Stripe
703A002	9725	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1100	Square Foot Traffic Control Legends, Class 2, Type A
703D001	19450	Square Foot Temporary Traffic Control Markings
703E001	480	Square Foot Temporary Traffic Control Legends
705A030	34	Each Pavement Markers, Class A-H, Type 2-C
705A031	635	Each Pavement Markers, Class A-H, Type 1-A
705A032	206	Each Pavement Markers, Class A-H, Type 1-B
705A037	525	Each Pavement Markers, Class A-H, Type 2-D
705A038	206	Each Pavement Markers, Class A-H, Type 2-E
730H001	45000	Linear Foot Loop Wire
740B000	1247	Square Foot Construction Signs
740C000	144	Square Foot Special Construction Signs
740D000	300	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
EBF-0038(521)
SHELBY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-38 (US-280) FROM
CR-55 IN WESTOVER TO CR-62 IN HARPERSVILLE

The Length Of This Project Is: 4.445 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,615,000 To \$3,195,000

The Principal Items Of Work Are Approximately As Follows:

206C002	520	Square Yard Removing Concrete Slope Paving
206D001	4050	Linear Foot Removing Guardrail
206D002	7222	Linear Foot Removing Curb
206E008	34	Each Removing Guardrail End Anchor (All Type)
209A000	1	Each Mailbox Reset, Single
210A000	2500	Cubic Yard Unclassified Excavation
210D001	3400	Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1000	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	15027	Gallon Tack Coat
407B000	29	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	214662	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A281	12688	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A287	6200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A367	6663	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D

424A370	506	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B285	2000	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	92613	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
630A001	4200	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	12	Each Guardrail End Anchor, Type 8
630C003	7	Each Guardrail End Anchor, Type 13
630C070	15	Each Guardrail End Anchor, Type 10 Series
650B000	1380	Cubic Yard Topsoil From Stockpiles
652A100	2	Acre Seeding
656A010	2	Acre Mulching
665A000	2	Acre Temporary Seeding
665B000	2	Acre Temporary Mulching
665F000	250	Each Hay Bales
665G000	150	Each Sand Bags
665J002	7000	Linear Foot Silt Fence
665O001	7000	Linear Foot Silt Fence Removal
665Q002	800	Linear Foot Wattle
666A001	2	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 141,000.00)
701A227	10	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	9	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	8617	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	18	Mile Broken Temporary Traffic Stripe
701C001	36	Mile Solid Temporary Traffic Stripe
701G142	634	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	634	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	634	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1268	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	634	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	352	Square Foot Traffic Control Markings, Class 2, Type A
703B002	381	Square Foot Traffic Control Legends, Class 2, Type A
703D001	144	Square Foot Temporary Traffic Control Markings
705A030	181	Each Pavement Markers, Class A-H, Type 2-C
705A031	1155	Each Pavement Markers, Class A-H, Type 1-A
731A013	1	Each Traffic Counting Units, Type N
740B000	1359	Square Foot Construction Signs
740C000	64	Square Foot Special Construction Signs
740E000	1080	Each Cones (36 Inches High)
740M001	1080	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-0114(200)
AUTAUGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-40 AT LITTLE MULBERRY CREEK NORTHEAST
OF BONITA

The Length Of This Project Is: 0.025 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$600,000 To \$725,000

The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 4+50.31
210A000	132 Cubic Yard Unclassified Excavation
502A000	8100 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Station 4+30, Approx. 31,400 Pounds
505A039	1 Each Steel Test Piles (HP 14 x 102) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505B109	1 Each Static Loading Tests (HP 14x102) (Maximum Bid Limited To \$2000 Per Each Loading Test)
505M011	863 Linear Foot Steel Piling Furnished And Driven (HP 14X102)
508A000	3300 Pound Structural Steel
510A000	65 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Station 4+30, Approx. 140 Cubic Yards
510E000	360 Square Yard Grooving Concrete Bridge Decks
511A053	8 Each Elastomeric Bearing Type 2 (Mark B4)
513B017	528 Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-72 (Specialty Item)
600A000	1 Lump Sum Mobilization
610C001	714 Ton Loose Riprap, Class 2
610D000	848 Square Yard Filter Blanket
630C003	4 Each Guardrail End Anchor, Type 13

630C050	4 Each Guardrail End Anchor, Type 20 Series
665F000	67 Each Hay Bales
665J002	670 Linear Foot Silt Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 17,500.00)
740B000	157 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BR-6409(200)
WALKER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-22 AT CANE CREEK IN CORDOVA

The Length Of This Project Is: 0.056 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Thirty (130) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$9.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,298,000 To \$1,585,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000 Per Acre) (Approx. 1 Acre)
206A000	1 Lump Sum Removal Of Old Bridge, Station Sta. 214+32
210D001	300 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
502A000	63038 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 214+42, Approx 69525 Lbs
505G003	20 Each Pile Points (Type A, 12")
505M002	633 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
506A003	55 Linear Foot Drilled Shaft Excavation, 5'-0" Diameter
506A008	72 Linear Foot Drilled Shaft Excavation, 4'-0" Diameter
506B003	90 Linear Foot Special Drilled Shaft Excavation, 4'-0" Diameter
506B005	45 Linear Foot Special Drilled Shaft Excavation, 5'-0" Diameter
506C042	162 Linear Foot Drilled Shaft Construction, 4'-0" Diameter, Class DS1 Concrete
506C044	100 Linear Foot Drilled Shaft Construction, 5'-0" Diameter, Class DS1 Concrete
506F006	55 Linear Foot Permanent Drilled Shaft Casing, 5'-0" Diameter
506F008	26 Linear Foot Permanent Drilled Shaft Casing, 4'-0" Diameter
506G002	4 Each Crosshole Sonic Logging, 4'-0" Diameter
506G004	2 Each Crosshole Sonic Logging, 5'-0" Diameter
508A000	5771 Pound Structural Steel

508B032	1 Each Structural Steel Superstructure, 60'-60'-100'-80' Continuous Span, Approx. 279,315 Lbs (SPECIALTY ITEM)
510A000	81 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Approx 200 Cu Yds
510E000	859 Square Yard Grooving Concrete Bridge Decks
511A004	20 Each Elastomeric Bearing Type 4
600A000	1 Lump Sum Mobilization
610C001	1135 Ton Loose Riprap, Class 2
610D003	1131 Square Yard Filter Blanket, Geotextile
630C003	4 Each Guardrail End Anchor, Type 13
630C050	4 Each Guardrail End Anchor, Type 20 Series
665I000	257 Ton Temporary Riprap, Class 2
665J002	800 Linear Foot Silt Fence
665O001	800 Linear Foot Silt Fence Removal
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 34,000.00)
701A012	1 Mile Solid Yellow, Class 1, Type A Traffic Stripe
740B000	45 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRZ-4100(212)
LEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON CR-252 AT TRIBUTARY TO
HALAWAKEE CREEK NORTHEAST OF OPELIKA

The Length Of This Project Is: 0.256 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty
(120) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$10.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$840,000 To \$1,000,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ \$4000 Per Acre) (Approximately 1 Acre)
206A000	1 Lump Sum Removal Of Old Bridge, Station 53+48.3
210A000	2236 Cubic Yard Unclassified Excavation
210D001	3862 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
230A000	12 Roadbed Station Roadbed Processing
301A012	2825 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	2825 Square Yard Bituminous Treatment A
405A000	91 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	212 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	400 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
502A000	49252 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta 52+65, Approx. 53711 Lbs
506A004	96 Linear Foot Drilled Shaft Excavation, 3'-0" Diameter
506A005	160 Linear Foot Drilled Shaft Excavation, 3'-6" Diameter
506B001	40 Linear Foot Special Drilled Shaft Excavation, 3'-0" Diameter

506B002	80	Linear Foot Special Drilled Shaft Excavation, 3'-6" Diameter
506C040	136	Linear Foot Drilled Shaft Construction, 3'-0" Diameter, Class DS1 Concrete
506C041	240	Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete
506F000	160	Linear Foot Permanent Drilled Shaft Casing, 3'-6" Diameter
506F004	96	Linear Foot Permanent Drilled Shaft Casing, 3'-0" Diameter
506G000	4	Each Crosshole Sonic Logging, 3'-0" Diameter
506G001	8	Each Crosshole Sonic Logging, 3'-6" Diameter
508A000	6385	Pound Structural Steel
510A000	78	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, STA 52+65 (Approx 203 Cubic Yards)
510E000	594	Square Yard Grooving Concrete Bridge Decks
511A070	40	Each Elastomeric Bearing Type 4 (Mark VB1)
513B003	878	Linear Foot Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)
600A000	1	Lump Sum Mobilization
610C001	630	Ton Loose Riprap, Class 2
610D000	589	Square Yard Filter Blanket
630C003	4	Each Guardrail End Anchor, Type 13
630C050	4	Each Guardrail End Anchor, Type 20 Series
650A000	111	Cubic Yard Topsoil
652A100	1	Acre Seeding
656A010	1	Acre Mulching
665F000	100	Each Hay Bales
665J002	2748	Linear Foot Silt Fence
665O001	2748	Linear Foot Silt Fence Removal
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 47,000.00)
701A004	1	Mile Solid White, Class 1, Type A Traffic Stripe
701A012	1	Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C001	1	Mile Solid Temporary Traffic Stripe
740B000	233	Square Foot Construction Signs
740F002	8	Each Barricades, Type III
740I005	2	Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRZ-6100(204)
TALLADEGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON CR-105 AT TALLASEEHATCHEE
CREEK NORTH OF SYLACAUGA

The Length Of This Project Is: 0.290 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Fifty (150) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$14.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,100,000 To \$1,300,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx. 2 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 5+74.57
206D000	67 Linear Foot Removing Pipe
210A000	2079 Cubic Yard Unclassified Excavation
210D000	10300 Cubic Yard Borrow Excavation
214A000	65 Cubic Yard Structure Excavation
214B001	33 Cubic Yard Foundation Backfill, Commercial
230A000	13 Roadbed Station Roadbed Processing
301A012	3315 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	3170 Square Yard Bituminous Treatment A
405A000	91 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	225 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	369 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B666	378 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B

502A000	53100	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta 4+62, Approx 58,300 Pounds
506A005	87	Linear Foot Drilled Shaft Excavation, 3'-6" Diameter
506A008	40	Linear Foot Drilled Shaft Excavation, 4'-0" Diameter
506B002	48	Linear Foot Special Drilled Shaft Excavation, 3'-6" Diameter
506B003	48	Linear Foot Special Drilled Shaft Excavation, 4'-0" Diameter
506C041	135	Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete
506C042	88	Linear Foot Drilled Shaft Construction, 4'-0" Diameter, Class DS1 Concrete
506D000	96	Linear Foot Exploration Below Drilled Shaft
506F000	87	Linear Foot Permanent Drilled Shaft Casing, 3'-6" Diameter
506F008	40	Linear Foot Permanent Drilled Shaft Casing, 4'-0" Diameter
508A000	5003	Pound Structural Steel
510A000	119	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Sta 4+62, Approx 266 Cubic Yards)
510E000	640	Square Yard Grooving Concrete Bridge Decks
511A051	32	Each Elastomeric Bearing Type 2 (Mark B2)
513B004	944	Linear Foot Pretensioned-Prestressed Concrete Girders, Type II (Specialty Item)
530A002	144	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
610C001	1406	Ton Loose Riprap, Class 2
610D000	1066	Square Yard Filter Blanket
619A202	2	Each 24" Roadway Pipe End Treatment, Class 1 (Double Line)
630C003	4	Each Guardrail End Anchor, Type 13
630C050	4	Each Guardrail End Anchor, Type 20 Series
650A000	729	Cubic Yard Topsoil
652A100	2	Acre Seeding
656A010	2	Acre Mulching
659A036	7614	Square Yard Rolled Erosion Control Product, Type (2D)
665F000	315	Each Hay Bales
665I000	300	Ton Temporary Riprap, Class 2
665J002	3146	Linear Foot Silt Fence
665O001	3146	Linear Foot Silt Fence Removal
665Q002	440	Linear Foot Wattle
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 53,000.00)
701A004	1	Mile Solid White, Class 1, Type A Traffic Stripe
701A012	1	Mile Solid Yellow, Class 1, Type A Traffic Stripe
740B000	158	Square Foot Construction Signs
740F002	8	Each Barricades, Type III
740I005	4	Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0069(516) & 99-308-134-069-808
CLARKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-69 FROM SR-12
(US-84) (MP 22.570) IN COFFEEVILLE TO SOUTH OF CR-31 NORTH (MP 30.440)

The Length Of This Project Is: 7.870 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five
(65) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,020,000 To \$2,470,000

The Principal Items Of Work Are Approximately As Follows:

206C010	4	Square Yard Removing Concrete Driveway
209A000	3	Each Mailbox Reset, Single
401B100	120046	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	3821	Gallon Tack Coat
407B000	8	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	118714	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	9192	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	12737	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	1350	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424C371	3137	Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	78514	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
430B043	1184	Ton Aggregate Surfacing (1" Down, Crusher Run)
502A000	535	Pound Steel Reinforcement
524B011	11	Cubic Yard Culvert Concrete Extension (Cast In Place)

600A000	1 Lump Sum Mobilization
650A000	100 Cubic Yard Topsoil
652A100	10 Acre Seeding
656A010	10 Acre Mulching
659A036	100 Square Yard Rolled Erosion Control Product, Type (2D)
665E000	100 Square Yard Polyethylene
665F000	100 Each Hay Bales
665J002	3000 Linear Foot Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle
666A001	10 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 106,000.00)
701A227	16 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	19 Mile Broken Temporary Traffic Stripe (Paint)
701C003	109 Mile Solid Temporary Traffic Stripe (Paint)
703A002	150 Square Foot Traffic Control Markings, Class 2, Type A
703B002	213 Square Foot Traffic Control Legends, Class 2, Type A
703D002	600 Square Foot Temporary Traffic Control Markings (Paint)
703E002	629 Square Foot Temporary Traffic Control Legends (Paint)
705A032	241 Each Pavement Markers, Class A-H, Type 1-B
705A037	769 Each Pavement Markers, Class A-H, Type 2-D
740B000	1016 Square Foot Construction Signs
740C000	42 Square Foot Special Construction Signs
740D000	100 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0003(538)
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING (PAVER-LAID SURFACE TREATMENT) & TRAFFIC STRIPE ON
SR-3 (US-31) FROM NEAR CR-566 AT HURRICANE CREEK PARK TO
CR-1282 NORTH OF CULLMAN

The Length Of This Project Is: 1.000 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty
(40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$460,000 To \$560,000

The Principal Items Of Work Are Approximately As Follows:

404H000	5034 Gallon Paver-Laid Surface Treatment Tack Coat
404I000	1182 Ton Paver-Laid Surface Treatment Plant Mix
430B040	23 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
453C000	237 Square Yard Removal Of Concrete Pavement Slab
453D000	66 Cubic Yard Concrete Pavement Replacement Slab
454A002	43296 Linear Foot Cleaning And Sealing Concrete Pavement, Type II, Joints
454A003	1000 Linear Foot Cleaning And Sealing Concrete Pavement, Type II, Cracks
457A000	4500 Pound Undersealing Concrete Pavement
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 24,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	4 Mile Solid Temporary Traffic Stripe
701E003	1200 Linear Foot Solid Temporary Traffic Stripe (Tape)
701E013	500 Linear Foot Broken Temporary Traffic Stripe (Tape)
703A002	24 Square Foot Traffic Control Markings, Class 2, Type A
703D001	24 Square Foot Temporary Traffic Control Markings
705A030	4 Each Pavement Markers, Class A-H, Type 2-C

705A031	132 Each Pavement Markers, Class A-H, Type 1-A
728A000	2 Each Truck Mounted Impact Attenuator Unit
740B000	360 Square Foot Construction Signs
740D000	120 Each Channelizing Drums
740E000	120 Each Cones (36 Inches High)
740M001	120 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0095(500) & 99-307-351-095-801
HOUSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-95 FROM SR-52 TO
THE HENRY COUNTY LINE IN COLUMBIA

The Length Of This Project Is: 1.076 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00 , a Non-Bid Proposal may be purchased for \$5.00 , and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$280,000 To \$340,000

The Principal Items Of Work Are Approximately As Follows:

209A000	1 Each Mailbox Reset, Single
210D021	100 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	49 Station Machine Grading Shoulders
401B108	1424 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	363 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	21121 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A338	798 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424A341	1832 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	204 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
652A100	3 Acre Seeding
652C000	3 Acre Mowing
656A010	3 Acre Mulching
665J002	500 Linear Foot Silt Fence
665O001	500 Linear Foot Silt Fence Removal

665Q002	200	Linear Foot Wattle
666A001	3	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 14,500.00)
701A227	3	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	211	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	1	Mile Broken Temporary Traffic Stripe
701C001	9	Mile Solid Temporary Traffic Stripe
701D007	1	Mile Solid Traffic Stripe Removed (Paint)
701D008	1	Mile Solid Traffic Stripe Removed (Plastic)
701D014	1	Mile Broken Traffic Stripe Removed (Paint)
701D015	1	Mile Broken Traffic Stripe Removed (Plastic)
703A002	333	Square Foot Traffic Control Markings, Class 2, Type A
703B002	591	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1462	Square Foot Temporary Traffic Control Markings
703E001	546	Square Foot Temporary Traffic Control Legends
705A030	18	Each Pavement Markers, Class A-H, Type 2-C
705A032	196	Each Pavement Markers, Class A-H, Type 1-B
705A037	160	Each Pavement Markers, Class A-H, Type 2-D
705A038	98	Each Pavement Markers, Class A-H, Type 2-E
740B000	503	Square Foot Construction Signs
740E000	150	Each Cones (36 Inches High)
740M001	150	Each Ballast For Cone
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0165(501) & 99-307-036-165-801
BARBOUR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-165 FROM SR-1 (US-431) IN
EUFULA TO THE RUSSELL COUNTY LINE

The Length Of This Project Is: 5.486 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$11.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,400,000 To \$1,700,000

The Principal Items Of Work Are Approximately As Follows:

206D001	1475 Linear Foot Removing Guardrail
209A000	3 Each Mailbox Reset, Single
210D021	3525 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	556 Station Machine Grading Shoulders
405A000	13209 Gallon Tack Coat
407B000	11 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	80060 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A358	3202 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	7925 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A365	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	2057 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
630A001	1513 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	4 Each Guardrail End Anchor, Type 20 Series
652A100	16 Acre Seeding
652C000	25 Acre Mowing
654A001	191 Square Yard Solid Sodding (Bermuda)

656A010	16 Acre Mulching
659A036	1000 Square Yard Rolled Erosion Control Product, Type (2D)
665G000	50 Each Sand Bags
665J002	1500 Linear Foot Silt Fence
665O001	1500 Linear Foot Silt Fence Removal
665Q002	1000 Linear Foot Wattle
666A001	16 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 62,500)
701A227	12 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	122 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	34 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G252	300 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
703A002	1449 Square Foot Traffic Control Markings, Class 2, Type A
703B002	45 Square Foot Traffic Control Legends, Class 2, Type A
703D001	229 Square Foot Temporary Traffic Control Markings
705A030	195 Each Pavement Markers, Class A-H, Type 2-C
705A032	100 Each Pavement Markers, Class A-H, Type 1-B
705A037	374 Each Pavement Markers, Class A-H, Type 2-D
740B000	1145 Square Foot Construction Signs
740C000	48 Square Foot Special Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
PFH-49-1(906)
LAWRENCE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-89, CR-76 AND CR-84 FROM
CR-73 TO CR-598 IN THE WILLIAM B. BANKHEAD NATIONAL FOREST

The Length Of This Project Is: 5.094 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,100,000 To \$1,300,000
The Principal Items Of Work Are Approximately As Follows:

301A012	74722 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	62767 Square Yard Bituminous Treatment A
405A000	1793 Gallon Tack Coat
407B000	5 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	4185 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	5978 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1852 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 57,000.00)
701A004	10 Mile Solid White, Class 1, Type A Traffic Stripe
701A235	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	9 Mile Solid Temporary Traffic Stripe
705A032	168 Each Pavement Markers, Class A-H, Type 1-B
705A037	505 Each Pavement Markers, Class A-H, Type 2-D

740B000 168 Square Foot Construction Signs
740E000 40 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0003(533) & STPAA-0003(542)
ESCAMBIA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, TRAFFIC STRIPE AND TURN LANES ON SR-3
(US-31) FROM THE BALDWIN COUNTY LINE THROUGH ATMORE TO FLOMATON
(MP 55.299)

The Length Of This Project Is: 21.291 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
(90) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$19.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,000,000 To \$3,700,000

The Principal Items Of Work Are Approximately As Follows:

206C002	314 Square Yard Removing Concrete Slope Paving
206C010	66 Square Yard Removing Concrete Driveway
206D000	399 Linear Foot Removing Pipe
209A000	1 Each Mailbox Reset, Single
210A000	1876 Cubic Yard Unclassified Excavation
210D022	2120 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0)
230A000	12 Roadbed Station Roadbed Processing
301A012	2650 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	2650 Square Yard Bituminous Treatment A
405A000	19492 Gallon Tack Coat
407B000	31 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	6045 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	52051 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	33258 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D

424A367	2200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	326	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	358	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	196045	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B043	250	Ton Aggregate Surfacing (1" Down, Crusher Run)
535B088	728	Linear Foot 22" Span, 14" Rise Side Drain Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
610D003	200	Square Yard Filter Blanket, Geotextile
614A000	23	Cubic Yard Slope Paving
618B000	55	Square Yard Concrete Driveway, 4" Thick
619B116	20	Each 22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1
622A002	2	Each Manhole Covers Reset (Sanitary)
650A000	35057	Cubic Yard Topsoil
652A100	52	Acre Seeding
654A001	1033	Square Yard Solid Sodding (Bermuda)
656A010	52	Acre Mulching
659A041	467	Square Yard Rolled Erosion Control Product, Type (3B)
659A048	1011	Square Yard Rolled Erosion Control Product, Type (5A)
665A000	1	Acre Temporary Seeding
665B000	1	Acre Temporary Mulching
665E000	50	Square Yard Polyethylene
665G000	275	Each Sand Bags
665I000	30	Ton Temporary Riprap, Class 2
665J002	4750	Linear Foot Silt Fence
665O001	4750	Linear Foot Silt Fence Removal
665Q002	1600	Linear Foot Wattle
666A001	52	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 153,000.00)
701A227	43	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	27	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	9	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	731	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	11	Mile Broken Temporary Traffic Stripe
701C001	14	Mile Solid Temporary Traffic Stripe
701C002	2	Mile Broken Temporary Traffic Stripe (Paint)
701C003	13	Mile Solid Temporary Traffic Stripe (Paint)
701G146	1224	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	272	Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	680	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H000	816	Linear Foot Solid Traffic Stripe Removed (Paint)
701H001	1088	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	272	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	6795	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1068	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1443	Square Foot Temporary Traffic Control Markings
705A030	83	Each Pavement Markers, Class A-H, Type 2-C
705A031	285	Each Pavement Markers, Class A-H, Type 1-A
705A032	1219	Each Pavement Markers, Class A-H, Type 1-B
705A037	1529	Each Pavement Markers, Class A-H, Type 2-D
705A038	457	Each Pavement Markers, Class A-H, Type 2-E
740B000	1417	Square Foot Construction Signs
740C000	76	Square Foot Special Construction Signs
740D000	100	Each Channelizing Drums
740E000	250	Each Cones (36 Inches High)
740M001	250	Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
RECA-HSIP-0075(513)
DEKALB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-75 FROM THE
MARSHALL COUNTY LINE (MP 64.810) TO NORTH OF MOORE'S CROSSROADS
(MP 77.800)

The Length Of This Project Is: 11.350 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,465,000 To \$3,000,000

The Principal Items Of Work Are Approximately As Follows:

405A000	12133	Gallon Tack Coat
407B000	23	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	196344	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	500	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	13631	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	25242	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	75	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	904	Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	5609	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
652A100	3	Acre Seeding
656A010	3	Acre Mulching

665J002	5000 Linear Foot Silt Fence
665O001	5000 Linear Foot Silt Fence Removal
665Q002	700 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 130,000.00)
701A227	23 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	11 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	742 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	21 Mile Broken Temporary Traffic Stripe
701C001	65 Mile Solid Temporary Traffic Stripe
701G146	528 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	264 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	264 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	33 Square Foot Traffic Control Markings, Class 2, Type A
703B002	45 Square Foot Traffic Control Legends, Class 2, Type A
703D001	66 Square Foot Temporary Traffic Control Markings
703E001	90 Square Foot Temporary Traffic Control Legends
705A032	466 Each Pavement Markers, Class A-H, Type 1-B
705A037	926 Each Pavement Markers, Class A-H, Type 2-D
740B000	1144 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0096(502)
LAMAR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-96 FROM THE
MISSISSIPPI STATE LINE TO EAST OF SR-17 IN MILLPORT

The Length Of This Project Is: 12.490 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five
(65) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,900,000 To \$2,300,000
The Principal Items Of Work Are Approximately As Follows:

209A000	19 Each Mailbox Reset, Single
209A001	2 Each Mailbox Reset, Double
209A002	3 Each Mailbox Reset, Multiple
210D021	4592 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
305B077	1030 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401B100	49449 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	15752 Gallon Tack Coat
407B000	18 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	49689 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	197 Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
408A059	1074 Square Yard Planing Existing Pavement (Approximately 8.10" Thru 9.0" Thick)
410C000	1 Each Contractor Retained Profilograph
410H000	1 Each Material Remixing Device
424A360	13738 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	266 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	166 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B657	12732	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	327	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
650A000	3280	Cubic Yard Topsoil
652A100	9	Acre Seeding
656A010	9	Acre Mulching
659A036	400	Square Yard Rolled Erosion Control Product, Type (2D)
665G000	25	Each Sand Bags
665J002	1500	Linear Foot Silt Fence
665O001	1500	Linear Foot Silt Fence Removal
665Q002	600	Linear Foot Wattle
666A001	9	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 106,000.00)
701A227	22	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	13	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	16	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	16	Mile Broken Temporary Traffic Stripe
701C001	34	Mile Solid Temporary Traffic Stripe
703A002	127	Square Foot Traffic Control Markings, Class 2, Type A
703B002	16	Square Foot Traffic Control Legends, Class 2, Type A
703D001	127	Square Foot Temporary Traffic Control Markings
705A031	151	Each Pavement Markers, Class A-H, Type 1-A
705A032	394	Each Pavement Markers, Class A-H, Type 1-B
705A037	1015	Each Pavement Markers, Class A-H, Type 2-D
705A038	88	Each Pavement Markers, Class A-H, Type 2-E
740B000	1421	Square Foot Construction Signs
740C000	24	Square Foot Special Construction Signs
740D000	50	Each Channelizing Drums
740E000	250	Each Cones (36 Inches High)
740M001	250	Each Ballast For Cone
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0010(517)
BUTLER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-10 FROM THE WILCOX
COUNTY LINE TO BOLLING STREET IN GREENVILLE

The Length Of This Project Is: 17.622 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five
(75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,240,000 To \$3,960,000

The Principal Items Of Work Are Approximately As Follows:

206C010	15	Square Yard Removing Concrete Driveway
206D000	12	Linear Foot Removing Pipe
206E000	4	Each Removing Headwalls
210D021	3000	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
405A000	22525	Gallon Tack Coat
407B000	58	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	305527	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	28970	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	1500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	250	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	6710	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	164300	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	350	Ton Aggregate Surfacing (ALDOT #410 Or #467)
530A101	48	Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
535A080	16	Linear Foot 18" Side Drain Pipe (Class 3 R.C.)

600A000	1 Lump Sum Mobilization
619A002	4 Each 18" Roadway Pipe End Treatment, Class 1
619A101	2 Each 18" Side Drain Pipe End Treatment, Class 1
620A000	1 Cubic Yard Minor Structure Concrete
641S500	10 Each Valve Box Reset
645K500	11 Each Manhole Frame And Cover Reset
650A000	7800 Cubic Yard Topsoil
652A100	16 Acre Seeding
654A000	250 Square Yard Solid Sodding
656A010	16 Acre Mulching
659A026	500 Square Yard Rolled Erosion Control Product, Type (1B)
665A000	16 Acre Temporary Seeding
665B000	16 Acre Temporary Mulching
665F000	1000 Each Hay Bales
665J002	3000 Linear Foot Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
666A001	16 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$185,500.00)
701A227	33 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	25 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	10 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2400 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	15 Mile Broken Temporary Traffic Stripe
701C001	126 Mile Solid Temporary Traffic Stripe
701G142	264 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	264 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	528 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	792 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	264 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	3000 Square Foot Traffic Control Markings, Class 2, Type A
703B002	700 Square Foot Traffic Control Legends, Class 2, Type A
703D001	6000 Square Foot Temporary Traffic Control Markings
703E001	700 Square Foot Temporary Traffic Control Legends
705A030	240 Each Pavement Markers, Class A-H, Type 2-C
705A031	210 Each Pavement Markers, Class A-H, Type 1-A
705A032	440 Each Pavement Markers, Class A-H, Type 1-B
705A037	1920 Each Pavement Markers, Class A-H, Type 2-D
705A038	50 Each Pavement Markers, Class A-H, Type 2-E
728A000	1 Each Truck Mounted Impact Attenuator Unit
730H001	2000 Linear Foot Loop Wire
740B000	2730 Square Foot Construction Signs
740C000	234 Square Foot Special Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740L005	48 Each Vertical Panel, Type I (Double-Sided)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN08(265)
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-9 AND CR-45 AT SITES AS
INDICATED ON THE PLANS

The Length Of This Project Is: 6.442 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$775,000 To \$950,000

The Principal Items Of Work Are Approximately As Follows:

206E019	4 Each Removing Guardrail End Anchor (Type 10)
405A000	1461 Gallon Tack Coat
407B000	8 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	6498 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B639	443 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	3623 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	590 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630C050	4 Each Guardrail End Anchor, Type 20 Series
650A000	1261 Cubic Yard Topsoil
652A100	6 Acre Seeding
656A010	6 Acre Mulching
665F000	580 Each Hay Bales
665J002	2900 Linear Foot Silt Fence
665O001	2900 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 40,000.00)
701A030	14 Mile Solid White, Class 2T, Type A Traffic Stripe

701A034	14 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	4 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	28 Mile Solid Temporary Traffic Stripe
701G251	2025 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A004	460 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	142 Each Pavement Markers, Class A-H, Type 1-B
705A037	568 Each Pavement Markers, Class A-H, Type 2-D
740B000	391 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	2 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-6720(200)
WINSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-39 FROM CR-3733 TO CR-43
NORTHEAST OF ADDISON

The Length Of This Project Is: 6.165 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$500,000 To \$609,000
The Principal Items Of Work Are Approximately As Follows:

401B106	65613	Square Yard Bituminous Treatment JG (With Polymer Additive)
401B108	65613	Square Yard Bituminous Treatment G (With Polymer Additive)
424B642	4432	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1	Lump Sum Mobilization
630A001	175	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	2	Each Guardrail End Anchor, Type 20 Series
630C070	2	Each Guardrail End Anchor, Type 10 Series
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 25,500.00)
701A004	12	Mile Solid White, Class 1, Type A Traffic Stripe
701A008	1	Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	11	Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	1	Mile Broken Temporary Traffic Stripe
701C001	11	Mile Solid Temporary Traffic Stripe
703A002	168	Square Foot Traffic Control Markings, Class 2, Type A
740B000	482	Square Foot Construction Signs
740E000	50	Each Cones (36 Inches High)
740M001	50	Each Ballast For Cone
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-3129(200)
GENEVA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-9 FROM SR-103 TO THE
HOUSTON COUNTY LINE NORTH OF SLOCOMB

The Length Of This Project Is: 3.900 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$400,000 To \$500,000

The Principal Items Of Work Are Approximately As Follows:

210D021	850 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	412 Station Machine Grading Shoulders
405A000	2746 Gallon Tack Coat
407B000	4 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	3966 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1602 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B641	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
652A100	12 Acre Seeding
656A010	6 Acre Mulching
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 22,000)
701A030	8 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	3 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	4 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	4 Mile Solid Temporary Traffic Stripe
703A004	240 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	131 Each Pavement Markers, Class A-H, Type 1-B

705A037 289 Each Pavement Markers, Class A-H, Type 2-D
740B000 324 Square Foot Construction Signs
7400000 1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
ST-017-888-017 & ST-017-888-018
COLBERT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

RELOCATION AND ADDITIONAL LANES OF GARNER LANE FROM THE NORFOLK SOUTHERN RAILWAY TO CR-35 (HALEY DRIVE) & ON CR-35 FROM THE RR OVERPASS TO N OF CR-35

The Length Of This Project Is: 3.763 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety (90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$26.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$2,845,000 To \$3,475,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1	Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approx. 6 Acres)
210A000	71880	Cubic Yard Unclassified Excavation
210D000	77753	Cubic Yard Borrow Excavation
214A000	800	Cubic Yard Structure Excavation
214B001	284	Cubic Yard Foundation Backfill, Commercial
230A000	199	Roadbed Station Roadbed Processing
301A012	74424	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
301A015	12793	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6.75" Compacted Thickness
301A016	17824	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 7" Compacted Thickness
301A017	12785	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 7.25" Compacted Thickness
401A000	50287	Square Yard Bituminous Treatment A
405A000	2311	Gallon Tack Coat
407B000	9	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A360	4972	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	1555	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	4385	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D

424B658	300	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	2964	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C361	2905	Ton Superpave Bituminous Concrete Base Layer, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
430B017	100	Ton Aggregate Surfacing (ALDOT #410, #467 Or #810)
430B043	428	Ton Aggregate Surfacing (1" Down, Crusher Run)
530A001	212	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	120	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	122	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A004	72	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A005	136	Linear Foot 42" Roadway Pipe (Class 3 R.C.)
530B002	48	Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
530B003	216	Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
610C000	8	Ton Loose Riprap, Class 1
610C001	86	Ton Loose Riprap, Class 2
610D003	102	Square Yard Filter Blanket, Geotextile
614A000	27	Cubic Yard Slope Paving
619A002	8	Each 18" Roadway Pipe End Treatment, Class 1
619A003	4	Each 24" Roadway Pipe End Treatment, Class 1
619A004	4	Each 30" Roadway Pipe End Treatment, Class 1
619A005	2	Each 36" Roadway Pipe End Treatment, Class 1
619A006	4	Each 42" Roadway Pipe End Treatment, Class 1
619B017	2	Each 29" Span, 18" Rise Roadway Pipe End Treatment, Class 1
619B298	2	Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 1 (Triple Line)
650A000	6892	Cubic Yard Topsoil
652A100	10	Acre Seeding
654A000	52	Square Yard Solid Sodding
656A010	10	Acre Mulching
659A028	3733	Square Yard Rolled Erosion Control Product, Type (1D)
665A000	9	Acre Temporary Seeding
665B000	9	Acre Temporary Mulching
665C000	80	Linear Foot 15" Temporary Pipe
665F000	1525	Each Hay Bales
665J002	935	Linear Foot Silt Fence
665O001	935	Linear Foot Silt Fence Removal
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 235,000.00)
701A227	3	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A231	5	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A239	3	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A245	1	Mile Broken Yellow, Class 2, Type A Traffic Stripe
701B207	370	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4	Mile Broken Temporary Traffic Stripe
701C001	10	Mile Solid Temporary Traffic Stripe
703A002	1044	Square Foot Traffic Control Markings, Class 2, Type A
703B002	225	Square Foot Traffic Control Legends, Class 2, Type A
705A030	6	Each Pavement Markers, Class A-H, Type 2-C
705A031	176	Each Pavement Markers, Class A-H, Type 1-A
705A032	10	Each Pavement Markers, Class A-H, Type 1-B
705A037	659	Each Pavement Markers, Class A-H, Type 2-D
710A115	13	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710B001	24	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	524	Square Foot Construction Signs
740D000	200	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740F002	14	Each Barricades, Type III
740I005	7	Each Warning Lights, Type B (Detachable Head)
740M001	100	Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-307-203-015-801
COVINGTON COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-15 (US-29) FROM SR-12 (US-84) TO THE ANDALUSIA CITY LIMIT

The Length Of This Project Is: 1.685 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$585,000 To \$715,000

The Principal Items Of Work Are Approximately As Follows:

209A000	1 Each Mailbox Reset, Single
405A000	4762 Gallon Tack Coat
407B000	7 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	63493 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	5238 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	100 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 27,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1635 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7 Mile Broken Temporary Traffic Stripe
701C001	8 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)

703A002	5398 Square Foot Traffic Control Markings, Class 2, Type A
703B002	786 Square Foot Traffic Control Legends, Class 2, Type A
703D001	3504 Square Foot Temporary Traffic Control Markings
703E001	69 Square Foot Temporary Traffic Control Legends
705A030	272 Each Pavement Markers, Class A-H, Type 2-C
705A031	112 Each Pavement Markers, Class A-H, Type 1-A
705A032	154 Each Pavement Markers, Class A-H, Type 1-B
705A037	223 Each Pavement Markers, Class A-H, Type 2-D
705A038	39 Each Pavement Markers, Class A-H, Type 2-E
730H001	3925 Linear Foot Loop Wire
740B000	856 Square Foot Construction Signs
740C000	48 Square Foot Special Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-506-245-005-802 & 99-506-245-041-804
 DALLAS COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

BRIDGE SCOUR REPAIR ON SR-5 AT CHILATCHEE CREEK SOUTHWEST OF
 SAFFORD AND ON SR-41 AT MUSH CREEK SOUTH OF SELMA

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
 (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$83,000 To \$102,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
610C001	1510 Ton Loose Riprap, Class 2
610D000	1645 Square Yard Filter Blanket
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	300 Each Hay Bales
665J002	1000 Linear Foot Silt Fence
665N001	200 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	1000 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 4,500.00)
740B000	380 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-509-002-370-860 & 99-509-010-851-861
 MOBILE COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

TUNNEL MAINTENANCE IN THE BANKHEAD TUNNEL ON SR-16 (US-90/98)
 AND IN THE GEORGE C. WALLACE TUNNEL ON I-10 IN MOBILE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred Sixty Five (365) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
 The Bracket Estimate On This Project Is From \$568,000 To \$700,000
 The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 24,000)
740B000	980 Square Foot Construction Signs
740D000	70 Each Channelizing Drums
740E000	70 Each Cones (36 Inches High)
740F002	5 Each Barricades, Type III
740I005	3 Each Warning Lights, Type B (Detachable Head)
740M001	70 Each Ballast For Cone
741C001	2 Each Portable Sequential Arrow And Chevron Sign Unit (Truck Mounted)
741C010	4 Each Portable Sequential Arrow And Chevron Sign Unit
783A000	1 Lump Sum Tunnel Maintenance Cleaning (8 2/3 Cycles)
784A000	1 Lump Sum Tunnel Lighting Maintenance
785A000	1 Lump Sum Tunnel Group Lamp Replacement
786A000	1 Lump Sum Tunnel Sump And Drain Cleaning

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNÉS
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-409-022-042-833
BALDWIN COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., July 25, 2008, and at that time publicly opened for constructing the following:

DRAINAGE IMPROVEMENTS ON SR-42 (US-98) AT CR-87 IN ELBERTA

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$10.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$197,000 To \$240,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000 Per Acre) (Approximatey 1 Acre)
206B009	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 42+20.00
206D000	144 Linear Foot Removing Pipe
206E002	1 Each Removing Junction Boxes
210A000	80 Cubic Yard Unclassified Excavation
210D022	72 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0)
214A000	286 Cubic Yard Structure Excavation
214B000	143 Cubic Yard Foundation Backfill, Local
214B001	80 Cubic Yard Foundation Backfill, Commercial
424A360	125 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	28 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	37 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
530B002	40 Linear Foot 29" Span, 18" Rise Side Drain Pipe (Class 3 R.C.)
530B004	290 Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)
530B006	96 Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
619B117	2 Each 29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1
619B144	1 Each 44" Span, 27" Rise Side Drain Pipe End Treatment, Class 2
619B414	2 Each 42" Span, 29" Rise Side Drain Pipe End Treatment, Class 2 (Double Line)
619B416	1 Each 59" Span, 36" Rise Side Drain Pipe End Treatment, Class 2 (Double Line)
621A011	1 Each Junction Boxes, Type 1 Or 1P

621A013	2 Each Junction Boxes, Type Special
621B011	1 Each Junction Box Units, Type 1 Or 1P
650A000	100 Cubic Yard Topsoil
652A100	1 Acre Seeding
654A001	1109 Square Yard Solid Sodding (Bermuda)
656A010	1 Acre Mulching
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665F000	50 Each Hay Bales
665G000	25 Each Sand Bags
665J002	500 Linear Foot Silt Fence
665O001	500 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
674A000	80 Linear Foot Construction Safety Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 17,000.00)
701C001	1 Mile Solid Temporary Traffic Stripe
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
726G000	100 Linear Foot State Furnished Portable Safety Barriers (Triton Barrier)
740B000	580 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	6 Each Barricades, Type III
740I005	3 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director