



ALABAMA

Department of Transportation

www.dot.state.al.us



Revised
Notice to Contractors
Transportation Letting
June 27, 2008
10:00 a.m.



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.850.5328
cell: 334.850.5988



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPAA-0008(532) and
BR- 7771(600) Bridge Replacement and
Approaches (EBR) on SR-8 (US-80) at
Oliver Creek in Montgomery
Montgomery County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above
referenced project as indicated below:

Time: 2:00 p.m.

Date: Tuesday, June 17, 2008

Location: Auditorium
ALDOT Sixth Division
1525 Coliseum Boulevard
Montgomery, Alabama 36110

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer
Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

It is anticipated that Project Number APD-0471(501) Jefferson County, will be in an upcoming Letting. The project is to construct the grade, drain, base, pave, and bridges, etc., for the Corridor X / I-65 Route Interchange in Birmingham.

Due to the size and complex nature of the project a preliminary plan set is available for contractor review. The plan set is on compact disk in .pdf format and is available at no cost to the contractor. If you would like a compact disk containing the preliminary plan set please provide your company name, phone number, and shipping address in the space provided below and fax or mail this form to:

Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard - Room E-108
Montgomery Alabama 36110-2060
FAX: 334.264.7976

Company Name

Shipping Address

Phone Number

NTC.4.9.2009



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, reading "Ronald L. Baldwin".

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E. *Terry McDuffie*
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature

Name: _____
please print

Title: _____

Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

M. G. S. Moore

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

[illegible]

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number Instructions

- | | |
|------|---|
| 1 . | ALDOT Project Number |
| 2 . | County |
| 3 . | Division |
| 4 . | Prime Contractor for the Project |
| 5 . | DBE for this Report |
| 6 . | Date of Report |
| 7 . | ALDOT Estimate Number |
| 8 . | Work Period for this Estimate (Beginning Date - Ending Date) |
| 9 . | Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.) |
| 10 . | Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work |
| 11 . | Unit Price of Work |
| 12 . | Units |
| 13 . | Units of Work Accomplished this Period |
| 14 . | Amount Performed for this Period (Block 11 times Block 13) |
| 15 . | Units Performed to Date |
| 16 . | Amount Performed to Date (Block 11 times Block 15) |
| 17 . | Comments Pertinent to this DBE-10 |
| 18 . | Total of Amounts in Block 14 |
| 19 . | Total of Amounts in Block 16 |
| 20 . | Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed |

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: _____

Contractor Name: _____

Letting Date: _____

Address: _____

Contract Amount: _____

Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer				Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____

ALDOT Approval: _____

Date: _____

Project Number: _____
County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

Letting Date: _____

BIDDER'S LIST OF QUOTERS

In accordance with 49 CFR Part 26.11, the Alabama Department of Transportation will establish its State Disadvantaged Business Enterprise (DBE) goal using Bidders' Lists of Quoters. These Bidders' Lists of Quoters will be used to determine the relative availability of DBE's and Non-DBE's. Each Bidder's List of Quoters is a compilation of quoters who have submitted quotes to the Bidder during the advertising period. Subsequent to notification as Apparent Low Bidder, the Bidder must submit an updated Form HR-DBE prior to award of contract. Form HR-DBE will accompany Form OE-110 (DBE Utilization Plan) if appropriate.

Each time Form HR-DBE is submitted to the Department, the Bidder shall list the quoters for the project, using additional sheets if necessary. The listing shall include EACH quoter's name, business location, telephone number and whether or not the quoter is an Alabama certified DBE. **FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RENDER THE BID NON-RESPONSIVE AND THE BID MAY BE REJECTED.**

The term "quoter" shall include all subcontractors, manufacturers, and suppliers of materials.

Providing the listing of quoters in compliance with these provisions shall not be a substitute for the requirements of Subcontractors Fair Practices Act, Chapter 18, Laws of 1988, Sections 13-4-31 through 13-4-43.

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failures?

Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.

In the event of diskette failure the night before the letting please call the following numbers for

assistance:

334-850-5328

334-850-5988

2.1.2007.3

REVISED

June 27, 2008

COMPANY NAME: _____ BY: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

MAIL ADDRESS: _____

CITY, STATE, ZIP: _____ PHONE: _____

=====

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)

(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)

_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.

YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.

DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA.	NON-BID DISKETTE \$5.00 EA.	PLANS PRICE EACH	PLANS QTY.	
\$10.00 EA.	QTY.	QTY.			
_____	_____	_____	\$ 10.00	_____	001 IM-I065(382), LIMESTONE
_____	_____	_____	\$ 7.00	_____	002 STPAAF-0006(531),ETC., MONTGOMERY
_____	_____	_____	\$ 31.00	_____	010 BRF-0013(517), WASHINGTON
_____	_____	_____	\$ 2.00	_____	017 HRRR-6400(211), WALKER
_____	_____	_____	\$ 7.00	_____	020 HSIP-0205(504),ETC., MARSHALL
_____	_____	_____	\$ 3.00	_____	021 HSIP-0021(520),ETC., TALLADEGA
_____	_____	_____	\$ 23.00	_____	025 STPAA-0008(532),ETC., MONTGOMERY
_____	_____	_____	\$ 4.00	_____	026 STPAA-0193(503), MOBILE
_____	_____	_____	\$ 3.00	_____	027 STPAA-0229(504), ELMORE
_____	_____	_____	\$ 5.00	_____	029 STPAA-HSIP-0003(540), MORGAN
_____	_____	_____	\$ 4.00	_____	030 STPAA-HSIP-0003(541), AUTAUGA
_____	_____	_____	\$ 3.00	_____	032 STPOA-0823(201), CALHOUN
_____	_____	_____	\$ 20.00	_____	034 STPOA-9059(600), LEE
_____	_____	_____	\$ 2.00	_____	037 STPOA-CN08(263), LAWRENCE
_____	_____	_____	\$ 3.00	_____	038 STPOA-2015(200), COVINGTON
_____	_____	_____	\$ 3.00	_____	044 99-302-673-005-805, WINSTON,ETC.
_____	_____	_____	\$ 2.00	_____	046 99-506-245-005-802,ETC., DALLAS

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	_____	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION
 1409 COLISEUM BOULEVARD
 TERRY W. ROBINSON - ROOM E-108
 MONTGOMERY, ALABAMA 36110
 PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
 e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
IM-I065(382)
LIMESTONE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

SAFETY IMPROVEMENTS (RESURFACING, STRIPING & GUARDRAIL) ON I-65
AT APPROXIMATELY MP 365.655 NORTH OF ATHENS

The Length Of This Project Is: 0.341 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By October 15, 2008.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$10.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$720,000 To \$880,000
The Principal Items Of Work Are Approximately As Follows:

206D001	88 Linear Foot Removing Guardrail
206E008	2 Each Removing Guardrail End Anchor (All Type)
405A000	1200 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	8667 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1 Each Contractor Retained Profilograph
410H000	1 Each Material Remixing Device
420A015	390 Ton Polymer Modified Open Graded Friction Course
423A003	630 Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
424A280	225 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424B289	3850 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	6000 Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B040	3700 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
534A000	20 Each Cleaning Pipe Underdrain Outlets
600A000	1 Lump Sum Mobilization
630A001	1675 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A018	750 Linear Foot Steel Beam Guardrail, Class A, Type 2 (Double Faced Median Barrier)
630C001	1 Each Guardrail End Anchor, Type 8
630C050	1 Each Guardrail End Anchor, Type 20 Series
631F003	1038 Linear Foot Steel Beam Guardrail, Class A, Type 2 Relocated (Double Faced Median Barrier)

631G008	1 Each Guardrail End Anchor, Type 8 Relocated
631G015	1 Each Guardrail End Anchor, Type 20 Series Relocated
665J002	3000 Linear Foot Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
665P005	2 Each Inlet Protection, Stage 3 Or 4
665Q002	160 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 39,000.00)
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	4 Mile Solid Temporary Traffic Stripe
705A031	38 Each Pavement Markers, Class A-H, Type 1-A
731A000	2 Each Traffic Counting Units, Type A
740B000	940 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740I005	2 Each Warning Lights, Type B (Detachable Head)
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAAF-0006(531) & STPAA-HSIP-0006(532)
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-6 (SOUTH BOULEVARD) FROM MP 153.876 TO MP 158.614 AND ON SR-6 (TROY HIGHWAY) FROM MP 162.295 TO MP 164.695

The Length Of This Project Is: 7.138 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Ten (110) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$4,200,000 To \$5,000,000 The Principal Items Of Work Are Approximately As Follows:

206D002	620	Linear Foot Removing Curb
405A000	33250	Gallon Tack Coat
407B000	43	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	313800	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	19300	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A281	27400	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A290	150	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A361	7800	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	520	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B280	8300	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B281	2400	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E

424B284	1000	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B288	1000	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B691	650	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	127700	Linear Foot Scoring Bituminous Pavement Surface By Cutting
428D001	25500	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	300	Ton Aggregate Surfacing (ALDOT #410 Or #467)
454A000	1440	Linear Foot Cleaning And Sealing Concrete Pavement, Type I, Joints
600A000	1	Lump Sum Mobilization
623B000	220	Linear Foot Concrete Curb, Type N
650A000	1900	Cubic Yard Topsoil
652A100	7	Acre Seeding
654A000	350	Square Yard Solid Sodding
656A010	7	Acre Mulching
659A026	500	Square Yard Rolled Erosion Control Product, Type (1B)
665F000	500	Each Hay Bales
665J002	4000	Linear Foot Silt Fence
665O001	4000	Linear Foot Silt Fence Removal
666A001	7	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 229,000.00)
701A227	19	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	15	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	16	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	19810	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	41	Mile Broken Temporary Traffic Stripe
701C001	70	Mile Solid Temporary Traffic Stripe
701G142	1234	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1234	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1234	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	2468	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1234	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	9230	Square Foot Traffic Control Markings, Class 2, Type A
703B002	3478	Square Foot Traffic Control Legends, Class 2, Type A
703D001	18350	Square Foot Temporary Traffic Control Markings
705A030	90	Each Pavement Markers, Class A-H, Type 2-C
705A031	1317	Each Pavement Markers, Class A-H, Type 1-A
730H001	50000	Linear Foot Loop Wire
740B000	2908	Square Foot Construction Signs
740D000	500	Each Channelizing Drums
740E000	200	Each Cones (36 Inches High)
740M001	200	Each Ballast For Cone
741C010	4	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRF-0013(517)
WASHINGTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON SR-13 (US-43) NORTHBOUND AT
LEWIS CREEK SOUTH OF SUNFLOWER

The Length Of This Project Is: 0.710 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By September 1, 2009.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$31.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,500,000 To \$4,250,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 23 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 686+23.12
206D000	688 Linear Foot Removing Pipe
206D001	776 Linear Foot Removing Guardrail
206D007	640 Linear Foot Removing Concrete Flume
206E001	5 Each Removing Inlets
206E002	2 Each Removing Junction Boxes
206E008	12 Each Removing Guardrail End Anchor (All Type)
210A000	4714 Cubic Yard Unclassified Excavation
210D000	1611 Cubic Yard Borrow Excavation
210D011	12535 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	1016 Cubic Yard Structure Excavation
214B001	297 Cubic Yard Foundation Backfill, Commercial
401A047	4197 Square Yard Bituminous Treatment A, MC-70
405A000	3200 Gallon Tack Coat
407B000	3 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	26800 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A360	2130 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D

424A366 100 Ton Superpave Bituminous Concrete Wearing Surface Layer,
 Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424B651 2100 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B681 1060 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B685 100 Ton Superpave Bituminous Concrete Lower Binder Layer,
 Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B689 19500 Ton Superpave Bituminous Concrete Lower Binder Layer,
 Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 428C000 11756 Linear Foot Scoring Bituminous Pavement Surface By Cutting
 430B043 1000 Ton Aggregate Surfacing (1" Down, Crusher Run)
 450B000 107 Square Yard Reinforced Cement Concrete Bridge End Slab
 502A000 10900 Pound Steel Reinforcement
 502B000 1 Lump Sum Steel Reinforcement For Bridge Superstructure,
 Sta. 686+15, Approx. 118,500 Lbs
 505A000 1 Each Steel Test Piles (HP 10x42)
 505A004 1 Each Steel Test Piles (HP 14x73)
 505B055 1 Each Static Loading Tests (HP 10x42)
 505B059 1 Each Static Loading Tests (HP 14x73)
 505B085 1 Each Dynamic Loading Tests (HP 10x42)
 505B089 1 Each Dynamic Loading Tests (HP 14x73)
 505M000 790 Linear Foot Steel Piling Furnished And Driven (HP 10x42)
 505M004 3050 Linear Foot Steel Piling Furnished And Driven (HP 14x73)
 508A000 3020 Pound Structural Steel
 510A000 165 Cubic Yard Bridge Substructure Concrete, Class A
 510C051 1 Lump Sum Bridge Concrete Superstructure, Sta. 686+15 Approx. 452 Cu Yd
 510E000 1435 Square Yard Grooving Concrete Bridge Decks
 511A001 108 Each Elastomeric Bearing Type 2
 513B003 2117 Linear Foot Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)
 530A661 572 Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Temporary)
 534E001 772 Linear Foot Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)
 535A001 175 Linear Foot 18" Side Drain Pipe
 535B009 31 Linear Foot 18" Span, 11" Rise Side Drain Pipe
 535B011 13 Linear Foot 22" Span, 14" Rise Side Drain Pipe
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 610C001 2698 Ton Loose Riprap, Class 2
 610D003 1370 Square Yard Filter Blanket, Geotextile
 614A000 94 Cubic Yard Slope Paving
 619A002 4 Each 18" Roadway Pipe End Treatment, Class 1
 619A101 6 Each 18" Side Drain Pipe End Treatment, Class 1
 619B115 6 Each 18" Span, 11" Rise Side Drain Pipe End Treatment, Class 1
 619B116 2 Each 22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1
 620A000 3 Cubic Yard Minor Structure Concrete
 621A005 7 Each Junction Boxes, Type 1
 621B005 2 Each Junction Box Units, Type 1
 621C020 5 Each Inlets, Type Y
 621C027 2 Each Inlets, Type C
 621D019 7 Each Inlet Units, Type Y
 630A001 225 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C003 3 Each Guardrail End Anchor, Type 13
 630C050 3 Each Guardrail End Anchor, Type 20 Series
 631F000 75 Linear Foot Steel Beam Guardrail, Class A, Type 1 Relocated
 631G013 1 Each Guardrail End Anchor, Type 13 Relocated
 631G015 1 Each Guardrail End Anchor, Type 20 Series Relocated
 650A000 800 Cubic Yard Topsoil
 650B000 2847 Cubic Yard Topsoil From Stockpiles
 652A100 9 Acre Seeding
 652C000 18 Acre Mowing
 654A000 612 Square Yard Solid Sodding
 656A010 9 Acre Mulching
 665A000 9 Acre Temporary Seeding
 665B000 9 Acre Temporary Mulching
 665F000 100 Each Hay Bales
 665G000 700 Each Sand Bags
 665I000 150 Ton Temporary Riprap, Class 2
 665J002 7809 Linear Foot Silt Fence
 665K000 1809 Cubic Yard Drainage Sump Excavation

665L000	720 Linear Foot Floating Basin Boom
665O001	7809 Linear Foot Silt Fence Removal
665P005	10 Each Inlet Protection, Stage 3 Or 4
665Q002	880 Linear Foot Wattle
666A001	9 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 166,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2065 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	3 Mile Broken Temporary Traffic Stripe (Paint)
701C003	7 Mile Solid Temporary Traffic Stripe (Paint)
701C006	1 Mile Solid Temporary Traffic Stripe (Removable Tape)
701D005	1 Mile Solid Traffic Stripe Removed
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G142	902 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	902 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	902 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	579 Square Foot Traffic Control Markings, Class 2, Type A
703B002	116 Square Foot Traffic Control Legends, Class 2, Type A
703D002	1293 Square Foot Temporary Traffic Control Markings (Paint)
705A011	500 Each Pavement Markers, Class C, Type 1-A
705A012	300 Each Pavement Markers, Class C, Type 1-B
705A030	12 Each Pavement Markers, Class A-H, Type 2-C
705A031	85 Each Pavement Markers, Class A-H, Type 1-A
705A037	11 Each Pavement Markers, Class A-H, Type 2-D
707G001	172 Each Barrier Rail Mounted Delineator (Bi-Directional)
726B000	1720 Linear Foot Portable Concrete Safety Barriers, Type 6
740B000	927 Square Foot Construction Signs
740C000	38 Square Foot Special Construction Signs
740D000	400 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)
740M001	200 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-6400(211)
WALKER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND GUARDRAIL ON BOLDO CUT-OFF ROAD
AT POLEY CREEK NORTH OF CORDOVA

The Length Of This Project Is: 0.200 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$43,500 To \$53,100
The Principal Items Of Work Are Approximately As Follows:

405A000	150 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	200 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	120 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
630A001	238 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	4 Each Guardrail End Anchor, Type 20 Series
701A231	1 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	1 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701C001	1 Mile Solid Temporary Traffic Stripe
705A037	27 Each Pavement Markers, Class A-H, Type 2-D
740B000	132 Square Foot Construction Signs
740E000	20 Each Cones (36 Inches High)
740M001	20 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0205(504) & 99-301-484-205-805
MARSHALL COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-205 FROM THE
ETOWAH COUNTY LINE TO GUINIVERE DRIVE IN BOAZ

The Length Of This Project Is: 4.390 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,300,000 To \$1,600,000
The Principal Items Of Work Are Approximately As Follows:

206C010	47	Square Yard Removing Concrete Driveway
405A000	4810	Gallon Tack Coat
407B000	14	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	94148	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	43156	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1	Each Material Remixing Device
424A360	8095	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	6342	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	26	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	817	Ton Superpave Bituminous Concrete Base Layer, Widening, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B040	1050	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
652A100	1	Acre Seeding
656A010	1	Acre Mulching
665J002	5000	Linear Foot Silt Fence

6650001	5000 Linear Foot Silt Fence Removal
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 70,000.00)
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	280 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	11 Mile Broken Temporary Traffic Stripe
701C001	23 Mile Solid Temporary Traffic Stripe
703A002	7376 Square Foot Traffic Control Markings, Class 2, Type A
703B002	468 Square Foot Traffic Control Legends, Class 2, Type A
703D001	14752 Square Foot Temporary Traffic Control Markings
703E001	912 Square Foot Temporary Traffic Control Legends
705A030	237 Each Pavement Markers, Class A-H, Type 2-C
705A031	243 Each Pavement Markers, Class A-H, Type 1-A
705A032	99 Each Pavement Markers, Class A-H, Type 1-B
705A037	522 Each Pavement Markers, Class A-H, Type 2-D
730H001	4368 Linear Foot Loop Wire
730I001	1185 Linear Foot Loop Detector Lead-In-Cable
740B000	556 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0021(520) & 99-304-615-021-801
TALLADEGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-21 (US-231) FROM
THE COOSA COUNTY LINE TO CR-511 SOUTH OF SYLACAUGA

The Length Of This Project Is: 3.687 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$1,400,000 To \$1,700,000
The Principal Items Of Work Are Approximately As Follows:

209A000	11	Each Mailbox Reset, Single
210D000	734	Cubic Yard Borrow Excavation
214A000	69	Cubic Yard Structure Excavation
214B001	45	Cubic Yard Foundation Backfill, Commercial
401B100	66001	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	650	Gallon Tack Coat
407B000	15	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	58076	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410B000	1	Each State Furnished Profilograph
410H000	1	Each Material Remixing Device
424A356	3499	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A358	1800	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A359	200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	400	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	8474	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B661	300	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D

424C371	3159 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2"
	Maximum Aggregate Size Mix, ESAL Range C/D
430B043	788 Ton Aggregate Surfacing (1" Down, Crusher Run)
530A101	58 Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A103	74 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
600A000	1 Lump Sum Mobilization
610C001	34 Ton Loose Riprap, Class 2
610D003	43 Square Yard Filter Blanket, Geotextile
619A002	3 Each 18" Roadway Pipe End Treatment, Class 1
619A004	4 Each 30" Roadway Pipe End Treatment, Class 1
620A000	2 Cubic Yard Minor Structure Concrete
621A005	2 Each Junction Boxes, Type 1
652A100	2 Acre Seeding
656A010	2 Acre Mulching
659A036	5500 Square Yard Rolled Erosion Control Product, Type (2D)
665J002	1300 Linear Foot Silt Fence
665O001	1300 Linear Foot Silt Fence Removal
665Q002	300 Linear Foot Wattle
666A001	2 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$71,000)
701A227	7 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	300 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	42 Mile Solid Temporary Traffic Stripe
703A002	1000 Square Foot Traffic Control Markings, Class 2, Type A
703B002	70 Square Foot Traffic Control Legends, Class 2, Type A
703D001	600 Square Foot Temporary Traffic Control Markings
740B000	905 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0008(532) & BR-7771(600)
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (PRECAST) AND APPROACHES (EBR) ON SR-8
(US-80) AT OLIVER CREEK IN MONTGOMERY

The Length Of This Project Is: 0.506 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Fifty
(150) Working Days.

A 2.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 2:00 P.M. on Tuesday, June 17, 2008, in the auditorium of the ALDOT Sixth Division office, 1525 Coliseum Boulevard, Montgomery, AL 36110. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$23.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,155,000 To \$2,630,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 2 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 33+37.19
206C001	229 Square Yard Removing Concrete Pavement
206C002	429 Square Yard Removing Concrete Slope Paving
206D001	320 Linear Foot Removing Guardrail
206D002	1699 Linear Foot Removing Curb
210A000	892 Cubic Yard Unclassified Excavation
210D011	1163 Cubic Yard Borrow Excavation (A-4 Or Better)
210D025	939 Cubic Yard Borrow Excavation (Improved Roadbed)
301A012	2589 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	2589 Square Yard Bituminous Treatment A
405A000	1019 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	3304 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
420A015	659 Ton Polymer Modified Open Graded Friction Course
424A281	1208 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E

424B281	405	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B289	988	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
424B581	378	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B585	32	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424C280	384	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
502A000	125	Pound Steel Reinforcement
505A002	2	Each Steel Test Piles (HP 12x53)
505B057	2	Each Static Loading Tests (HP 12x53)
505B087	2	Each Dynamic Loading Tests (HP 12x53)
505M002	1481	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
507A000	2	Each Wire Rope Abutment Anchor Assembly
510A000	8	Cubic Yard Bridge Substructure Concrete, Class A
511A000	72	Each Elastomeric Bearing Type 1
512A010	2	Each Precast Concrete Abutment Caps, 2'-0" Wide by 1'-11 1/8" Deep by 24'-7" Long
512A011	2	Each Precast Concrete Abutment Caps, 2'-0" Wide by 2'-0" Deep by 33'-0" Long
512B014	1	Each Precast Concrete Intermediate Bent Caps, 2'-0" Wide by 2'-3 1/4" Deep by 24'-7" Long
512B015	1	Each Precast Concrete Intermediate Bent Caps, 2'-0" Wide by 2'-4 1/8" Deep by 33'-0" Long
512C019	28	Each Precast Concrete Type 1 Span Section, 3'-6" Wide x 2'-0" Deep x 40'-0" Long
512C027	4	Each Precast Concrete Type 2C Span Section, 3'-6" Wide x 2'-0" Deep x 40'-0" Long
512D012	2	Each Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long
512E001	4	Each Precast Concrete Abutment Panels, Type A2
512E022	4	Each Pre-cast Concrete Abutment Panels, Type AA2 (Modified 3'-9 1/2" Long)
512E023	12	Each Pre-cast Concrete Abutment Pannels, Type AAA2 (Modified 6'-8 1/2" Long)
512E024	12	Each Pre-cast Concrete Abutment Panels, Type AA2 (Modified 7'-1" Long)
512F001	4	Each Precast Concrete Wing Panels, Type W2
512G000	2	Each Precast Concrete Abutment Wing Cap Panels
524A010	4	Cubic Yard Culvert Concrete
532A031	481	Linear Foot 15" Slotted Drain Pipe
600A000	1	Lump Sum Mobilization
602A000	5	Each Right Of Way Markers
614A000	93	Cubic Yard Slope Paving
620A000	1	Cubic Yard Minor Structure Concrete
621A011	1	Each Junction Boxes, Type 1 Or 1P
621C020	1	Each Inlets, Type Y
621C041	3	Each Inlets, Type B (Modified)
621C092	1	Each Inlets, Type X (Modified)
630A001	220	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1	Each Guardrail End Anchor, Type 8
630C003	1	Each Guardrail End Anchor, Type 13
630C070	1	Each Guardrail End Anchor, Type 10 Series
641A684	245	Linear Foot 8 Inch Ductile Iron Water Main Laid (Restrained Joint)
641A700	1035	Linear Foot 30 Inch Ductile Iron Water Main Laid (Restrained Joint)
641C500	11000	Pound Ductile Iron Fittings
641D500	2	Each Fire Hydrant
641J518	1	Each 8 Inch Gate Valve With Box
641L500	30	Cubic Yard Concrete for Water Mains (Thrust Blocks)
641O550	1	Each 12 Inch x 8 Inch Tapping Valve And Sleeve
641O698	2	Each 30 Inchx 30 Inch Tapping Valve and Sleeve
641P520	1	Each 1 Inch Service Tap
641R515	1	Each 1 Inch Water Meter And Box Reset .
645A510	530	Linear Foot 8 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
645A526	75	Linear Foot 30 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
645F510	480	Linear Foot 8 Inch Abandon Existing Sanitary Sewer
645H510	3	Each 48 Inch Manhole
645H540	3	Each 60 Inch Manhole
645I500	8	Each 48 Inch Manhole Unit
645I505	10	Each 60 Inch Manhole Unit
645L540	6	Linear Foot 8 Inch P.V.C. Manhole Drop Connection

645M500	3	Each Connection To Existing Manhole
645N500	5	Each Abandon Existing Manhole
649A575	45	Linear Foot 42 Inch Steel Encasement Pipe, Type 1 Installation
649A645	210	Linear Foot 16 Inch Steel Encasement Pipe, Type 2 Installation
649A660	270	Linear Foot 24 Inch Steel Encasement Pipe, Type 2 Installation
650A000	146	Cubic Yard Topsoil
652A100	1	Acre Seeding
652C000	1	Acre Mowing
656A010	1	Acre Mulching
659A028	350	Square Yard Rolled Erosion Control Product, Type (1D)
665A000	1	Acre Temporary Seeding
665B000	1	Acre Temporary Mulching
665E000	500	Square Yard Polyethylene
665G000	100	Each Sand Bags
665I000	50	Ton Temporary Riprap, Class 2
665J002	1628	Linear Foot Silt Fence
665O001	1628	Linear Foot Silt Fence Removal
665P005	6	Each Inlet Protection, Stage 3 Or 4
665Q002	200	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 116,000.00)
701A227	2	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1682	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2	Mile Broken Temporary Traffic Stripe
701C001	2	Mile Solid Temporary Traffic Stripe
701D008	2	Mile Solid Traffic Stripe Removed (Plastic)
701D015	2	Mile Broken Traffic Stripe Removed (Plastic)
701F000	1530	Linear Foot Dotted Temporary Traffic Stripe
703A002	1808	Square Foot Traffic Control Markings, Class 2, Type A
703B002	337	Square Foot Traffic Control Legends, Class 2, Type A
703D001	2124	Square Foot Temporary Traffic Control Markings
705A011	240	Each Pavement Markers, Class C, Type 1-A
705A012	134	Each Pavement Markers, Class C, Type 1-B
705A030	80	Each Pavement Markers, Class A-H, Type 2-C
705A031	63	Each Pavement Markers, Class A-H, Type 1-A
707G000	14	Each Barrier Rail Mounted Delineator (Mono-Directional)
710A126	15	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	28	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
726A000	525	Linear Foot Portable Concrete Safety Barriers, Type 6
740B000	752	Square Foot Construction Signs
740D000	80	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740F002	6	Each Barricades, Type III
740I005	3	Each Warning Lights, Type B (Detachable Head)
740M001	100	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2
745A000	500	Hour Uniformed Police Officer
999 000	750	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0193(503)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-193 FROM
LAURENDINE ROAD (MP 18.417) AT BELLE FONTAINE TO NORTH OF I-10
(MP 25.873)

The Length Of This Project Is: 7.361 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five
(75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,835,000 To \$3,460,000

The Principal Items Of Work Are Approximately As Follows:

405A000	20471	Gallon Tack Coat
407B000	38	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	78687	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A360	6595	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424A361	18256	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424A363	25	Ton Superpave Bituminous Concrete Wearing Surface Layer,
		Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	9594	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B658	250	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	113484	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
650A000	10645	Cubic Yard Topsoil
652A100	16	Acre Seeding
656A010	16	Acre Mulching

665F000	100 Each Hay Bales
665J002	2000 Linear Foot Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
666A001	16 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 157,000.00)
701A227	14 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	10 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	9958 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	44 Mile Broken Temporary Traffic Stripe
701C001	24 Mile Solid Temporary Traffic Stripe
701G142	2899 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	8966 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G150	1584 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	7382 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	16348 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	4483 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	7101 Square Foot Traffic Control Markings, Class 2, Type A
703B002	1383 Square Foot Traffic Control Legends, Class 2, Type A
703D001	2255 Square Foot Temporary Traffic Control Markings
703E001	1383 Square Foot Temporary Traffic Control Legends
705A030	26 Each Pavement Markers, Class A-H, Type 2-C
705A031	795 Each Pavement Markers, Class A-H, Type 1-A
705A037	250 Each Pavement Markers, Class A-H, Type 2-D
740B000	890 Square Foot Construction Signs
740E000	250 Each Cones (36 Inches High)
740M001	250 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0229(504)
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-229 FROM NORTH OF CR-143 TO SR-14 IN TALLASSEE

The Length Of This Project Is: 4.007 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five (35) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$950,000 To \$1,160,000

The Principal Items Of Work Are Approximately As Follows:

405A000	7911 Gallon Tack Coat
407B000	16 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	112964 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1 Each Material Remixing Device
424A361	9800 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	750 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	32800 Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B012	200 Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1 Lump Sum Mobilization
641S500	6 Each Valve Box Reset
645K500	7 Each Manhole Frame And Cover Reset
650A000	931 Cubic Yard Topsoil
652A100	2 Acre Seeding
654A000	250 Square Yard Solid Sodding
656A010	2 Acre Mulching

659A026	500 Square Yard Rolled Erosion Control Product, Type (1B)
665F000	200 Each Hay Bales
665J002	2000 Linear Foot Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
666A001	2 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$53,000)
701A227	12 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2820 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	3 Mile Broken Temporary Traffic Stripe
701C001	55 Mile Solid Temporary Traffic Stripe
703A002	4300 Square Foot Traffic Control Markings, Class 2, Type A
703B002	900 Square Foot Traffic Control Legends, Class 2, Type A
703D001	2800 Square Foot Temporary Traffic Control Markings
703E001	900 Square Foot Temporary Traffic Control Legends
705A030	20 Each Pavement Markers, Class A-H, Type 2-C
705A032	80 Each Pavement Markers, Class A-H, Type 1-B
705A037	600 Each Pavement Markers, Class A-H, Type 2-D
740B000	640 Square Foot Construction Signs
740C000	168 Square Foot Special Construction Signs
740D000	200 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0003(540)
MORGAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-3 (US-31) FROM
NORTH OF ATKINSON DRIVE AT FLINT CITY TO SR-67

The Length Of This Project Is: 1.830 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five
(35) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$895,000 To \$1,090,000
The Principal Items Of Work Are Approximately As Follows:

206C010	66	Square Yard Removing Concrete Driveway
209A000	9	Each Mailbox Reset, Single
405A000	3161	Gallon Tack Coat
407B000	5	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	57861	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	258	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	5205	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	247	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	4981	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	45	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	1504	Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	1557	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)

600A000	1 Lump Sum Mobilization
652A100	2 Acre Seeding
656A010	2 Acre Mulching
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 48,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2350 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	11 Mile Solid Temporary Traffic Stripe
703A002	214 Square Foot Traffic Control Markings, Class 2, Type A
703B002	292 Square Foot Traffic Control Legends, Class 2, Type A
703D001	297 Square Foot Temporary Traffic Control Markings
703E001	404 Square Foot Temporary Traffic Control Legends
705A030	124 Each Pavement Markers, Class A-H, Type 2-C
705A031	180 Each Pavement Markers, Class A-H, Type 1-A
730H001	1730 Linear Foot Loop Wire
730I001	1280 Linear Foot Loop Detector Lead-In-Cable
740B000	496 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0003(541)
AUTAUGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-3 (US-31) FROM
I-65 TO THE CHILTON COUNTY LINE

The Length Of This Project Is: 11.120 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Five (105) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,000,000 To \$3,700,000
The Principal Items Of Work Are Approximately As Follows:

206C010	15	Square Yard Removing Concrete Driveway
210D021	500	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
405A000	28925	Gallon Tack Coat
407B000	36	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	161515	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	18225	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	21641	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	250	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	1000	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	2961	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B691	191	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D

428D001	112850	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	350	Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1	Lump Sum Mobilization
629D001	4	Each Bridge Guardrail Retrofit, Type C
630A001	300	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4	Each Guardrail End Anchor, Type 13
630C050	4	Each Guardrail End Anchor, Type 20 Series
650A000	3500	Cubic Yard Topsoil
652A100	11	Acre Seeding
654A000	250	Square Yard Solid Sodding
656A010	11	Acre Mulching
659A026	500	Square Yard Rolled Erosion Control Product, Type (1B)
665F000	300	Each Hay Bales
665J002	3000	Linear Foot Silt Fence
665O001	3000	Linear Foot Silt Fence Removal
666A001	11	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 156,500)
701A227	26	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	14	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	5068	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	12	Mile Broken Temporary Traffic Stripe
701C001	128	Mile Solid Temporary Traffic Stripe
703A002	12000	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1100	Square Foot Traffic Control Legends, Class 2, Type A
703D001	900	Square Foot Temporary Traffic Control Markings
703E001	1100	Square Foot Temporary Traffic Control Legends
705A030	40	Each Pavement Markers, Class A-H, Type 2-C
705A031	800	Each Pavement Markers, Class A-H, Type 1-A
705A032	300	Each Pavement Markers, Class A-H, Type 1-B
705A037	1600	Each Pavement Markers, Class A-H, Type 2-D
705A038	100	Each Pavement Markers, Class A-H, Type 2-E
730H001	2000	Linear Foot Loop Wire
740B000	900	Square Foot Construction Signs
740C000	168	Square Foot Special Construction Signs
740D000	250	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-0823(201)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON NESBIT LAKE ROAD FROM SR-204
IN JACKSONVILLE TO HULSEY ROAD

The Length Of This Project Is: 2.840 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$600,000 To \$733,000
The Principal Items Of Work Are Approximately As Follows:

401B108	36227	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	2300	Gallon Tack Coat
407B000	3	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	2895	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	4597	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B639	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	2600	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
665F000	50	Each Hay Bales
665J002	275	Linear Foot Silt Fence
665O001	275	Linear Foot Silt Fence Removal
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$ 31,000).
701A231	6	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	2	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2	Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	6	Mile Broken Temporary Traffic Stripe

701C001	6 Mile Solid Temporary Traffic Stripe
703A002	210 Square Foot Traffic Control Markings, Class 2, Type A
703D001	210 Square Foot Temporary Traffic Control Markings
705A032	263 Each Pavement Markers, Class A-H, Type 1-B
705A037	113 Each Pavement Markers, Class A-H, Type 2-D
740B000	340 Square Foot Construction Signs
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-9059(600)
LEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

ADDITIONAL LANES AND RELOCATION ON DONAHUE DRIVE FROM WEST GLENN
AVE TO 50M NORTH OF BRAGG AVE AND ON SR-14 IN AUBURN

The Length Of This Project Is: 0.320 Kilometers.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Ten (110) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$20.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$970,000 To \$1,180,000

The Principal Items Of Work Are Approximately As Follows:

201A002M	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 9800 Per Hectare) (Approximately 2 Hectares)
206C000M	435 Square Meter Removing Concrete Sidewalk
206C010M	212 Square Meter Removing Concrete Driveway
206D000M	109 Meter Removing Pipe
206D003M	453 Meter Removing Curb And Gutter
206E001M	3 Each Removing Inlets
206E002M	2 Each Removing Junction Boxes
210A000M	4142 Cubic Meter Unclassified Excavation
210D001M	437 Cubic Meter Borrow Excavation (Loose Truckbed Measurement)
214A000M	126 Cubic Meter Structure Excavation
214B001M	90 Cubic Meter Foundation Backfill, Commercial
230A000M	2 Roadbed Station Roadbed Processing
301A004M	4130 Square Meter Crushed Aggregate Base Course, Type B, Plant Mixed, 100 mm Compacted Thickness
401A000M	4130 Square Meter Bituminous Treatment A
401B100M	3913 Square Meter Bituminous Treatment E (With Polymer Additive)
405A000M	7300 Liter Tack Coat
407B000M	1 Kilometer Joint Sealant For Hot Mix Asphalt Pavement

408A051M	3850	Square Meter Planing Existing Pavement (Approximately 0 mm Thru 25 mm Thick)
424A360M	563	Metric Ton Superpave Bituminous Concrete Wearing Surface Layer, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D
424A366M	25	Metric Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B651M	1167	Metric Ton Superpave Bituminous Concrete Upper Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B681M	413	Metric Ton Superpave Bituminous Concrete Lower Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B685M	32	Metric Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B688M	555	Metric Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424C361M	542	Metric Ton Superpave Bituminous Concrete Base Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D
430B012M	200	Metric Ton Aggregate Surfacing (ALDOT #410 Or #467)
430B014M	750	Metric Ton Aggregate Surfacing (ALDOT #410 Modified)
533A098M	106	Meter 450 mm Storm Sewer Pipe (Class 3 R.C.)
600A000M	1	Lump Sum Mobilization
602A000M	35	Each Right Of Way Markers
602C000M	4	Each Permanent Easement Marker
610C001M	6	Metric Ton Loose Riprap, Class 2
610D000M	14	Square Meter Filter Blanket
618A000M	955	Square Meter Concrete Sidewalk, 100 mm Thick
618B003M	212	Square Meter Concrete Driveway, 150 mm Thick (Includes Wire Mesh)
619A002M	1	Each 450 mm Roadway Pipe End Treatment, Class 1
621A011M	4	Each Junction Boxes, Type 1 Or 1P
621B011M	2	Each Junction Box Units, Type 1 Or 1P
621C015M	2	Each Inlets, Type S1 Or S3 (1 Wing)
621C017M	3	Each Inlets, Type S1 Or S3 (2 Wing)
621C109M	2	Each Inlets, Type PD
623A000M	68	Meter Concrete Gutter
623C000M	1197	Meter Combination Curb & Gutter, Type C
641R515M	4	Each 25.4 mm Water Meter And Box Reset
641S500M	14	Each Valve Box Reset
645K500M	7	Each Manhole Frame And Cover Reset
650B000M	325	Cubic Meter Topsoil From Stockpiles
652A100M	2	Hectare Seeding
652C000M	2	Hectare Mowing
654A000M	1000	Square Meter Solid Sodding
656A010M	2	Hectare Mulching
665A000M	2	Hectare Temporary Seeding
665B000M	2	Hectare Temporary Mulching
665G000M	100	Each Sand Bags
665I000M	5	Metric Ton Temporary Riprap, Class 2
665J002M	1425	Meter Silt Fence
665O001M	1425	Meter Silt Fence Removal
665P005M	7	Each Inlet Protection, Stage 3 Or 4
665Q002M	162	Meter Wattle
666A001M	2	Hectare Pest Control Treatment
674A000M	284	Meter Construction Safety Fence
680A000M	1	Lump Sum Engineering Controls
698A000M	1	Lump Sum Construction Fuel (Maximum Bid Limited To \$ 52,000.00)
701A227M	1	Kilometer Solid White, Class 2, Type A Traffic Stripe (125mm Wide)
701A230M	2	Kilometer Solid Yellow, Class 2, Type A Traffic Stripe (125mm Wide)
701A244M	1	Kilometer Broken Yellow, Class 2, Type A Traffic Stripe (125mm Wide)
701B207M	30	Meter Dotted, Class 2, Type A Traffic Stripe (125mm Wide)
701C002M	1	Kilometer Broken Temporary Traffic Stripe (Paint)
701C003M	2	Kilometer Solid Temporary Traffic Stripe (Paint)
703A002M	275	Square Meter Traffic Control Markings, Class 2, Type A
703B002M	23	Square Meter Traffic Control Legends, Class 2, Type A
703D002M	275	Square Meter Temporary Traffic Control Markings (Paint)
705A030M	75	Each Pavement Markers, Class A-H, Type 2-C
705A032M	16	Each Pavement Markers, Class A-H, Type 1-B
705A037M	125	Each Pavement Markers, Class A-H, Type 2-D
705A038M	35	Each Pavement Markers, Class A-H, Type 2-E
710A099M	5	Square Meter Class 4, Aluminum Flat Sign Panels 2.032 mm Thick Or Steel Flat Sign Panels 1.897 mm Thick (Type III Background)
730A000M	1	Lump Sum Removal Of Existing Traffic Control Unit (Donahue Dr. @ Glenn Avenue)

730A001M	1 Lump Sum Removal Of Existing Traffic Control Unit (Donahue Dr. @ S. R. 14)
730C000M	1 Lump Sum Furnishing And Installing Traffic Control Unit (Donahue Dr. @ Glenn Avenue)
730C001M	1 Lump Sum Furnishing And Installing Traffic Control Unit (Donahue Dr. @ S. R. 14)
730E000M	8 Each Metal Traffic Signal Pole Foundation
730F000M	3 Each Metal Traffic Signal Pole With 9.7 m Mast Arm Assembly
730F001M	4 Each Metal Traffic Signal Pole With 11.0 m Mast Arm Assembly
730F002M	1 Each Metal Traffic Signal Pole With 13.7 m Mast Arm Assembly
730H001M	1070 Meter Loop Wire
730I001M	550 Meter Loop Detector Lead-In-Cable
730J010M	14 Each Vehicle Loop Detector
730K000M	13 Each Traffic Signal Junction Box
730L002M	20 Meter 27 mm, Metallic, Conduit
730L003M	20 Meter 27 mm, Non-Metallic, Conduit
730L005M	440 Meter 53 mm, Non-Metallic, Conduit
730M015M	250 Meter Interconnect Cable, Aerial Self- Supporting, #14AWG, 9 Conductors, IMSA 20-3
730N010M	8 Each Luminaire Extension Assembly, 3.7 m
730P022M	8 Each Vehicular Signal Head, 300 mm, 3 Section, Type LED
730P024M	8 Each Vehicular Signal Head, 300 mm, 5 Section, Type LED
730Q011M	8 Each Pedestrian Signal Head, Type LED
730R022M	2 Each Controller Assembly, Type III, 8 Phase
730T000M	2 Each Wood Pole
740B000M	62 Square Meter Construction Signs
740D000M	65 Each Channelizing Drums
740E000M	65 Each Cones (900 mm High)
740F002M	4 Each Barricades, Type III
740I005M	7 Each Warning Lights, Type B (Detachable Head)
740M001M	65 Each Ballast For Cone
756A021M	45 Meter 78 mm Electrical Conduit, 1 Line, Type 5 Installation

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN08(263)
LAWRENCE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-195, CR-196 AND CR-4 FROM
THE WINSTON COUNTY LINE TO THE MORGAN COUNTY LINE

The Length Of This Project Is: 3.314 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$451,000 To \$551,000 The Principal Items Of Work Are Approximately As Follows:

401B108	42783	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	1284	Gallon Tack Coat
407B000	3	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	3434	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	766	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	1295	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1048	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 23,200)
701A231	7	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	5	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2	Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	3	Mile Broken Temporary Traffic Stripe
701C001	10	Mile Solid Temporary Traffic Stripe
703A002	100	Square Foot Traffic Control Markings, Class 2, Type A
705A032	65	Each Pavement Markers, Class A-H, Type 1-B
705A037	340	Each Pavement Markers, Class A-H, Type 2-D
740B000	150	Square Foot Construction Signs

7400000 1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-2015(200)
COVINGTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-70 FROM SR-9 (US-331) TO
THE COFFEE COUNTY LINE NORTHEAST OF OPP

The Length Of This Project Is: 4.477 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$573,000 To \$700,000
The Principal Items Of Work Are Approximately As Follows:

210D011	8000 Cubic Yard Borrow Excavation (A-4 Or Better)
212A000	470 Station Machine Grading Shoulders
401B108	52187 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	1566 Gallon Tack Coat
407B000	5 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	4520 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1043 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
652A100	8 Acre Seeding
656A010	8 Acre Mulching
665J002	1000 Linear Foot Silt Fence
665O001	1000 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 30,500.00)
701A227	9 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	14 Mile Solid Temporary Traffic Stripe
701G252	250 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)

703A002 140 Square Foot Traffic Control Markings, Class 2, Type A
740B000 406 Square Foot Construction Signs
7400000 1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-302-673-005-805
 WINSTON AND WALKER COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-5 FROM JUST SOUTH OF THE
 WALKER COUNTY LINE TO SR-74 (US-278) AT NATURAL BRIDGE

The Length Of This Project Is: 10.301 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty Five
 (55) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00 , and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,130,000 To \$2,600,000
 The Principal Items Of Work Are Approximately As Follows:

209A000	3	Each Mailbox Reset, Single
305B077	3706	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	20516	Gallon Tack Coat
407B000	32	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	800	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	15562	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	105	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B653	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	18204	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 115,000.00)
701A227	21	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	15	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2533	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	15	Mile Broken Temporary Traffic Stripe
701C001	70	Mile Solid Temporary Traffic Stripe
701G146	340	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)

701G154	340 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G252	2400 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
701H001	680 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	5364 Square Foot Traffic Control Markings, Class 2, Type A
703B002	180 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1124 Square Foot Temporary Traffic Control Markings
705A030	384 Each Pavement Markers, Class A-H, Type 2-C
705A031	128 Each Pavement Markers, Class A-H, Type 1-A
705A032	557 Each Pavement Markers, Class A-H, Type 1-B
705A037	793 Each Pavement Markers, Class A-H, Type 2-D
705A038	157 Each Pavement Markers, Class A-H, Type 2-E
740B000	1053 Square Foot Construction Signs
740D000	20 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-506-245-005-802 & 99-506-245-041-804
 DALLAS COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., June 27, 2008, and at that time publicly opened for constructing the following:

BRIDGE SCOUR REPAIR ON SR-5 AT CHILATCHEE CREEK AND ON SR-41 AT MUSH CREEK

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00 , a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
 The Bracket Estimate On This Project Is From \$83,000 To \$102,000
 The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
610C001	1510 Ton Loose Riprap, Class 2
610D000	1645 Square Yard Filter Blanket
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	300 Each Hay Bales
665J002	1000 Linear Foot Silt Fence
665N001	200 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	1000 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 4,500.00)
740B000	380 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director