

ALABAMA

Department of Transportation

www.dot.state.al.us




Notice to Contractors

Transportation Letting

MARCH 28, 2008

10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.850.5328
cell: 334.850.5988



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number:
ACHPP-NCPD-STPOAF-I065(332)
Constructing the Interchange on I-65 at
CR-24 East of Tanner
Limestone County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 11:00 a.m.

Date: Monday, March 17, 2008

Location: Conference Room
ALDOT First Division Office
23445 US Highway 431
Guntersville, Alabama 35976

Any qualified contractor wishing to bid on this project is required to have a company representative present at this **mandatory** pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to bidders who fail to attend the **mandatory** pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPOAF-1602(521)
Constructing the Interchange on
Relocated 49th Street at I-59 in Fort Payne
DeKalb County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 9:00 a.m.

Date: Monday, March 17, 2008

Location: Conference Room
ALDOT First Division Office
23445 US Highway 431
Guntersville, Alabama 35976

Any qualified contractor wishing to bid on this project is required to have a company representative present at this **mandatory** pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to bidders who fail to attend the **mandatory** pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Prospective Bidders are encouraged to read the attached Memorandum from Mr. Terry McDuffie, P.E., State Construction Engineer, dated January 28, 2008, concerning additional training and reporting requirements for traffic control operations beginning with projects in the February 29, 2008, Letting.

Special Provision No. 06-0685 is effective February 1, 2008, and is included in each proposal in the February 29, 2008, Letting.

The attached **Special Provision No 06-0686** is effective March 1, 2008, and will be included in those proposals which require the use of Pay Item 745A, Uniformed Police Officer.

ntc.2.28.2008.5



ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36130-3050
PHONE (334) 242-6208
FAX (334) 264-3727


BOB RILEY
GOVERNOR

JOE MCINNES
TRANSPORTATION DIRECTOR

January 28, 2008

MEMORANDUM

TO: Mr. Ronald Baldwin
Office Engineer

FROM: Mr. Terry McDuffie 
Construction Engineer

RE: **Special Provision No. 06-0685 – effective February 2008 Letting**
Special Provision No. 06-0686 – effective March 2008 Letting

Special Provision No. 06-0685, which modifies Section 740 of the Standard Specifications, and Special Provision No. 06-0686, which modifies Section 745 of the Standard Specifications, were prepared in response to revisions to 23 CFR 630 Subpart J.

Special Provision No. 06-0685

Special Provision No. 06-0685 requires that all Contractor personnel involved in the implementation, operation, and inspection of traffic control to be trained appropriate to the decisions each individual is required to make and to receive periodic training updates that reflect changing industry practices. Effective with the February 2008 letting, the Contractor will be required to furnish a written report at the preconstruction conference of his status toward compliance with this training requirement. Effective with the June 2008 letting, the Contractor will be required to certify at the preconstruction meeting that all personnel are trained, or will be trained prior to beginning work, and to maintain records of this training.

The Department will not be providing this training or approving courses. The Contractor may conduct training internally or use external sources. Possible external sources of training are as follows:

National Highway Institute: www.nhi.fhwa.dot.gov
National Work Zone Safety Information Clearing House: <http://wzsafety.tamu.edu>
American Traffic Safety Services Association: <http://www.atssa.com>
Institute of Transportation Engineers: <http://www.ite.org>

Special Provision No. 06-0686

Effective with the March 2008 letting, Special Provision No. 06-0686 will require that Uniformed Police Officers provided under Pay Item 745A to be trained appropriate to the decisions the Officer is required to make and to receive periodic training updates that reflect changing industry practices. The Contractor will be required to provide a written statement from the Officer that this training requirement has been met prior to the Officer working on the project.

The Department will not be providing this training or approving courses. ATSSA (listed above) offers a training course for law enforcement officers. A training course is also being developed by the Department of Public Safety and will be available on DVD in the near future.

Please make the Contractor aware of these requirements.

TM/JLB/TF

pc: Mr. Don Vaughn Division Engineers Mr. Mike Harper FHWA File

ALABAMA DEPARTMENT OF TRANSPORTATION

DATE: January 25, 2008

Special Provision No. 06-0686

EFFECTIVE DATE: March 1, 2008

SUBJECT: Uniformed Police Officers.

Alabama Standard Specifications, 2006 Edition, SECTION 745 shall be replaced by the following:

SECTION 745 UNIFORMED POLICE OFFICERS

745.01 Description.

This Section shall cover the work of furnishing Uniformed Police Officers to assist in directing traffic through work zones. Officers furnished and paid for under this Section will be allowed only at the direction of, or with the approval of, the Engineer. The officers shall be employed by and paid by the Contractor.

745.02 Qualifications and Training.

Officers furnished under this Section shall be employees of the law enforcement agency having jurisdiction over the location where they are performing the duties covered by this Section. Officers shall have arrest powers for the location in which they are working and shall wear their complete police uniform while working.

Beginning with contracts let in March 2008, officers shall have been trained in accordance with the requirements given in 23 CFR 630 Subpart J. Any course meeting the requirements of 23 CFR 630 Subpart J will be acceptable. A DVD copy of one such course, "Alabama Department of Public Safety Construction Zone Safety Training", may be obtained by contacting the Project Engineer. Other courses may also be available through the ATSSA (American Traffic Safety Services Association).

Officers shall certify in writing prior to the officer beginning work that they have completed the training. The certification shall read as follows: "I do hereby certify that I have completed training appropriate to the job decisions I am required to make in accordance with the requirements given in 23 CFR 630 Subpart J." This wording shall be followed by the officer's signature. The Contractor shall provide a copy of this certification to the Project Engineer prior to the officer beginning work.

745.03 Duties.

The duties of police officers under this Section shall consist of assisting in the directing of public traffic through construction work zones and the enforcement of traffic laws. This shall be done at such locations and for such periods as deemed necessary and appropriate by the Engineer for the control and protection of vehicular and pedestrian traffic in accordance with the MUTCD.

745.04 Method of Measurement.

The item of Uniformed Police Officer measured for payment will be the number of hours this item was ordered and acceptably performed. The number of hours measured for payment will be the total number of hours for each officer performing work under this item.

745.05 Basis of Payment.

(a) UNIT PRICE COVERAGE.

The number of hours this item of work was ordered and acceptably performed, measured as noted above, will be paid for at the contract unit price bid which shall be full compensation for

furnishing all personnel, materials, labor, equipment, tools and incidentals necessary to complete this item of work.

Payment will not be made for an officer for whom the Contractor has not submitted the signed statement certifying that the officer has completed the required training.

(b) PAYMENT WILL BE MADE UNDER ITEM NO.:

745-A Uniformed Police Officer - per hour



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Effective with the January 18, 2008, Letting, certification requirements for Journeyman Electricians involved with Roadway Lighting work are changed. See the attached memorandum from Mr. Terry McDuffie, P.E., State Construction Engineer, dated January 4, 2008.

NTC.2.29.2008.1



Bob Riley
GOVERNOR

**ALABAMA
DEPARTMENT OF TRANSPORTATION**

**CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110**

PHONE (334) 242-6208
FAX (334) 264-3727

January 4, 2008

Joe McInnes
TRANSPORTATION DIRECTOR

MEMORANDUM

TO:

Office Engineer

FROM: Terry McDuffie

Construction Engineer

RE: Requirement for
Journeyman Electricians
IMSA (International Municipal Signal Association)
Roadway Lighting Level 1 Certification
Highway Lighting Items

On January 1, 2008 the requirement that Journeyman Electricians involved with any of the Sections 750 & 751 (Roadway Lighting) work must also have an IMSA "Roadway Lighting Level 1 Certification" became effective. While you may have previously notified interested parties of the coming of this requirement, it is requested that you once again advise any prospective bidders that this requirement is now effective with the January 2008 letting.

Your cooperation is appreciated.

TM/JLB/JCS/jcs
Pc: File



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Ronald L. Baldwin". The signature is fluid and cursive, with the first name "Ronald" being more prominent.

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- Prime contractor or subcontractor hires the trucker.
- Trucker is hauling to or from the project site.
- The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727




Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E. 
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____

was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature

Name: _____
please print

Title: _____

Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

M. J. D. Moore

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

ALDOT FORM DBE-19					
1. Project Number:		2. County:		3. Division:	
4. Prime Contractor:		5. DBE:			
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:	
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)		11. Unit Price	
Pay Item No.	Item Description	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date
17. Comments:		18. Total:		19. Total:	
20. Signature of Authorized Representative:		Printed Name & Title			
		Date Signed			

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number Instructions

- | | |
|------|---|
| 1 . | ALDOT Project Number |
| 2 . | County |
| 3 . | Division |
| 4 . | Prime Contractor for the Project |
| 5 . | DBE for this Report |
| 6 . | Date of Report |
| 7 . | ALDOT Estimate Number |
| 8 . | Work Period for this Estimate (Beginning Date - Ending Date) |
| 9 . | Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.) |
| 10 . | Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work |
| 11 . | Unit Price of Work |
| 12 . | Units |
| 13 . | Units of Work Accomplished this Period |
| 14 . | Amount Performed for this Period (Block 11 times Block 13) |
| 15 . | Units Performed to Date |
| 16 . | Amount Performed to Date (Block 11 times Block 15) |
| 17 . | Comments Pertinent to this DBE-10 |
| 18 . | Total of Amounts in Block 14 |
| 19 . | Total of Amounts in Block 16 |
| 20 . | Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed |

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: _____ Contractor Name: _____
 Letting Date: _____ Address: _____
 Contract Amount: _____
 Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

In accordance with 49 CFR Part 26.11.1, the Alabama Department of Transportation will establish its State Disadvantaged Business Enterprise (DBE) goal using Bidders' Lists of Quoters. These Bidders' Lists of Quoters will be used to determine the relative availability of DBE's and Non-DBE's. Each Bidder's List of Quoters is a compilation of quoters who have submitted quotes to the Bidder during the advertising period. Subsequent to notification as Apparent Low Bidder, the Bidder must submit an updated Form HR-DBE prior to award of contract. Form HR-DBE will accompany Form OE-110 (DBE Utilization Plan) if appropriate.

Each time Form HR-DBE is submitted to the Department, the Bidder shall list the quoters for the project, using additional sheets if necessary. The listing shall include EACH quoter's name, business location, telephone number and whether or not the quoter is an Alabama certified DBE. **FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RENDER THE BID NON-RESPONSIVE AND THE BID MAY BE REJECTED.**

The term "quoter" shall include all subcontractors, manufacturers, and suppliers of materials.

Providing the listing of quoters in compliance with these provisions shall not be a substitute for the requirements of Subcontractors Fair Practices Act, Chapter 18, Laws of 1988, Sections 13-4-31 through 13-4-43.

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failures?

Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.

In the event of diskette failure the night before the letting please call the following numbers for

assistance:

334-850-5328

334-850-5988

2.1.2007.3

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060**

2008 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2008 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2008. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

**Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060**

Company Name: _____

Shipping Address: _____

Quantity: _____	x \$125.00 per U.S. Book =	\$ _____
_____	x \$125.00 per Metric Book =	\$ _____
_____	x \$25.00 per Compact Disk =	\$ _____
Total:		\$ _____

Delivery Options (Select One)

_____ Standard UPS Ground

_____ Overnight, Provide Shipping Acct Number: _____

_____ Pick up



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 5, 2007

Re: **2008 Calendar Year**
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 5, 2007

Re: **2008 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a **\$40.00** per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

March 28, 2008

COMPANY NAME: _____ BY: _____
SHIPPING ADDRESS: _____
CITY, STATE, ZIP: _____

MAIL ADDRESS: _____
CITY, STATE, ZIP: _____ PHONE: _____
=====

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 27.00	_____	001 IM-I065(381) , BALDWIN
_____	_____	_____	\$ 81.00	_____	003 ACHPP-NCPD-STPOAF-I065(332) , LIMESTONE
_____	_____	_____	\$ 2.00	_____	006 NHF-0077(503) , CALHOUN
_____	_____	_____	\$ 4.00	_____	008 NHF-0079(509) , BLOUNT
_____	_____	_____	\$141.00	_____	009 STPOAF-1602(521) , DEKALB
_____	_____	_____	\$ 18.00	_____	014 CMAQ-CN08(908) , JEFFERSON
_____	_____	_____	\$ 2.00	_____	016 HRRR-CN08(209) , WINSTON
_____	_____	_____	\$ 2.00	_____	017 HRRR-6200(210) , TALLAPOOSA
_____	_____	_____	\$ 2.00	_____	018 HRRR-CN08(232) , WASHINGTON
_____	_____	_____	\$ 3.00	_____	019 HRRR-CN08(233) , CULLMAN
_____	_____	_____	\$ 3.00	_____	020 STPNU-HRRR-CN08(238) , BIBB
_____	_____	_____	\$ 4.00	_____	021 HRRR-CN08(245) , ST. CLAIR
_____	_____	_____	\$ 3.00	_____	022 HRRR-CN08(246) , CLEBURNE
_____	_____	_____	\$ 3.00	_____	023 HRRR-CN08(247) , CLAY
_____	_____	_____	\$ 3.00	_____	024 HRRR-CN08(248) , RANDOLPH
_____	_____	_____	\$ 3.00	_____	025 HRRR-CN08(249) , CLARKE
_____	_____	_____	\$ 2.00	_____	026 HRRR-CN08(250) , BULLOCK
_____	_____	_____	\$ 2.00	_____	027 HRRR-CN08(251) , CHOCTAW
_____	_____	_____	\$ 2.00	_____	028 HRRR-CN08(252) , MACON
_____	_____	_____	\$ 2.00	_____	029 HRRR-CN08(253) , MONROE
_____	_____	_____	\$ 2.00	_____	031 HRRR-CN08(255) , ST. CLAIR
_____	_____	_____	\$ 6.00	_____	032 HRRR-CN08(256) , LEE
_____	_____	_____	\$ 3.00	_____	033 HRRR-CN08(257) , LOWNDES
_____	_____	_____	\$ 3.00	_____	034 HRRR-CN08(258) , MARION
_____	_____	_____	\$ 3.00	_____	036 HSIP-0008(545) ,ETC. , MONTGOMERY
_____	_____	_____	\$ 6.00	_____	037 HSIP-0009(526) ,ETC. , COVINGTON
_____	_____	_____	\$ 7.00	_____	039 HSIP-0051(502) ,ETC. , COFFEE
_____	_____	_____	\$ 4.00	_____	040 HSIP-0183(500) , PERRY
_____	_____	_____	\$ 5.00	_____	046 STPAA-0068(501) ,ETC. , CHEROKEE
_____	_____	_____	\$ 3.00	_____	048 STPOA-0195(500) , WINSTON
_____	_____	_____	\$ 7.00	_____	049 STPAA-HSIP-0255(500) , MADISON
_____	_____	_____	\$ 6.00	_____	050 STPAA-HSIP-0017(523) , PICKENS
_____	_____	_____	\$ 36.00	_____	053 STPBH-0025(504) , SHELBY
_____	_____	_____	\$ 16.00	_____	054 STPBH-7190(600) , JEFFERSON
_____	_____	_____	\$ 5.00	_____	058 STPNU-4217(203) ,ETC. , LIMESTONE
_____	_____	_____	\$ 6.00	_____	059 STPOA-1704(206) ,ETC. , COLBERT
_____	_____	_____	\$ 9.00	_____	060 STPOA-2618(200) , ELMORE
_____	_____	_____	\$ 3.00	_____	062 STPOA-CN08(201) , ETOWAH
_____	_____	_____	\$ 3.00	_____	064 STPNU-2535(200) , DEKALB
_____	_____	_____	\$ 3.00	_____	065 STPNU-3415(200) , HENRY
_____	_____	_____	\$ 2.00	_____	066 STPNU-4405(201) , MACON
_____	_____	_____	\$ 4.00	_____	068 HSIP-0025(516) ,ETC. , ETOWAH
_____	_____	_____	\$ 6.00	_____	069 STPSA-0067(504) ,ETC. , MORGAN
_____	_____	_____	\$ 2.00	_____	073 99-401-224-665-801 , CULLMAN
_____	_____	_____	\$ 2.00	_____	074 99-401-253-659-801 , DEKALB
_____	_____	_____	\$ 2.00	_____	075 99-401-285-000-801 , ETOWAH
_____	_____	_____	\$ 2.00	_____	076 99-401-690-000-801 , MADISON ,ETC.
_____	_____	_____	\$ 3.00	_____	077 99-405-114-665-811 , CHILTON
_____	_____	_____	\$ 3.00	_____	078 99-405-323-659-811 , GREENE
_____	_____	_____	\$ 3.00	_____	079 99-405-632-659-811 , TUSCALOOSA

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	___	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	___	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	___	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	___	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	___	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	___	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	___	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 COLISEUM BOULEVARD

TERRY W. ROBINSON - ROOM E-108

MONTGOMERY, ALABAMA 36110

PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976

e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
IM-I065(381)
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE IMPROVEMENTS (ADDITIONAL LANE-RAMP D) ON I-65 (NBR)
AT SR-287 (EXIT 37) NORTH OF BAY MINETTE

The Length Of This Project Is: 0.909 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 27.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$872,000 To \$1,060,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206C002	840 Square Yard Removing Concrete Slope Paving
206D000	16 Linear Foot Removing Pipe
206D001	430 Linear Foot Removing Guardrail
206D011	144 Linear Foot Removing Fence
206E000	3 Each Removing Headwalls
210A000	10347 Cubic Yard Unclassified Excavation
210D012	100 Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0)
214A000	195 Cubic Yard Structure Excavation
214B000	46 Cubic Yard Foundation Backfill, Local
214B001	34 Cubic Yard Foundation Backfill, Commercial
230A000	46 Roadbed Station Roadbed Processing
301A012	7617 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	7617 Square Yard Bituminous Treatment A
405A000	430 Gallon Tack Coat
408A053	4175 Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
420A015	362 Ton Polymer Modified Open Graded Friction Course
423A003	997 Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
424B651	867 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B655	25 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	238 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	915 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	2360 Linear Foot Scoring Bituminous Pavement Surface By Cutting
502A000	7075 Pound Steel Reinforcement
524B011	40 Cubic Yard Culvert Concrete Extension (Cast In Place)
530A001	63 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A003	84 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
610C001	212 Ton Loose Riprap, Class 2
610D003	1802 Square Yard Filter Blanket, Geotextile
614A000	164 Cubic Yard Slope Paving
619A002	2 Each 18" Roadway Pipe End Treatment, Class 1
619A004	1 Each 30" Roadway Pipe End Treatment, Class 1
621A011	4 Each Junction Boxes, Type 1 Or 1P
635A001	280 Linear Foot Woven Wire Fence (Metal Post)
635B001	1 Each Gate, 14 Feet Wide
650A000	2276 Cubic Yard Topsoil
652A100	5 Acre Seeding
652C000	6 Acre Mowing
654A001	2434 Square Yard Solid Sodding (Bermuda)
656A010	5 Acre Mulching
659A036	5800 Square Yard Rolled Erosion Control Product, Type (2D)
659A048	150 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	5 Acre Temporary Seeding
665B000	5 Acre Temporary Mulching
665C010	140 Linear Foot Temporary Pipe
665E000	200 Square Yard Polyethylene
665G000	450 Each Sand Bags
665I000	100 Ton Temporary Riprap, Class 2
665J002	990 Linear Feet Silt Fence
665O001	990 Linear Foot Silt Fence Removal
665P005	2 Each Inlet Protection, Stage 3 Or 4
665Q002	440 Linear Foot Wattle
665T000	300 Linear Foot Temporary Earth Berms
666A001	6 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 47,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	3411 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	1 Mile Solid Temporary Traffic Stripe
703A002	73 Square Foot Traffic Control Markings, Class 2, Type A
703B002	23 Square Foot Traffic Control Legends, Class 2, Type A
705A031	130 Each Pavement Markers, Class A-H, Type 1-A
707A006	15 Each Type 1, Clear Delineator Installation
707A007	29 Each Type 2, Clear Delineator Installation
740B000	824 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	6 Each Barricades, Type III
740I005	1 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
ACHPP-NCPD-STPOAF-I065(332)
LIMESTONE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE (GRADE, DRAIN, PAVE, SIGNING & BRIDGE RAISING) ON
I-65 AT CR-24 EAST OF TANNER

The Length Of This Project Is: 1.254 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Ten (210) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 11:00 A.M. on Monday, March 17, 2008, in the Conference Room of the ALDOT First Division Office, 23445 US Highway 431, Guntersville, Alabama 35976. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 81.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$6,300,000 To \$7,700,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 86 Acres)
204A000	1 Each Closing Water Well
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
205A005	1 Each Removal Of Structures, Structure No. 5
205A006	1 Each Removal Of Structures, Structure No. 6
205A007	1 Each Removal Of Structures, Structure No. 7
205A008	1 Each Removal Of Structures, Structure No. 8
205A009	1 Each Removal Of Structures, Structure No. 9
206C003	2283 Square Yard Removing Concrete Flumes
206D000	248 Linear Foot Removing Pipe
206D001	1359 Linear Foot Removing Guardrail
206D002	102 Linear Foot Removing Curb
206D011	8437 Linear Foot Removing Fence
206E000	5 Each Removing Headwalls
206E008	16 Each Removing Guardrail End Anchor (All Type)

210A000 54914 Cubic Yard Unclassified Excavation
 210D000 257407 Cubic Yard Borrow Excavation
 214A000 1672 Cubic Yard Structure Excavation
 214B001 645 Cubic Yard Foundation Backfill, Commercial
 231B002 7007 Ton Roadbed Stabilizing Material, ALDOT #410 (Modified)
 301A012 34839 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
 401A000 33454 Square Yard Bituminous Treatment A
 405A000 2508 Gallon Tack Coat
 408A053 48010 Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
 410C000 1 Each Contractor Retained Profilograph
 410H000 1 Each Material Remixing Device
 420A015 1970 Ton Polymer Modified Open Graded Friction Course
 423A003 2547 Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
 424A287 791 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
 424A360 3747 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
 424B651 7201 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B681 5729 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B692 1233 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424C360 1610 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 428C000 16638 Linear Foot Scoring Bituminous Pavement Surface By Cutting
 430B035 1134 Ton Aggregate Surfacing (ALDOT #467, #410 Modified Or #57)
 502A000 42994 Pound Steel Reinforcement
 520B000 1 Lump Sum Raising Existing Bridge, Station 48+29.80
 524A010 214 Cubic Yard Culvert Concrete
 524B010 75 Cubic Yard Culvert Concrete Extension
 524B011 3 Cubic Yard Culvert Concrete Extension (Cast In Place)
 530A001 206 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
 530A003 353 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
 530A004 664 Linear Foot 36" Roadway Pipe (Class 3 R.C.)
 534A000 14 Each Cleaning Pipe Underdrain Outlets
 534F000 174 Linear Foot Cleaning Existing Culvert (Greater Than 48" Horizontal Opening)
 535B092 100 Linear Foot 44" Span, 27" Rise Side Drain Pipe (Class 3 R.C.)
 535B093 300 Linear Foot 36" Span, 23" Rise Side Drain Pipe (Class 3 R.C.)
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 40 Each Right Of Way Markers
 602C000 4 Each Permanent Easement Marker
 603A001 1 Each Furnishing Type 2 Field Office
 605B000 14 Each Special Underdrain Outlet, Type A
 610C001 471 Ton Loose Riprap, Class 2
 610D003 983 Square Yard Filter Blanket, Geotextile
 614A000 509 Cubic Yard Slope Paving
 619A002 6 Each 18" Roadway Pipe End Treatment, Class 1
 619A004 2 Each 30" Roadway Pipe End Treatment, Class 1
 619A005 2 Each 36" Roadway Pipe End Treatment, Class 1
 619A203 1 Each 30" Roadway Pipe End Treatment, Class 1 (Double Line)
 619A204 4 Each 36" Roadway Pipe End Treatment, Class 1 (Double Line)
 619B340 4 Each 36" Span, 23" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)
 619B341 2 Each 44" Span, 27" Rise Side Drain Pipe End Treatment, Class 1 (Double Line)
 620A000 1 Cubic Yard Minor Structure Concrete
 621A011 4 Each Junction Boxes, Type 1 Or 1P
 629D000 4 Each Bridge Guardrail Retrofit, Type IC
 630A001 1438 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C001 5 Each Guardrail End Anchor, Type 8
 630C003 4 Each Guardrail End Anchor, Type 13
 630C050 5 Each Guardrail End Anchor, Type 20 Series
 630C070 4 Each Guardrail End Anchor, Type 10 Series
 635A001 8610 Linear Foot Woven Wire Fence (Metal Post)
 650B000 23437 Cubic Yard Topsoil From Stockpiles
 652A100 50 Acre Seeding

652C000	36 Acre Mowing
654A000	5115 Square Yard Solid Sodding
656A010	50 Acre Mulching
659A035	8591 Square Yard Rolled Erosion Control Product, Type (2C)
659A048	20556 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	50 Acre Temporary Seeding
665B000	50 Acre Temporary Mulching
665G000	1440 Each Sand Bags
665J002	34198 Linear Feet Silt Fence
665K000	886 Cubic Yard Drainage Sump Excavation
665N000	401 Ton Temporary Coarse Aggregate, ALDOT Number 1
665O001	34198 Linear Foot Silt Fence Removal
665P005	10 Each Inlet Protection, Stage 3 Or 4
665Q002	4084 Linear Foot Wattle
666A001	43 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 343,000.00)
701A004	7 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	2 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	4 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B027	460 Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B207	3493 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	11 Mile Broken Temporary Traffic Stripe
701C001	28 Mile Solid Temporary Traffic Stripe
701E006	1472 Linear Foot Solid Temporary Traffic Stripe (Removable Tape)
701G146	798 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	674 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A000	24 Square Foot Traffic Control Markings, Class 1, Type A
703A002	9524 Square Foot Traffic Control Markings, Class 2, Type A
703A011	33 Square Foot Traffic Control Markings, Class W, Type A
703B002	225 Square Foot Traffic Control Legends, Class 2, Type A
703B011	45 Square Foot Traffic Control Legends, Class W, Type A
703D000	66 Square Foot Temporary Traffic Control Markings (Tape)
703D002	264 Square Foot Temporary Traffic Control Markings (Paint)
705A011	1195 Each Pavement Markers, Class C, Type 1-A
705A012	611 Each Pavement Markers, Class C, Type 1-B
705A030	154 Each Pavement Markers, Class A-H, Type 2-C
705A031	963 Each Pavement Markers, Class A-H, Type 1-A
705A032	348 Each Pavement Markers, Class A-H, Type 1-B
705A037	38 Each Pavement Markers, Class A-H, Type 2-D
705A038	136 Each Pavement Markers, Class A-H, Type 2-E
707B004	4 Each Type B Hazard Marker Installation
707G001	282 Each Barrier Rail Mounted Delineator (Bi-Directional)
709A000	4 Each Milepost, Type A
710A115	118 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	232 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A140	1050 Square Foot Class 6, Aluminum Multiple Flat Sign Panels 0.125" Thick Or Steel Multiple Flat Sign Panels 12 Gauge (Ty. III Background)
710A141	566 Square Foot Class 6, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III Background)
710B001	858 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710B007	297 Linear Foot Roadway Sign Post (W6 x 15 Steel Beam)
710B011	52 Linear Foot Roadway Sign Post (W6 x 12 Steel Beam)
726A000	11203 Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	20 Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D025	2 Each Portable Impact Attenuator Assembly (Unidirectional, TL-3)
740B000	1591 Square Foot Construction Signs
740C000	304 Square Foot Special Construction Signs
740D000	275 Each Channelizing Drums
740E000	75 Each Cones (36 Inches High)
740F002	34 Each Barricades, Type III
740I005	9 Each Warning Lights, Type B (Detachable Head)
740M001	75 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

742A001 2 Each Portable Changeable Message Sign, Type 2
999 000 1500 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0077(503)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-77 FROM THE
TALLADEGA COUNTY LINE TO THE ETOWAH COUNTY LINE

The Length Of This Project Is: 12.082 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Eighty Five (85) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,610,000 To \$3,150,000

The Principal Items Of Work Are Approximately As Follows:

206D001	1342	Linear Foot Removing Guardrail
206E008	16	Each Removing Guardrail End Anchor (All Type)
209A000	7	Each Mailbox Reset, Single
405A000	23380	Gallon Tack Coat
408A052	208452	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	3200	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410B000	1	Each State Furnished Profilograph
410H000	1	Each Material Remixing Device
424A280	12267	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A286	300	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	5643	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	225	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B280	6300	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B288	18530	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E

424B584	300	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL E
424B658	6256	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B661	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	120000	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	2649	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A001	1342	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C007	8	Each Guardrail End Anchor, Type 2A
630C070	8	Each Guardrail End Anchor, Type 10 Series
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 142,000.00)
701A227	24	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	10	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	425	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	31	Mile Broken Temporary Traffic Stripe
701C001	95	Mile Solid Temporary Traffic Stripe
703A002	2510	Square Foot Traffic Control Markings, Class 2, Type A
703B002	114	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1050	Square Foot Temporary Traffic Control Markings
730H001	3000	Linear Foot Loop Wire
730I001	1000	Linear Foot Loop Detector Lead-In-Cable
740B000	1292	Square Foot Construction Signs
740C000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0079(509)
BLOUNT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-79 FROM PINE BLUFF
ROAD IN LOCUST FORK TO BLACKWOOD BEND ROAD IN CLEVELAND

The Length Of This Project Is: 8.760 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,248,000 To \$1,520,000
The Principal Items Of Work Are Approximately As Follows:

206C025	704	Square Yard Removing Bituminous Pavement On Concrete Surfaces
206E008	8	Each Removing Guardrail End Anchor (All Type)
209A000	8	Each Mailbox Reset, Single
210D001	800	Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1000	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	10656	Gallon Tack Coat
407A000	636	Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	152233	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A361	14081	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	1000	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
630C050	6	Each Guardrail End Anchor, Type 20 Series
630C070	2	Each Guardrail End Anchor, Type 10 Series
650A000	160	Cubic Yard Topsoil
652A100	1	Acre Seeding
656A010	1	Acre Mulching

665J002	150 Linear Feet Silt Fence
665O001	150 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 67,000.00)
701A227	17 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	6 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	360 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	13 Mile Broken Temporary Traffic Stripe
701C001	53 Mile Solid Temporary Traffic Stripe
701G146	930 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	233 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	233 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1162 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	233 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	2574 Square Foot Traffic Control Markings, Class 2, Type A
703B002	146 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1368 Square Foot Temporary Traffic Control Markings
705A030	18 Each Pavement Markers, Class A-H, Type 2-C
705A031	33 Each Pavement Markers, Class A-H, Type 1-A
705A032	782 Each Pavement Markers, Class A-H, Type 1-B
705A037	983 Each Pavement Markers, Class A-H, Type 2-D
705A038	258 Each Pavement Markers, Class A-H, Type 2-E
730H001	592 Linear Foot Loop Wire
730I001	918 Linear Foot Loop Detector Lead-In-Cable
740B000	1577 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOAF-1602(521)
DEKALB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE (GRADE, DRAINAGE, PAVEMENT AND BRIDGES) ON RELOCATED
49TH STREET AT I-59 IN FORT PAYNE

The Length Of This Project Is: 1.452 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Four Hundred Sixty Five (465) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 9:00 A.M. on Monday, March 17, 2008, in the Conference Room of the ALDOT First Division Office, 23445 US Highway 431, Guntersville, Alabama 35976. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 141 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$18,900,000 To \$23,100,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 per acre) (Approximately 74 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
205A005	1 Each Removal Of Structures, Structure No. 5
205A006	1 Each Removal Of Structures, Structure No. 6
205A007	1 Each Removal Of Structures, Structure No. 9
206A001	1 Lump Sum Removal Of Old Bridge, Station 23+49.92 C/L Construction
206B001	1 Lump Sum Removal Of Old Box Culvert, Station 41+55 LT C/L Construction
206B002	1 Lump Sum Removal Of Old Box Culvert, Station 94+15 RT C/L Construction
206C010	1263 Square Yard Removing Concrete Driveway
206D000	1405 Linear Foot Removing Pipe
206D001	2118 Linear Foot Removing Guardrail
206E008	15 Each Removing Guardrail End Anchor (All Type)
210A000	385436 Cubic Yard Unclassified Excavation
210C000	3323 Cubic Yard Muck Excavation
210D000	628067 Cubic Yard Borrow Excavation

214A000	9282	Cubic Yard Structure Excavation
214B001	2006	Cubic Yard Foundation Backfill, Commercial
224A000	100	Cubic Yard Lime Sink Excavation
224C002	100	Ton Special Backfill For Lime Sink, ALDOT #57, #67 Or #467
224D000	50	Cubic Yard Concrete Seal For Lime Sink
231B002	19968	Ton Roadbed Stabilizing Material, ALDOT #410 (Modified)
301A006	1049	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4.5" Compacted Thickness
301A008	325	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
301A012	129501	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	131201	Square Yard Bituminous Treatment A
405A000	8224	Gallon Tack Coat
410B000	1	Each State Furnished Profilograph
410H000	1	Each Material Remixing Device
424A360	8403	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	450	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	17379	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	3307	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	16379	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	100	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	3992	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	4691	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B018	1076	Ton Aggregate Surfacing (ALDOT #410 Modified Or #467)
450B000	552	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	300423	Pound Steel Reinforcement
502B001	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 71+99.188, Approx 185,000 lbs
502B002	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 87+37.10, Approx 148,000 Lbs
505G002	52	Each Pile Points (Type A, 10")
505G003	64	Each Pile Points (Type A, 12")
505M000	1420	Linear Foot Steel Piling Furnished And Driven (HP 10x42)
505M002	2160	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
506A008	181	Linear Foot Drilled Shaft Excavation, 4'-0" Diameter
506B003	102	Linear Foot Special Drilled Shaft Excavation, 4'-0" Diameter
506C042	273	Linear Foot Drilled Shaft Construction, 4'-0" Diameter, Class DS1 Concrete
506G002	16	Each Crosshole Sonic Logging, 4'-0" Diameter
508A000	24630	Pound Structural Steel
510A000	534	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Sta. 71+99.188, Approx. 810 Cu. Yds
510C052	1	Lump Sum Bridge Concrete Superstructure, Sta. 87+37.10, Approx. 703 Cu. Yds
510E000	4972	Square Yard Grooving Concrete Bridge Decks
511A004	96	Each Elastomeric Bearing Type 4
511A073	60	Each Elastomeric Bearing Type 4 (Mark VB4)
513B005	4044	Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
513B029	3996	Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-54 Modified (Specialty Item)
520B000	1	Lump Sum Raising Existing Bridge, Station Sta. 156+63.47
524A010	273	Cubic Yard Culvert Concrete
524A011	630	Cubic Yard Culvert Concrete (Cast In Place)
524B011	185	Cubic Yard Culvert Concrete Extension (Cast In Place)
530A000	172	Linear Foot 15" Roadway Pipe (Class 3 R.C.)
530A002	783	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	773	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A004	184	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A007	217	Linear Foot 54" Roadway Pipe (Class 3 R.C.)
530A013	411	Linear Foot 24" Roadway Pipe (Class 4 R.C.)
530A015	419	Linear Foot 36" Roadway Pipe (Class 4 R.C.)
530A025	282	Linear Foot 30" Roadway Pipe (Class 5 R.C.)
530A028	241	Linear Foot 48" Roadway Pipe (Class 5 R.C.)

530A100 69 Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)
 530A155 133 Linear Foot 24" Roadway Pipe (14 Gauge C.C.S.)
 530B005 87 Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)
 535A000 40 Linear Foot 15" Side Drain Pipe
 535A001 528 Linear Foot 18" Side Drain Pipe
 535A003 68 Linear Foot 30" Side Drain Pipe
 535A300 30 Linear Foot 15" Side Drain Pipe (Extension)
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 112 Each Right Of Way Markers
 606A012 1500 Linear Foot 6" Underdrain Pipe, Type 8
 609A000 940 Square Yard Aggregate Slope Protection
 609B000 940 Square Yard Geotextile Filter For Aggregate Slope Protection
 610C001 14936 Ton Loose Riprap, Class 2
 610D003 17170 Square Yard Filter Blanket, Geotextile
 614A000 494 Cubic Yard Slope Paving
 618B003 489 Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
 618B007 445 Square Yard Concrete Driveway, 12" Thick (Includes Wire Mesh)
 619A001 2 Each 15" Roadway Pipe End Treatment, Class 1
 619A003 10 Each 24" Roadway Pipe End Treatment, Class 1
 619A004 12 Each 30" Roadway Pipe End Treatment, Class 1
 619A005 3 Each 36" Roadway Pipe End Treatment, Class 1
 619A007 2 Each 48" Roadway Pipe End Treatment, Class 1
 619A008 2 Each 54" Roadway Pipe End Treatment, Class 1
 619A100 3 Each 15" Side Drain Pipe End Treatment, Class 1
 619A101 22 Each 18" Side Drain Pipe End Treatment, Class 1
 619A103 2 Each 30" Side Drain Pipe End Treatment, Class 1
 619B020 1 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 1
 619B145 1 Each 51" Span, 31" Rise Side Drain Pipe End Treatment, Class 2
 620A000 2 Cubic Yard Minor Structure Concrete
 621A011 3 Each Junction Boxes, Type 1 Or 1P
 621A012 2 Each Junction Boxes, Type 3 Or 3P
 621A058 2 Each Junction Boxes, Type 3 (Modified)
 621C002 6 Each Inlets, Type C, P1 Or P3
 621C004 1 Each Inlets, Type GH
 621C020 1 Each Inlets, Type Y
 621D004 3 Each Inlet Units, Type GH
 621D019 2 Each Inlet Units, Type Y
 621D022 6 Each Inlet Units, Type C, P1 Or P3
 621I002 2 Each Stilling Basins, Type 2
 629A005 124 Linear Foot Concrete Median Or Safety Barrier, Type 4A (Reinforced)
 629D000 4 Each Bridge Guardrail Retrofit, Type IC
 630A001 8272 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C001 2 Each Guardrail End Anchor, Type 8
 630C003 14 Each Guardrail End Anchor, Type 13
 630C050 13 Each Guardrail End Anchor, Type 20 Series
 630C070 19 Each Guardrail End Anchor, Type 10 Series
 635A001 6172 Linear Foot Woven Wire Fence (Metal Post)
 637A001 6214 Linear Foot Fence Reset (Includes All Types)
 650B000 36458 Cubic Yard Topsoil From Stockpiles
 652A100 87 Acre Seeding
 652C000 116 Acre Mowing
 654A001 896 Square Yard Solid Sodding (Bermuda)
 656A010 87 Acre Mulching
 659A041 52601 Square Yard Rolled Erosion Control Product, Type (3B)
 659A048 8237 Square Yard Rolled Erosion Control Product, Type (5A)
 665A000 19 Acre Temporary Seeding
 665B000 19 Acre Temporary Mulching
 665C010 967 Linear Foot Temporary Pipe
 665E000 4107 Square Yard Polyethylene
 665F000 325 Each Hay Bales
 665G000 1008 Each Sand Bags
 665I000 3942 Ton Temporary Riprap, Class 2
 665J002 28521 Linear Feet Silt Fence
 665K000 2134 Cubic Yard Drainage Sump Excavation
 665L000 340 Linear Foot Floating Basin Boom
 665N000 750 Ton Temporary Coarse Aggregate, ALDOT Number 1
 665O001 28521 Linear Foot Silt Fence Removal
 665Q002 3639 Linear Foot Wattle

665T000	9225	Linear Foot Temporary Earth Berms
666A001	74	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 1,576,000.00)
701A227	7	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B027	2690	Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B207	2723	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7	Mile Broken Temporary Traffic Stripe
701C001	22	Mile Solid Temporary Traffic Stripe
701C006	3	Mile Solid Temporary Traffic Stripe (Removable Tape)
701D007	9	Mile Solid Traffic Stripe Removed (Paint)
701D008	3	Mile Solid Traffic Stripe Removed (Plastic)
701D009	5	Mile Solid Traffic Stripe Removed (Tape)
701G142	1220	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	2040	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G150	640	Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	1980	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	10005	Square Foot Traffic Control Markings, Class 2, Type A
703A011	1697	Square Foot Traffic Control Markings, Class W, Type A
703B002	314	Square Foot Traffic Control Legends, Class 2, Type A
703B011	45	Square Foot Traffic Control Legends, Class W, Type A
703C000	100	Square Foot Removal Of Existing Traffic Control Markings Or Legends (Paint)
703D001	480	Square Foot Temporary Traffic Control Markings
705A011	1100	Each Pavement Markers, Class C, Type 1-A
705A023	235	Each Pavement Markers, Class C, Type 2-D
705A030	145	Each Pavement Markers, Class A-H, Type 2-C
705A031	1413	Each Pavement Markers, Class A-H, Type 1-A
705A032	715	Each Pavement Markers, Class A-H, Type 1-B
705A037	457	Each Pavement Markers, Class A-H, Type 2-D
705A038	307	Each Pavement Markers, Class A-H, Type 2-E
709A000	4	Each Milepost, Type A
710A115	460	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	153	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A140	654	Square Foot Class 6, Aluminum Multiple Flat Sign Panels 0.125" Thick Or Steel Multiple Flat Sign Panels 12 Gauge (Ty. III Background)
710A141	335	Square Foot Class 6, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III Background)
710B001	1252	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710B006	156	Linear Foot Roadway Sign Post (S4 x 7.7 Steel Beam)
710B007	34	Linear Foot Roadway Sign Post (W6 x 15 Steel Beam)
710B011	173	Linear Foot Roadway Sign Post (W6 x 12 Steel Beam)
726A000	3920	Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	20	Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D025	2	Each Portable Impact Attenuator Assembly (Unidirectional, TL-3)
740B000	2634	Square Foot Construction Signs
740C000	17	Square Foot Special Construction Signs
740D000	703	Each Channelizing Drums
740E000	50	Each Cones (36 Inches High)
740F002	46	Each Barricades, Type III
740I005	23	Each Warning Lights, Type B (Detachable Head)
740M001	50	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2
999 000	3000	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
CMAQ-CN08(908)
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

FIBER OPTIC AND TRAFFIC SIGNAL IMPROVEMENTS ON SR-149 FROM VALLEY AVENUE TO
CAHABA ROAD IN BIRMINGHAM AT VARIOUS INTERSECTIONS AS INDICATED ON THE PLANS

The Length Of This Project Is: 4.753 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Eighty (180) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 18.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,100,000 To \$1,400,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
654A000	1200 Square Yard Solid Sodding
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 62,000.00)
730A000	1 Lump Sum Removal Of Existing Traffic Control Unit (State Route 149 at Devon Drive)(Site 16)
730A012	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Valley Avenue)(Site 1)
730A013	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Columbiana Road) (Site 2)
730A014	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Oxmoor Rd./Pallisades Blvd)(Site 3)
730A015	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Carr Avenue)(Site 4)
730A016	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Raleigh Avenue)(Site 5)
730A017	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Broadway)(Site 6)
730A018	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at University Park Drive)(Site 8)

730A019	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at University Park East) (Site 9)
730A020	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Samford University) (Site 10)
730A021	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Southern Progress) (Site 11)
730A022	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Old Montgomery Highway) (Site 12)
730A023	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Brookwood Boulevard) (Site 13)
730A024	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Brookwood Village) (Site 14)
730A025	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Brookwood Mall) (Site 15)
730A026	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Windsor Drive) (Site 17)
730A027	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at U.S. 280 EB Ramp) (Site 18)
730A028	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at U.S. 280 WB Ramp) (Site 19)
730A029	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (State Route 149 at Cahaba Road) (Site 20)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Valley Avenue) (Site 1)
730C001	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Columbiana Road) (Site 2)
730C002	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Oxmoor Rd./Pallisades Blvd) (Site 3)
730C003	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Carr Avenue) (Site 4)
730C004	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Raleigh Avenue) (Site 5)
730C005	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Broadway) (Site 6)
730C006	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at University Park Drive) (Site 8)
730C007	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at University Park East) (Site 9)
730C008	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Samford University) (Site 10)
730C009	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Southern Progress) (Site 11)
730C010	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Old Montgomery Highway) (Site 12)
730C011	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Brookwood Boulevard) (Site 13)
730C012	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Brookwood Village) (Site 14)
730C013	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Brookwood Mall) (Site 15)
730C014	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Windsor Drive) (Site 17)
730C015	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at U.S. 280 EB Ramps) (Site 18)
730C100	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at U.S. 280 WB Ramps) (Site 19)
730C101	1 Lump Sum Furnishing And Installing Traffic Control Unit (State Route 149 at Cahaba Road) (Site 20)
730E000	2 Each Metal Traffic Signal Pole Foundation
730F000	1 Each Metal Traffic Signal Pole With 55 Ft. Mast Arm
730G001	1 Each Metal Traffic Signal Strain Pole
730H001	6100 Linear Foot Loop Wire
730I001	6075 Linear Foot Loop Detector Lead-In-Cable
730J010	165 Each Vehicle Loop Detector
730K000	8 Each Traffic Signal Junction Box
730L003	30 Linear Foot 1", Non-Metallic, Conduit
730L005	1300 Linear Foot 2", Non-Metallic, Conduit
730N010	1 Each Luminaire Extension Assembly, 12 Foot
730P022	154 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED

730P024	16	Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730P030	3	Each Vehicular Signal Head, 12 Inch, 3 Section, Optically Programmed
730P032	1	Each Vehicular Signal Head, 12 Inch, 5 Section, Optically Programmed
730Q011	14	Each Pedestrian Signal Head, Type LED
730R022	18	Each Controller Assembly, Type III, 8 Phase
730T000	1	Each Wood Pole
734A014	28060	Linear Foot Cable OSP, Loose Tube, 60F SM
734B005	2600	Linear Foot Drop Cable OSP 6F SM Central Core
734E000	17750	Linear Foot Detectable Tape System
734E005	42	Each Marker Post
734E100	17420	Linear Foot Buried Duct HDPE SDR11 2 x 2 Inch
734F002	18	Each Distribution Hardware SFDU 12 Fiber
734G002	72	Each Connector FC Termination SM
734G005	6	Each Splice Closure, Aerial With Trays
734G009	132	Each Splicing, Fusion
734G120	13	Each Splice Closure, Undergrade, 72 Fiber
734H015	72	Each Patch Cord Simplex SM,FC
734J000	35	Each Commbox F1
734N021	18	Each Fiber Optic Transceiver, RS-232 Remote W/ Power
740B000	664	Square Foot Construction Signs
740E000	80	Each Cones (36 Inches High)
740M001	80	Each Ballast For Cone
741C010	1	Each Portable Sequential Arrow And Chevron Sign Unit
745A000	80	Hour Uniformed Police Officer
756A028	2975	Linear Foot 6" Electrical Conduit, 1 line, Type 5 Installation

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(209)
WINSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AT SITES AS INDICATED ON
THE PLANS

The Length Of This Project Is: 26.980 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$50,000 To \$60,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	55 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	8 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	47 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-6200(210)
TALLAPOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, TRAFFIC CONTROL MARKINGS & PAVEMENT MARKERS ON
CR-44 AND CR-92 AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 7.708 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$43,000 To \$53,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	16 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	14 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	2 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A004	500 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	200 Each Pavement Markers, Class A-H, Type 1-B
705A037	920 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(232)
WASHINGTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS ON CR-15, CR-34 AND
CR-36 AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 16.813 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$82,800 To \$100,700
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	34 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	29 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	6 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A004	210 Square Foot Traffic Control Markings, Class 2T, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(233)
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS ON CR-747, CR-1223,
CR-1114 AND CR-565 AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 16.100 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$34,000 To \$42,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	33 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	3 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	29 Mile Solid Yellow, Class 1, Type A Traffic Stripe
703A002	820 Square Foot Traffic Control Markings, Class 2, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-HRRR-CN08 (238)
BIBB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-9 FROM SR-5 IN CENTREVILLE
TO CR-24 AT BELCHERS

The Length Of This Project Is: 13.875 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,275,000 To \$2,780,000

The Principal Items Of Work Are Approximately As Follows:

206D001	150	Linear Foot Removing Guardrail
206E019	4	Each Removing Guardrail End Anchor (Type 10)
405A000	16760	Gallon Tack Coat
424A341	18000	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	7200	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	7330	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A001	150	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	4	Each Guardrail End Anchor, Type 20 Series
665J002	1400	Linear Feet Silt Fence
665O001	1400	Linear Foot Silt Fence Removal
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$112,000.00)
701A030	28	Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	21	Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	5	Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	5	Mile Broken Temporary Traffic Stripe
701C001	21	Mile Solid Temporary Traffic Stripe

703A004	146 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	200 Each Pavement Markers, Class A-H, Type 1-B
705A037	1490 Each Pavement Markers, Class A-H, Type 2-D
740B000	339 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(245)
ST. CLAIR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL AND GUARDRAIL END ANCHORS AT VARIOUS SITES AS
INDICATED ON THE PLANS

The Length Of This Project Is: 0.136 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$24,000 To \$29,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
630A001	463 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	4 Each Guardrail End Anchor, Type 8
630C050	4 Each Guardrail End Anchor, Type 20 Series
740B000	208 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(246)
CLEBURNE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, TRAFFIC CONTROL MARKINGS & PAVEMENT MARKERS ON
VARIOUS COUNTY ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 26.281 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$120,000 To \$145,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	21 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	36 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	6 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701A235	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701G251	500 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	270 Square Foot Traffic Control Markings, Class 2, Type A
705A032	401 Each Pavement Markers, Class A-H, Type 1-B
705A037	2918 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(247)
CLAY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND PAVEMENT MARKERS ON VARIOUS COUNTY ROADS AT
SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 38.010 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$85,000 To \$100,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	51 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	10 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	69 Mile Solid Yellow, Class 1, Type A Traffic Stripe
705A032	473 Each Pavement Markers, Class A-H, Type 1-B
705A037	4461 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(248)
RANDOLPH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL AND GUARDRAIL END ANCHORS ON VARIOUS COUNTY ROADS AT
SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 0.315 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$58,400 To \$71,300
The Principal Items Of Work Are Approximately As Follows:

206D001	60 Linear Foot Removing Guardrail
600A000	1 Lump Sum Mobilization
630A001	975 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A004	25 Linear Foot Steel Beam Guardrail, Class B, Type 2
630C022	8 Each Guardrail End Anchor, Type Special
630C050	12 Each Guardrail End Anchor, Type 20 Series
740B000	96 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(249)
CLARKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS ON VARIOUS COUNTY
ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 39.800 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$139,000 To \$169,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	31 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	73 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	7 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A004	308 Square Foot Traffic Control Markings, Class 2T, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(250)
BULLOCK COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, PAVEMENT MARKERS & TRAFFIC CONTROL MARKINGS ON
VARIOUS COUNTY ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 14.014 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$55,000 To \$68,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A034	21 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	7 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701G252	1625 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
703A004	303 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	367 Each Pavement Markers, Class A-H, Type 1-B
705A037	1422 Each Pavement Markers, Class A-H, Type 2-D
705A039	160 Each Pavement Markers, Class A-H, Type 2-A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(251)
CHOCTAW COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS ON VARIOUS COUNTY
ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 8.660 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$46,000 To \$56,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	18 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	13 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	5 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A004	80 Square Foot Traffic Control Markings, Class 2T, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(252)
MACON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AT SITES AS INDICATED ON
THE PLANS

The Length Of This Project Is: 81.782 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty (40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$57,000 To \$70,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A008	55 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	81 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(253)
MONROE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AT SITES AS INDICATED ON
THE PLANS

The Length Of This Project Is: 76.050 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$68,000 To \$83,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	152 Mile Solid White, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(255)
ST. CLAIR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS ON VARIOUS COUNTY
ROADS AT SITES AS INDICATED BY THE PLANS

The Length Of This Project Is: 6.723 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$30,000 To \$33,000 The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	3 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	14 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
703A002	160 Square Foot Traffic Control Markings, Class 2, Type A
705A037	888 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(256)
LEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

GUARDRAIL, TRAFFIC CONTROL MARKINGS AND SIGNS ON VARIOUS COUNTY
ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 0.224 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$106,000 To \$130,000
The Principal Items Of Work Are Approximately As Follows:

206D001	40 Linear Foot Removing Guardrail
210D001	500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
600A000	1 Lump Sum Mobilization
630A001	13 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A004	90 Linear Foot Steel Beam Guardrail, Class B, Type 2
630C001	1 Each Guardrail End Anchor, Type 8
630C022	16 Each Guardrail End Anchor, Type Special
630C050	19 Each Guardrail End Anchor, Type 20 Series
631F005	527 Linear Foot Steel Beam Guardrail, Class B, Type 2 Relocated
650A000	15 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	250 Each Hay Bales
665J002	2060 Linear Feet Silt Fence
665O001	2060 Linear Foot Silt Fence Removal
701G251	1100 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	176 Square Foot Traffic Control Markings, Class 2, Type A
710A115	64 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	53 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)

710B001	195 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs
740B000	96 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(257)
LOWNDES COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AT SITES AS INDICATED ON
THE PLANS

The Length Of This Project Is: 82.390 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$59,000 To \$70,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A008	67 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	89 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN08(258)
MARION COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS AND LEGENDS ON
VARIOUS COUNTY ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 41.073 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$77,000 To \$94,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	82 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	13 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	65 Mile Solid Yellow, Class 1, Type A Traffic Stripe
703A000	420 Square Foot Traffic Control Markings, Class 1, Type A
703B000	137 Square Foot Traffic Control Legends, Class 1, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
HSIP-0008(545) & 99-306-513-008-801
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-8 (US-80) FROM
SR-110 JUST EAST OF MONTGOMERY TO THE MACON COUNTY LINE

The Length Of This Project Is: 8.084 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,535,000 To \$1,875,000

The Principal Items Of Work Are Approximately As Follows:

206C010	12 Square Yard Removing Concrete Driveway
206E000	1 Each Removing Headwalls
206E011	3 Each Removing Guardrail End Anchor (Type 3)
210D021	5100 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
405A000	9600 Gallon Tack Coat
407A000	1800 Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	118000 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	14400 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	2900 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	82900 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	100 Ton Aggregate Surfacing (ALDOT #410 Or #467)
530A106	10 Linear Foot 48" Roadway Pipe (Class 3 R.C.) (Extension)
600A000	1 Lump Sum Mobilization
619A057	1 Each 48" Roadway Pipe End Treatment, Class 2
620A000	1 Cubic Yard Minor Structure Concrete

630C050	3 Each Guardrail End Anchor, Type 20 Series
650A000	850 Cubic Yard Topsoil
652A100	8 Acre Seeding
656A010	8 Acre Mulching
665F000	200 Each Hay Bales
665J002	2000 Linear Feet Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
666A001	8 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 85,000.00)
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	500 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	85 Mile Solid Temporary Traffic Stripe
701G146	2766 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	1383 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G252	600 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
701H001	2766 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1383 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	756 Square Foot Traffic Control Markings, Class 2, Type A
703B002	211 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1336 Square Foot Temporary Traffic Control Markings
703E001	632 Square Foot Temporary Traffic Control Legends
705A032	160 Each Pavement Markers, Class A-H, Type 1-B
705A037	770 Each Pavement Markers, Class A-H, Type 2-D
740B000	976 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	250 Each Cones (36 Inches High)
740L005	12 Each Vertical Panel, Type I (Double-Sided)
740M001	250 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
HSIP-0009(526) & 99-307-203-009-801
COVINGTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-9 (US-331) FROM 0.44 MILES
NORTH OF SR-299 NORTH OF OPP TO THE CRENSHAW COUNTY LINE

The Length Of This Project Is: 8.681 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,700,000 To \$2,100,000
The Principal Items Of Work Are Approximately As Follows:

209A000	39	Each Mailbox Reset, Single
210D021	2959	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	909	Station Machine Grading Shoulders
405A000	19693	Gallon Tack Coat
408A052	121187	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A358	4848	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	13298	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A365	200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	3535	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
652A100	16	Acre Seeding
652C000	16	Acre Mowing
656A010	16	Acre Mulching
665J002	5000	Linear Feet Silt Fence
665O001	5000	Linear Foot Silt Fence Removal

665Q002	500 Linear Foot Wattle
666A001	16 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 91,000.00)
701A227	18 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	15 Mile Broken Temporary Traffic Stripe
701C001	48 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G146	877 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	877 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	806 Square Foot Traffic Control Markings, Class 2, Type A
703D001	806 Square Foot Temporary Traffic Control Markings
705A032	214 Each Pavement Markers, Class A-H, Type 1-B
705A037	497 Each Pavement Markers, Class A-H, Type 2-D
740B000	935 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
HSIP-0051(502) & 99-307-162-051-806
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE AND DRAINAGE EXTENSION ON SR-51 FROM
SR-167 TO THE DALE COUNTY LINE

The Length Of This Project Is: 10.293 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty Five
(55) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,535,000 To \$1,880,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1	Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206C010	510	Square Yard Removing Concrete Driveway
209A000	12	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
210D011	5297	Cubic Yard Borrow Excavation (A-4 Or Better)
212A000	1087	Station Machine Grading Shoulders
214A000	108	Cubic Yard Structure Excavation
214B000	161	Cubic Yard Foundation Backfill, Local
401B108	132854	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	150	Gallon Tack Coat
424A341	12518	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424A343	200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	4228	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL A/B
502A000	1168	Pound Steel Reinforcement
530A107	19	Linear Foot 54" Roadway Pipe (Class 3 R.C.) (Extension)

530A108	19 Linear Foot 60" Roadway Pipe (Class 3 R.C.) (Extension)
538A009	57 Linear Foot 54" Roadway Pipe Rehabilitation
538A010	57 Linear Foot 60" Roadway Pipe Rehabilitation
600A000	1 Lump Sum Mobilization
610C001	20 Ton Loose Riprap, Class 2
610D000	16 Square Yard Filter Blanket
620A000	16 Cubic Yard Minor Structure Concrete
652A100	20 Acre Seeding
652C000	20 Acre Mowing
656A010	20 Acre Mulching
659A041	1587 Square Yard Rolled Erosion Control Product, Type (3B)
665G000	200 Each Sand Bags
665I000	32 Ton Temporary Riprap, Class 2
665J002	6000 Linear Feet Silt Fence
665N001	12 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	6000 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle
666A001	20 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$27,000.00)
701A227	21 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	14 Mile Broken Temporary Traffic Stripe
701C001	59 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
703A002	398 Square Foot Traffic Control Markings, Class 2, Type A
703D001	398 Square Foot Temporary Traffic Control Markings
705A032	304 Each Pavement Markers, Class A-H, Type 1-B
705A037	951 Each Pavement Markers, Class A-H, Type 2-D
740B000	1180 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0183(500)
PERRY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-183 FROM WEST OF
WASHINGTON CREEK (MP 11.100) TO WEST OF SR-5 (MP 13.600)
SOUTHWEST OF MARION

The Length Of This Project Is: 2.500 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$630,000 To \$770,000

The Principal Items Of Work Are Approximately As Follows:

210D021	500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	264 Station Machine Grading Shoulders
305B077	250 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	3000 Gallon Tack Coat
408A051	40637 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A360	2376 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	2848 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1452 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
650A000	209 Cubic Yard Topsoil
652A100	3 Acre Seeding
656A010	3 Acre Mulching
665J002	100 Linear Feet Silt Fence
665O001	100 Linear Foot Silt Fence Removal
665Q002	100 Linear Foot Wattle

666A001	3 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 34,000.00)
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	8 Mile Solid Temporary Traffic Stripe
703A002	580 Square Foot Traffic Control Markings, Class 2, Type A
703D002	1212 Square Foot Temporary Traffic Control Markings (Paint)
705A032	90 Each Pavement Markers, Class A-H, Type 1-B
705A037	85 Each Pavement Markers, Class A-H, Type 2-D
740B000	543 Square Foot Construction Signs
740D000	75 Each Channelizing Drums
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
STPAA-0068(501) & STPAA-0283(500)
CHEROKEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-68 FROM SR-25
(US-411) TO SR-283 AND ON SR-283 FROM SR-68 TO SR-25 (US-411) IN
CENTRE

The Length Of This Project Is: 4.492 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,600,000 To \$2,000,000

The Principal Items Of Work Are Approximately As Follows:

405A000	6356	Gallon Tack Coat
408A052	127501	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	1000	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1	Each Material Remixing Device
424A361	11010	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	12241	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	175	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	9450	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 86,000.00)
701A227	5	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	6	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	3840	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)

701C000	11 Mile Broken Temporary Traffic Stripe
701C001	14 Mile Solid Temporary Traffic Stripe
703A002	4246 Square Foot Traffic Control Markings, Class 2, Type A
703B002	405 Square Foot Traffic Control Legends, Class 2, Type A
703D001	4246 Square Foot Temporary Traffic Control Markings
705A031	402 Each Pavement Markers, Class A-H, Type 1-A
705A032	23 Each Pavement Markers, Class A-H, Type 1-B
705A037	796 Each Pavement Markers, Class A-H, Type 2-D
730H001	4380 Linear Foot Loop Wire
730I001	4105 Linear Foot Detector Lead-In-Cable
740B000	806 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-0195(500)
WINSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-195 FROM THE WALKER COUNTY LINE
TO MILL CREEK SOUTH OF DOUBLE SPRINGS

The Length Of This Project Is: 6.349 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,135,000 To \$1,385,000

The Principal Items Of Work Are Approximately As Follows:

209A000	10	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
305B077	2561	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	11390	Gallon Tack Coat
408A052	1245	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	8716	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	112	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	5898	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	1140	Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	66172	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
600A000	1	Lump Sum Mobilization
652A100	2	Acre Seeding
656A010	2	Acre Mulching

665J002	100 Linear Feet Silt Fence
665O001	100 Linear Foot Silt Fence Removal
665Q002	300 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 62,000.00)
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7 Mile Broken Temporary Traffic Stripe
701C001	43 Mile Solid Temporary Traffic Stripe
701G146	880 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	440 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	440 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H000	1320 Linear Foot Solid Traffic Stripe Removed (Paint)
701H005	440 Linear Foot Broken Traffic Stripe Removed (Paint)
703A002	558 Square Foot Traffic Control Markings, Class 2, Type A
703D001	558 Square Foot Temporary Traffic Control Markings
705A032	174 Each Pavement Markers, Class A-H, Type 1-B
705A037	623 Each Pavement Markers, Class A-H, Type 2-D
740B000	506 Square Foot Construction Signs
740D000	20 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0255(500)
MADISON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-255 FROM 0.5 MILES
SOUTH OF SR-2 (US-72) TO JUST SOUTH OF SR-53 IN HUNTSVILLE

The Length Of This Project Is: 3.880 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,500,000 To \$1,800,000

The Principal Items Of Work Are Approximately As Follows:

405A000	7004	Gallon Tack Coat
407A000	626	Gallon Joint Sealant For Hot Mix Asphalt Pavement
408A052	225940	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	1500	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1	Each Material Remixing Device
420A015	742	Ton Polymer Modified Open Graded Friction Course
424A280	11543	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	6162	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	150	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	260	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	375	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	22850	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
652A100	1	Acre Seeding

656A010	1 Acre Mulching
665J002	1000 Linear Feet Silt Fence
665O001	1000 Linear Foot Silt Fence Removal
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 78,800.00)
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	11 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	5770 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	21 Mile Broken Temporary Traffic Stripe
701C001	38 Mile Solid Temporary Traffic Stripe
701G142	2408 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	2028 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	2028 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	4056 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	2408 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	2400 Square Foot Traffic Control Markings, Class 2, Type A
703B002	845 Square Foot Traffic Control Legends, Class 2, Type A
703D001	5071 Square Foot Temporary Traffic Control Markings
703E001	1690 Square Foot Temporary Traffic Control Legends
705A030	380 Each Pavement Markers, Class A-H, Type 2-C
705A031	931 Each Pavement Markers, Class A-H, Type 1-A
705A032	216 Each Pavement Markers, Class A-H, Type 1-B
740B000	1087 Square Foot Construction Signs
740C000	17 Square Foot Special Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0017(523)
PICKENS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-17 FROM THE SUMTER
COUNTY LINE TO THE HUYCK BRIDGE NORTHEAST OF COCHRANE

The Length Of This Project Is: 7.116 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five (65) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,830,000 To \$2,235,000

The Principal Items Of Work Are Approximately As Follows:

206D001	500	Linear Foot Removing Guardrail
206E013	2	Each Removing Guardrail End Anchor (Type 13)
206E014	4	Each Removing Guardrail End Anchor (Type 2A)
206E019	6	Each Removing Guardrail End Anchor (Type 10)
209A000	18	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
210D021	500	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	750	Station Machine Grading Shoulders
305B077	200	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401B100	124207	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	6746	Gallon Tack Coat
408A052	111282	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A356	5090	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A359	200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	15886	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B655	550	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B693	3591	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	75029	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
629D001	4	Each Bridge Guardrail Retrofit, Type C
630A001	700	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	6	Each Guardrail End Anchor, Type 13
630C050	6	Each Guardrail End Anchor, Type 20 Series
650A000	2896	Cubic Yard Topsoil
652A100	6	Acre Seeding
656A010	6	Acre Mulching
659A025	400	Square Yard Rolled Erosion Control Product, Type (1A)
665J002	1500	Linear Feet Silt Fence
665O001	1500	Linear Foot Silt Fence Removal
665Q002	500	Linear Foot Wattle
666A001	6	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 98,000.00)
701A227	15	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	159	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	14	Mile Broken Temporary Traffic Stripe
701C001	63	Mile Solid Temporary Traffic Stripe
703A002	489	Square Foot Traffic Control Markings, Class 2, Type A
703B002	90	Square Foot Traffic Control Legends, Class 2, Type A
705A032	163	Each Pavement Markers, Class A-H, Type 1-B
705A037	306	Each Pavement Markers, Class A-H, Type 2-D
705A038	31	Each Pavement Markers, Class A-H, Type 2-E
740B000	756	Square Foot Construction Signs
740D000	100	Each Channelizing Drums
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPBH-0025(504)
SHELBY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

INTERSECTION IMPROVEMENTS INCLUDING SIGNALS AT FIVE SITES ON
SR-25 IN COLUMBIANA AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty
(120) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 36.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,395,000 To \$1,705,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 5 Acres)
206C003	30 Square Yard Removing Concrete Flumes
206C010	873 Square Yard Removing Concrete Driveway
206D000	1081 Linear Foot Removing Pipe
206D002	731 Linear Foot Removing Curb
206D003	378 Linear Foot Removing Curb And Gutter
210A000	6672 Cubic Yard Unclassified Excavation
210D000	2186 Cubic Yard Borrow Excavation
214A000	638 Cubic Yard Structure Excavation
214B001	316 Cubic Yard Foundation Backfill, Commercial
301A012	2409 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
305B071	200 Ton Coarse Aggregate, Section 801, For Miscellaneous Use
401B100	180 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	739 Gallon Tack Coat
408A052	19500 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	2242 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	534 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B655	1422 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1200 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	1070 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
530A001	108 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	332 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A103	5 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
530B003	348 Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
530B004	57 Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)
533A098	100 Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.)
533A099	61 Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.)
533A100	68 Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.)
533B101	84 Linear Foot 44" Span, 27" Rise Storm Sewer Pipe (Class 3 R.C.)
535A001	361 Linear Foot 18" Side Drain Pipe
535A002	70 Linear Foot 24" Side Drain Pipe
535B050	39 Linear Foot 29" Span, 18" Rise Side Drain Pipe
600A000	1 Lump Sum Mobilization
602A000	25 Each Right Of Way Markers
610C001	189 Ton Loose Riprap, Class 2
610D000	149 Square Yard Filter Blanket
610D001	45 Square Yard Filter Blanket, Geotextile (Woven)
614A000	379 Cubic Yard Slope Paving
618A000	26 Square Yard Concrete Sidewalk, 4" Thick
618B003	665 Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
619A002	3 Each 18" Roadway Pipe End Treatment, Class 1
619A003	8 Each 24" Roadway Pipe End Treatment, Class 1
619A054	2 Each 30" Roadway Pipe End Treatment, Class 2
619A101	16 Each 18" Side Drain Pipe End Treatment, Class 1
619A102	2 Each 24" Side Drain Pipe End Treatment, Class 1
619B018	2 Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 1
619B019	1 Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 1
619B117	2 Each 29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1
620A000	3 Cubic Yard Minor Structure Concrete
621A011	3 Each Junction Boxes, Type 1 Or 1P
621A019	3 Each Junction Boxes, Type 1 Or 2P
621C001	3 Each Inlets, Type B
621C016	1 Each Inlets, Type S2 Or S4 (1 Wing)
621C017	1 Each Inlets, Type S1 Or S3 (2 Wing)
621C018	2 Each Inlets, Type S2 Or S4 (2 Wing)
621C020	1 Each Inlets, Type Y
621C049	1 Each Inlets, Type S1 Or S3 (2 Wing) (Modified)
621C109	2 Each Inlets, Type PD
623B000	292 Linear Foot Concrete Curb, Type N
623B001	109 Linear Foot Concrete Curb, Type N Special
623C000	2216 Linear Foot Combination Curb & Gutter, Type C
645I500	1 Each 48 Inch Manhole Unit
645K500	1 Each Manhole Frame And Cover Reset
650B000	1481 Cubic Yard Topsoil From Stockpiles
652A100	4 Acre Seeding
652C000	4 Acre Mowing
654A000	1081 Square Yard Solid Sodding
656A010	4 Acre Mulching
665A000	4 Acre Temporary Seeding
665B000	4 Acre Temporary Mulching
665G000	165 Each Sand Bags
665I000	200 Ton Temporary Riprap, Class 2
665J002	10714 Linear Feet Silt Fence
665N001	3 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	10714 Linear Foot Silt Fence Removal
665P005	8 Each Inlet Protection, Stage 3 Or 4
665Q002	941 Linear Foot Wattle
666A001	4 Acre Pest Control Treatment
674A000	1000 Linear Foot Construction Safety Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 75,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)

701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	2757 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	1 Mile Broken Temporary Traffic Stripe (Paint)
701C003	6 Mile Solid Temporary Traffic Stripe (Paint)
703A002	4390 Square Foot Traffic Control Markings, Class 2, Type A
703B002	450 Square Foot Traffic Control Legends, Class 2, Type A
703D002	3233 Square Foot Temporary Traffic Control Markings (Paint)
705A031	718 Each Pavement Markers, Class A-H, Type 1-A
705A032	556 Each Pavement Markers, Class A-H, Type 1-B
705A037	268 Each Pavement Markers, Class A-H, Type 2-D
705A038	366 Each Pavement Markers, Class A-H, Type 2-E
730A012	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (SR 25 at SR 70)
730A013	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (SR 25 at CR 47)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit (SR 25 at SR 70)
730C001	1 Lump Sum Furnishing And Installing Traffic Control Unit (SR 25 at CR 47)
730E000	2 Each Metal Traffic Signal Pole Foundation
730G001	2 Each Metal Traffic Signal Strain Pole
730H001	4040 Linear Foot Loop Wire
730I001	3810 Linear Foot Loop Detector Lead-In-Cable
730J010	16 Each Vehicle Loop Detector
730K000	12 Each Traffic Signal Junction Box
730L005	1260 Linear Foot 2", Non-Metallic, Conduit
730N000	2 Each Luminaire Extension Assembly, 12 Feet
730P013	2 Each Vehicular Signal Head, 12 Inch, 5 section, Type Incandescent
730P022	4 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P024	4 Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730R022	1 Each Controller Assembly, Type III, 8 Phase
740B000	569 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
756A011	20 Linear Foot 4" Electrical Conduit, 4 Lines, Type 1 Installation
756A022	250 Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPBH-7190(600)
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

BRIDGE REHABILITATIONS (2) AND APPROACHES ON JOHN ROGERS DRIVE
IN BIRMINGHAM

The Length Of This Project Is: 0.100 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 16.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$750,000 To \$920,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206A050	1 Lump Sum Removal Of Old Bridge, Partial, Station 40+44.46
206C013	432 Square Yard Removing Bridge End Slab
206D001	797 Linear Foot Removing Guardrail
206E008	4 Each Removing Guardrail End Anchor (All Type)
210A000	1322 Cubic Yard Unclassified Excavation
210D000	1007 Cubic Yard Borrow Excavation
210F005	1340 Ton Borrow Excavation (Light Weight Aggregate)
214A000	274 Cubic Yard Structure Excavation
214B001	74 Cubic Yard Foundation Backfill, Commercial
401A000	432 Square Yard Bituminous Treatment A
405A000	98 Gallon Tack Coat
408A051	2757 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A360	248 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	77 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	25 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424C360	165 Ton Superpave Bituminous Concrete Base Layer, 1"
	Maximum Aggregate Size Mix, ESAL Range C/D
450B000	432 Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	9968 Pound Steel Reinforcement
505M006	956 Linear Foot Steel Piling Furnished And Driven (HP 14x117)
508A000	6791 Pound Structural Steel
510A000	71 Cubic Yard Bridge Substructure Concrete, Class A
533A500	261 Linear Foot 18" Storm Sewer Pipe (14 Gauge C.S.F.C.S.)
600A000	1 Lump Sum Mobilization
601A000	1 Each Furnishing Base, Soil And Structure Laboratories
605C001	180 Linear Foot Special 4" Diameter Underdrain Pipe
610C001	22 Ton Loose Riprap, Class 2
610D002	2002 Square Yard Filter Blanket, Geotextile (Non-Woven)
621A058	4 Each Junction Boxes, Type 3 (Modified)
621C015	2 Each Inlets, Type S1 Or S3 (1 Wing)
621D015	2 Each Inlet Units, Type S1 Or S3
621I000	2 Each Stilling Basins, Type 00
623C000	689 Linear Foot Combination Curb & Gutter, Type C
623C003	108 Linear Foot Combination Curb & Gutter, Type C (Modified)
630A001	700 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4 Each Guardrail End Anchor, Type 13
650A000	175 Cubic Yard Topsoil
652A100	1 Acre Seeding
652C000	1 Acre Mowing
656A010	1 Acre Mulching
659A041	12050 Square Yard Rolled Erosion Control Product, Type (3B)
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665C010	80 Linear Foot Temporary Pipe
665G000	24 Each Sand Bags
665I000	60 Ton Temporary Riprap, Class 2
665J002	1450 Linear Feet Silt Fence
665O001	1450 Linear Foot Silt Fence Removal
665Q002	80 Linear Foot Wattle
665T000	100 Linear Foot Temporary Earth Berms
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 41,000.00)
701G242	406 Linear Foot Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701G253	406 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G258	406 Linear Foot Broken Yellow, Class 2, Type A Traffic Stripe
701G263	406 Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe
705A031	10 Each Pavement Markers, Class A-H, Type 1-A
705A037	20 Each Pavement Markers, Class A-H, Type 2-D
740B000	389 Square Foot Construction Signs
740C000	77 Square Foot Special Construction Signs
740E000	50 Each Cones (36 Inches High)
740F002	16 Each Barricades, Type III
740I005	10 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	4 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
STPNU-4217(203) & STPOA-CN08(226)
LIMESTONE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CAIRO HOLLOW ROAD, STINNETT HOLLOW
ROAD AND MOORESVILLE ROAD AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 9.826 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$900,000 To \$1,100,000

The Principal Items Of Work Are Approximately As Follows:

206C010	10	Square Yard Removing Concrete Driveway
206E019	1	Each Removing Guardrail End Anchor (Type 10)
401B100	131389	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	3970	Gallon Tack Coat
424A340	5600	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	600	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A360	5100	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	400	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	900	Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B004	6000	Ton Aggregate Surfacing (ALDOT #810)
600A000	1	Lump Sum Mobilization
630C070	1	Each Guardrail End Anchor, Type 10 Series
665F000	200	Each Hay Bales

698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 49,500.00)
701A030	20 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	12 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	5 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	12 Mile Solid Temporary Traffic Stripe
703A002	760 Square Foot Traffic Control Markings, Class 2, Type A
703B002	224 Square Foot Traffic Control Legends, Class 2, Type A
705A032	258 Each Pavement Markers, Class A-H, Type 1-B
705A037	1042 Each Pavement Markers, Class A-H, Type 2-D
740B000	377 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
STPOA-1704(206) & STPOA-1704(205)
COLBERT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE, PAVEMENT MARKERS AND MARKINGS ON
CR-48 AT VARIOUS SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 2.220 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$300,000 To \$360,000

The Principal Items Of Work Are Approximately As Follows:

206C000	20 Square Yard Removing Concrete Sidewalk
206C010	125 Square Yard Removing Concrete Driveway
206D003	38 Linear Foot Removing Curb And Gutter
401B108	33089 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	995 Gallon Tack Coat
408A052	961 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A340	2581 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	250 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	938 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
618A000	20 Square Yard Concrete Sidewalk, 4" Thick
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 15,000.00)
701A231	5 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701B205	64 Linear Foot Dotted, Class 2, Type A, Traffic Stripe
701C001	9 Mile Solid Temporary Traffic Stripe
703A001	140 Square Foot Traffic Control Markings, Class 1, Type B
703A002	688 Square Foot Traffic Control Markings, Class 2, Type A
703B002	69 Square Foot Traffic Control Legends, Class 2, Type A

705A037	293 Each Pavement Markers, Class A-H, Type 2-D
740B000	300 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-2618(200)
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT ON CR-29 AT WEOKA CREEK SOUTHEAST OF TITUS

The Length Of This Project Is: 0.083 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred (100) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 9.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$1,400,000 To \$1,700,000
The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 12+66.4
210A000	505 Cubic Yard Unclassified Excavation
502A000	118225 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Station 12+55, Approximately 106,240 Lbs
506A000	189 Linear Foot Drilled Shaft Excavation, 4'-6" Diameter
506A005	111 Linear Foot Drilled Shaft Excavation, 3'-6" Diameter
506B002	40 Linear Foot Special Drilled Shaft Excavation, 3'-6" Diameter
506B004	76 Linear Foot Special Drilled Shaft Excavation, 4'-6" Diameter
506C041	151 Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete
506C043	298 Linear Foot Drilled Shaft Construction, 4'-6" Diameter, Class DS1 Concrete
506F001	222 Linear Foot Permanent Drilled Shaft Casing, 4'-6" Diameter
506G001	4 Each Crosshole Sonic Logging, 3'-6" Diameter
506G003	6 Each Crosshole Sonic Logging, 4'-6" Diameter
508A000	5638 Pound Structural Steel
510A000	147 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Station 12+55 Approximately 442 Cu Yd
510E000	1168 Square Yard Grooving Concrete Bridge Decks
511A053	32 Each Elastomeric Bearing Type 2 (Mark B4)
513B019	1742 Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-63 (Specialty Item)

600A000	1 Lump Sum Mobilization
610C001	1447 Ton Loose Riprap, Class 2
610D000	834 Square Yard Filter Blanket
630C003	4 Each Guardrail End Anchor, Type 13
630C050	4 Each Guardrail End Anchor, Type 20 Series
665F000	50 Each Hay Bales
665J002	160 Linear Feet Silt Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 41,000.00)
740B000	198 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN08(201)
ETOWAH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON DUCK SPRINGS ROAD FROM SR-1
(US-431) TO THE DEKALB COUNTY LINE NORTH OF GADSDEN

The Length Of This Project Is: 14.689 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In ninety (90) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,600,000 To \$3,200,000

The Principal Items Of Work Are Approximately As Follows:

206D001	350	Linear Foot Removing Guardrail
206E008	4	Each Removing Guardrail End Anchor (All Type)
209A000	132	Each Mailbox Reset, Single
401B103	173000	Square Yard Bituminous Treatment J (With Polymer Additive)
405A000	7300	Gallon Tack Coat
424A340	12110	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1000	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	17240	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	200	Ton Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C351	3020	Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	5820	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A021	1275	Linear Foot Steel Beam Guardrail, Class A, Type 2 (Steel Post)
630C070	14	Each Guardrail End Anchor, Type 10 Series

698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 134,000.00)
701A004	30 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	6 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	24 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	18 Mile Broken Temporary Traffic Stripe
701C001	72 Mile Solid Temporary Traffic Stripe
703A002	540 Square Foot Traffic Control Markings, Class 2, Type A
703D001	540 Square Foot Temporary Traffic Control Markings
705A032	388 Each Pavement Markers, Class A-H, Type 1-B
705A037	1551 Each Pavement Markers, Class A-H, Type 2-D
740B000	420 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
7400000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-2535(200)
DEKALB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AT SITES
AS INDICATED ON THE PLANS

The Length Of This Project Is: 3.360 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$636,000 To \$777,000
The Principal Items Of Work Are Approximately As Follows:

206D001	586 Linear Foot Removing Guardrail
405A000	4093 Gallon Tack Coat
424A340	2718 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
	Maximum Aggregate Size Mix, ESAL Range A/B
424B636	4848 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
424B644	300 Ton Superpave Bituminous Concrete Upper Binder Layer,
	Leveling, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B647	606 Ton Superpave Bituminous Concrete Upper Binder Layer,
	Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	200 Ton Superpave Bituminous Concrete Base Layer, Patching, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
430B043	2522 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
630A004	586 Linear Foot Steel Beam Guardrail, Class B, Type 2
630C022	4 Each Guardrail End Anchor, Type Special
630C050	4 Each Guardrail End Anchor, Type 20 Series
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 34,000.00)
701A231	7 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe

701C000	1 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe
703A002	612 Square Foot Traffic Control Markings, Class 2, Type A
705A032	50 Each Pavement Markers, Class A-H, Type 1-B
705A037	395 Each Pavement Markers, Class A-H, Type 2-D
740B000	268 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-3415(200)
HENRY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-26 FROM CR-99 TO CR-53
NORTHWEST OF HALEBURG

The Length Of This Project Is: 3.719 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$460,000 To \$560,000

The Principal Items Of Work Are Approximately As Follows:

210D021	3000	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	393	Station Machine Grading Shoulders
401B108	48000	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	1600	Gallon Tack Coat
424A340	3800	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B638	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1	Lump Sum Mobilization
652A100	6	Acre Seeding
656A010	6	Acre Mulching
665F000	50	Each Hay Bales
665J002	200	Linear Feet Silt Fence
665O001	200	Linear Foot Silt Fence Removal
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 24,000.00)
701A004	8	Mile Solid White, Class 1, Type A Traffic Stripe
701A235	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	6	Mile Broken Temporary Traffic Stripe

701C001	8 Mile Solid Temporary Traffic Stripe
703A000	560 Square Foot Traffic Control Markings, Class 1, Type A
703D001	560 Square Foot Temporary Traffic Control Markings
705A032	165 Each Pavement Markers, Class A-H, Type 1-B
705A037	231 Each Pavement Markers, Class A-H, Type 2-D
740B000	308 Square Foot Construction Signs
7400000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-4405(201)
MACON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

FULL DEPTH RECLAMATION, RESURFACING AND TRAFFIC STRIPE ON CR-4
FROM THE BULLOCK COUNTY LINE TO CR-9 IN CHESSON

The Length Of This Project Is: 1.938 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$390,000 To \$475,000
The Principal Items Of Work Are Approximately As Follows:

302A000	27293	Square Yard Full Depth Reclamation, 6.5 Inches Thick
302B000	465	Ton Portland Cement For Full Depth Reclamation
401A000	26156	Square Yard Bituminous Treatment A
405A000	1501	Gallon Tack Coat
424A336	1101	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8"
		Maximum Aggregate Size Mix, ESAL Range A/B
424B635	2065	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range A/B
430B043	515	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 20,000.00)
701A030	4	Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	2	Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	1	Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	1	Mile Broken Temporary Traffic Stripe
701C001	2	Mile Solid Temporary Traffic Stripe
705A032	43	Each Pavement Markers, Class A-H, Type 1-B
705A037	172	Each Pavement Markers, Class A-H, Type 2-D
740B000	121	Square Foot Construction Signs
740F002	6	Each Barricades, Type III
740I005	3	Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
HSIP-0025(516) & 99-301-285-025-801
ETOWAH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-25 (US-411) FROM
THE ST. CLAIR COUNTY LINE TO SR-77 IN RAINBOW CITY

The Length Of This Project Is: 5.250 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.0 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,440,000 To \$1,760,000
The Principal Items Of Work Are Approximately As Follows:

405A000	5266	Gallon Tack Coat
408A052	87752	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	1715	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	5923	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	11948	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	300	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	1224	Ton Superpave Bituminous Concrete Base Layer, Widening, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B040	1985	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
652A100	2	Acre Seeding
656A010	2	Acre Mulching
665J002	31500	Linear Feet Silt Fence
665O001	31500	Linear Foot Silt Fence Removal
665Q002	360	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 77,000.00)

701A227	11 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	439 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	39 Mile Solid Temporary Traffic Stripe
703A002	1095 Square Foot Traffic Control Markings, Class 2, Type A
703B002	162 Square Foot Traffic Control Legends, Class 2, Type A
703D001	2190 Square Foot Temporary Traffic Control Markings
703E001	324 Square Foot Temporary Traffic Control Legends
705A032	193 Each Pavement Markers, Class A-H, Type 1-B
705A037	297 Each Pavement Markers, Class A-H, Type 2-D
740B000	537 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
STPSA-0067(504) & 99-301-521-067-802
MORGAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-67 FROM SR-36 TO
NORTH OF CR-161 (INDIAN HILLS ROAD) IN PRICEVILLE

The Length Of This Project Is: 11.620 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy (70) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,700,000 To \$3,300,000

The Principal Items Of Work Are Approximately As Follows:

405A000	13320	Gallon Tack Coat
408A051	222023	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	940	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A280	15203	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range E
424B280	18581	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range E
424B289	141	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling,
		1" Maximum Aggregate Size Mix, ESAL Range E
424C290	522	Ton Superpave Bituminous Concrete Base Layer, Widening, 1"
		Maximum Aggregate Size Mix, ESAL Range E
430B040	12680	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
652A100	1	Acre Seeding
656A010	1	Acre Mulching
665J002	1000	Linear Feet Silt Fence
665O001	1000	Linear Foot Silt Fence Removal
665Q002	250	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment

698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 143,000.00)
701A227	21 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	18 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	6 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	10 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	5620 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	16 Mile Broken Temporary Traffic Stripe
701C001	39 Mile Solid Temporary Traffic Stripe
701G144	423 Linear Foot Solid White, Class W, Type A Traffic Stripe
701G152	423 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe
703A002	5663 Square Foot Traffic Control Markings, Class 2, Type A
703B002	740 Square Foot Traffic Control Legends, Class 2, Type A
703D001	5663 Square Foot Temporary Traffic Control Markings
703E001	740 Square Foot Temporary Traffic Control Legends
705A031	347 Each Pavement Markers, Class A-H, Type 1-A
705A032	354 Each Pavement Markers, Class A-H, Type 1-B
705A037	1489 Each Pavement Markers, Class A-H, Type 2-D
730H001	6650 Linear Foot Loop Wire
730I001	9300 Linear Foot Loop Detector Lead-In-Cable
740B000	908 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-401-224-665-801
CULLMAN COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

LITTER COLLECTION AND MAINTENANCE ROADSIDE MOWING ALONG I-65
FROM THE BLOUNT COUNTY LINE TO THE MORGAN COUNTY LINE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Twenty Four (24) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$56,000 To \$68,000
The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 408 Acres
655F000	3 Cycle Litter Collection (Approximately 408 Acres
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 4,700.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-401-253-659-801
DEKALB COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

LITTER COLLECTION AND MAINTENANCE ROADSIDE MOWING ALONG I-59
FROM THE ETOWAH COUNTY LINE TO THE GEORGIA STATE LINE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Two (42) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$106,200 To \$129,800

The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 815 Acres)
655F000	3 Cycle Litter Collection (Approximately 815 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 6,000.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-401-285-000-801
 ETOWAH COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

LITTER COLLECTION AND MAINTENANCE ROADSIDE MOWING ALONG VARIOUS
 INTERSTATE ROUTES AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$78,000 To \$95,000

The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 574 Acres)
655F000	3 Cycle Litter Collection (Approximately 574 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$6582.24)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-401-690-000-801
 MADISON, MORGAN AND LIMESTONE COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

LITTER COLLECTION AND MAINTENANCE ROADSIDE MOWING ON I-65 AND
 I-565 AT SITES AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Two (72) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$202,500 To \$247,000
 The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 1744 Acres)
655F000	3 Cycle Litter Collection (Approximately 1744 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 17,000.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director

Notice To Contractors
State Maintenance Project No.
99-405-114-665-811
CHILTON COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING ALONG I-65 FROM THE AUTAUGA COUNTY
LINE TO THE SHELBY COUNTY LINE

The Length Of This Project Is: 27.927 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty
(60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$95,000 To \$116,000
The Principal Items Of Work Are Approximately As Follows:

655A009	4 Cycle Maintenance Roadside Mowing (Approximately 637 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 5,000.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-405-323-659-811
GREENE COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING ALONG I-59 FROM THE SUMTER COUNTY
LINE TO THE TUSCALOOSA COUNTY LINE

The Length Of This Project Is: 28.060 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$140,000 To \$170,000
The Principal Items Of Work Are Approximately As Follows:

655A009	4 Cycle Maintenance Roadside Mowing (Approximately 739 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 7,500.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-405-632-659-811
TUSCALOOSA COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., March 28, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING ALONG I-59 FROM THE GREENE COUNTY
LINE TO THE JEFFERSON COUNTY LINE

The Length Of This Project Is: 45.515 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Eighty (80) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$ 10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$200,000 To \$240,000
The Principal Items Of Work Are Approximately As Follows:

655A009	4 Cycle Maintenance Roadside Mowing (Approximately 1319 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 11,000.00)
740B000	128 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director