



# ALABAMA

## Department of Transportation

[www.dot.state.al.us](http://www.dot.state.al.us)



Notice to Contractors  
Transportation Letting  
**May 30, 2008**  
10:00 a.m.



Alabama Department of Transportation  
1409 Coliseum Boulevard, Room E-108  
Montgomery Alabama 36110

Plans and Proposals  
telephone: 334.242.6444  
e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)  
fax: 334.264.7976  
cell: 334.850.5328  
cell: 334.850.5988



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Project Number: NHF-0042(510)  
Partial Base & Pave on relocated SR-42  
(US-98) from East of Escatawpa River at  
Wilmer to West of Walter Tanner Road  
Mobile County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday, May 21, 2008**

Location: Auditorium  
ALDOT Ninth Division  
1701 I-65 West Service Road North  
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Project Number: HPP-1702 (903)  
Grade, Drainage, Pavement, and Signing  
on CR-83 from Foley Beach Express to  
CR-32 in Summerdale

## Baldwin County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 11:00 a.m.  
Date: **Wednesday, May 21, 2008**  
Location: Auditorium  
ALDOT Ninth Division  
1701 I-65 West Service Road North  
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Project Number: APD-0471(503)  
Grade, Drain, and Partial Base & Pave on  
I-22 (Corridor X) from 1.4 Miles West of  
I-65 to 400 Feet West of I-65 in  
Birmingham  
Jefferson County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 9:30 a.m.

Date: Friday, May 23, 2008

Location: Auditorium  
ALDOT Third Division  
1020 Bankhead Highway West  
Birmingham, Alabama 35204

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. . Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# Special Notice to Contractors

It is anticipated that Project Number APD-0471(501) Jefferson County, will be in an upcoming Letting. The project is to construct the grade, drain, base, pave, and bridges, etc., for the Corridor X / I-65 Route Interchange in Birmingham.

Due to the size and complex nature of the project a preliminary plan set is available for contractor review. The plan set is on compact disk in .pdf format and is available at no cost to the contractor. If you would like a compact disk containing the preliminary plan set please provide your company name, phone number, and shipping address in the space provided below and fax or mail this form to:

Alabama Department of Transportation  
c/o Terry W. Robinson  
1409 Coliseum Boulevard – Room E-108  
Montgomery Alabama 36110-2060  
FAX: 334.264.7976

---

Company Name

---

Shipping Address

---

Phone Number

NTC.4.9.2009



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

### Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

# Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1





Bob Riley  
Governor

# ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes  
Transportation Director

December 12, 2005

## MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin  
State Office Engineer 

RE: Sublet Approval Requirements for  
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. G. M. Harper  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. Terry Robinson  
Alabama Road Builders Association  
File



ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley  
Governor

Mr. Joe D. Wilkerson  
Division Administrator  
Federal Highway Administration  
500 Eastern Boulevard, Suite 200  
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation  
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ronald L. Baldwin".

Ronald L. Baldwin  
State Office Engineer

RLB:CPM:agh  
Attachment

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. David Bollie  
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

\*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- Prime contractor or subcontractor hires the trucker.
- Trucker is hauling to or from the project site.
- The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley  
Governor

**ALABAMA**  
**DEPARTMENT OF TRANSPORTATION**  
CONSTRUCTION BUREAU  
1409 COLISEUM BOULEVARD  
MONTGOMERY, ALABAMA 36110  
Telephone: (334) 242-6208  
FAX: (334) 264-3727



Joe McInnes  
Transportation Director

January 29, 2007

**Construction Information Memorandum No. 1-2007**

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E. *Terry McDuffie*  
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION  
Certification of Actual Payments to DBE Firms

Project No.: \_\_\_\_\_  
County: \_\_\_\_\_

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: \_\_\_\_\_  
was or will be paid \$ \_\_\_\_\_

Note: this amount does / does not include gross receipts tax and bond.  
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: \_\_\_\_\_  
signature

Name: \_\_\_\_\_  
please print

Title: \_\_\_\_\_

Date: \_\_\_\_\_



GEORGE C. WALLACE  
GOVERNOR

*File*

STATE OF ALABAMA  
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

*M. J. D. Moore*

*JAT*

RAY D. BASS  
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog  
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship  
Federal Highway Administration  
File



1. Project Number:						2. County:		3. Division:							
4. Prime Contractor:						5. DBE:									
6. Date:		7. ALDOT Estimate:		8. Estimate Period:		From:		To:							
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)		11. Unit Price		12. Units		13. Units Worked		14. Amount Performed this Period		15. Units Performed to Date		16. Amount Performed to Date	
Pay Item No.	Item Description														
17. Comments:															
18. Total:															
19. Total:															
20. Signature of Authorized Representative:															
Printed Name & Title															
Date Signed															

# Alabama Department of Transportation

## ALDOT Form DBE 10 Instructions

### Block Number    Instructions

1. ALDOT Project Number
2. County
3. Division
4. Prime Contractor for the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

#### Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

#### Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet ). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

# Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: \_\_\_\_\_

Contractor Name: \_\_\_\_\_

Letting Date: \_\_\_\_\_

Address: \_\_\_\_\_

Contract Amount: \_\_\_\_\_

Percent DBE Utilization Required: \_\_\_\_\_

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
<b>Instructions:</b> 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			<b>Total Dollar Amount to DBEs:</b> \$ _____  <b>Required Dollar Amount of DBE Utilization:</b> \$ _____	

ALDOT Approval: \_\_\_\_\_

Date: \_\_\_\_\_

Project Number: \_\_\_\_\_

County: \_\_\_\_\_

**Certification of Prime Contractor:**

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_ Date: \_\_\_\_\_

**Certification of Non-DBE Subcontractor:** \_\_\_\_\_

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_ Date: \_\_\_\_\_

**Certification of DBE Subcontractor:** \_\_\_\_\_

Address: \_\_\_\_\_

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_ Date: \_\_\_\_\_

DBE Certification Number: \_\_\_\_\_

BIDDER'S NAME: \_\_\_\_\_  
PROJECT NUMBER: \_\_\_\_\_  
COUNTY: \_\_\_\_\_

[illegible]



## **ALABAMA DEPARTMENT OF TRANSPORTATION**

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

# **Diskette Failures?**

**Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.**

**In the event of diskette failure the night before the letting please call the following numbers for**

**assistance:**

**334-850-5328**

**334-850-5988**

2.1.2007.3

**ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
MONTGOMERY ALABAMA 36110-2060**

## **2008 SPECIAL AND STANDARD HIGHWAY DRAWINGS**

The Alabama Department of Transportation is using the 2008 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2008. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at [www.dot.state.al.us](http://www.dot.state.al.us) look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

**Alabama Department of Transportation  
c/o Terry W. Robinson  
1409 Coliseum Boulevard – Room E-108  
Montgomery Alabama 36110-2060**

---

Company Name: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

\_\_\_\_\_

Quantity: _____	x \$125.00 per U.S. Book =	\$ _____
_____	x \$125.00 per Metric Book =	\$ _____
_____	x \$25.00 per Compact Disk =	\$ _____
Total:		\$ _____

Delivery Options (Select One)

\_\_\_\_\_ Standard UPS Ground

\_\_\_\_\_ Overnight, Provide Shipping Acct Number: \_\_\_\_\_

\_\_\_\_\_ Pick up

May 30, 2008

COMPANY NAME: \_\_\_\_\_ BY: \_\_\_\_\_  
SHIPPING ADDRESS: \_\_\_\_\_  
CITY, STATE, ZIP: \_\_\_\_\_  
-----  
MAIL ADDRESS: \_\_\_\_\_  
CITY, STATE, ZIP: \_\_\_\_\_ PHONE: \_\_\_\_\_  
=====

DELIVERY OPTIONS: \_\_\_\_\_ STANDARD MAIL/SHIP (VIA UPS)  
(CHECK ONE) \_\_\_\_\_ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # \_\_\_\_\_)  
\_\_\_\_\_ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.  
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.

BID PACKAGE (LIMIT ONE PER PROJECT) \$10.00 EA.	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 36.00	_____	001 HPP-1702(903), BALDWIN
_____	_____	_____	\$ 87.00	_____	003 APD-0471(503), JEFFERSON
_____	_____	_____	\$ 60.00	_____	006 NHF-0002(526), COLBERT
_____	_____	_____	\$ 5.00	_____	007 NHF-HSIPF-0002(530), JACKSON
_____	_____	_____	\$ 13.00	_____	009 NHF-0042(510), MOBILE
_____	_____	_____	\$ 2.00	_____	011 NHF-0012(529), MONROE
_____	_____	_____	\$ 5.00	_____	013 HSIPF-NHF-0002(532), MADISON
_____	_____	_____	\$ 12.00	_____	019 BHP-0008(544), MARENGO
_____	_____	_____	\$ 6.00	_____	021 BRZ-0600(203), BULLOCK
_____	_____	_____	\$ 6.00	_____	022 BRZ-1700(210), COLBERT
_____	_____	_____	\$ 12.00	_____	023 BRZ-6300(217), TUSCALOOSA
_____	_____	_____	\$ 3.00	_____	027 HRRR-CN08(237), HALE
_____	_____	_____	\$ 3.00	_____	029 HSIP-0049(501),ETC., MACON
_____	_____	_____	\$ 7.00	_____	030 HSIP-0069(516),ETC., CLARKE
_____	_____	_____	\$ 3.00	_____	031 HSIP-0199(500),ETC., MACON
_____	_____	_____	\$ 6.00	_____	032 STPAA-HSIP-0061(504), HALE
_____	_____	_____	\$ 6.00	_____	037 STPAA-0096(502), LAMAR
_____	_____	_____	\$ 3.00	_____	040 STPOA-4710(200), MARION
_____	_____	_____	\$ 3.00	_____	041 STPOA-4819(200), MARSHALL
_____	_____	_____	\$ 4.00	_____	042 STPOA-5009(200), MONROE
_____	_____	_____	\$ 20.00	_____	044 STPOA-9059(600), LEE
_____	_____	_____	\$ 14.00	_____	047 ST-005-160-001, BLOUNT
_____	_____	_____	\$ 3.00	_____	050 99-306-245-219-801, DALLAS
_____	_____	_____	\$ 5.00	_____	051 99-303-595-003-804, SHELBY
_____	_____	_____	\$ 4.00	_____	052 99-304-621-038-801, TALLAPOOSA
_____	_____	_____	\$ 6.00	_____	053 99-306-513-152-801, MONTGOMERY
_____	_____	_____	\$ 13.00	_____	054 99-409-022-104-733, BALDWIN
_____	_____	_____	\$ 5.00	_____	055 99-403-595-000-820, SHELBY
_____	_____	_____	\$ 6.00	_____	056 99-403-371-000-820, JEFFERSON

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 15.00	_____	2006 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

\*\* SEND ONE CHECK ONLY.\*\* FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
TERRY W. ROBINSON - ROOM E-108  
MONTGOMERY, ALABAMA 36110  
PHONE: (334) 242-6444 FAX: (334) 264-7976  
e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ \_\_\_\_\_ PAID BY: \_\_\_\_\_ DATE: \_\_\_\_\_



Notice To Contractors  
Federal Aid Project No.  
HPP-1702(903)  
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

GRADE, DRAINAGE, PAVEMENT AND SIGNING ON CR-83 FROM FOLEY BEACH  
EXPRESS TO CR-32 IN SUMMERDALE

The Length Of This Project Is: 1.619 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Eighty  
(180) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 11:00 A.M. on Wednesday, May 21, 2008, in the auditorium of the ALDOT Ninth Division office, 1701 I-65 West Service Road, N., Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$36.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,900,000 To \$4,700,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1	Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 5 Acres)
206D000	418	Linear Foot Removing Pipe
206D011	2650	Linear Foot Removing Fence
210A000	55104	Cubic Yard Unclassified Excavation
210D012	33735	Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0))
214A000	1050	Cubic Yard Structure Excavation
214B000	692	Cubic Yard Foundation Backfill, Local
230A000	87	Roadbed Station Roadbed Processing
301A012	64885	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	59465	Square Yard Bituminous Treatment A
405A000	3713	Gallon Tack Coat
407B000	6	Mile Joint Sealant For Hot Mix Asphalt Pavement
410C000	1	Each Contractor Retained Profilograph
424A361	5307	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D

424B651 8102 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 424B681 8479 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 430B043 500 Ton Aggregate Surfacing (1" Down, Crusher Run)  
 530A001 92 Linear Foot 18" Roadway Pipe (Class 3 R.C.)  
 530A002 72 Linear Foot 24" Roadway Pipe (Class 3 R.C.)  
 530B001 72 Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)  
 530B003 1258 Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)  
 530B004 176 Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)  
 535A080 204 Linear Foot 18" Side Drain Pipe (Class 3 R.C.)  
 535A085 68 Linear Foot 24" Side Drain Pipe (Class 3 R.C.)  
 535A086 68 Linear Foot 30" Side Drain Pipe (Class 3 R.C.)  
 600A000 1 Lump Sum Mobilization  
 602A000 20 Each Right Of Way Markers  
 606A000 1000 Linear Foot 6" Underdrain Pipe  
 610C001 321 Ton Loose Riprap, Class 2  
 610D002 250 Square Yard Filter Blanket, Geotextile (Non-Woven)  
 614A000 69 Cubic Yard Slope Paving  
 618B003 33 Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)  
 619A002 2 Each 18" Roadway Pipe End Treatment, Class 1  
 619A003 2 Each 24" Roadway Pipe End Treatment, Class 1  
 619A101 6 Each 18" Side Drain Pipe End Treatment, Class 1  
 619A102 2 Each 24" Side Drain Pipe End Treatment, Class 1  
 619A103 2 Each 30" Side Drain Pipe End Treatment, Class 1  
 619B016 1 Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1  
 619B283 3 Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2 (Double Line)  
 619B284 1 Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 2 (Double Line)  
 619B297 4 Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)  
 621A011 6 Each Junction Boxes, Type 1 Or 1P  
 621C020 6 Each Inlets, Type Y  
 621D019 6 Each Inlet Units, Type Y  
 623B000 1250 Linear Foot Concrete Curb, Type N  
 636A004 2650 Linear Foot Barbed Wire Fence, 4 Strands, 4 Feet High (Metal Post)  
 650B000 4800 Cubic Yard Topsoil From Stockpiles  
 652A100 5 Acre Seeding  
 652C000 18 Acre Mowing  
 654A001 500 Square Yard Solid Sodding (Bermuda)  
 656A010 5 Acre Mulching  
 659A050 10400 Square Yard Rolled Erosion Control Product, Type (5C)  
 665A000 20 Acre Temporary Seeding  
 665B000 20 Acre Temporary Mulching  
 665E000 500 Square Yard Polyethylene  
 665I000 500 Ton Temporary Riprap, Class 2  
 665J002 1350 Linear Foot Silt Fence  
 665K000 500 Cubic Yard Drainage Sump Excavation  
 665O001 1350 Linear Foot Silt Fence Removal  
 665P001 6 Each Inlet Protection Device  
 665Q002 1200 Linear Foot Wattle  
 666A001 9 Acre Pest Control Treatment  
 680A000 1 Lump Sum Engineering Controls  
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 327,000.00)  
 701A227 5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)  
 701A230 5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)  
 701A239 5 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)  
 701B207 2280 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)  
 701C000 5 Mile Broken Temporary Traffic Stripe  
 701C001 13 Mile Solid Temporary Traffic Stripe  
 703A002 2918 Square Foot Traffic Control Markings, Class 2, Type A  
 703B002 358 Square Foot Traffic Control Legends, Class 2, Type A  
 705A011 195 Each Pavement Markers, Class C, Type 1-A  
 705A023 85 Each Pavement Markers, Class C, Type 2-D  
 705A030 60 Each Pavement Markers, Class A-H, Type 2-C  
 705A031 195 Each Pavement Markers, Class A-H, Type 1-A  
 705A037 85 Each Pavement Markers, Class A-H, Type 2-D  
 705A038 100 Each Pavement Markers, Class A-H, Type 2-E  
 707B003 2 Each Type A Hazard Marker Installation  
 710A115 389 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel  
 Flat Sign Panels 14 Gauge (Type III Or Type IV Background)

710A126	235	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	1274	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	1268	Square Foot Construction Signs
740D000	150	Each Channelizing Drums
740E000	50	Each Cones (36 Inches High)
740F002	16	Each Barricades, Type III
740I005	8	Each Warning Lights, Type B (Detachable Head)
740M001	50	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
999 000	1500	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
APD-0471(503)  
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

GRADE, DRAINAGE, PARTIAL BASE AND PAVE ON I-22 (CORRIDOR X) FROM  
1.4 MILES WEST OF I-65 TO 400 FEET WEST OF I-65 IN BIRMINGHAM

The Length Of This Project Is: 1.321 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred  
(300) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 9:30 A.M. on Friday, May 23, 2008, in the auditorium of the ALDOT Third Division office, 1020 Bankhead Highway West, Birmingham, AL 35204. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$87.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$8,760,000 To \$10,700,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 98 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A004	1 Each Removal Of Structures, Structure No. 4
205A005	1 Each Removal Of Structures, Structure No. 5
205A007	1 Each Removal Of Structures, Structure No. 7
205A008	1 Each Removal Of Structures, Structure No. 8
205A010	1 Each Removal Of Structures, Structure No. 10
205A011	1 Each Removal Of Structures, Structure No. 11
205A013	1 Each Removal Of Structures, Structure No. 13
205A015	1 Each Removal Of Structures, Structure No. 15
205A017	1 Each Removal Of Structures, Structure No. 17
205A027	1 Each Removal Of structures, Structure No. 27
205A028	1 Each Removal Of Structures, Structure No. 28
205A029	1 Each Removal Of Structures, Structure No. 29
205A031	1 Each Removal Of Structures, Structure No. 31
206C010	2885 Square Yard Removing Concrete Driveway
206D005	2446 Linear Foot Removing Gutter
210A000	1716184 Cubic Yard Unclassified Excavation

214A000	8788	Cubic Yard Structure Excavation
214B001	2340	Cubic Yard Foundation Backfill, Commercial
230A000	206	Roadbed Station Roadbed Processing
405A000	144	Gallon Tack Coat
424A360	111	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	268	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B000	14600	Ton Aggregate Surfacing (ALDOT #467 Or #57)
502A000	78800	Pound Steel Reinforcement
524A010	440	Cubic Yard Culvert Concrete
530A002	3366	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	300	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A006	194	Linear Foot 48" Roadway Pipe (Class 3 R.C.)
530A017	1335	Linear Foot 48" Roadway Pipe (Class 4 R.C.)
530A153	423	Linear Foot 48" Roadway Pipe (14 Gauge C.C.S.)
530A155	224	Linear Foot 24" Roadway Pipe (14 Gauge C.C.S.)
530A378	820	Linear Foot 48" Roadway Pipe, Class C-1 Bedding (Class 5 R.C.)
530A815	8	Linear Foot 15" Roadway Pipe (14 Gauge C.C.M.) (Stack Pipe) (No Bedding Required)
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
602A000	36	Each Right Of Way Markers
603A002	1	Each Furnishing Type 3 Field Office
610C001	9211	Ton Loose Riprap, Class 2
610C002	3939	Ton Loose Riprap, Class 3
610D003	17348	Square Yard Filter Blanket, Geotextile
614A000	148	Cubic Yard Slope Paving
619A003	13	Each 24" Roadway Pipe End Treatment, Class 1
619A004	1	Each 30" Roadway Pipe End Treatment, Class 1
619A007	5	Each 48" Roadway Pipe End Treatment, Class 1
620A000	4	Cubic Yard Minor Structure Concrete
621A002	9	Each Junction Boxes, Type 4 Or 2p
621A010	3	Each Junction Boxes, Type 3
621A011	7	Each Junction Boxes, Type 1 Or 1P
621A058	3	Each Junction Boxes, Type 3 (Modified)
621B002	9	Each Junction Box Units, Type 4 Or 2P
621C002	5	Each Inlets, Type C, P1 Or P3
621C152	20	Each Inlets, Type Y (Partial Base Only)
621D019	48	Each Inlet Units, Type Y
621D022	4	Each Inlet Units, Type C, P1 Or P3
621I000	5	Each Stilling Basins, Type 00
621I003	5	Each Stilling Basins, Type 3
621I006	1	Each Stilling Basins, Type 6
623A001	598	Linear Foot Concrete Gutter (Valley)
634A002	14854	Linear Foot Industrial Fence, 6 Feet High
634D004	9	Each Gate, 14 Feet Wide, Complete With Fittings (Without Barbed Wire)
645A518	725	Linear Foot 16 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
645F510	600	Linear Foot 8 Inch Abandon Existing Sanitary Sewer
645G530	2	Each 12 Inch Sanitary Sewer Lateral Cleanout
645H540	3	Each 60 Inch Manhole
645I505	31	Each 60 Inch Manhole Unit
645N500	4	Each Abandon Existing Manhole
650B000	25389	Cubic Yard Topsoil From Stockpiles
652A100	75	Acre Seeding
652C000	170	Acre Mowing
654A000	1812	Square Yard Solid Sodding
656A010	75	Acre Mulching
659A035	1574	Square Yard Rolled Erosion Control Product, Type (2C)
659A036	133200	Square Yard Rolled Erosion Control Product, Type (2D)
659A048	7595	Square Yard Rolled Erosion Control Product, Type (5A)
665A000	67	Acre Temporary Seeding
665B000	67	Acre Temporary Mulching
665C010	2335	Linear Foot Temporary Pipe
665E000	7000	Square Yard Polyethylene
665G000	1492	Each Sand Bags
665I000	1065	Ton Temporary Riprap, Class 2
665J002	14200	Linear Foot Silt Fence
665K000	7450	Cubic Yard Drainage Sump Excavation
665P005	46	Each Inlet Protection, Stage 3 Or 4

665Q002	6420 Linear Foot Wattle
665T000	15760 Linear Foot Temporary Earth Berms
666A001	75 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 745,000.00)
713A000	325 Linear Foot Permanent Barricades
740B000	90 Square Foot Construction Signs
740F002	22 Each Barricades, Type III
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
NHF-0002(526)  
COLBERT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE (GRADE, DRAINAGE, PAVEMENT, BRIDGE AND LIGHTING) ON  
SR-2 (US-72) AT CR-312 EAST OF CHEROKEE

The Length Of This Project Is: 0.644 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By August 1, 2009

A 10.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$60.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$6,615,000 To \$8,000,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 17 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
206D000	145 Linear Foot Removing Pipe
206D011	1354 Linear Foot Removing Fence
206E000	8 Each Removing Headwalls
206E001	1 Each Removing Inlets
210A000	23602 Cubic Yard Unclassified Excavation
210D000	141001 Cubic Yard Borrow Excavation
214A000	756 Cubic Yard Structure Excavation
214B001	448 Cubic Yard Foundation Backfill, Commercial
232A009	39001 Square Yard Lime Stabilization, Class 1, 12 Inches Thick
232B000	1086 Ton Lime
240A000	2 Each Settlement Plate Assembly
301A008	56518 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
301A012	1255 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness

305B077 30 Ton Crushed Aggregate, Section 825, For Miscellaneous Use  
 401A000 28449 Square Yard Bituminous Treatment A  
 405A000 6606 Gallon Tack Coat  
 407B000 7 Mile Joint Sealant For Hot Mix Asphalt Pavement  
 408A054 33421 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)  
 424A360 4731 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"  
     Maximum Aggregate Size Mix, ESAL Range C/D  
 424A366 500 Ton Superpave Bituminous Concrete Wearing Surface Layer,  
     Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D  
 424B650 6745 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"  
     Maximum Aggregate Size Mix, ESAL Range C/D  
 424B658 500 Ton Superpave Bituminous Concrete Upper Binder Layer,  
     Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D  
 424C360 4812 Ton Superpave Bituminous Concrete Base Layer, 1"  
     Maximum Aggregate Size Mix, ESAL Range C/D  
 424C364 500 Ton Superpave Bituminous Concrete Base Layer, Patching, 1"  
     Maximum Aggregate Size Mix, ESAL Range C/D  
 428C000 4660 Linear Foot Scoring Bituminous Pavement Surface By Cutting  
 450B000 192 Square Yard Reinforced Cement Concrete Bridge End Slab  
 502A000 144026 Pound Steel Reinforcement  
 502B000 1 Lump Sum Steel Reinforcement For Bridge Superstructure,  
     Station 30+21.70, Approx. 158,500 Lbs.  
 506A000 42 Linear Foot Drilled Shaft Excavation, 4'-6" Diameter  
 506A005 196 Linear Foot Drilled Shaft Excavation, 3'-6" Diameter  
 506B002 72 Linear Foot Special Drilled Shaft Excavation, 3'-6" Diameter  
 506B004 105 Linear Foot Special Drilled Shaft Excavation, 4'-6" Diameter  
 506C041 268 Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete  
 506C043 147 Linear Foot Drilled Shaft Construction, 4'-6" Diameter, Class DS1 Concrete  
 506G001 1 Each Crosshole Sonic Logging, 3'-6" Diameter  
 506G003 1 Each Crosshole Sonic Logging, 4'-6" Diameter  
 508A000 10900 Pound Structural Steel  
 510A000 390 Cubic Yard Bridge Substructure Concrete, Class A  
 510C051 1 Lump Sum Bridge Concrete Superstructure, Station 30+21.70, Approx. 720 Cu. Yds.  
 510E000 2052 Square Yard Grooving Concrete Bridge Decks  
 511A073 72 Each Elastomeric Bearing Type 4 (Mark VB4)  
 513B015 2779 Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-54  
     (Specialty Item)  
 524B012 28 Cubic Yard Culvert Concrete Extension (Precast)  
 530A001 64 Linear Foot 18" Roadway Pipe (Class 3 R.C.)  
 530A002 474 Linear Foot 24" Roadway Pipe (Class 3 R.C.)  
 530A003 143 Linear Foot 30" Roadway Pipe (Class 3 R.C.)  
 530A202 102 Linear Foot 24" Roadway Pipe (14 Gauge C.C.S.P.I.)  
 530B001 593 Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)  
 530B005 32 Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)  
 538A002 157 Linear Foot 15" Roadway Pipe Rehabilitation  
 538B083 179 Linear Foot 51" Span, 31" Rise Roadway Pipe Rehabilitation  
 600A000 1 Lump Sum Mobilization  
 602A000 18 Each Right Of Way Markers  
 609A000 981 Square Yard Aggregate Slope Protection  
 609B000 981 Square Yard Geotextile Filter For Aggregate Slope Protection  
 610C000 41 Ton Loose Riprap, Class 1  
 610C001 165 Ton Loose Riprap, Class 2  
 610D003 1757 Square Yard Filter Blanket, Geotextile  
 614A000 262 Cubic Yard Slope Paving  
 619A002 1 Each 18" Roadway Pipe End Treatment, Class 1  
 619A003 9 Each 24" Roadway Pipe End Treatment, Class 1  
 619A004 2 Each 30" Roadway Pipe End Treatment, Class 1  
 619B016 2 Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1  
 619B020 1 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 1  
 619B116 1 Each 22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1  
 621A005 1 Each Junction Boxes, Type 1  
 621A011 3 Each Junction Boxes, Type 1 Or 1P  
 621A012 2 Each Junction Boxes, Type 3 Or 3P  
 621A058 2 Each Junction Boxes, Type 3 (Modified)  
 621C001 1 Each Inlets, Type B  
 621C020 2 Each Inlets, Type Y  
 621C069 9 Each Inlets, Type E3  
 621D001 1 Each Inlet Units, Type B  
 621D019 3 Each Inlet Units, Type Y



621D046	17 Each Inlet Units, Type E3
629A057	1182 Linear Foot Concrete Median Or Safety Barrier, Type GS-54
629A058	816 Linear Foot Concrete Median Or Safety Barrier, Type GS-54 (SE)
629A072	530 Linear Foot Concrete Median or Safety Barrier, Type GS-54-PP (Special)
629C001	1 Each Concrete Median Or Safety Barrier End Section (Type TES Modified)
629C002	1 Each Concrete Median Or Safety Barrier End Section (Type TES)
630A001	838 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A018	350 Linear Foot Steel Beam Guardrail, Class A, Type 2 (Double Faced Median Barrier)
630A033	125 Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
630C001	5 Each Guardrail End Anchor, Type 8
630C003	2 Each Guardrail End Anchor, Type 13
630C041	2 Each Guardrail End Anchor, Type 22
630C050	2 Each Guardrail End Anchor, Type 20 Series
630C070	6 Each Guardrail End Anchor, Type 10 Series
635A001	8614 Linear Foot Woven Wire Fence (Metal Post)
650A000	19451 Cubic Yard Topsoil
652A100	18 Acre Seeding
652C000	15 Acre Mowing
654A001	957 Square Yard Solid Sodding (Bermuda)
656A010	18 Acre Mulching
659A035	11871 Square Yard Rolled Erosion Control Product, Type (2C)
659A048	8763 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	18 Acre Temporary Seeding
665B000	18 Acre Temporary Mulching
665C010	240 Linear Foot Temporary Pipe
665E000	200 Square Yard Polyethylene
665G000	994 Each Sand Bags
665I000	414 Ton Temporary Riprap, Class 2
665J002	8254 Linear Foot Silt Fence
665K000	918 Cubic Yard Drainage Sump Excavation
665N000	160 Ton Temporary Coarse Aggregate, ALDOT Number 1
665N001	14 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	8254 Linear Foot Silt Fence Removal
665P005	3 Each Inlet Protection, Stage 3 Or 4
665Q002	4388 Linear Foot Wattle
665T000	1623 Linear Foot Temporary Earth Berms
666A001	13 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 357,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B063	624 Linear Foot Dotted, Class 2, Type A Traffic Stripe (Lane Drop 10" Wide)
701B207	1947 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	14 Mile Solid Temporary Traffic Stripe
701C006	7 Mile Solid Temporary Traffic Stripe (Removable Tape)
701C009	1 Mile Broken Temporary Traffic Stripe (Removable Tape)
701D007	14 Mile Solid Traffic Stripe Removed (Paint)
701D009	7 Mile Solid Traffic Stripe Removed (Tape)
701D014	2 Mile Broken Traffic Stripe Removed (Paint)
701D016	1 Mile Broken Traffic Stripe Removed (Tape)
701G146	1786 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1786 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	3453 Square Foot Traffic Control Markings, Class 2, Type A
703B002	180 Square Foot Traffic Control Legends, Class 2, Type A
703D000	342 Square Foot Temporary Traffic Control Markings (Tape)
703D002	342 Square Foot Temporary Traffic Control Markings (Paint)
705A011	50 Each Pavement Markers, Class C, Type 1-A
705A012	380 Each Pavement Markers, Class C, Type 1-B
705A023	97 Each Pavement Markers, Class C, Type 2-D
705A030	69 Each Pavement Markers, Class A-H, Type 2-C
705A031	324 Each Pavement Markers, Class A-H, Type 1-A
705A032	139 Each Pavement Markers, Class A-H, Type 1-B
705A037	42 Each Pavement Markers, Class A-H, Type 2-D
705A038	35 Each Pavement Markers, Class A-H, Type 2-E
707B003	1 Each Type A Hazard Marker Installation
707G000	28 Each Barrier Rail Mounted Delineator (Mono-Directional)
709A000	1 Each Milepost, Type A

710A115	281	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	51	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	629	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
720A026	1	Each Vehicular Impact Attenuator Assembly (Bi-directional, TL-3)
726A000	550	Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	20	Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D000	2	Each Portable Impact Attenuator ( Uni-Directional, TL-3)
728A000	1	Each Truck Mounted Impact Attenuator Unit
740B000	1463	Square Foot Construction Signs
740D000	168	Each Channelizing Drums
740E000	25	Each Cones (36 Inches High)
740F002	13	Each Barricades, Type III
740I005	8	Each Warning Lights, Type B (Detachable Head)
740M001	25	Each Ballast For Cone
741C010	3	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2
750Z010	1	Lump Sum Roadway Lighting System
999 000	1500	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
NHF-HSIPF-0002(530)  
JACKSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-2 (US-72) FROM THE  
MADISON COUNTY LINE TO SR-35 IN WOODVILLE

The Length Of This Project Is: 6.840 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty Five  
(55) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,300,000 To \$2,800,000

The Principal Items Of Work Are Approximately As Follows:

405A000	10056	Gallon Tack Coat
407B000	36	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	318968	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	1229	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A280	24934	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range E
424A360	6297	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	175	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	448	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	127810	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
652A100	2	Acre Seeding
656A010	2	Acre Mulching
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 122,000.00)

701A227	14 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	14 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	14 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	5432 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	14 Mile Broken Temporary Traffic Stripe
701C001	54 Mile Solid Temporary Traffic Stripe
701G142	1220 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1220 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1220 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	2440 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1220 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	3597 Square Foot Traffic Control Markings, Class 2, Type A
703B002	359 Square Foot Traffic Control Legends, Class 2, Type A
703D001	3597 Square Foot Temporary Traffic Control Markings
703E001	359 Square Foot Temporary Traffic Control Legends
705A030	120 Each Pavement Markers, Class A-H, Type 2-C
705A031	769 Each Pavement Markers, Class A-H, Type 1-A
740B000	572 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
NHF-0042(510)  
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PARTIAL BASE AND PAVE ON THE RELOCATION SR SR-42 (US-98) FROM  
EAST OF THE ESCATAWPA RIVER AT WEST WILMER TO WEST OF WALTER  
TANNER ROAD

The Length Of This Project Is: 2.859 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty (120) Working Days.

A 7.50% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, May 21, 2008, in the auditorium of the ALDOT Ninth Division office, 1701 I-65 West Service Road, N., Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$13.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,295,000 To \$4,000,000  
The Principal Items Of Work Are Approximately As Follows:

210A000	18175	Cubic Yard Unclassified Excavation
210D012	34456	Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0)
230A000	169	Roadbed Station Roadbed Processing
232A009	88821	Square Yard Lime Stabilization, Class 1, 12 Inches Thick
232B000	2179	Ton Lime
301A012	110237	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	110237	Square Yard Bituminous Treatment A
401A006	101186	Square Yard Bituminous Treatment G
424B581	17708	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
450B000	214	Square Yard Reinforced Cement Concrete Bridge End Slab
600A000	1	Lump Sum Mobilization
650B000	100086	Cubic Yard Topsoil From Stockpiles
652A100	22	Acre Seeding
652C000	22	Acre Mowing
654A001	300	Square Yard Solid Sodding (Bermuda)
656B000	22	Acre High Performance Mulching

665A000	22 Acre Temporary Seeding
665B000	22 Acre Temporary Mulching
665C010	250 Linear Foot Temporary Pipe
665G000	500 Each Sand Bags
665J002	17573 Linear Foot Silt Fence
665O001	17573 Linear Foot Silt Fence Removal
665Q002	5100 Linear Foot Wattle
666A001	22 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 178,000.00)
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
NHF-0012(529)  
MONROE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-12 (US-84) FROM JUST EAST OF SR-136 TO 0.1 MILE WEST OF SR-136 NORTHEAST OF EXCEL

The Length Of This Project Is: 3.515 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$900,000 To \$1,100,000

The Principal Items Of Work Are Approximately As Follows:

401B100	53616	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	3046	Gallon Tack Coat
407B000	4	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	71580	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	4833	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	7159	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Agggregate Size Mix, ESAL Range C/D
424B685	25	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	37119	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	1200	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
665F000	100	Each Hay Bales

665J002	1500 Linear Foot Silt Fence
665O001	1500 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 49,500.00)
701A227	8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	10 Mile Broken Temporary Traffic Stripe (Paint)
701C003	28 Mile Solid Temporary Traffic Stripe (Paint)
703A002	300 Square Foot Traffic Control Markings, Class 2, Type A
703D002	900 Square Foot Temporary Traffic Control Markings (Paint)
705A032	100 Each Pavement Markers, Class A-H, Type 1-B
705A037	260 Each Pavement Markers, Class A-H, Type 2-D
740B000	396 Square Foot Construction Signs
740C000	52 Square Foot Special Construction Signs
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director



Notice To Contractors  
Federal Aid Project No.  
HSIPF-NHF-0002(532)  
MADISON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-2 (US-72) FROM  
NEAR THE FLINT RIVER (MP 108.6) TO THE JACKSON COUNTY LINE (MP  
114.2)

The Length Of This Project Is: 5.600 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty  
(60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$2,415,000 To \$2,960,000  
The Principal Items Of Work Are Approximately As Follows:

206E008	6	Each Removing Guardrail End Anchor (All Type)
405A000	13403	Gallon Tack Coat
407B000	15	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	216048	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	7000	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A280	14003	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range E
424A360	2394	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B281	8885	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range E
424B651	1420	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1226	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	3150	Ton Superpave Bituminous Concrete Base Layer, Widening, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D

428D000	115740	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
430B040	300	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
629E000	1268	Linear Foot Bridge Rail Retrofit, Type C
630A001	48	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	6	Each Guardrail End Anchor, Type 13
652A100	3	Acre Seeding
656A010	3	Acre Mulching
665J002	1000	Linear Foot Silt Fence
665O001	1000	Linear Foot Silt Fence Removal
665Q002	250	Linear Foot Wattle
666A001	3	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 130,000.00)
701A227	11	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	11	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	6300	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	11	Mile Broken Temporary Traffic Stripe
701C001	22	Mile Solid Temporary Traffic Stripe
701G142	1268	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1268	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1268	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	1057	Square Foot Traffic Control Markings, Class 2, Type A
703B002	785	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1057	Square Foot Temporary Traffic Control Markings
705A031	741	Each Pavement Markers, Class A-H, Type 1-A
740B000	988	Square Foot Construction Signs
740D000	150	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
741C010	4	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BHP-0008(544)  
MARENGO COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

BRIDGE COATING ON SR-8 (US-80) WESTBOUND & EASTBOUND BRIDGES  
OVER THE NORFOLK SOUTHERN RAILROAD EAST OF DEMOPOLIS

The Length Of This Project Is: 0.081 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty  
(40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$12.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$300,000 To \$370,000

The Principal Items Of Work Are Approximately As Follows:

521B000	1 Lump Sum Coating Existing Bridge At STA. 916+01.18
521B001	1 Lump Sum Coating Existing Bridge At STA. 917+34.32
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 12,275)
740B000	748 Square Foot Construction Signs
740D000	300 Each Channelizing Drums
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BRZ-0600(203)  
BULLOCK COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (BRIDGE CULVERT) AND APPROACHES ON CR-18 AT  
SPRING CREEK NORTHEAST OF SMUTEYE

The Length Of This Project Is: 0.066 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty  
(60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$317,000 To \$388,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx 1 Acre)
206B000	1 Lump Sum Removal Of Old Box Culvert, Station 5+01.20
210A000	34 Cubic Yard Unclassified Excavation
210D021	363 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
214A000	1048 Cubic Yard Structure Excavation
214B001	210 Cubic Yard Foundation Backfill, Commercial
401A000	804 Square Yard Bituminous Treatment A
405A000	39 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	49 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	118 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
502A000	48672 Pound Steel Reinforcement
524A010	302 Cubic Yard Culvert Concrete
600A000	1 Lump Sum Mobilization
610C001	160 Ton Loose Riprap, Class 2
610D000	127 Square Yard Filter Blanket
650A000	240 Cubic Yard Topsoil
652A100	1 Acre Seeding

656A010	1 Acre Mulching
665F000	40 Each Hay Bales
665J002	800 Linear Foot Silt Fence
665O001	800 Linear Foot Silt Fence Removal
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 16,000.00)
701G249	700 Linear Foot Solid White, Class 2, Type A Traffic Stripe
701G258	700 Linear Foot Broken Yellow, Class 2, Type A Traffic Stripe
740B000	154 Square Foot Construction Signs
740F002	10 Each Barricades, Type III
740I005	5 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BRZ-1700(210)  
COLBERT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (BRIDGE CULVERT) AND APPROACHES ON CR-30 AT  
CORNELIUS CREEK IN RED ROCK

The Length Of This Project Is: 0.074 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety  
(90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$190,000 To \$230,000

The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 55+10.58
210A000	177 Cubic Yard Unclassified Excavation
210D000	115 Cubic Yard Borrow Excavation
214A000	250 Cubic Yard Structure Excavation
214B001	114 Cubic Yard Foundation Backfill, Commercial
301A002	260 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 3.5" Compacted Thickness
301A005	100 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4.25" Compacted Thickness
301A008	765 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
405A000	25 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	60 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	39 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B017	25 Ton Aggregate Surfacing (ALDOT #410, #467 Or #810)
502A000	25290 Pound Steel Reinforcement
524A010	135 Cubic Yard Culvert Concrete
600A000	1 Lump Sum Mobilization

610C001	193 Ton Loose Riprap, Class 2
610D003	194 Square Yard Filter Blanket, Geotextile
641A740	100 Linear Foot 2 Inch P.V.C. Water Main Laid
641C500	48 Pound Ductile Iron Fittings
649A515	50 Linear Foot 4 Inch Steel Encasement Pipe, Type 1 Installation
650A000	91 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	24 Each Hay Bales
665J002	640 Linear Foot Silt Fence
665O001	640 Linear Foot Silt Fence Removal
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 9,300.00)
701A004	1 Mile Solid White, Class 1, Type A Traffic Stripe
701A012	1 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C001	1 Mile Solid Temporary Traffic Stripe
740B000	237 Square Foot Construction Signs
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director



Notice To Contractors  
Federal Aid Project No.  
BRZ-6300(217)  
TUSCALOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENTS (1-PRECAST & 1- AASHTO) ON BOYD ROAD AT DUNN  
CREEK AND AT BRANCH OF DUNN CREEK NORTHEAST OF ECHOLA

The Length Of This Project Is: 0.053 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty Five (125) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$12.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$940,000 To \$1,150,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx. 2 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 24+99.10
206A001	1 Lump Sum Removal Of Old Bridge, Station 13+41.69
210A000	2170 Cubic Yard Unclassified Excavation
502A001	27570 Pound Steel Reinforcement (Grade 60)
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Station 24+50.00, Approx. 40578 LBS.
505A032	2 Each Steel Test Piles (HP 12x53) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505A037	2 Each Steel Test Piles (HP 14x89) Maximum Bid Limited To \$2000 Per Each Test Pile)
505B102	2 Each Static Loading Tests (HP 12X53) (Maximum Bid Limited To \$2000 Per Each Loading Test)
505B107	2 Each Static Loading Tests (HP 14x89) (Maximum Bid Limited To \$2000 Per Each Loading Test)
505M002	1318 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
505M005	1018 Linear Foot Steel Piling Furnished And Driven (HP 14x89)
507A000	2 Each Wire Rope Abutment Anchor Assembly
508A000	7686 Pound Structural Steel
510A000	187 Cubic Yard Bridge Substructure Concrete, Class A

510C051	1	Lump Sum Bridge Concrete Superstructure, Station 24+50.00, Approx. 160 CY
510E000	419	Square Yard Grooving Concrete Bridge Decks
511A000	44	Each Elastomeric Bearing Type 1
511A050	32	Each Elastomeric Bearing Type 2 (Mark B1)
512A014	2	Each Precast Concrete Abutment Caps, 2'-0" Wide By 1'-8" Deep By 33'-0" Long
512B018	2	Each Precast Concrete Intermediate Bent Caps, 2'-2" Wide By 2'-0" Deep By 31'-6" Long
512C017	18	Each Precast Concrete Type 1 Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long
512C025	6	Each Precast Concrete Type 2C Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long
512D025	2	Each Precast Concrete Barrier Rail Intermediate Section, 39'-11" Long
512D030	4	Each Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long
512E002	24	Each Precast Concrete Abutment Panels, Type A3
512F002	12	Each Precast Concrete Wing Panels, Type W3
512G000	4	Each Precast Concrete Abutment Wing Cap Panels
513B003	616	Linear Foot Prestensioned-Prestressed Concrete Girders, Type I (Specialty Item)
600A000	1	Lump Sum Mobilization
610C001	1610	Ton Loose Riprap, Class 2
610D000	1270	Square Yard Filter Blanket
630A001	100	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	8	Each Guardrail End Anchor, Type 13
630C070	8	Each Guardrail End Anchor, Type 10 Series
652A100	2	Acre Seeding
656A010	2	Acre Mulching
665J002	1280	Linear Foot Silt Fence
665Q002	240	Linear Foot Wattle
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 27,500.00)
740B000	40	Square Foot Construction Signs
740F002	8	Each Barricades, Type III
740I005	4	Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-CN08(237)  
HALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE ON VARIOUS COUNTY ROADS AT SITES AS INDICATED BY  
THE PLANS

The Length Of This Project Is: 18.877 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$40,000 To \$49,000  
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A004	39 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	9 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	25 Mile Solid Yellow, Class 1, Type A Traffic Stripe

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HSIP-0049(501) & 99-306-442-049-801  
MACON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-49 FROM I-85 IN  
FRANKLIN TO THE TALLAPOOSA COUNTY LINE

The Length Of This Project Is: 4.042 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$800,000 To \$980,000

The Principal Items Of Work Are Approximately As Follows:

210D021	1600	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
405A000	5100	Gallon Tack Coat
407B000	12	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	57370	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	5975	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	250	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	250	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	1750	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	41500	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	100	Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1	Lump Sum Mobilization
650A000	500	Cubic Yard Topsoil
652A100	4	Acre Seeding
656A010	4	Acre Mulching
665F000	200	Each Hay Bales

665J002	1000 Linear Foot Silt Fence
665O001	1000 Linear Foot Silt Fence Removal
666A001	4 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 43,000.00)
701A227	9 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	32 Mile Solid Temporary Traffic Stripe
701G146	1496 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	1496 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	2992 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	500 Square Foot Traffic Control Markings, Class 2, Type A
703B002	150 Square Foot Traffic Control Legends, Class 2, Type A
703D001	500 Square Foot Temporary Traffic Control Markings
703E001	150 Square Foot Temporary Traffic Control Legends
705A031	50 Each Pavement Markers, Class A-H, Type 1-A
705A032	20 Each Pavement Markers, Class A-H, Type 1-B
705A037	525 Each Pavement Markers, Class A-H, Type 2-D
740B000	632 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HSIP-0069(516) & 99-308-134-069-808  
CLARKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-69 FROM SR-12  
(US-84) (MP 22.570) IN COFFEEVILLE TO SOUTH OF CR-31 NORTH (MP  
30.440)

The Length Of This Project Is: 7.870 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five  
(65) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,020,000 To \$2,470,000

The Principal Items Of Work Are Approximately As Follows:

206C010	4	Square Yard Removing Concrete Driveway
209A000	3	Each Mailbox Reset, Single
401B100	120046	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	3821	Gallon Tack Coat
407B000	8	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	118714	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	9192	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B650	12737	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B654	200	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	1350	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424C371	3137	Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
428D000	78514	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
430B043	1184	Ton Aggregate Surfacing (1" Down, Crusher Run)
502A000	535	Pound Steel Reinforcement
524B011	11	Cubic Yard Culvert Concrete Extension (Cast In Place)

600A000	1 Lump Sum Mobilization
650A000	100 Cubic Yard Topsoil
652A100	10 Acre Seeding
656A010	10 Acre Mulching
659A036	100 Square Yard Rolled Erosion Control Product, Type (2D)
665E000	100 Square Yard Polyethylene
665F000	100 Each Hay Bales
665J002	3000 Linear Foot Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle
666A001	10 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 106,000.00)
701A227	16 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	19 Mile Broken Temporary Traffic Stripe (Paint)
701C003	109 Mile Solid Temporary Traffic Stripe (Paint)
703A002	150 Square Foot Traffic Control Markings, Class 2, Type A
703B002	213 Square Foot Traffic Control Legends, Class 2, Type A
703D002	600 Square Foot Temporary Traffic Control Markings (Paint)
703E002	629 Square Foot Temporary Traffic Control Legends (Paint)
705A032	241 Each Pavement Markers, Class A-H, Type 1-B
705A037	769 Each Pavement Markers, Class A-H, Type 2-D
740B000	1016 Square Foot Construction Signs
740C000	42 Square Foot Special Construction Signs
740D000	100 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HSIP-0199(500) & 99-306-442-199-801  
MACON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-199 FROM MP 0.000 NORTH OF  
TUSKEGEE TO SR-14

The Length Of This Project Is: 10.199 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,155,000 To \$1,400,000

The Principal Items Of Work Are Approximately As Follows:

206D001	510	Linear Foot Removing Guardrail
206E000	3	Each Removing Headwalls
206E011	4	Each Removing Guardrail End Anchor (Type 3)
210D021	3200	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
404G002	173000	Square Yard Pavement Surfacing (High Performance Chip Seal)
405A000	1600	Gallon Tack Coat
407B000	19	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A367	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B656	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B661	2600	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B693	4100	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
430B012	150	Ton Aggregate Surfacing (ALDOT #410 Or #467)
530A002	8	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A101	32	Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A105	20	Linear Foot 42" Roadway Pipe (Class 3 R.C.) (Extension)
600A000	1	Lump Sum Mobilization
610C001	14	Ton Loose Riprap, Class 2



619A002	4	Each 18" Roadway Pipe End Treatment, Class 1
619A003	1	Each 24" Roadway Pipe End Treatment, Class 1
619A056	3	Each 42" Roadway Pipe End Treatment, Class 2
620A000	2	Cubic Yard Minor Structure Concrete
621A005	1	Each Junction Boxes, Type 1
630A001	425	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	4	Each Guardrail End Anchor, Type 20 Series
650A000	1000	Cubic Yard Topsoil
652A100	10	Acre Seeding
656A010	10	Acre Mulching
665F000	300	Each Hay Bales
665J002	2000	Linear Foot Silt Fence
665O001	2000	Linear Foot Silt Fence Removal
666A001	10	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 63,000.00)
701A227	21	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8	Mile Broken Temporary Traffic Stripe
701C001	30	Mile Solid Temporary Traffic Stripe
701G146	2178	Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	929	Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	321	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G252	300	Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
701H001	2499	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	929	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	500	Square Foot Traffic Control Markings, Class 2, Type A
703B002	150	Square Foot Traffic Control Legends, Class 2, Type A
703D001	500	Square Foot Temporary Traffic Control Markings
703E001	150	Square Foot Temporary Traffic Control Legends
705A031	50	Each Pavement Markers, Class A-H, Type 1-A
705A032	250	Each Pavement Markers, Class A-H, Type 1-B
705A037	950	Each Pavement Markers, Class A-H, Type 2-D
740B000	628	Square Foot Construction Signs
740D000	250	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740L005	96	Each Vertical Panel, Type I (Double-Sided)
740M001	100	Each Ballast For Cone
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-HSIP-0061(504)  
HALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-61 FROM THE  
NEWBERN SOUTH CITY LIMIT TO SR-14 IN GREENSBORO

The Length Of This Project Is: 8.920 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Eighty Five  
(85) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,860,000 To \$3,520,000

The Principal Items Of Work Are Approximately As Follows:

209A000	24	Each Mailbox Reset, Single
210D021	1000	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	797	Station Machine Grading Shoulders
305B077	750	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	15143	Gallon Tack Coat
407B000	13	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	124597	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A055	18966	Square Yard Planing Existing Pavement (Approximately 4.10" Thru 5.0" Thick)
408A056	1736	Square Yard Planing Existing Pavement (Approximately 5.10" Thru 6.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	13032	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	24503	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B655	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	600	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B693	3981	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	79000	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
650A000	4933	Cubic Yard Topsoil
652A100	8	Acre Seeding
656A010	8	Acre Mulching
665G000	900	Each Sand Bags
665J002	1000	Linear Foot Silt Fence
665O001	1000	Linear Foot Silt Fence Removal
665Q002	200	Linear Foot Wattle
666A001	8	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 152,000.00)
701A227	18	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	21	Mile Broken Temporary Traffic Stripe
701C001	28	Mile Solid Temporary Traffic Stripe
703A002	368	Square Foot Traffic Control Markings, Class 2, Type A
703B002	23	Square Foot Traffic Control Legends, Class 2, Type A
703D001	769	Square Foot Temporary Traffic Control Markings
705A032	330	Each Pavement Markers, Class A-H, Type 1-B
705A037	410	Each Pavement Markers, Class A-H, Type 2-D
740B000	1027	Square Foot Construction Signs
740C000	24	Square Foot Special Construction Signs
740D000	250	Each Channelizing Drums
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-0096(502)  
LAMAR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-96 FROM THE  
MISSISSIPPI STATE LINE TO EAST OF SR-17 MILLPORT

The Length Of This Project Is: 12.490 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five  
(65) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,900,000 To \$2,300,000

The Principal Items Of Work Are Approximately As Follows:

209A000	19	Each Mailbox Reset, Single
209A001	2	Each Mailbox Reset, Double
209A002	3	Each Mailbox Reset, Multiple
210D021	4592	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
305B077	1030	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401B100	49449	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	15752	Gallon Tack Coat
407B000	18	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	24965	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	197	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
408A059	1074	Square Yard Planing Existing Pavement (Approximately 8.10" Thru 9.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	13738	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	266	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	166	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B657	12732	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	327	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
650A000	3280	Cubic Yard Topsoil
652A100	9	Acre Seeding
656A010	9	Acre Mulching
659A036	400	Square Yard Rolled Erosion Control Product, Type (2D)
665G000	25	Each Sand Bags
665J002	1500	Linear Foot Silt Fence
665O001	1500	Linear Foot Silt Fence Removal
665Q002	600	Linear Foot Wattle
666A001	9	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 106,000.00)
701A227	22	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	13	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	16	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	16	Mile Broken Temporary Traffic Stripe
701C001	34	Mile Solid Temporary Traffic Stripe
703A002	127	Square Foot Traffic Control Markings, Class 2, Type A
703B002	16	Square Foot Traffic Control Legends, Class 2, Type A
703D001	127	Square Foot Temporary Traffic Control Markings
705A031	151	Each Pavement Markers, Class A-H, Type 1-A
705A032	394	Each Pavement Markers, Class A-H, Type 1-B
705A037	1015	Each Pavement Markers, Class A-H, Type 2-D
705A038	88	Each Pavement Markers, Class A-H, Type 2-E
740B000	1421	Square Foot Construction Signs
740C000	24	Square Foot Special Construction Signs
740D000	50	Each Channelizing Drums
740E000	250	Each Cones (36 Inches High)
740M001	250	Each Ballast For Cone
740O000	1	Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-4710(200)  
MARION COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-16 FROM THE LAMAR COUNTY  
LINE TO SR-142 IN GUIN

The Length Of This Project Is: 2.104 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$430,000 To \$522,000

The Principal Items Of Work Are Approximately As Follows:

210D001	1724	Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
405A000	1626	Gallon Tack Coat
407B000	3	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	2033	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	300	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	2161	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1613	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A001	550	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	8	Each Guardrail End Anchor, Type 20 Series
652A100	1	Acre Seeding
656A010	1	Acre Mulching
665F000	25	Each Hay Bales
665J002	1500	Linear Foot Silt Fence
665O001	1500	Linear Foot Silt Fence Removal
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 21,500.00)
701A231	5	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe

701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	8 Mile Solid Temporary Traffic Stripe
703A002	264 Square Foot Traffic Control Markings, Class 2, Type A
705A032	35 Each Pavement Markers, Class A-H, Type 1-B
705A037	240 Each Pavement Markers, Class A-H, Type 2-D
740B000	244 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone
7400000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-4819(200)  
MARSHALL COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-34 (SWEARENGIN ROAD) FROM  
CR-5 IN GRANT TO 4 MILES NORTHEAST OF GRANT

The Length Of This Project Is: 4 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five  
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$360,000 To \$444,000  
The Principal Items Of Work Are Approximately As Follows:

405A000	1549 Gallon Tack Coat
407B000	4 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	4685 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	200 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	100 Ton Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	782 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 19,000)
701A231	8 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe
703A002	164 Square Foot Traffic Control Markings, Class 2, Type A
703B002	96 Square Foot Traffic Control Legends, Class 2, Type A
705A032	132 Each Pavement Markers, Class A-H, Type 1-B
705A037	398 Each Pavement Markers, Class A-H, Type 2-D
740B000	244 Square Foot Construction Signs



7400000 1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-5009(200)  
MONROE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-56 FROM SR-265 TO CR-6  
SOUTH OF VREDENBURGH

The Length Of This Project Is: 6.633 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty  
(60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,265,000 To \$1,580,000

The Principal Items Of Work Are Approximately As Follows:

206D001	194	Linear Foot Removing Guardrail
206E019	2	Each Removing Guardrail End Anchor (Type 10)
305A055	427	Cubic Yard Soil Aggregate, Section 823, For Miscellaneous Use
405A000	5137	Gallon Tack Coat
407B000	7	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A053	410	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
424A360	5889	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	10805	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C365	1345	Ton Superpave Bituminous Concrete Base Layer, Patching, 1 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
502A000	396	Pound Steel Reinforcement
524B011	6	Cubic Yard Culvert Concrete Extension (Cast In Place)
600A000	1	Lump Sum Mobilization
630A001	1144	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	6	Each Guardrail End Anchor, Type 20 Series
630C070	2	Each Guardrail End Anchor, Type 10 Series
650A000	7766	Cubic Yard Topsoil

652A100	10 Acre Seeding
656A010	10 Acre Mulching
665J002	200 Linear Foot Silt Fence
665O001	200 Linear Foot Silt Fence Removal
665Q002	100 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 64,000.00)
701A231	13 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	23 Mile Solid Temporary Traffic Stripe
703A002	40 Square Foot Traffic Control Markings, Class 2, Type A
703B002	80 Square Foot Traffic Control Legends, Class 2, Type A
705A032	132 Each Pavement Markers, Class A-H, Type 1-B
705A037	615 Each Pavement Markers, Class A-H, Type 2-D
740B000	409 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-9059(600)  
LEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

ADDITIONAL LANES AND RELOCATION ON DONAHUE DRIVE FROM WEST GLENN  
AVE TO 50M NORTH OF BRAGG AVE AND ON SR-14 IN AUBURN

The Length Of This Project Is: 0.320 Kilometers.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Ten  
(110) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$20.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$970,000 To \$1,180,000

The Principal Items Of Work Are Approximately As Follows:

201A002M	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 9800 Per Hectare) (Approximately 2 Hectares)
206C000M	435 Square Meter Removing Concrete Sidewalk
206C010M	212 Square Meter Removing Concrete Driveway
206D000M	109 Meter Removing Pipe
206D003M	453 Meter Removing Curb And Gutter
206E001M	3 Each Removing Inlets
206E002M	2 Each Removing Junction Boxes
210A000M	4142 Cubic Meter Unclassified Excavation
210D001M	437 Cubic Meter Borrow Excavation (Loose Truckbed Measurement)
214A000M	126 Cubic Meter Structure Excavation
214B001M	90 Cubic Meter Foundation Backfill, Commercial
230A000M	2 Roadbed Station Roadbed Processing
301A004M	4130 Square Meter Crushed Aggregate Base Course, Type B, Plant Mixed, 100 mm Compacted Thickness
401A000M	4130 Square Meter Bituminous Treatment A
401B100M	3913 Square Meter Bituminous Treatment E (With Polymer Additive)
405A000M	7300 Liter Tack Coat
407B000M	1 Kilometer Joint Sealant For Hot Mix Asphalt Pavement

408A051M	3850	Square Meter Planing Existing Pavement (Approximately 0 mm Thru 25 mm Thick)
424A360M	563	Metric Ton Superpave Bituminous Concrete Wearing Surface Layer, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D
424A366M	25	Metric Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 12.5 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B651M	1167	Metric Ton Superpave Bituminous Concrete Upper Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B681M	413	Metric Ton Superpave Bituminous Concrete Lower Binder Layer, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B685M	32	Metric Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 25.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424B688M	555	Metric Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 19.0 mm Maximum Aggregate Size Mix, ESAL Range C/D
424C361M	542	Metric Ton Superpave Bituminous Concrete Base Layer, 37.5 mm Maximum Aggregate Size Mix, ESAL Range C/D
430B012M	200	Metric Ton Aggregate Surfacing (ALDOT #410 Or #467)
430B014M	750	Metric Ton Aggregate Surfacing (ALDOT #410 Modified)
533A098M	106	Meter 450 mm Storm Sewer Pipe (Class 3 R.C.)
600A000M	1	Lump Sum Mobilization
602A000M	35	Each Right Of Way Markers
602C000M	4	Each Permanent Easement Marker
610C001M	6	Metric Ton Loose Riprap, Class 2
610D000M	14	Square Meter Filter Blanket
618A000M	955	Square Meter Concrete Sidewalk, 100 mm Thick
618B003M	212	Square Meter Concrete Driveway, 150 mm Thick (Includes Wire Mesh)
619A002M	1	Each 450 mm Roadway Pipe End Treatment, Class 1
621A011M	4	Each Junction Boxes, Type 1 Or 1P
621B011M	2	Each Junction Box Units, Type 1 Or 1P
621C015M	2	Each Inlets, Type S1 Or S3 (1 Wing)
621C017M	3	Each Inlets, Type S1 Or S3 (2 Wing)
621C109M	2	Each Inlets, Type PD
623A000M	68	Meter Concrete Gutter
623C000M	1197	Meter Combination Curb & Gutter, Type C
641R515M	4	Each 25.4 mm Water Meter And Box Reset
641S500M	14	Each Valve Box Reset
645K500M	7	Each Manhole Frame And Cover Reset
650B000M	325	Cubic Meter Topsoil From Stockpiles
652A100M	2	Hectare Seeding
652C000M	2	Hectare Mowing
654A000M	1000	Square Meter Solid Sodding
656A010M	2	Hectare Mulching
665A000M	2	Hectare Temporary Seeding
665B000M	2	Hectare Temporary Mulching
665G000M	100	Each Sand Bags
665I000M	5	Metric Ton Temporary Riprap, Class 2
665J002M	1425	Meter Silt Fence
665O001M	1425	Meter Silt Fence Removal
665P005M	7	Each Inlet Protection, Stage 3 Or 4
665Q002M	162	Meter Wattle
666A001M	2	Hectare Pest Control Treatment
674A000M	284	Meter Construction Safety Fence
680A000M	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 52,000.00)
701A227M	1	Kilometer Solid White, Class 2, Type A Traffic Stripe (125mm Wide)
701A230M	2	Kilometer Solid Yellow, Class 2, Type A Traffic Stripe (125mm Wide)
701A244M	1	Kilometer Broken Yellow, Class 2, Type A Traffic Stripe (125mm Wide)
701B207M	30	Meter Dotted, Class 2, Type A Traffic Stripe (125mm Wide)
701C002M	1	Kilometer Broken Temporary Traffic Stripe (Paint)
701C003M	2	Kilometer Solid Temporary Traffic Stripe (Paint)
703A002M	275	Square Meter Traffic Control Markings, Class 2, Type A
703B002M	23	Square Meter Traffic Control Legends, Class 2, Type A
703D002M	275	Square Meter Temporary Traffic Control Markings (Paint)
705A030M	75	Each Pavement Markers, Class A-H, Type 2-C
705A032M	16	Each Pavement Markers, Class A-H, Type 1-B
705A037M	125	Each Pavement Markers, Class A-H, Type 2-D
705A038M	35	Each Pavement Markers, Class A-H, Type 2-E
710A099M	5	Square Meter Class 4, Aluminum Flat Sign Panels 2.032 mm Thick Or Steel Flat Sign Panels 1.897 mm Thick (Type III Background)
730A000M	1	Lump Sum Removal Of Existing Traffic Control Unit ( Donahue Dr. @ Glenn Avenue)

730A001M	1 Lump Sum Removal Of Existing Traffic Control Unit ( Donahue Dr. @ S. R. 14)
730C000M	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Donahue Dr. @ Glenn Avenue)
730C001M	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Donahue Dr. @ S. R. 14)
730E000M	8 Each Metal Traffic Signal Pole Foundation
730F000M	3 Each Metal Traffic Signal Pole With 9.7 m Mast Arm Assembly
730F001M	4 Each Metal Traffic Signal Pole With 11.0 m Mast Arm Assembly
730F002M	1 Each Metal Traffic Signal Pole With 13.7 m Mast Arm Assembly
730H001M	1070 Meter Loop Wire
730I001M	550 Meter Loop Detector Lead-In-Cable
730J010M	14 Each Vehicle Loop Detector
730K000M	13 Each Traffic Signal Junction Box
730L002M	20 Meter 27 mm, Metallic, Conduit
730L003M	20 Meter 27 mm, Non-Metallic, Conduit
730L005M	440 Meter 53 mm, Non-Metallic, Conduit
730M015M	250 Meter Interconnect Cable, Aerial Self- Supporting, #14AWG, 9 Conductors, IMSA 20-3
730N010M	8 Each Luminaire Extension Assembly, 3.7 m
730P022M	8 Each Vehicular Signal Head, 300 mm, 3 Section, Type LED
730P024M	8 Each Vehicular Signal Head, 300 mm, 5 Section, Type LED
730Q011M	8 Each Pedestrian Signal Head, Type LED
730R022M	2 Each Controller Assembly, Type III, 8 Phase
730T000M	2 Each Wood Pole
740B000M	62 Square Meter Construction Signs
740D000M	65 Each Channelizing Drums
740E000M	65 Each Cones (900 mm High)
740F002M	4 Each Barricades, Type III
740I005M	7 Each Warning Lights, Type B (Detachable Head)
740M001M	65 Each Ballast For Cone
756A021M	45 Meter 78 mm Electrical Conduit, 1 Line, Type 5 Installation

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
ST-005-160-001  
BLOUNT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

INTERSECTION IMPROVEMENTS (GRADE, DRAINAGE AND PAVEMENT) ON  
SR-160 AT CR-127 (BENT TREE DRIVE) NEAR THE HAYDEN ELEMENTARY  
SCHOOL SOUTHWEST OF HAYDEN

The Length Of This Project Is: 0.229 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$14.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$395,000 To \$480,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 2 Acres)
206C003	25 Square Yard Removing Concrete Flumes
206D000	236 Linear Foot Removing Pipe
206D011	505 Linear Foot Removing Fence
210A000	6285 Cubic Yard Unclassified Excavation
214A000	98 Cubic Yard Structure Excavation
214B001	105 Cubic Yard Foundation Backfill, Commercial
230A000	5 Roadbed Station Roadbed Processing
305B071	359 Ton Coarse Aggregate, Section 801, For Miscellaneous Use
401A043	215 Square Yard Bituminous Treatment AE
405A000	96 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A360	449 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	8 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	16 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	5 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	268 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	8 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	268 Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424C360	17 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C370	536 Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
530A001	86 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A003	153 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530B003	148 Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
535A001	59 Linear Foot 18" Side Drain Pipe
600A000	1 Lump Sum Mobilization
602A000	9 Each Right Of Way Markers
610C001	43 Ton Loose Riprap, Class 2
610D000	36 Square Yard Filter Blanket
614A000	1 Cubic Yard Slope Paving
619A002	2 Each 18" Roadway Pipe End Treatment, Class 1
619A101	2 Each 18" Side Drain Pipe End Treatment, Class 1
619A203	1 Each 30" Roadway Pipe End Treatment, Class 1 (Double Line)
619A228	1 Each 30" Roadway Pipe End Treatment, Class 2 (Double Line)
619B018	4 Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 1
630A001	288 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C000	1 Each Guardrail End Anchor, Type 10
630C050	3 Each Guardrail End Anchor, Type 20 Series
650A000	980 Cubic Yard Topsoil
652A100	2 Acre Seeding
652C000	2 Acre Mowing
654A001	687 Square Yard Solid Sodding (Bermuda)
656A010	2 Acre Mulching
659A048	721 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	2 Acre Temporary Seeding
665B000	2 Acre Temporary Mulching
665J002	1106 Linear Foot Silt Fence
665O001	1106 Linear Foot Silt Fence Removal
665Q002	224 Linear Foot Wattle
666A001	2 Acre Pest Control Treatment
674A000	500 Linear Foot Construction Safety Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 21,000.00)
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	460 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	3 Mile Solid Temporary Traffic Stripe
701D005	4 Mile Solid Traffic Stripe Removed
703A002	558 Square Foot Traffic Control Markings, Class 2, Type A
703B002	45 Square Foot Traffic Control Legends, Class 2, Type A
705A011	400 Each Pavement Markers, Class C, Type 1-A
705A023	100 Each Pavement Markers, Class C, Type 2-D
705A030	77 Each Pavement Markers, Class A-H, Type 2-C
705A032	242 Each Pavement Markers, Class A-H, Type 1-B
705A038	163 Each Pavement Markers, Class A-H, Type 2-E
710A126	15 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	24 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	286 Square Foot Construction Signs
740D000	68 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director



Notice To Contractors  
 State Maintenance Project No.  
 99-306-245-219-801  
 DALLAS COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-219 FROM SR-22 TO SR-14  
 WEST OF SELMA

The Length Of This Project Is: 5.023 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
 (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
 The Bracket Estimate On This Project Is From \$763,000 To \$932,000  
 The Principal Items Of Work Are Approximately As Follows:

405A000	5550 Gallon Tack Coat
407B000	6 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	7950 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A365	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	2800 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
430B012	300 Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1 Lump Sum Mobilization
650A000	1600 Cubic Yard Topsoil
652A100	5 Acre Seeding
654A000	250 Square Yard Solid Sodding
656A010	5 Acre Mulching
659A026	500 Square Yard Rolled Erosion Control Product, Type (1B)
665F000	200 Each Hay Bales
665J002	2000 Linear Foot Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
666A001	5 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 40,500.00)
701A227	11 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe

701C001	33 Mile Solid Temporary Traffic Stripe
703A002	992 Square Foot Traffic Control Markings, Class 2, Type A
703B002	274 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1984 Square Foot Temporary Traffic Control Markings
703E001	547 Square Foot Temporary Traffic Control Legends
705A032	120 Each Pavement Markers, Class A-H, Type 1-B
705A037	500 Each Pavement Markers, Class A-H, Type 2-D
740B000	710 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-303-595-003-804  
SHELBY COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, TRAFFIC STRIPE AND GUARDRAIL ON SR-3  
(US-31) FROM BISHOP CREEK BRIDGE TO THE JEFFERSON COUNTY LINE  
NORTH OF PELHAM

The Length Of This Project Is: 2.234 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty Five  
(55) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,200,000 To \$1,500,000  
The Principal Items Of Work Are Approximately As Follows:

206C025	564 Square Yard Removing Bituminous Pavement On Concrete Surfaces
210A000	1000 Cubic Yard Unclassified Excavation
305B077	500 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	7684 Gallon Tack Coat
407B000	11 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	6237 Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	101055 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A280	8175 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A286	1800 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A366	485 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	460 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B285	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424C371	729 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	5629 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
630A018	1700 Linear Foot Steel Beam Guardrail, Class A, Type 2 (Double Faced Median Barrier)
630C041	2 Each Guardrail End Anchor, Type 22

652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	2000 Linear Foot Silt Fence
665Q001	2000 Linear Foot Silt Fence Removal
665Q002	150 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 65,000)
701A227	6 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	7868 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	9 Mile Broken Temporary Traffic Stripe
701C001	20 Mile Solid Temporary Traffic Stripe
701G142	1310 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1310 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1310 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	2619 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1310 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	10141 Square Foot Traffic Control Markings, Class 2, Type A
703B002	1188 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1310 Square Foot Temporary Traffic Control Markings
705A030	381 Each Pavement Markers, Class A-H, Type 2-C
705A031	291 Each Pavement Markers, Class A-H, Type 1-A
705A038	345 Each Pavement Markers, Class A-H, Type 2-E
730H001	9776 Linear Foot Loop Wire
730I001	5875 Linear Foot Loop Detector Lead-In-Cable
731A010	1 Each Traffic Counting Units, Type K
740B000	1076 Square Foot Construction Signs
740C000	20 Square Foot Special Construction Signs
740D000	162 Each Channelizing Drums
740E000	484 Each Cones (36 Inches High)
740M001	484 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-304-621-038-801  
TALLAPOOSA COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-38 (US-280) FROM  
JUST EAST OF SR-63 TO THE TALLAPOOSA RIVER BRIDGE SOUTHEAST OF  
ALEXANDER CITY

The Length Of This Project Is: 3.790 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred  
(100) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$4,700,000 To \$5,300,000  
The Principal Items Of Work Are Approximately As Follows:

206C008	367	Square Yard Removing Concrete Median
206D000	7	Linear Foot Removing Pipe
206D001	11600	Linear Foot Removing Guardrail
206D002	4440	Linear Foot Removing Curb
206D007	2075	Linear Foot Removing Concrete Flume
206E000	2	Each Removing Headwalls
206E008	37	Each Removing Guardrail End Anchor (All Type)
210A000	4392	Cubic Yard Unclassified Excavation
210D000	8500	Cubic Yard Borrow Excavation
214A000	20	Cubic Yard Structure Excavation
214B001	12	Cubic Yard Foundation Backfill, Commercial
301B007	1297	Cubic Yard Crushed Aggregate Base Course, Type B, Yard Mixed
401B100	113277	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	11686	Gallon Tack Coat
407B000	25	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	267	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	117726	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	1067	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410B000	1	Each State Furnished Profilograph
410H000	1	Each Material Remixing Device
420A015	1227	Ton Polymer Modified Open Graded Friction Course
424A280	8483	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range E

424A358 2610 Ton Superpave Bituminous Concrete Wearing Surface Layer,  
 Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D  
 424A360 6910 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 424A366 1200 Ton Superpave Bituminous Concrete Wearing Surface Layer,  
 Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D  
 424A369 104 Ton Superpave Bituminous Concrete Wearing Surface Layer,  
 Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D  
 424B288 14477 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling,  
 3/4" Maximum Aggregate Size Mix, ESAL Range E  
 424B581 1815 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range E  
 424B650 6200 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 424B655 600 Ton Superpave Bituminous Concrete Upper Binder Layer,  
 Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D  
 424B661 119 Ton Superpave Bituminous Concrete Upper Binder Layer,  
 Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D  
 424B681 1397 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 424C280 1815 Ton Superpave Bituminous Concrete Base Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range E  
 424C360 1397 Ton Superpave Bituminous Concrete Base Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 428C000 69813 Linear Foot Scoring Bituminous Pavement Surface By Cutting  
 430B043 292 Ton Aggregate Surfacing (1" Down, Crusher Run)  
 530A002 8 Linear Foot 24" Roadway Pipe (Class 3 R.C.)  
 530A102 20 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)  
 600A000 1 Lump Sum Mobilization  
 606A000 200 Linear Foot 6" Underdrain Pipe  
 614A000 202 Cubic Yard Slope Paving  
 619A003 2 Each 24" Roadway Pipe End Treatment, Class 1  
 620A000 1 Cubic Yard Minor Structure Concrete  
 621A005 1 Each Junction Boxes, Type 1  
 630A001 9275 Linear Foot Steel Beam Guardrail, Class A, Type 2  
 630A018 2326 Linear Foot Steel Beam Guardrail, Class A, Type 2 (Double Faced Median Barrier)  
 630C001 16 Each Guardrail End Anchor, Type 8  
 630C041 6 Each Guardrail End Anchor, Type 22  
 630C065 2 Each Guardrail End Anchor, Type 13 (Retrofit)  
 630C070 14 Each Guardrail End Anchor, Type 10 Series  
 630F000 1 Each Box Beam Median End Anchor (BEAT-MT)  
 650A000 1150 Cubic Yard Topsoil  
 654A001 606 Square Yard Solid Sodding (Bermuda)  
 665A000 2 Acre Temporary Seeding  
 665B000 2 Acre Temporary Mulching  
 665G000 200 Each Sand Bags  
 665I000 35 Ton Temporary Riprap, Class 2  
 665J002 1000 Linear Foot Silt Fence  
 665L000 300 Linear Foot Floating Basin Boom  
 665O001 1000 Linear Foot Silt Fence Removal  
 665Q002 420 Linear Foot Wattle  
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 255,000.00)  
 701A227 8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)  
 701A230 8 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)  
 701A239 8 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)  
 701A244 1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)  
 701B207 1750 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)  
 701C000 25 Mile Broken Temporary Traffic Stripe  
 701C001 46 Mile Solid Temporary Traffic Stripe  
 703A002 9850 Square Foot Traffic Control Markings, Class 2, Type A  
 703B002 1250 Square Foot Traffic Control Legends, Class 2, Type A  
 703D001 1500 Square Foot Temporary Traffic Control Markings  
 740B000 1474 Square Foot Construction Signs  
 740D000 100 Each Channelizing Drums  
 740E000 250 Each Cones (36 Inches High)  
 740M001 250 Each Ballast For Cone  
 741C010 1 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-306-513-152-801  
MONTGOMERY COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-152 (NORTH BOULEVARD)  
FROM I-65 TO SR-9 (US-231) IN MONTGOMERY

The Length Of This Project Is: 6.503 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred  
(100) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,470,000 To \$4,240,000  
The Principal Items Of Work Are Approximately As Follows:

206D002	428	Linear Foot Removing Curb
210D021	1000	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
405A000	17000	Gallon Tack Coat
407B000	34	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	75000	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	232000	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	34600	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
423A003	3580	Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423B001	5746	Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
424A280	19700	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A285	250	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424A286	1100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	5920	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	85	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B581	168	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	72750	Linear Foot Scoring Bituminous Pavement Surface By Cutting



600A000	1 Lump Sum Mobilization
623B000	726 Linear Foot Concrete Curb, Type N
650A000	700 Cubic Yard Topsoil
652A100	10 Acre Seeding
656A010	10 Acre Mulching
665F000	300 Each Hay Bales
665J002	2000 Linear Foot Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
666A001	10 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 187,400.00)
701A227	19 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	13 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	13 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B027	800 Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B207	8000 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	27 Mile Broken Temporary Traffic Stripe
701C001	62 Mile Solid Temporary Traffic Stripe
701G142	10100 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	10100 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	9300 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G161	10100 Linear Foot Broken Black, Class W, Type B Traffic Stripe (5" Wide)
701H001	19400 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	10100 Linear Foot Broken Traffic Stripe Removed (Plastic)
701H011	800 Linear Foot Dotted Traffic Stripe Removed (Plastic)
703A002	13500 Square Foot Traffic Control Markings, Class 2, Type A
703A011	750 Square Foot Traffic Control Markings, Class W, Type A
703B002	700 Square Foot Traffic Control Legends, Class 2, Type A
703B011	180 Square Foot Traffic Control Legends, Class W, Type A
703C001	930 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Plastic)
703D001	4400 Square Foot Temporary Traffic Control Markings
703E001	60 Square Foot Temporary Traffic Control Legends
705A030	40 Each Pavement Markers, Class A-H, Type 2-C
705A031	850 Each Pavement Markers, Class A-H, Type 1-A
705A037	40 Each Pavement Markers, Class A-H, Type 2-D
728A000	1 Each Truck Mounted Impact Attenuator Unit
730H001	10500 Linear Foot Loop Wire
731A013	2 Each Traffic Counting Units, Type N (Approx. M.P. 5.132)
731A014	1 Each Traffic Counting Units, Type O (Approx. M.P. 6.00)
731A015	2 Each Traffic Counting Units, Type p (Approx. M.P. 5.132)
731A020	1 Each Traffic Counting Units, Type Q (Approx. M.P. 5.132)
740B000	1942 Square Foot Construction Signs
740C000	57 Square Foot Special Construction Signs
740D000	300 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
99-409-022-104-733  
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

DRAINAGE IMPROVEMENTS ON SR-104 AT MP 1.2, MP 1.4 AND MP 2.9  
EAST OF FAIRHOPE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety  
(90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$13.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$363,000 To \$440,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206D001	308 Linear Foot Removing Guardrail
206E008	12 Each Removing Guardrail End Anchor (All Type)
210A000	193 Cubic Yard Unclassified Excavation
210D022	3915 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0)
210E000	104 Cubic Yard Borrow Excavation (Underwater Backfill)
214A000	60 Cubic Yard Structure Excavation
214B001	94 Cubic Yard Foundation Backfill, Commercial
502A000	19512 Pound Steel Reinforcement
524B011	148 Cubic Yard Culvert Concrete Extension (Cast In Place)
600A000	1 Lump Sum Mobilization
610C001	320 Ton Loose Riprap, Class 2
610D003	253 Square Yard Filter Blanket, Geotextile
630A001	514 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A033	1164 Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
630C050	12 Each Guardrail End Anchor, Type 20 Series
650A000	300 Cubic Yard Topsoil
652A100	1 Acre Seeding
654A001	600 Square Yard Solid Sodding (Bermuda)
656A010	1 Acre Mulching
659A033	1000 Square Yard Rolled Erosion Control Product, Type (2A)
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665E000	500 Square Yard Polyethylene
665F000	120 Each Hay Bales
665J002	2400 Linear Foot Silt Fence
665K000	600 Cubic Yard Drainage Sump Excavation
665O001	2400 Linear Foot Silt Fence Removal

665Q002	450 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 12,000.00)
740B000	696 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740I005	8 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
 State Maintenance Project No.  
 99-403-595-000-820  
 SHELBY COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING AT VARIOUS LOCATIONS ALONG I-65 AND  
 SR-38 (US-280)

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty  
 (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
 The Bracket Estimate On This Project Is From \$94,500 To \$115,000  
 The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 866 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 8,150.00)
740B000	256 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
 Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-403-371-000-820  
JEFFERSON COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., May 30, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE ROADSIDE MOWING ALONG VARIOUS INTERSTATE ROUTES AS  
INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety  
(90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$350,000 To \$430,000  
The Principal Items Of Work Are Approximately As Follows:

655A009	3 Cycle Maintenance Roadside Mowing (Approximately 3384 acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 19,100.00)
740B000	512 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows:  
"... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director