


ALABAMA

Department of Transportation

www.dot.state.al.us




Notice to Contractors

Transportation Letting

NOVEMBER 7, 2008

10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals

telephone: 334.242.6444

e-mail: offengr@dot.state.al.us

fax: 334.264.7976

cell: 334.850.5988

cell: 334.850.5328



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPOA-0055(501)
SR-55 Relocation from South of Georgiana
to SR-106 West of Georgiana
Butler County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.
Date: **Tuesday, October 28, 2008**
Location: Auditorium
ALDOT Sixth Division
1525 Coliseum Boulevard
Montgomery, Alabama 36110

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: NHF-HPP-0008(505) &
BRF-0008(543)
SR-8 (US-80) Additional Lanes and Bridge
Replacements from SR-17 to CR-71
Sumter County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday, October 29, 2008**

Location: Auditorium
ALDOT Eighth Division
129 Grove Hill Avenue East
Grove Hill, Alabama 36451

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPOA-0192(500) SR-192 Additional Lanes from SR-27 to SR-167 in Enterprise Coffee County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Thursday, October 30, 2008**

Location: Auditorium
ALDOT Seventh Division
299 Elba Highway
Troy, Alabama 36079

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060**

2009 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2009 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2009. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

**Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060**

Company Name: _____

Shipping Address: _____

Quantity: _____ x \$125.00 per U.S. Book = \$ _____
_____ x \$125.00 per Metric Book = \$ _____
_____ x \$25.00 per Compact Disk = \$ _____
Total: _____ \$ _____

Delivery Options (Select One)

_____ Standard UPS Ground

_____ Overnight, Provide Shipping Acct Number: _____

_____ Pick up



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 7, 2008

Re: **2009 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a **\$40.00** per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 7, 2008

Re: 2009 Calendar Year
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Alabama Department of Transportation Specification 108.04(b)8 permits up to 17 acres of clearing and exposure of erodible material at any one time. If, during your review of plans for each letting, you determine that a project cannot reasonably be constructed without an increase in the allowable acreage of exposed erodible material, it is requested that you make written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increase in acreage prior to receiving bids.

August 29, 2008



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

It is anticipated that Project Number APD-0471(501) Jefferson County, will be in an upcoming Letting. The project is to construct the grade, drain, base, pave, and bridges, etc., for the Corridor X / I-65 Route Interchange in Birmingham.

Due to the size and complex nature of the project a preliminary plan set is available for contractor review. The plan set is on compact disk in .pdf format and is available at no cost to the contractor. If you would like a compact disk containing the preliminary plan set please provide your company name, phone number, and shipping address in the space provided below and fax or mail this form to:

Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard - Room E-108
Montgomery Alabama 36110-2060
FAX: 334.264.7976

Company Name

Shipping Address

Phone Number

NTC.4.9.2009



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

SPECIAL NOTICE TO CONTRACTORS

Project Number APD-0471(501) Jefferson County
Grade, Drainage, Base, Pavement, Bridge, etc., for the
Corridor X(I-22)/I-65 Route Interchange

It is anticipated that the referenced project will be in an upcoming letting. At a special work session to review the constructability of the project design with potential prime contractors continuous roll plots of the proposed project traffic control plan phasing were presented. Subsequent to that meeting several contractors have expressed interest in obtaining copies of the plots. Paper plots are available for \$20 per set. If you are interested in receiving the plots please fill out the following information and return this form and a check made out to the Alabama Department of Transportation to the following address:

Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard - Room E-108
Montgomery, Alabama 36110-2060
FAX: 334.264.7976

Company Name

Shipping Address

Telephone Number



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, reading "Ronald L. Baldwin".

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
.File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature
Name: _____
please print
Title: _____
Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

ALDOT Form #								
1. Project Number:		2. County:		3. Division:				
4. Prime Contractor:		5. DBE:						
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:				
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date	16. Amount Performed to Date
Pay Item No.	Item Description							
17. Comments:								18. Total:
								19. Total:
20. Signature of Authorized Representative:								
Printed Name & Title Date Signed								

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number Instructions

1. ALDOT Project Number
2. County
3. Division
4. Prime Contractor for the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: _____

Contractor Name: _____

Letting Date: _____

Address: _____

Contract Amount: _____

Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (Include quantities and subcontract unit prices OR list the type of work and attach additional pages for details)	Dollar Amount
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Name: _____ Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

DBE Certification Number: _____

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failure

**Please check your diskette as soon as possible
after receipt. If you experience any problems
contact the Plans and Proposals Section during
regular work hours at 1-800-232-2157
or 334-242-6441.**

**In the event of diskette failure the night before the
letting please call the following numbers for
assistance:**

334-850-5988

334-850-5328

November 07, 2008

COMPANY NAME: _____ BY: _____
SHIPPING ADDRESS: _____
CITY, STATE, ZIP: _____

MAIL ADDRESS: _____
CITY, STATE, ZIP: _____ PHONE: _____
=====

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 4.00	_____	005 NHF-0008(550), DALLAS
_____	_____	_____	\$ 28.00	_____	006 NHF-0053(533), DALE
_____	_____	_____	\$139.00	_____	007 NHF-HPP-0008(505),ETC., SUMTER
_____	_____	_____	\$ 15.00	_____	010 BRF-0035(503), JACKSON
_____	_____	_____	\$ 42.00	_____	014 STPOAF-0009(504), ELMORE
_____	_____	_____	\$ 6.00	_____	017 BRZ-4600(204), MARENGO
_____	_____	_____	\$ 3.00	_____	019 HRRR-CN09(203), TALLADEGA
_____	_____	_____	\$ 3.00	_____	020 HRRR-CN09(204), CULLMAN
_____	_____	_____	\$ 4.00	_____	021 HRRR-HSIP-2708(203), ESCAMBIA
_____	_____	_____	\$ 3.00	_____	023 HSIP-0005(522),ETC., DALLAS
_____	_____	_____	\$ 3.00	_____	024 HSIP-0014(516),ETC., ELMORE
_____	_____	_____	\$ 67.00	_____	026 STPOA-0192(500), COFFEE
_____	_____	_____	\$ 3.00	_____	029 STPNU-CN09(200), DALE
_____	_____	_____	\$ 3.00	_____	031 STPNU-1412(200), CLAY
_____	_____	_____	\$ 3.00	_____	032 STPOA-1618(201), COFFEE
_____	_____	_____	\$ 3.00	_____	033 STPNU-1915(200), COOSA
_____	_____	_____	\$ 6.00	_____	034 STPOA-2703 (201), ESCAMBIA
_____	_____	_____	\$ 4.00	_____	035 STPOA-3319(201), HALE
_____	_____	_____	\$ 4.00	_____	036 STPOA-HRRR-1111(201), CHILTON
_____	_____	_____	\$ 20.00	_____	038 STPOA-CN08(907),ETC., MORGAN
_____	_____	_____	\$ 3.00	_____	039 STPOA-CN09(201), CULLMAN
_____	_____	_____	\$ 3.00	_____	040 STPOA-CN09(202), COVINGTON
_____	_____	_____	\$ 4.00	_____	041 STPOA-CN09(205), MARSHALL
_____	_____	_____	\$105.00	_____	042 STPOA-0055(501), BUTLER
_____	_____	_____	\$ 21.00	_____	044 STPOA-7432(601), CALHOUN
_____	_____	_____	\$ 13.00	_____	047 IAR-051-000-004, MONTGOMERY
_____	_____	_____	\$ 12.00	_____	048 ST-027-113-002, ESCAMBIA
_____	_____	_____	\$ 4.00	_____	050 99-406-062-110-801,ETC., MONTGOMERY,ETC.
_____	_____	_____	\$ 2.00	_____	052 99-509-022-182-950, BALDWIN
_____	_____	_____	\$ 3.00	_____	053 99-308-121-114-902, CHOCTAW

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$125.00	_____	2009 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2009 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2009 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 20.00	_____	2008 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:
ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
TERRY W. ROBINSON - ROOM E-108
MONTGOMERY, ALABAMA 36110
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
NHF-0008(550)
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-8 (US-80) FROM THE
PERRY COUNTY LINE THROUGH MARION JUNCTION TO JUST WEST OF THE
CAHABA RIVER BRIDGE

The Length Of This Project Is: 11.145 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Ten
(110) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$6,600,000 To \$8,000,000

The Principal Items Of Work Are Approximately As Follows:

210A000	1000	Cubic Yard Unclassified Excavation
405A000	57525	Gallon Tack Coat
407B000	50	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	320982	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A281	31721	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A361	11194	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	667	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B280	36252	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B285	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B289	1500	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E

424B651	630	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B681	630	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
428C000	235404	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B012	400	Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1	Lump Sum Mobilization
650A000	4850	Cubic Yard Topsoil
652A100	22	Acre Seeding
654A000	250	Square Yard Solid Sodding
656A010	22	Acre Mulching
659A028	500	Square Yard Rolled Erosion Control Product, Type (1D)
665F000	200	Each Hay Bales
665J002	6000	Linear Foot Silt Fence
665O001	6000	Linear Foot Silt Fence Removal
666A001	22	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 365,100)
701A227	25	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	23	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	23	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	17995	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	45	Mile Broken Temporary Traffic Stripe
701C001	94	Mile Solid Temporary Traffic Stripe
701G142	305	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	305	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	305	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	609	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	305	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	1589	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1121	Square Foot Traffic Control Legends, Class 2, Type A
703D001	3178	Square Foot Temporary Traffic Control Markings
705A030	76	Each Pavement Markers, Class A-H, Type 2-C
705A031	1472	Each Pavement Markers, Class A-H, Type 1-A
740B000	1566	Square Foot Construction Signs
740C000	37	Square Foot Special Construction Signs
740D000	400	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0053(533)
DALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

INTERSECTION IMPROVEMENTS (GRADE, DRAIN, PAVE & SIGNALS) ON
SR-53 (US-231) AT SR-123 (NORTH) IN OZARK

The Length Of This Project Is: 0.558 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty Five (125) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$28.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,200,000 To \$2,400,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 8 Acres)
206C002	107 Square Yard Removing Concrete Slope Paving
206D000	370 Linear Foot Removing Pipe
206D002	1431 Linear Foot Removing Curb
206D003	140 Linear Foot Removing Curb And Gutter
206D005	38 Linear Foot Removing Gutter
206D007	588 Linear Foot Removing Concrete Flume
206E000	7 Each Removing Headwalls
206E001	5 Each Removing Inlets
206E042	3 Each Removing Inlets (Partial)
210A000	3997 Cubic Yard Unclassified Excavation
210D011	7134 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	249 Cubic Yard Structure Excavation
214B000	85 Cubic Yard Foundation Backfill, Local
230A000	15 Roadbed Station Roadbed Processing
405A000	3357 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
410H000	1 Each Material Remixing Device

424A281 2875 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
 Maximum Aggregate Size Mix, ESAL Range E
 424B651 841 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424C360 1736 Ton Superpave Bituminous Concrete Base Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 428C000 6034 Linear Foot Scoring Bituminous Pavement Surface By Cutting
 430B003 4 Ton Aggregate Surfacing (ALDOT #57)
 502A000 755 Pound Steel Reinforcement
 530A001 440 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
 530A002 35 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
 530A004 11 Linear Foot 36" Roadway Pipe (Class 3 R.C.)
 530A100 26 Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)
 530A102 36 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
 535A001 192 Linear Foot 18" Side Drain Pipe
 535A003 20 Linear Foot 30" Side Drain Pipe
 535A301 24 Linear Foot 18" Side Drain Pipe (Extension)
 535A302 16 Linear Foot 24" Side Drain Pipe (Extension)
 538A004 177 Linear Foot 24" Roadway Pipe Rehabilitation
 538A006 174 Linear Foot 36" Roadway Pipe Rehabilitation
 600A000 1 Lump Sum Mobilization
 602A000 12 Each Right Of Way Markers
 610C001 448 Ton Loose Riprap, Class 2
 610D003 354 Square Yard Filter Blanket, Geotextile
 614A000 275 Cubic Yard Slope Paving
 619A001 1 Each 15" Roadway Pipe End Treatment, Class 1
 619A002 1 Each 18" Roadway Pipe End Treatment, Class 1
 619A101 4 Each 18" Side Drain Pipe End Treatment, Class 1
 619A103 1 Each 30" Side Drain Pipe End Treatment, Class 1
 620A000 9 Cubic Yard Minor Structure Concrete
 621A011 8 Each Junction Boxes, Type 1 Or 1P
 621A019 2 Each Junction Boxes, Type 1 Or 2P
 621A031 3 Each Junction Boxes, Type 1 (Special)
 621B011 2 Each Junction Box Units, Type 1 Or 1P
 621B014 3 Each Junction Box Units, Type 1 Or 2P
 621C002 3 Each Inlets, Type C, P1 Or P3
 621C020 7 Each Inlets, Type Y
 621D019 10 Each Inlet Units, Type Y
 621D022 1 Each Inlet Units, Type C, P1 Or P3
 623B000 945 Linear Foot Concrete Curb, Type N
 623B001 208 Linear Foot Concrete Curb, Type N Special
 623C000 107 Linear Foot Combination Curb & Gutter, Type C
 630A001 1100 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C001 4 Each Guardrail End Anchor, Type 8
 630C050 4 Each Guardrail End Anchor, Type 20 Series
 652C000 8 Acre Mowing
 654A001 32533 Square Yard Solid Sodding (Bermuda)
 659A041 12920 Square Yard Rolled Erosion Control Product, Type (3B)
 665A000 8 Acre Temporary Seeding
 665B000 8 Acre Temporary Mulching
 665F000 200 Each Hay Bales
 665G000 1056 Each Sand Bags
 665J002 6573 Linear Foot Silt Fence
 665O001 6573 Linear Foot Silt Fence Removal
 665P005 9 Each Inlet Protection, Stage 3 Or 4
 665Q002 468 Linear Foot Wattle
 666A001 8 Acre Pest Control Treatment
 674A000 500 Linear Foot Construction Safety Fence
 680A000 1 Lump Sum Engineering Controls
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 593,000.00)
 701A227 2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
 701A230 2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
 701A239 2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
 701B207 3365 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
 701C000 2 Mile Broken Temporary Traffic Stripe
 701C001 4 Mile Solid Temporary Traffic Stripe
 701D007 1 Mile Solid Traffic Stripe Removed (Paint)
 701D008 1 Mile Solid Traffic Stripe Removed (Plastic)
 701D014 1 Mile Broken Traffic Stripe Removed (Paint)

701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
703A002	1696 Square Foot Traffic Control Markings, Class 2, Type A
703B002	404 Square Foot Traffic Control Legends, Class 2, Type A
703D001	582 Square Foot Temporary Traffic Control Markings
705A030	293 Each Pavement Markers, Class A-H, Type 2-C
705A031	80 Each Pavement Markers, Class A-H, Type 1-A
705A037	24 Each Pavement Markers, Class A-H, Type 2-D
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit (U.S. 231 at Lakeview Road)
730E000	4 Each Metal Traffic Signal Pole Foundation
730G001	4 Each Metal Traffic Signal Strain Pole
730H001	4050 Linear Foot Loop Wire
730I001	4700 Linear Foot Loop Detector Lead-In-Cable
730J010	14 Each Vehicle Loop Detector
730K000	7 Each Traffic Signal Junction Box
730L003	100 Linear Foot 1", Non-Metallic, Conduit
730L005	900 Linear Foot 2", Non-Metallic, Conduit
730N010	4 Each Luminaire Extension Assembly, 12 Feet
730P022	12 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730R022	1 Each Controller Assembly, Type III, 8 Phase
730T000	1 Each Wood Pole
740B000	1223 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	150 Each Cones (36 Inches High)
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)
740M001	150 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
756A022	50 Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-HPP-0008(505) & BRF-0008(543)
SUMTER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

ADDITIONAL LANES (GRADE, DRAINAGE, PAVEMENT AND BRIDGES) ON SR-8
(US-80) FROM SR-17 SOUTH OF YORK TO CR-71 (BELLAMY ROAD)

The Length Of This Project Is: 7.118 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Five Hundred
(500) Working Days.

A 6.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, October 29, 2008, in the auditorium of the ALDOT Eighth Division office, 129 Grove Hill Avenue East, Grove Hill, AL 36451. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$139.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$30,590,000 To \$36,380,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 240 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
206A000	1 Lump Sum Removal Of Old Bridge, Station 425+25.54
206A001	1 Lump Sum Removal Of Old Bridge, Station 658+92.06
206A002	1 Lump Sum Removal Of Old Bridge, Station 769+78.03
206B000	1 Lump Sum Removal Of Old Box Culvert, Station 457+81
206B001	1 Lump Sum Removal Of Old Box Culvert, Station 755+18
206B002	1 Lump Sum Removal Of Old Box Culvert, Station 26+88 (SR-17)
206B003	1 Lump Sum Removal Of Old Box Culvert, Station 520+00
206B009	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 449+26
206B010	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 511+63
206B011	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 541+20
206B012	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 606+83
206B013	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 675+29
206B014	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 469+05

206D000	1543	Linear Foot Removing Pipe
206D001	2543	Linear Foot Removing Guardrail
206D011	3080	Linear Foot Removing Fence
206E000	53	Each Removing Headwalls
206E001	4	Each Removing Inlets
206E008	28	Each Removing Guardrail End Anchor (All Type)
210A000	673724	Cubic Yard Unclassified Excavation
210C000	1339	Cubic Yard Muck Excavation
210D000	61352	Cubic Yard Borrow Excavation
210D011	33085	Cubic Yard Borrow Excavation (A-4 Or Better)
210D025	77459	Cubic Yard Borrow Excavation (Improved Roadbed)
214A000	15679	Cubic Yard Structure Excavation
214B001	4024	Cubic Yard Foundation Backfill, Commercial
215A000	544	Cubic Yard Unclassified Bridge Excavation
215B000	1	Lump Sum Cofferdams Or Sheeting And Shoring, Sta. 424+61.8135
215B001	1	Lump Sum Cofferdams Or Sheeting And Shoring, Sta. 424+55.8195
230A000	1052	Roadbed Station Roadbed Processing
260A000	13	Cubic Yard Cement Mortar Flowable Backfill, Mix 1
301A222	181654	Square Yard Soil Aggregate Base Course, Type C, Road Mixed, 6" Compacted Thickness
301A342	190324	Square Yard Selected Soil Subbase Course, Type B, Road Mixed, 6" Compacted Thickness
305B077	2572	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401A047	197747	Square Yard Bituminous Treatment A, MC-70
405A000	19958	Gallon Tack Coat
407B000	3	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	2060	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
420A015	10122	Ton Polymer Modified Open Graded Friction Course
424A280	24618	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A286	310	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	3243	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B281	30100	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B289	6975	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
424B651	95	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B656	75	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1-1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424C280	62960	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	164950	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	6884	Ton Aggregate Surfacing (1" Down, Crusher Run)
450B000	693	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	214298	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 424+61.8135 EBL, Approximately 78,400 lbs.
502B001	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 424+55.8915 WBL, Approximately 103,400 lbs
502B002	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 659+02.209 EBL, Approximately 44,200 lbs
502B003	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 658+37.791 WBL, Approximately 44,200 lbs
502B004	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 769+90.00 EBL, Approximately 54,300 lbs
502B005	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 769+90.00 WBL, Approximately 53,500 lbs
505A002	4	Each Steel Test Piles (HP 12x53)
505A005	1	Each Steel Test Piles (HP 14x89)
505A010	1	Each Steel Test Piles (HP 14x102)
505B057	4	Each Static Loading Tests (HP 12x53)
505B060	1	Each Static Loading Tests (HP 14x89)
505B065	1	Each Static Loading Tests (HP 14x102)
505B087	4	Each Dynamic Loading Tests (HP 12x53)

505B090	1 Each Dynamic Loading Tests (HP 14x89)
505B094	1 Each Dynamic Loading Test (HP 14x102)
505M002	8795 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
505M005	998 Linear Foot Steel Piling Furnished And Driven (HP 14x89)
505M011	1152 Linear Foot Steel Piling Furnished And Driven (HP 14X102)
508A000	46670 Pound Structural Steel
510A000	1144 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Sta. 424+61.8135 EBL, Approximately 374 Cu Yds
510C052	1 Lump Sum Bridge Concrete Superstructure, Sta. 424+55.8915 WBL, Approximately 466 Cu Yds
510C053	1 Lump Sum Bridge Concrete Superstructure, Sta. 659+02.209 EBL, Approximately 169 Cu Yds
510C054	1 Lump Sum Bridge Concrete Superstructure, Sta. 658+37.791 WBL, Approximately 169 Cu Yds
510C055	1 Lump Sum Bridge Concrete Superstructure, Sta. 769+90.00 EBL, Approximately 211 Cu Yds
510C056	1 Lump Sum Bridge Concrete Superstructure, Sta. 769+90.00 WBL, Approximately 208 Cu Yds
510E000	4971 Square Yard Grooving Concrete Bridge Decks
511A050	72 Each Elastomeric Bearing Type 2 (Mark B1)
511A051	72 Each Elastomeric Bearing Type 2 (Mark B2)
511A073	78 Each Elastomeric Bearing Type 4 (Mark VB4)
513B003	1572 Linear Foot Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)
513B004	1931 Linear Foot Pretensioned-Prestressed Concrete Girders, Type II (Specialty Item)
513B019	3272 Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-63 (Specialty Item)
524A010	133 Cubic Yard Culvert Concrete
524B011	250 Cubic Yard Culvert Concrete Extension (Cast In Place)
530A001	82 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	8414 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	939 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A004	309 Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A005	122 Linear Foot 42" Roadway Pipe (Class 3 R.C.)
530A006	96 Linear Foot 48" Roadway Pipe (Class 3 R.C.)
530A013	98 Linear Foot 24" Roadway Pipe (Class 4 R.C.)
530A014	148 Linear Foot 30" Roadway Pipe (Class 4 R.C.)
530A016	111 Linear Foot 42" Roadway Pipe (Class 4 R.C.)
530A017	139 Linear Foot 48" Roadway Pipe (Class 4 R.C.)
530A018	264 Linear Foot 54" Roadway Pipe (Class 4 R.C.)
530A024	156 Linear Foot 24" Roadway Pipe (Class 5 R.C.)
530A027	31 Linear Foot 42" Roadway Pipe (Class 5 R.C.)
530A030	201 Linear Foot 60" Roadway Pipe (Class 5 R.C.)
530A155	42 Linear Foot 24" Roadway Pipe (14 Gauge C.C.S.)
530A495	452 Linear Foot 24" Roadway Pipe (14 Gauge C.M.) (Temporary)
530A496	4 Linear Foot 30" Roadway Pipe (14 Gauge C.M.) (Temporary)
530A497	4 Linear Foot 36" Roadway Pipe (14 Gauge C.M.) (Temporary)
530B003	195 Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
530B005	182 Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)
530B006	126 Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
530B007	161 Linear Foot 65" Span, 40" Rise Roadway Pipe (Class 3 R.C.)
534E000	633 Linear Foot Cleaning Existing Culvert (Less Than Or Equal To 48" Horizontal Opening)
534E001	420 Linear Foot Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)
534F001	108 Linear Foot Cleaning Existing Pipe (Greater Than 48" Horizontal Opening)
535A001	186 Linear Foot 18" Side Drain Pipe
535A002	289 Linear Foot 24" Side Drain Pipe
535A003	152 Linear Foot 30" Side Drain Pipe
538A004	174 Linear Foot 24" Roadway Pipe Rehabilitation
600A000	1 Lump Sum Mobilization
601A000	1 Each Furnishing Base, Soil And Structure Laboratories
602A000	93 Each Right Of Way Markers
606A000	1000 Linear Foot 6" Underdrain Pipe
609A000	638 Square Yard Aggregate Slope Protection
609B000	638 Square Yard Geotextile Filter For Aggregate Slope Protection
610C001	11622 Ton Loose Riprap, Class 2
610D003	15749 Square Yard Filter Blanket, Geotextile
614A000	5847 Cubic Yard Slope Paving
619A002	2 Each 18" Roadway Pipe End Treatment, Class 1

619A003	76 Each 24" Roadway Pipe End Treatment, Class 1
619A004	8 Each 30" Roadway Pipe End Treatment, Class 1
619A005	2 Each 36" Roadway Pipe End Treatment, Class 1
619A006	1 Each 42" Roadway Pipe End Treatment, Class 1
619A007	1 Each 48" Roadway Pipe End Treatment, Class 1
619A008	2 Each 54" Roadway Pipe End Treatment, Class 1
619A009	1 Each 60" Roadway Pipe End Treatment, Class 1
619A055	1 Each 36" Roadway Pipe End Treatment, Class 2
619A101	6 Each 18" Side Drain Pipe End Treatment, Class 1
619A102	8 Each 24" Side Drain Pipe End Treatment, Class 1
619A103	4 Each 30" Side Drain Pipe End Treatment, Class 1
619B020	1 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 1
619B021	1 Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 1
619B022	1 Each 65" Span, 40" Rise Roadway Pipe End Treatment, Class 1
619B068	2 Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2
619B070	1 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 2
620A000	9 Cubic Yard Minor Structure Concrete
621A002	2 Each Junction Boxes, Type 4 Or 2P
621A003	4 Each Junction Boxes, Type 4 Or 1P
621A004	3 Each Junction Boxes, Type 4
621A011	15 Each Junction Boxes, Type 1 Or 1P
621A012	1 Each Junction Boxes, Type 3 Or 3P
621A013	4 Each Junction Boxes, Type Special
621A019	4 Each Junction Boxes, Type 1 Or 2P
621A058	1 Each Junction Boxes, Type 3 (Modified)
621B002	4 Each Junction Box Units, Type 4 Or 2P
621B003	1 Each Junction Box Units, Type 4 Or 1P
621B004	3 Each Junction Box Units, Type 4
621B011	2 Each Junction Box Units, Type 1 Or 1P
621B014	2 Each Junction Box Units, Type 1 Or 2P
621B035	2 Each Junction Box Units, Type Special
621C002	8 Each Inlets, Type C, P1 Or P3
621C020	41 Each Inlets, Type Y
621C132	4 Each Inlets, Type Y (Modified)
621D019	57 Each Inlet Units, Type Y
621D022	3 Each Inlet Units, Type C, P1 Or P3
621D055	4 Each Inlet Units, Type Y (Modified)
621I001	2 Each Stilling Basins, Type 1
621I002	1 Each Stilling Basins, Type 2
621I003	1 Each Stilling Basins, Type 3
630A001	2200 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A034	488 Linear Foot Steel Beam Guardrail, Class A, Type 2 (8'-0" Post)
630C003	20 Each Guardrail End Anchor, Type 13
630C050	30 Each Guardrail End Anchor, Type 20 Series
637A000	90 Linear Foot Fence Reset
641A748	3950 Linear Foot 8 Inch P.V.C. Water Main Laid
641C500	2123 Pound Ductile Iron Fittings
641D500	2 Each Fire Hydrant
641J516	2 Each 6 Inch Gate Valve With Box
641J518	4 Each 8 Inch Gate Valve With Box
641L500	24 Cubic Yard Concrete for Water Mains (Thrust Blocks)
641M512	10 Each 6 Inch Retainer Gland
641M514	13 Each 8 Inch Retainer Gland
641O514	1 Each 6 Inch x 6 Inch Tapping Valve And Sleeve
641O520	2 Each 8 Inch x 8 Inch Tapping Valve And Sleeve
641Q535	1 Each 6 Inch Water Meter And Box Set
649A540	60 Linear Foot 14 Inch Steel Encasement Pipe, Type 1 Installation
649A640	270 Linear Foot 14 Inch Steel Encasement Pipe, Type 2 Installation
649A645	250 Linear Foot 16 Inch Steel Encasement Pipe, Type 2 Installation
650A000	14453 Cubic Yard Topsoil
650B000	59297 Cubic Yard Topsoil From Stockpiles
652A100	209 Acre Seeding
652C000	209 Acre Mowing
654A001	12680 Square Yard Solid Sodding (Bermuda)
656A010	209 Acre Mulching
659A036	67989 Square Yard Rolled Erosion Control Product, Type (2D)
659A041	13053 Square Yard Rolled Erosion Control Product, Type (3B)
659A048	49582 Square Yard Rolled Erosion Control Product, Type (5A)
659A050	4369 Square Yard Rolled Erosion Control Product, Type (5C)

665A000	300	Acre Temporary Seeding
665B000	300	Acre Temporary Mulching
665C010	2663	Linear Foot Temporary Pipe
665E000	2387	Square Yard Polyethylene
665F000	3500	Each Hay Bales
665G000	6236	Each Sand Bags
665I000	5468	Ton Temporary Riprap, Class 2
665J002	24646	Linear Foot Silt Fence
665K000	18420	Cubic Yard Drainage Sump Excavation
665N003	494	Ton Temporary Coarse Aggregate, ALDOT Number 2
665O001	24646	Linear Foot Silt Fence Removal
665P005	48	Each Inlet Protection, Stage 3 Or 4
665Q002	5442	Linear Foot Wattle
665T000	10732	Linear Foot Temporary Earth Berms
666A001	209	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 1,700,000.00)
701A227	19	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	18	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	15	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	9941	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	7	Mile Broken Temporary Traffic Stripe
701C001	20	Mile Solid Temporary Traffic Stripe
701C006	1	Mile Solid Temporary Traffic Stripe (Removable Tape)
701D005	20	Mile Solid Traffic Stripe Removed
701D009	1	Mile Solid Traffic Stripe Removed (Tape)
701D014	1	Mile Broken Traffic Stripe Removed (Paint)
701F000	990	Linear Foot Dotted Temporary Traffic Stripe
701G142	1392	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1075	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1075	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	9855	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1195	Square Foot Traffic Control Legends, Class 2, Type A
703D001	480	Square Foot Temporary Traffic Control Markings
703E001	480	Square Foot Temporary Traffic Control Legends
705A011	222	Each Pavement Markers, Class C, Type 1-A
705A012	244	Each Pavement Markers, Class C, Type 1-B
705A022	108	Each Pavement Markers, Class C, Type 2-C
705A023	971	Each Pavement Markers, Class C, Type 2-D
705A024	106	Each Pavement Markers, Class C, Type 2-E
705A030	270	Each Pavement Markers, Class A-H, Type 2-C
705A031	1224	Each Pavement Markers, Class A-H, Type 1-A
705A032	1081	Each Pavement Markers, Class A-H, Type 1-B
705A037	39	Each Pavement Markers, Class A-H, Type 2-D
705A038	302	Each Pavement Markers, Class A-H, Type 2-E
707B003	3	Each Type A Hazard Marker Installation
709A000	14	Each Milepost, Type A
710A115	733	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	362	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	1340	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	3169	Square Foot Construction Signs
740C002	42	Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	1800	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740F002	104	Each Barricades, Type III
740I005	52	Each Warning Lights, Type B (Detachable Head)
740M001	100	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2
999 000	6000	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRF-0035(503)
JACKSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (PARTIAL) ON SR-35 AT THE TENNESSEE RIVER

The Length Of This Project Is: 0.184 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Eighty (280) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$15.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$20,400,000 To \$25,000,000

The Principal Items Of Work Are Approximately As Follows:

215A000	2803 Cubic Yard Unclassified Bridge Excavation
502A001	562739 Pound Steel Reinforcement (Grade 60)
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 38+01.63, Approx. 343,348 Lbs.)
503A000	3889 Cubic Yard Seal Concrete
503B014	1 Lump Sum Cofferdam And Pumping, Pier No. 7
503B015	1 Lump Sum Cofferdam And Pumping, Pier No. 8
503B016	1 Lump Sum Cofferdam And Pumping, Pier No. 9
506A007	218 Linear Foot Drilled Shaft Excavation, 8'-0" Diameter
506B011	290 Linear Foot Special Drilled Shaft Excavation, 8'-0" Diameter
506C030	508 Linear Foot Drilled Shaft Construction, 8'-0" Diameter, Class DS2 Concrete
506D000	150 Linear Foot Exploration Below Drilled Shaft
506F005	508 Linear Foot Permanent Drilled Shaft Casing, 8'-0" Diameter
506G010	15 Each Crosshole Sonic Logging, 8'-0" Diameter
508A000	1857 Pound Structural Steel
508B001	1 Each Structural Steel Superstructure, 300'-0"~375'-0"~300'-0" Continuous Span Approx. 3,509,503 lbs. (Specialty Item)
510A000	4908 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Sta. 38+01.63, Approx. 1335 Cu. Yds.
510E000	3883 Square Yard Grooving Concrete Bridge Decks

511A010	4 Each Elastomeric Bearing Type 5 (Mark B1)
511A062	4 Each Elastomeric Bearing Type 4 (Mark B2)
511A063	4 Each Elastomeric Bearing Type 4 (Mark B3)
511A064	4 Each Elastomeric Bearing Type 4 (Mark B4)
600A000	1 Lump Sum Mobilization
601A000	1 Each Furnishing Base, Soil And Structure Laboratories
665L000	1044 Linear Foot Floating Basin Boom
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 422,500.00)
740B000	536 Square Foot Construction Signs
740D000	40 Each Channelizing Drums
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
999 000	3000 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOAF-0009(504)
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

WIDENING (GRADE, DRAINAGE, PAVEMENT, SIGNALS AND SIGNING) ON
SR-9 (US-231) FROM SOUTH OF EAST CHARLES AVENUE TO SOUTH MAIN
STREET IN WETUMPKA

The Length Of This Project Is: .965 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Seventy
(270) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$42.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$4,600,000 To \$5,600,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 5 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 5041+12.03
206C000	722 Square Yard Removing Concrete Sidewalk
206C002	3669 Square Yard Removing Concrete Slope Paving
206D000	995 Linear Foot Removing Pipe
206D001	42 Linear Foot Removing Guardrail
206D002	120 Linear Foot Removing Curb
206D003	4000 Linear Foot Removing Curb And Gutter
206D005	550 Linear Foot Removing Gutter
206E000	2 Each Removing Headwalls
206E001	13 Each Removing Inlets
206E002	2 Each Removing Junction Boxes
206E008	2 Each Removing Guardrail End Anchor (All Type)
210A000	26671 Cubic Yard Unclassified Excavation
214A000	2205 Cubic Yard Structure Excavation
214B001	393 Cubic Yard Foundation Backfill, Commercial
401A000	2500 Square Yard Bituminous Treatment A

405A000	10100	Gallon Tack Coat
407B000	6	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	7902	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	13300	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410H000	1	Each Material Remixing Device
420A015	2400	Ton Polymer Modified Open Graded Friction Course
424A281	4400	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range E
424A341	440	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range A/B
424B280	950	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range E
424B284	50	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching,
		3/4" Maximum Aggregate Size Mix, ESAL Range E
424B289	17000	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling,
		1" Maximum Aggregate Size Mix, ESAL Range E
424B580	850	Ton Superpave Bituminous Concrete Lower Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range E
424B581	950	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range E
424B636	340	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range A/B
424B643	50	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424C280	1750	Ton Superpave Bituminous Concrete Base Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range E
424C340	450	Ton Superpave Bituminous Concrete Base Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range A/B
428C000	1244	Linear Foot Scoring Bituminous Pavement Surface By Cutting
502A000	25461	Pound Steel Reinforcement
524B011	147	Cubic Yard Culvert Concrete Extension (Cast In Place)
533A098	1245	Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.)
533A099	542	Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.)
533A100	321	Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.)
533A348	8	Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.) (Extension)
533A349	16	Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.) (Extension)
539A002	83	Linear Foot 8 Inch Trench Drain
600A000	1	Lump Sum Mobilization
602A000	7	Each Right Of Way Markers
610C001	50	Ton Loose Riprap, Class 2
610D000	46	Square Yard Filter Blanket
614A000	173	Cubic Yard Slope Paving
618A000	1069	Square Yard Concrete Sidewalk, 4" Thick
619A002	3	Each 18" Roadway Pipe End Treatment, Class 1
619A003	4	Each 24" Roadway Pipe End Treatment, Class 1
620A000	2	Cubic Yard Minor Structure Concrete
621A011	10	Each Junction Boxes, Type 1 Or 1P
621C001	1	Each Inlets, Type B
621C015	17	Each Inlets, Type S1 Or S3 (1 Wing)
621C017	1	Each Inlets, Type S1 Or S3 (2 Wing)
621C032	6	Each Inlets, Type C (Modified)
621D001	1	Each Inlet Units, Type B
621D015	31	Each Inlet Units, Type S1 Or S3
621D051	4	Each Inlet Units, Type C (Modified)
622A002	13	Each Manhole Covers Reset (Sanitary)
623A000	277	Linear Foot Concrete Gutter
623B000	100	Linear Foot Concrete Curb, Type N
623B001	185	Linear Foot Concrete Curb, Type N Special
623C000	4263	Linear Foot Combination Curb & Gutter, Type C
641A512	282	Linear Foot 3/4 Inch Copper Water Service Line Laid
641A614	1296	Linear Foot 8 Inch Ductile Iron Water Main Laid
641A694	114	Linear Foot 18 Inch Ductile Iron Water Main Laid (Restrained Joint)
641A740	25	Linear Foot 2 Inch P.V.C. Water Main Laid
641C500	3232	Pound Ductile Iron Fittings
641E500	1	Each Fire Hydrant Reset
641J510	1	Each 2 Inch Gate Valve With Box
641J518	2	Each 8 Inch Gate Valve With Box
641L500	215	Cubic Yard Concrete for Water Mains (Thrust Blocks)
641O520	2	Each 8 Inch x 8 Inch Tapping Valve And Sleeve

6410620 2 Each 18 Inch x 18 Inch Tapping Valve And Sleeve
 641R510 7 Each 3/4 Inch Water Meter And Box Reset
 645A510 396 Linear Foot 8 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
 645A548 893 Linear Foot 8 Inch P.V.C. Sanitary Sewer Gravity Pipe Laid
 645A606 340 Linear Foot 10 Inch Ductile Iron Sanitary Sewer Force Main Pipe Laid
 645A655 1864 Linear Foot 10 Inch P.V.C. Sanitary Sewer Force Main Pipe Laid
 645H510 6 Each 48 Inch Manhole
 645I500 24 Each 48 Inch Manhole Unit
 645L510 13 Linear Foot 8 Inch Ductile Iron Manhole Drop Connection
 645M500 3 Each Connection To Existing Manhole
 645N500 4 Each Abandon Existing Manhole
 649A545 405 Linear Foot 16 Inch Steel Encasement Pipe, Type 1 Installation
 649A555 140 Linear Foot 20 Inch Steel Encasement Pipe, Type 1 Installation
 649A570 80 Linear Foot 36 Inch Steel Encasement Pipe, Type 1 Installation
 649A655 200 Linear Foot 20 Inch Steel Encasement Pipe, Type 2 Installation
 650B000 1470 Cubic Yard Topsoil From Stockpiles
 652A100 5 Acre Seeding
 652C000 5 Acre Mowing
 654A000 714 Square Yard Solid Sodding
 656A010 5 Acre Mulching
 659A035 3500 Square Yard Rolled Erosion Control Product, Type (2C)
 660D203 12 Each Trees, Quercus Phellos "Hightower" (Hightower Willow Oak)
 665A000 5 Acre Temporary Seeding
 665B000 5 Acre Temporary Mulching
 665E000 100 Square Yard Polyethylene
 665G000 350 Each Sand Bags
 665I000 50 Ton Temporary Riprap, Class 2
 665J002 2000 Linear Foot Silt Fence
 665O001 2000 Linear Foot Silt Fence Removal
 665P005 3 Each Inlet Protection, Stage 3 Or 4
 665Q002 2000 Linear Foot Wattle
 666A001 5 Acre Pest Control Treatment
 674A000 500 Linear Foot Construction Safety Fence
 680A000 1 Lump Sum Engineering Controls
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 392,000.00)
 701A227 2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
 701A230 3 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
 701A239 4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
 701A244 1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
 701B207 4035 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
 701C000 4 Mile Broken Temporary Traffic Stripe
 701C001 2 Mile Solid Temporary Traffic Stripe
 701D008 2 Mile Solid Traffic Stripe Removed (Plastic)
 701D015 4 Mile Broken Traffic Stripe Removed (Plastic)
 703A002 6675 Square Foot Traffic Control Markings, Class 2, Type A
 703B002 785 Square Foot Traffic Control Legends, Class 2, Type A
 703D001 700 Square Foot Temporary Traffic Control Markings
 705A030 195 Each Pavement Markers, Class A-H, Type 2-C
 705A031 250 Each Pavement Markers, Class A-H, Type 1-A
 705A037 35 Each Pavement Markers, Class A-H, Type 2-D
 705A038 725 Each Pavement Markers, Class A-H, Type 2-E
 710A115 19 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel
 Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
 710A126 32 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat
 Sign Panels 14 Gauge (Type IX Background)
 710B001 98 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
 713A000 45 Linear Foot Permanent Barricades
 726A000 150 Linear Foot Portable Concrete Safety Barriers, Type 6
 726A001 10 Linear Foot Portable Concrete Safety Barriers, Type 6-A
 726D000 1 Each Portable Impact Attenuator (Unidirectional, TL-3)
 730A000 1 Lump Sum Removal Of Existing Traffic Control Unit (US-231 At South Toulouse Village)
 730A001 1 Lump Sum Removal Of Existing Traffic Control Unit (US-231 At Charles Avenue)
 730A002 1 Lump Sum Removal Of Existing Traffic Control Unit (US-231 - River Oaks /Old Montgomery Hwy)
 730A012 1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (US-231 At S Main St/Breeze Hill Blvd)
 730C000 1 Lump Sum Furnishing And Installing Traffic Control Unit (US-231 At South Toulouse Village)

730C001	1 Lump Sum Furnishing And Installing Traffic Control Unit (US-231 At Charles Avenue)
730C002	1 Lump Sum Furnishing And Installing Traffic Control Unit (US-231 - River Oaks/Old Montgomery Hwy)
730E000	12 Each Metal Traffic Signal Pole Foundation
730G001	12 Each Metal Traffic Signal Strain Pole
730H001	2510 Linear Foot Loop Wire
730I001	5300 Linear Foot Loop Detector Lead-In-Cable
730J010	14 Each Vehicle Loop Detector
730K000	6 Each Traffic Signal Junction Box
730L003	90 Linear Foot 1", Non-Metallic, Conduit
730L005	740 Linear Foot 2", Non-Metallic, Conduit
730N010	12 Each Luminaire Extension Assembly, 12 Feet
730P020	2 Each Vehicular Signal Head, 12 Inch, 1 Section, Type LED
730P022	37 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P024	4 Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730R022	3 Each Controller Assembly, Type III, 8 Phase
730T000	3 Each Wood Pole
730U005	1 Lump Sum Furnishing And Installing Video Detection System (US-231 At South Toulouse Village)
730U007	1 Lump Sum Furnishing And Installing Video Detection System (US-231 At Charles Avenue)
730U008	1 Lump Sum Furnishing And Installing Video Detection System (US-231 - River Oaks/Old Montgomery Hwy)
740B000	1093 Square Foot Construction Signs
740C000	36 Square Foot Special Construction Signs
740C002	12 Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	250 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740F002	4 Each Barricades, Type III
740I005	6 Each Warning Lights, Type B (Detachable Head)
740M001	200 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
756A028	100 Linear Foot 6" Electrical Conduit, 1 line, Type 5 Installation
999 000	750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRZ-4600(204)
MARENGO COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENTS (2 BRIDGE CULVERTS) ON CR-33 AT WATKINS
CREEK AND AT SANDY CREEK SOUTH OF HUGO

The Length Of This Project Is: 0.062 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Eighty
(80) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$550,000 To \$670,000 The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 50+25
206A001	1 Lump Sum Removal Of Old Bridge, Station 124+05.58
214A000	1516 Cubic Yard Structure Excavation
214B001	410 Cubic Yard Foundation Backfill, Commercial
502A000	72749 Pound Steel Reinforcement
524A011	511 Cubic Yard Culvert Concrete (Cast In Place)
600A000	1 Lump Sum Mobilization
610C001	385 Ton Loose Riprap, Class 2
610D000	480 Square Yard Filter Blanket
665F000	100 Each Hay Bales
665J002	980 Linear Foot Silt Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 16,000.00)
740B000	396 Square Foot Construction Signs
740F002	16 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN09(203)
TALLADEGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS, MARKERS AND SIGNING ON VARIOUS COUNTY
ROADS AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 11.628 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$110,000 To \$135,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A231	18 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	6 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701G251	1413 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	386 Square Foot Traffic Control Markings, Class 2, Type A
705A032	55 Each Pavement Markers, Class A-H, Type 1-B
705A037	220 Each Pavement Markers, Class A-H, Type 2-D
710A115	254 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	47 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	594 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs
740B000	96 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-CN09(204)
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE AND TRAFFIC CONTROL MARKINGS ON CR-747, CR-599
AND CR-108 AT SITES AS INDICATED ON THE PLANS

The Length Of This Project Is: 4.298 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$18,900 To \$23,000
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A030	3 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	8 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	1 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A002	180 Square Foot Traffic Control Markings, Class 2, Type A

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HRRR-HSIP-2708(203)
ESCAMBIA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-18 (FOSHEE ROAD) FROM CR-25
(SHADOW HILL DRIVE) TO SR-3 (US-31) AT BREWTON

The Length Of This Project Is: 4.450 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five
(35) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$545,000 To \$665,000

The Principal Items Of Work Are Approximately As Follows:

210D001	3500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
212A000	470 Station Machine Grading Shoulders
405A000	2337 Gallon Tack Coat
407B000	5 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	4838 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424C351	862 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
650A000	1218 Cubic Yard Topsoil
652A100	7 Acre Seeding
656A010	7 Acre Mulching
665F000	20 Each Hay Bales
665J002	75 Linear Foot Silt Fence
665O001	75 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 28,500.00)
701A231	9 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe

701C000	2 Mile Broken Temporary Traffic Stripe
701C001	16 Mile Solid Temporary Traffic Stripe
703A002	150 Square Foot Traffic Control Markings, Class 2, Type A
740B000	308 Square Foot Construction Signs
740E000	60 Each Cones (36 Inches High)
740M001	60 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0005(522) & 99-306-245-005-901
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-5 FROM CR-21 THROUGH BROWNS
TO THE PERRY COUNY LINE

The Length Of This Project Is: 7.846 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty
(50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$2,100,000 To \$2,500,000
The Principal Items Of Work Are Approximately As Follows:

210D015	1500	Cubic Yard Borrow Excavation (A-4) (Loose Truckbed Measurement)
401B113	51800	Square Yard Bituminous Treatment E, PG64-22 (With Polymer Additive)
405A000	10200	Gallon Tack Coat
407B000	24	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	8500	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410A002	1	Each Profilograph
410H000	1	Each Material Remixing Device
424A361	11165	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	5900	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B654	250	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	3000	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	2015	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B691	815	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	81000	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	500	Ton Aggregate Surfacing (ALDOT #410 Or #467)

600A000	1 Lump Sum Mobilization
650A000	3000 Cubic Yard Topsoil
652A100	8 Acre Seeding
654A001	250 Square Yard Solid Sodding (Bermuda)
656A010	8 Acre Mulching
659A027	500 Square Yard Rolled Erosion Control Product, Type (1C)
665A000	8 Acre Temporary Seeding
665B000	8 Acre Temporary Mulching
665F000	500 Each Hay Bales
665J002	2000 Linear Foot Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
666A001	8 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 112,000.00)
701A227	16 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	8 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	34 Mile Solid Temporary Traffic Stripe
701G146	1612 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	533 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	546 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	2158 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	533 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	384 Square Foot Traffic Control Markings, Class 2, Type A
703D001	768 Square Foot Temporary Traffic Control Markings
705A032	375 Each Pavement Markers, Class A-H, Type 1-B
705A037	295 Each Pavement Markers, Class A-H, Type 2-D
731A012	1 Each Traffic Counting Units, Type M (M.P. 48.8)
740B000	1258 Square Foot Construction Signs
740C000	54 Square Foot Special Construction Signs
740C002	18 Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	400 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-0014(516) & 99-306-261-014-901
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-14 FROM SR-63 AT
CLAUD TO SR-229

The Length Of This Project Is: 7.966 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,615,000 To \$1,900,000

The Principal Items Of Work Are Approximately As Follows:

210D015	1500	Cubic Yard Borrow Excavation (A-4) (Loose Truckbed Measurement)
405A000	10700	Gallon Tack Coat
407B000	24	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	115300	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	11610	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	250	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	2500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	3400	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428D001	83230	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B012	400	Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1	Lump Sum Mobilization
650A000	2500	Cubic Yard Topsoil
652A100	8	Acre Seeding
654A001	250	Square Yard Solid Sodding (Bermuda)
656A010	8	Acre Mulching
659A027	500	Square Yard Rolled Erosion Control Product, Type (1C)
665A000	8	Acre Temporary Seeding

665B000	8 Acre Temporary Mulching
665F000	500 Each Hay Bales
665J002	3000 Linear Foot Silt Fence
665O001	3000 Linear Foot Silt Fence Removal
666A001	8 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 83,200.00)
701A227	16 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	13 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	57 Mile Solid Temporary Traffic Stripe
701G146	902 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	328 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	574 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1476 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	328 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	1350 Square Foot Traffic Control Markings, Class 2, Type A
703D001	2700 Square Foot Temporary Traffic Control Markings
705A032	150 Each Pavement Markers, Class A-H, Type 1-B
705A037	900 Each Pavement Markers, Class A-H, Type 2-D
740B000	1409 Square Foot Construction Signs
740C000	162 Square Foot Special Construction Signs
740C002	54 Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	400 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-0192(500)
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

ADDITIONAL LANES (GRADE, DRAINAGE, PAVEMENT AND SIGNALS) ON
SR-192 FROM SR-27 TO SR-167 IN ENTERPRISE

The Length Of This Project Is: 1.865 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Forty Five (245) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Thursday, October 30, 2008, in the auditorium of the ALDOT Seventh Division office, 299 Elba Highway, Troy, AL 36079. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$67.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$7,125,000 To \$8,700,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 5 Acres)
206C002	1116 Square Yard Removing Concrete Slope Paving
206D000	310 Linear Foot Removing Pipe
206D003	1926 Linear Foot Removing Curb And Gutter
206D007	2298 Linear Foot Removing Concrete Flume
206E000	6 Each Removing Headwalls
206E001	4 Each Removing Inlets
210A000	90773 Cubic Yard Unclassified Excavation
210D011	65070 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	3278 Cubic Yard Structure Excavation
214B000	2435 Cubic Yard Foundation Backfill, Local
214B001	718 Cubic Yard Foundation Backfill, Commercial
230A000	209 Roadbed Station Roadbed Processing
301A222	110552 Square Yard Soil Aggregate Base Course, Type C, Road Mixed, 6" Compacted Thickness
401A000	38773 Square Yard Bituminous Treatment A
405A000	23794 Gallon Tack Coat
407B000	12 Mile Joint Sealant For Hot Mix Asphalt Pavement

408A052	15912	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	10422	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A356	230	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	7539	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	15573	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	166	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	8054	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	10143	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	23303	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B000	500	Ton Aggregate Surfacing (ALDOT #467 Or #57)
502A000	2900	Pound Steel Reinforcement
530A002	3565	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	38	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A004	132	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A006	72	Linear Foot 48" Roadway Pipe (Class 3 R.C.)
530A102	278	Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530A104	8	Linear Foot 36" Roadway Pipe (Class 3 R.C.) (Extension)
530B002	196	Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
530C002	326	Linear Foot 24" Roadway Pipe, Jacked Installation (Smooth Steel)
533A099	732	Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.)
533A100	962	Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
606A000	500	Linear Foot 6" Underdrain Pipe
610C001	1400	Ton Loose Riprap, Class 2
610D003	2671	Square Yard Filter Blanket, Geotextile
614A000	193	Cubic Yard Slope Paving
619A003	17	Each 24" Roadway Pipe End Treatment, Class 1
619A005	1	Each 36" Roadway Pipe End Treatment, Class 1
619B017	2	Each 29" Span, 18" Rise Roadway Pipe End Treatment, Class 1
620A000	35	Cubic Yard Minor Structure Concrete
621A003	1	Each Junction Boxes, Type 4 Or 1P
621A011	18	Each Junction Boxes, Type 1 Or 1P
621A019	3	Each Junction Boxes, Type 1 Or 2P
621B003	3	Each Junction Box Units, Type 4 Or 1P
621B011	16	Each Junction Box Units, Type 1 Or 1P
621B014	5	Each Junction Box Units, Type 1 Or 2P
621C002	5	Each Inlets, Type C, P1 Or P3
621C015	11	Each Inlets, Type S1 Or S3 (1 Wing)
621C017	1	Each Inlets, Type S1 Or S3 (2 Wing)
621C020	16	Each Inlets, Type Y
621C110	2	Each Inlets, Type PD-6
621D015	18	Each Inlet Units, Type S1 Or S3
621D022	1	Each Inlet Units, Type C, P1 Or P3
621D110	1	Each Inlet Units, Type PD-6
623B000	963	Linear Foot Concrete Curb, Type N
623B001	837	Linear Foot Concrete Curb, Type N Special
623C000	3725	Linear Foot Combination Curb & Gutter, Type C
630A001	1675	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	2	Each Guardrail End Anchor, Type 8
630C050	2	Each Guardrail End Anchor, Type 20 Series
650A000	1130	Cubic Yard Topsoil
650B000	20318	Cubic Yard Topsoil From Stockpiles
652A100	25	Acre Seeding
652C000	25	Acre Mowing
654A001	5722	Square Yard Solid Sodding (Bermuda)
656A010	25	Acre Mulching
659A036	12684	Square Yard Rolled Erosion Control Product, Type (2D)
665A000	28	Acre Temporary Seeding
665B000	28	Acre Temporary Mulching

665C010	120	Linear Foot Temporary Pipe
665E000	500	Square Yard Polyethylene
665F000	500	Each Hay Bales
665G000	1134	Each Sand Bags
665I000	1047	Ton Temporary Riprap, Class 2
665J002	3882	Linear Foot Silt Fence
665N000	31	Ton Temporary Coarse Aggregate, ALDOT Number 1
665N001	5	Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	3882	Linear Foot Silt Fence Removal
665P005	24	Each Inlet Protection, Stage 3 Or 4
665Q002	2068	Linear Foot Wattle
666A001	25	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 385,000.00)
701A227	8	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	7020	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	12	Mile Broken Temporary Traffic Stripe
701C001	42	Mile Solid Temporary Traffic Stripe
701D007	1	Mile Solid Traffic Stripe Removed (Paint)
701D008	1	Mile Solid Traffic Stripe Removed (Plastic)
701D014	1	Mile Broken Traffic Stripe Removed (Paint)
701D015	1	Mile Broken Traffic Stripe Removed (Plastic)
703A002	5893	Square Foot Traffic Control Markings, Class 2, Type A
703B002	1973	Square Foot Traffic Control Legends, Class 2, Type A
703D001	5565	Square Foot Temporary Traffic Control Markings
705A011	450	Each Pavement Markers, Class C, Type 1-A
705A012	450	Each Pavement Markers, Class C, Type 1-B
705A030	864	Each Pavement Markers, Class A-H, Type 2-C
705A031	258	Each Pavement Markers, Class A-H, Type 1-A
705A032	68	Each Pavement Markers, Class A-H, Type 1-B
705A037	62	Each Pavement Markers, Class A-H, Type 2-D
705A038	34	Each Pavement Markers, Class A-H, Type 2-E
710A115	221	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	558	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	1708	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
730A012	1	Lump Sum Removal Of Existing Traffic Control Unit (Partial) (SR 192 at Bellwood Rd.)
730C000	1	Lump Sum Furnishing And Installing Traffic Control Unit (SR 192 at SR 27)
730C001	1	Lump Sum Furnishing And Installing Traffic Control Unit (SR 192 at West Access)
730C002	1	Lump Sum Furnishing And Installing Traffic Control Unit (SR 192 at East Access)
730C003	1	Lump Sum Furnishing And Installing Traffic Control Unit (SR 192 at Bellwood Rd)
730E000	10	Each Metal Traffic Signal Pole Foundation
730F000	2	Each Metal Traffic Signal Pole With 70 Ft. Mast Arm
730F001	2	Each Metal Traffic Signal Pole With 75 Ft. Mast Arm
730F002	2	Each Metal Traffic Signal Pole With With 45 Ft. and 60 Ft. Mast Arms
730F003	1	Each Metal Traffic Signal Pole With With 50 Ft. and 60 Ft. Mast Arms
730G001	4	Each Metal Traffic Signal Strain Pole
730H001	1675	Linear Foot Loop Wire
730I001	265	Linear Foot Loop Detector Lead-In-Cable
730J010	1	Each Vehicle Loop Detector
730K000	6	Each Traffic Signal Junction Box
730L003	210	Linear Foot 1", Non-Metallic, Conduit
730L005	1915	Linear Foot 2", Non-Metallic, Conduit
730N010	10	Each Luminaire Extension Assembly, 12 Foot
730P022	21	Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P024	6	Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730P030	4	Each Vehicular Signal Head, 12 Inch, 3 Section, Optically Programmed
730R022	2	Each Controller Assembly, Type III, 8 Phase
730R030	1	Each Controller Assembly, Type III, Master
730T000	3	Each Wood Pole
730U005	1	Lump Sum Furnishing And Installing Video Detection System
730U007	1	Lump Sum Furnishing And Installing Video Detection System
730U008	1	Lump Sum Furnishing And Installing Video Detection System
740B000	2012	Square Foot Construction Signs
740D000	954	Each Channelizing Drums

740E000	100 Each Cones (36 Inches High)
740F002	56 Each Barricades, Type III
740I005	28 Each Warning Lights, Type B (Detachable Head)
740M001	100 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
756A028	750 Linear Foot 6" Electrical Conduit, 1 line, Type 5 Installation
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-CN09(200)
DALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-20 FROM CR-18 TO SR-27 EAST
OF OZARK

The Length Of This Project Is: 3.231 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Working Days
(40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$555,000 To \$680,000
The Principal Items Of Work Are Approximately As Follows:

206C010	124	Square Yard Removing Concrete Driveway
210D021	1690	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	342	Station Machine Grading Shoulders
401B108	41707	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	1254	Gallon Tack Coat
407B000	4	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	3370	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1672	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	1140	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1	Lump Sum Mobilization
652A100	7	Acre Seeding
656A010	7	Acre Mulching
665F000	25	Each Hay Bales
665J002	150	Linear Foot Silt Fence
665O001	150	Linear Foot Silt Fence Removal
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 30,500.00)

701A231	7 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	10 Mile Solid Temporary Traffic Stripe
703A002	40 Square Foot Traffic Control Markings, Class 2, Type A
703B002	452 Square Foot Traffic Control Legends, Class 2, Type A
703D001	40 Square Foot Temporary Traffic Control Markings
705A032	146 Each Pavement Markers, Class A-H, Type 1-B
705A037	243 Each Pavement Markers, Class A-H, Type 2-D
740B000	329 Square Foot Construction Signs
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-1412(200)
CLAY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-31 FROM 2ND STREET IN ASHLAND TO SR-49

The Length Of This Project Is: 11.708 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,000,000 To \$1,300,000

The Principal Items Of Work Are Approximately As Follows:

206E019	4	Each Removing Guardrail End Anchor (Type 10)
401B108	136838	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	4114	Gallon Tack Coat
407B000	12	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A346	10693	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	3392	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630C003	4	Each Guardrail End Anchor, Type 13
630C070	4	Each Guardrail End Anchor, Type 10 Series
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 54,000.00)
701A004	24	Mile Solid White, Class 1, Type A Traffic Stripe
701A008	3	Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	21	Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	3	Mile Broken Temporary Traffic Stripe
701C001	21	Mile Solid Temporary Traffic Stripe
703A000	306	Square Foot Traffic Control Markings, Class 1, Type A

705A032	198 Each Pavement Markers, Class A-H, Type 1-B
705A037	1346 Each Pavement Markers, Class A-H, Type 2-D
740B000	315 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-1618(201)
COFFEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-239 FROM CR-248 EAST OF
ELBA TO SR-167

The Length Of This Project Is: 4.604 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$750,000 To \$900,000
The Principal Items Of Work Are Approximately As Follows:

206D001	125 Linear Foot Removing Guardrail
206E008	4 Each Removing Guardrail End Anchor (All Type)
210D021	3602 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	486 Station Machine Grading Shoulders
405A000	3566 Gallon Tack Coat
407B000	5 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A054	171 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
424A341	5149 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1783 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B641	1922 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630A001	125 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	4 Each Guardrail End Anchor, Type 10 Series
631F001	125 Linear Foot Steel Beam Guardrail, Class A, Type 2 Relocated
631G009	4 Each Guardrail End Anchor, Type 10 Series Relocated
652A100	9 Acre Seeding
656A010	9 Acre Mulching
665F000	50 Each Hay Bales

665J002	1700 Linear Foot Silt Fence
665O001	1700 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 38,500.00)
701A231	9 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	16 Mile Solid Temporary Traffic Stripe
703A002	150 Square Foot Traffic Control Markings, Class 2, Type A
703D001	150 Square Foot Temporary Traffic Control Markings
740B000	227 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-1915(200)
COOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-7 FROM THE GOODWATER CITY
LIMITS TO THE CLAY COUNTY LINE

The Length Of This Project Is: 1.600 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$280,000 To \$345,000

The Principal Items Of Work Are Approximately As Follows:

401B108	18774 Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	650 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A346	250 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A347	1800 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	200 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	725 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
665F000	30 Each Hay Bales
665J002	300 Linear Foot Silt Fence
665O001	300 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$12,700.00)
701A004	4 Mile Solid White, Class 1, Type A Traffic Stripe
701A008	1 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	3 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe
703A000	24 Square Foot Traffic Control Markings, Class 1, Type A

705A032	10 Each Pavement Markers, Class A-H, Type 1-B
705A037	50 Each Pavement Markers, Class A-H, Type 2-D
740B000	150 Square Foot Construction Signs
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-2703 (201)
ESCAMBIA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-4 (BRADLEY ROAD) FROM CR-11
(DIXIE HIGHWAY) NORTHEAST OF PARKER SPRINGS TO THE COVINGTON
COUNTY LINE

The Length Of This Project Is: 6.486 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty Five
(35) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$775,000 To \$925,000

The Principal Items Of Work Are Approximately As Follows:

206D001	586 Linear Foot Removing Guardrail
210D001	4930 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
212A000	680 Station Machine Grading Shoulders
405A000	3316 Gallon Tack Coat
407B000	7 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	6310 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
	Maximum Aggregate Size Mix, ESAL Range A/B
424A346	1000 Ton Superpave Bituminous Concrete Wearing Surface Layer,
	Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424C351	1245 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2"
	Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630A015	586 Linear Foot Steel Beam Guardrail, Class B, Type 2 (Steel Post)
630C022	4 Each Guardrail End Anchor, Type Special
630C070	4 Each Guardrail End Anchor, Type 10 Series
650A000	1761 Cubic Yard Topsoil
652A100	13 Acre Seeding
656A010	13 Acre Mulching
665F000	40 Each Hay Bales
665J002	250 Linear Foot Silt Fence

6650001	250 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 40,000.00)
701A231	13 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	8 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C002	4 Mile Broken Temporary Traffic Stripe (Paint)
701C003	16 Mile Solid Temporary Traffic Stripe (Paint)
703A002	168 Square Foot Traffic Control Markings, Class 2, Type A
740B000	372 Square Foot Construction Signs
740E000	60 Each Cones (36 Inches High)
740M001	60 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-3319(201)
HALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-50 FROM SR-69 IN MOUNDVILLE
TO CR-49

The Length Of This Project Is: 11.771 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$900,000 To \$1,100,000

The Principal Items Of Work Are Approximately As Follows:

206D001	292 Linear Foot Removing Guardrail
405A000	9841 Gallon Tack Coat
407B000	12 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	11555 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424A347	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	388 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630A001	176 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A004	244 Linear Foot Steel Beam Guardrail, Class B, Type 2
630C022	4 Each Guardrail End Anchor, Type Special
630C050	12 Each Guardrail End Anchor, Type 20 Series
650A000	1500 Cubic Yard Topsoil
652A100	3 Acre Seeding
656A010	3 Acre Mulching
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 48,000.00)
701A004	24 Mile Solid White, Class 1, Type A Traffic Stripe

701A008	8 Mile Broken Yellow, Class 1, Type A Traffic Stripe
701A012	17 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	17 Mile Solid Temporary Traffic Stripe
705A032	374 Each Pavement Markers, Class A-H, Type 1-B
705A037	1960 Each Pavement Markers, Class A-H, Type 2-D
740B000	324 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-HRRR-1111(201)
CHILTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING, TRAFFIC STRIPE, RUMBLE STRIPS AND SIGNING ON CR-24
FROM CR-37 TO CR-49 SOUTH OF CLANTON AND ON CR-59 AT CR-24
SOUTHWEST OF CLANTON

The Length Of This Project Is: 6.173 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty
(40) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,455,000 To \$1,750,000

The Principal Items Of Work Are Approximately As Follows:

210D021	500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	617 Station Machine Grading Shoulders
405A000	6000 Gallon Tack Coat
407B000	6 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A336	3700 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424B635	10000 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	3000 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	3500 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630A001	97 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1 Each Guardrail End Anchor, Type 8
630C022	4 Each Guardrail End Anchor, Type Special
630C050	7 Each Guardrail End Anchor, Type 20 Series
650A000	1700 Cubic Yard Topsoil

652A100	5 Acre Seeding
656A010	5 Acre Mulching
665F000	200 Each Hay Bales
665J002	600 Linear Foot Silt Fence
665O001	600 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 75,000.00)
701A030	12 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	8 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	4 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	31 Mile Solid Temporary Traffic Stripe
701G251	550 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A002	192 Square Foot Traffic Control Markings, Class 2, Type A
705A032	115 Each Pavement Markers, Class A-H, Type 1-B
705A037	570 Each Pavement Markers, Class A-H, Type 2-D
710A115	64 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	53 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	96 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	267 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN08(907) & ST-052-999-008
MORGAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

GRADE, DRAINAGE, PAVEMENT AND BRIDGE ON LONGHORN PASS FROM NORTH
SPARKMAN STREET TO HAMMITT STREET IN HARTSELLE

The Length Of This Project Is: 0.299 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
(90) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$20.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,800,000 To \$2,200,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 20 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
206D000	53 Linear Foot Removing Pipe
206D011	780 Linear Foot Removing Fence
206E000	1 Each Removing Headwalls
210A000	3957 Cubic Yard Unclassified Excavation
210D000	2955 Cubic Yard Borrow Excavation
214A000	946 Cubic Yard Structure Excavation
214B001	482 Cubic Yard Foundation Backfill, Commercial
215A000	86 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheet piling And Shoring, Sta. 13+68
231B002	1200 Ton Roadbed Stabilizing Material, ALDOT #410 (Modified)
301A004	5328 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4" Compacted Thickness
401A000	5328 Square Yard Bituminous Treatment A
405A000	135 Gallon Tack Coat
424A340	335 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B

424B636 706 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range A/B
 430B035 40 Ton Aggregate Surfacing (ALDOT #467, #410 Modified Or #57)
 450B000 149 Square Yard Reinforced Cement Concrete Bridge End Slab
 502A001 11600 Pound Steel Reinforcement (Grade 60)
 502B000 1 Lump Sum Steel Reinforcement For Bridge Superstructure,
 Sta 13+68, Approx. 35603 LBS
 508A000 2817 Pound Structural Steel
 510A000 116 Cubic Yard Bridge Substructure Concrete, Class A
 510C051 1 Lump Sum Bridge Concrete Superstructure, Sta 13+68, Approx. 173 C.Y.
 510E000 491 Square Yard Grooving Concrete Bridge Decks
 511A073 10 Each Elastomeric Bearing Type 4 (Mark VB4)
 513B017 612 Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-72
 (Specialty Item)
 529A011 2041 Square Foot Retaining Wall(Cast In Place)
 530A001 884 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
 530A002 425 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
 530B002 105 Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
 530B003 355 Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
 600A000 1 Lump Sum Mobilization
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories
 602A000 30 Each Right Of Way Markers
 606A000 400 Linear Foot 6" Underdrain Pipe
 610A004 34 Square Yard Loose Riprap, Class 2, 24" Thick
 610D003 34 Square Yard Filter Blanket, Geotextile
 619A002 1 Each 18" Roadway Pipe End Treatment, Class 1
 619A242 1 Each 24" Roadway Pipe End Treatment, Class 1 (Triple Line)
 619B068 1 Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2
 621A011 3 Each Junction Boxes, Type 1 Or 1P
 621A013 1 Each Junction Boxes, Type Special
 621B011 1 Each Junction Box Units, Type 1 Or 1P
 621C004 2 Each Inlets, Type GH
 621C015 8 Each Inlets, Type S1 Or S3 (1 Wing)
 621C017 2 Each Inlets, Type S1 Or S3 (2 Wing)
 621C027 4 Each Inlets, Type C
 621C109 1 Each Inlets, Type PD
 621D002 1 Each Inlet Units, Type C
 621D015 1 Each Inlet Units, Type S1 Or S3
 623A003 40 Linear Foot Concrete Gutter (4' 0" Wide)
 623C000 2705 Linear Foot Combination Curb & Gutter, Type C
 623C003 80 Linear Foot Combination Curb & Gutter, Type C (Modified)
 630A001 922 Linear Foot Steel Beam Guardrail, Class A, Type 2
 630C003 4 Each Guardrail End Anchor, Type 13
 630C050 2 Each Guardrail End Anchor, Type 20 Series
 634B000 326 Linear Foot Industrial Fence, 6 Feet High Plus Barbed Wire (45 Degree Arms)
 634B002 312 Linear Foot Industrial Fence, 8 Feet High Plus Barbed Wire (45 Degree Arms)
 634D003 2 Each Gate, 20 Feet Wide, Complete With Fittings (With Barbed Wire)
 650B000 784 Cubic Yard Topsoil From Stockpiles
 652A100 2 Acre Seeding
 656A010 2 Acre Mulching
 665I000 3 Ton Temporary Riprap, Class 2
 665J002 3706 Linear Foot Silt Fence
 665O001 3706 Linear Foot Silt Fence Removal
 665Q002 501 Linear Foot Wattle
 674A000 600 Linear Foot Construction Safety Fence
 680A000 1 Lump Sum Engineering Controls
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 162,000.00)
 701A235 1 Mile Solid Yellow, Class 2, Type A Traffic Stripe
 701C001 1 Mile Solid Temporary Traffic Stripe
 701G144 328 Linear Foot Solid White, Class W, Type A Traffic Stripe
 701G152 328 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe
 701G249 320 Linear Foot Solid White, Class 2, Type A Traffic Stripe
 703A002 145 Square Foot Traffic Control Markings, Class 2, Type A
 710A115 20 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel
 Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
 710A126 27 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat
 Sign Panels 14 Gauge (Type IX Background)
 710B001 98 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
 713A000 44 Linear Foot Permanent Barricades

740B000	667 Square Foot Construction Signs
740D000	125 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740F002	12 Each Barricades, Type III
740I005	8 Each Warning Lights, Type B (Detachable Head)
740M001	100 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN09(201)
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-616 FROM CR-461 THROUGH
GOOD HOPE TO SR-3 (US-31)

The Length Of This Project Is: 4.114 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$901,000 To \$1,100,000

The Principal Items Of Work Are Approximately As Follows:

405A000	2000 Gallon Tack Coat
407B000	5 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	4385 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
	Maximum Aggregate Size Mix, ESAL Range A/B
424B636	6035 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
424B644	1000 Ton Superpave Bituminous Concrete Upper Binder Layer,
	Leveling, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	1000 Ton Superpave Bituminous Concrete Base Layer, Patching, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
430B043	4000 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 45,000.00)
701A030	9 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	8 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	1 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	18 Mile Solid Temporary Traffic Stripe
703A002	336 Square Foot Traffic Control Markings, Class 2, Type A

740B000 277 Square Foot Construction Signs
740E000 100 Each Cones (36 Inches High)
740M001 100 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN09(202)
COVINGTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-49 FROM THE ANDALUSIA CITY
LIMIT TO CR-70

The Length Of This Project Is: 1.779 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$280,000 To \$340,000
The Principal Items Of Work Are Approximately As Follows:

206E013	4	Each Removing Guardrail End Anchor (Type 13)
206E019	4	Each Removing Guardrail End Anchor (Type 10)
210D021	1000	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	186	Station Machine Grading Shoulders
401B108	22724	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	680	Gallon Tack Coat
407B000	2	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	2020	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	454	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1	Lump Sum Mobilization
630A001	100	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4	Each Guardrail End Anchor, Type 13
630C050	4	Each Guardrail End Anchor, Type 20 Series
652A100	8	Acre Seeding
652C000	4	Acre Mowing
656A010	4	Acre Mulching
665J002	600	Linear Foot Silt Fence
665O001	600	Linear Foot Silt Fence Removal
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 15,000.00)

701A231	4 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe
703A002	98 Square Foot Traffic Control Markings, Class 2, Type A
740B000	308 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN09(205)
MARSHALL COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-65 (FRIENDSHIP ROAD) FROM
THE ARAB CITY LIMIT TO CR-107 (NEW FRIENDSHIP ROAD)

The Length Of This Project Is: 2.597 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty
(40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$485,000 To \$595,000

The Principal Items Of Work Are Approximately As Follows:

210D001	150 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
405A000	944 Gallon Tack Coat
407B000	3 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	2594 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	2595 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	250 Ton Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424C351	343 Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1646 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
630A001	100 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	2 Each Guardrail End Anchor, Type 20 Series
630C070	2 Each Guardrail End Anchor, Type 10 Series
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 23,500.00)
701A231	6 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	2 Mile Broken Temporary Traffic Stripe

701C001	8 Mile Solid Temporary Traffic Stripe
703A002	80 Square Foot Traffic Control Markings, Class 2, Type A
703B002	96 Square Foot Traffic Control Legends, Class 2, Type A
703D002	140 Square Foot Temporary Traffic Control Markings (Paint)
705A032	66 Each Pavement Markers, Class A-H, Type 1-B
705A037	264 Each Pavement Markers, Class A-H, Type 2-D
740B000	294 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-0055(501)
BUTLER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RELOCATION (GRADE, DRAINAGE, PARTIAL BASE & PAVE AND BRIDGE) OF
SR-55 FROM TWO MILES SOUTH OF GEORGIANA TO SR-106 JUST WEST OF
GEORGIANA

The Length Of This Project Is: 4.660 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred
(300) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Tuesday, October 28, 2008, in the auditorium of the ALDOT Sixth Division office, 1525 Coliseum Boulevard, Montgomery, AL 36110. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$105.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$10,080,000 To \$12,320,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 174 Acres)
204A000	2 Each Closing Water Well
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
205A005	1 Each Removal Of Structures, Structure No. 5
205A007	1 Each Removal Of Structures, Structure No. 7
205A008	1 Each Removal Of Structures, Structure No. 8
205A011	1 Each Removal Of Structures, Structure No. 11
205A012	1 Each Removal Of Structures, Structure No. 12
205A013	1 Each Removal Of Structures, Structure No. 13
206D000	133 Linear Foot Removing Pipe
206D011	4796 Linear Foot Removing Fence
210A000	738477 Cubic Yard Unclassified Excavation
210C000	3656 Cubic Yard Muck Excavation
210D000	16698 Cubic Yard Borrow Excavation

210E000	4378	Cubic Yard Borrow Excavation (Underwater Backfill)
210F001	1520	Ton Borrow Excavation (Underwater Embankment)
214A000	7929	Cubic Yard Structure Excavation
214B001	2023	Cubic Yard Foundation Backfill, Commercial
215A000	448	Cubic Yard Unclassified Bridge Excavation
215B000	1	Lump Sum Cofferdams Or Sheet Piling And Shoring, Sta. 256+51.87
230A000	28	Roadbed Station Roadbed Processing
301A192	7977	Square Yard Soil Aggregate Base Course, Type B, Yard Mixed, 6" Compacted Thickness
401A000	7888	Square Yard Bituminous Treatment A
405A000	213	Gallon Tack Coat
407B000	1	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	593	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	367	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B003	82	Ton Aggregate Surfacing (ALDOT #57)
430B012	1700	Ton Aggregate Surfacing (ALDOT #410 Or #467)
502A000	278206	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 256+51.87, Approx. 122,475 Lbs
505A002	1	Each Steel Test Piles (HP 12x53)
505A004	1	Each Steel Test Piles (HP 14x73)
505B057	1	Each Static Loading Tests (HP 12x53)
505B059	1	Each Static Loading Tests (HP 14x73)
505B087	1	Each Dynamic Loading Tests (HP 12x53)
505B089	1	Each Dynamic Loading Tests (HP 14x73)
505M002	3054	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
505M004	2197	Linear Foot Steel Piling Furnished And Driven (HP 14x73)
508A000	14131	Pound Structural Steel
510A000	624	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Sta. 256+51.87, Approx. 483 Cu Yds
510E000	1723	Square Yard Grooving Concrete Bridge Decks
511A072	36	Each Elastomeric Bearing Type 4 (Mark VB3)
511A073	18	Each Elastomeric Bearing Type 4 (Mark VB4)
513B005	1220	Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
513B015	805	Linear Foot Pretensioned-Prestressed Concrete Girders, Type BT-54 (Specialty Item)
524A011	919	Cubic Yard Culvert Concrete (Cast In Place)
530A002	377	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	435	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A004	585	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A006	969	Linear Foot 48" Roadway Pipe (Class 3 R.C.)
530A024	343	Linear Foot 24" Roadway Pipe (Class 5 R.C.)
530A027	369	Linear Foot 42" Roadway Pipe (Class 5 R.C.)
530A028	448	Linear Foot 48" Roadway Pipe (Class 5 R.C.)
530B006	123	Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
535A001	472	Linear Foot 18" Side Drain Pipe
535A006	76	Linear Foot 48" Side Drain Pipe
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
602A000	199	Each Right Of Way Markers
606A012	9280	Linear Foot 6" Underdrain Pipe, Type 8
609A000	594	Square Yard Aggregate Slope Protection
609B000	594	Square Yard Geotextile Filter For Aggregate Slope Protection
610C001	15069	Ton Loose Riprap, Class 2
610D003	23029	Square Yard Filter Blanket, Geotextile
614A000	44	Cubic Yard Slope Paving
619A003	9	Each 24" Roadway Pipe End Treatment, Class 1
619A004	5	Each 30" Roadway Pipe End Treatment, Class 1
619A005	6	Each 36" Roadway Pipe End Treatment, Class 1
619A006	2	Each 42" Roadway Pipe End Treatment, Class 1
619A007	10	Each 48" Roadway Pipe End Treatment, Class 1
619A057	3	Each 48" Roadway Pipe End Treatment, Class 2
619A101	14	Each 18" Side Drain Pipe End Treatment, Class 1

619A106	2 Each 48" Side Drain Pipe End Treatment, Class 1
619B071	2 Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 2
621A019	4 Each Junction Boxes, Type 1 Or 2P
621B014	3 Each Junction Box Units, Type 1 Or 2P
621C020	1 Each Inlets, Type Y
621I001	1 Each Stilling Basins, Type 1
641A746	2200 Linear Foot 6 Inch P.V.C. Water Main Laid
641A748	1800 Linear Foot 8 Inch P.V.C. Water Main Laid
641C500	560 Pound Ductile Iron Fittings
641J518	2 Each 8 Inch Gate Valve With Box
641L500	24 Cubic Yard Concrete for Water Mains (Thrust Blocks)
641O514	2 Each 6 Inch x 6 Inch Tapping Valve And Sleeve
641O520	2 Each 8 Inch x 8 Inch Tapping Valve And Sleeve
649A540	280 Linear Foot 14 Inch Steel Encasement Pipe, Type 1 Installation
649A545	215 Linear Foot 16 Inch Steel Encasement Pipe, Type 1 Installation
650B000	28817 Cubic Yard Topsoil From Stockpiles
652A100	189 Acre Seeding
652C000	378 Acre Mowing
654A001	84 Square Yard Solid Sodding (Bermuda)
656A010	189 Acre Mulching
659A028	2072 Square Yard Rolled Erosion Control Product, Type (1D)
659A035	15650 Square Yard Rolled Erosion Control Product, Type (2C)
659A048	36685 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	175 Acre Temporary Seeding
665B000	175 Acre Temporary Mulching
665C010	1745 Linear Foot Temporary Pipe
665E000	3779 Square Yard Polyethylene
665F000	1125 Each Hay Bales
665G000	1150 Each Sand Bags
665I000	3332 Ton Temporary Riprap, Class 2
665J002	38768 Linear Foot Silt Fence
665K000	8176 Cubic Yard Drainage Sump Excavation
665L000	300 Linear Foot Floating Basin Boom
665N000	100 Ton Temporary Coarse Aggregate, ALDOT Number 1
665O001	38768 Linear Foot Silt Fence Removal
665P005	1 Each Inlet Protection, Stage 3 Or 4
665Q002	1760 Linear Foot Wattle
665T000	8500 Linear Foot Temporary Earth Berms
666A001	189 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 542,000.00)
701A004	1 Mile Solid White, Class 1, Type A Traffic Stripe
701A012	1 Mile Solid Yellow, Class 1, Type A Traffic Stripe
701C001	3 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
705A023	26 Each Pavement Markers, Class C, Type 2-D
705A037	42 Each Pavement Markers, Class A-H, Type 2-D
740B000	1154 Square Foot Construction Signs
740D000	896 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	70 Each Barricades, Type III
740I005	35 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
999 000	3000 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-7432(601)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

WIDENING (GRADE, DRAINAGE AND PAVEMENT) ON GREENLEAF STREET FROM
CR-25 TO SR-21 IN JACKSONVILLE

The Length Of This Project Is: 0.581 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Forty
(140) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$21.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,410,000 To \$1,730,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 4 Acres)
206C010	311 Square Yard Removing Concrete Driveway
206D000	943 Linear Foot Removing Pipe
206D001	15 Linear Foot Removing Guardrail
206D003	143 Linear Foot Removing Curb And Gutter
206D008	24 Linear Foot Removing Retaining Wall
206D011	368 Linear Foot Removing Fence
206E000	7 Each Removing Headwalls
206E001	1 Each Removing Inlets
206E008	1 Each Removing Guardrail End Anchor (All Type)
206E039	29 Each Removing Mailboxes (Including Reset With a New 2 Inch Metal Or 4 Inch Timber Post)
210A000	2380 Cubic Yard Unclassified Excavation
210D000	2355 Cubic Yard Borrow Excavation
214A000	1813 Cubic Yard Structure Excavation
214B001	597 Cubic Yard Foundation Backfill, Commercial
301A025	5546 Square Yard Crushed Aggregate Base Course, Type B, Road Mixed, 6" Compacted Thickness

401B100	7006	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	1690	Gallon Tack Coat
407B000	1	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	1576	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	801	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	31	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
424A360	746	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424A366	239	Ton Superpave Bituminous Concrete Wearing Surface Layer,
		Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	1072	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B655	24	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	736	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B026	500	Ton Aggregate Surfacing (ALDOT #467, #57 Or #810)
502A000	11888	Pound Steel Reinforcement
524A011	62	Cubic Yard Culvert Concrete (Cast In Place)
530A001	223	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	58	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530B001	40	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
530B002	68	Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
530B004	28	Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)
530B008	198	Linear Foot 73" Span, 45" Rise Roadway Pipe (Class 3 R.C.)
533A098	860	Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.)
533A099	224	Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.)
533B099	36	Linear Foot 29" Span, 18" Rise Storm Sewer Pipe (Class 3 R.C.)
533B101	144	Linear Foot 44" Span, 27" Rise Storm Sewer Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
602A000	22	Each Right Of Way Markers
602C000	25	Each Permanent Easement Marker
606A000	300	Linear Foot 6" Underdrain Pipe
610C001	344	Ton Loose Riprap, Class 2
610D003	397	Square Yard Filter Blanket, Geotextile
614A000	22	Cubic Yard Slope Paving
614B000	17	Cubic Yard Reinforced Slope Paving
618B003	290	Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
619A002	1	Each 18" Roadway Pipe End Treatment, Class 1
619A003	1	Each 24" Roadway Pipe End Treatment, Class 1
619B016	1	Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1
619B019	1	Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 1
619B267	1	Each 29" Span, 18" Rise Roadway Pipe End Treatment, Class 1 (Double Line)
619B273	1	Each 73" Span, 45" Rise Roadway Pipe End Treatment, Class 1 (Double Line)
621A005	3	Each Junction Boxes, Type 1
621B005	1	Each Junction Box Units, Type 1
621C002	3	Each Inlets, Type C, P1 Or P3
621C008	3	Each Inlets, Type E
621C015	12	Each Inlets, Type S1 Or S3 (1 Wing)
621C017	7	Each Inlets, Type S1 Or S3 (2 Wing)
621C145	1	Each Inlets, Type Special Drop (Type 1)
621C147	1	Each Inlets, Type Special Drop (Type 3)
621D008	2	Each Inlet Units, Type E
621D015	3	Each Inlet Units, Type S1 Or S3
622A000	10	Each Manhole Covers Reset
623A001	925	Linear Foot Concrete Gutter (Valley)
623B000	64	Linear Foot Concrete Curb, Type N
623B001	22	Linear Foot Concrete Curb, Type N Special
623C000	105	Linear Foot Combination Curb & Gutter, Type C
623C003	6002	Linear Foot Combination Curb & Gutter, Type C (Modified)
630A001	15	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	1	Each Guardrail End Anchor, Type 10 Series
637A001	369	Linear Foot Fence Reset (Includes All Types)
641A512	1500	Linear Foot 3/4 Inch Copper Water Service Line Laid
641A746	120	Linear Foot 6 Inch P.V.C. Water Main Laid
641A748	3500	Linear Foot 8 Inch P.V.C. Water Main Laid
641D500	1	Each Fire Hydrant
641J516	2	Each 6 Inch Gate Valve With Box
641J518	5	Each 8 Inch Gate Valve With Box

641O520	1 Each 8 Inch x 8 Inch Tapping Valve And Sleeve
641P515	29 Each 3/4 Inch Service Tap
641Q510	16 Each 3/4 Inch Water Meter And Box Set
641S500	11 Each Valve Box Reset
646A520	850 Linear Foot 3/4 Inch Polyethylene Gas Service Line Laid
646A717	3000 Linear Foot 3 Inch Polyethylene Gas Main Laid
646D542	3 Each 3 Inch Polyethylene Valve With Box
649A600	560 Linear Foot 2 Inch Steel Encasement Pipe, Type 2 Installation
649A620	300 Linear Foot 6 Inch Steel Encasement Pipe, Type 2 Installation
649A640	76 Linear Foot 14 Inch Steel Encasement Pipe, Type 2 Installation
649A645	168 Linear Foot 16 Inch Steel Encasement Pipe, Type 2 Installation
650B000	749 Cubic Yard Topsoil From Stockpiles
652A100	2 Acre Seeding
652C000	4 Acre Mowing
654A001	477 Square Yard Solid Sodding (Bermuda)
656A010	2 Acre Mulching
665G000	510 Each Sand Bags
665I000	40 Ton Temporary Riprap, Class 2
665J002	3140 Linear Foot Silt Fence
665O001	3140 Linear Foot Silt Fence Removal
665Q002	290 Linear Foot Wattle
666A001	2 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 118,000.00)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	200 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	1 Mile Solid Temporary Traffic Stripe
701G253	800 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
703A002	384 Square Foot Traffic Control Markings, Class 2, Type A
703B002	45 Square Foot Traffic Control Legends, Class 2, Type A
705A030	20 Each Pavement Markers, Class A-H, Type 2-C
705A037	62 Each Pavement Markers, Class A-H, Type 2-D
730H001	448 Linear Foot Loop Wire
730I001	90 Linear Foot Loop Detector Lead-In-Cable
730J010	1 Each Vehicle Loop Detector
730K000	1 Each Traffic Signal Junction Box
730L002	10 Linear Foot 1", Metallic, Conduit
730L003	80 Linear Foot 1", Non-Metallic, Conduit
740B000	336 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	14 Each Barricades, Type III
740I005	5 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
IAR-051-000-004
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

ADDITIONAL TURN LANES (GRADE, DRAINAGE AND PAVEMENT) ON SR-126
AT MONTGOMERY INDUSTRIAL PARK BOULEVARD EAST OF MONTGOMERY

The Length Of This Project Is: 0.418 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$13.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$375,000 To \$457,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 2 Acres)
210A000	1561 Cubic Yard Unclassified Excavation
210D021	500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
305B077	100 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	800 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	850 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	420 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	420 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	350 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
535A080	134 Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization
614A000	142 Cubic Yard Slope Paving
619A101	6 Each 18" Side Drain Pipe End Treatment, Class 1
623C000	302 Linear Foot Combination Curb & Gutter, Type C
641A618	1397 Linear Foot 12 Inch Ductile Iron Water Main Laid
641A688	100 Linear Foot 12 Inch Ductile Iron Water Main Laid (Restrained Joint)
641C500	1300 Pound Ductile Iron Fittings

641J522	4 Each 12 Inch Gate Valve With Box
641L500	6 Cubic Yard Concrete for Water Mains (Thrust Blocks)
641O554	1 Each 12 Inch x 12 Inch Tapping Valve And Sleeve
645O512	1 Each 2 Inch Air And Vacuum Valve Assembly
650B000	338 Cubic Yard Topsoil From Stockpiles
652A100	1 Acre Seeding
654A001	600 Square Yard Solid Sodding (Bermuda)
656A010	1 Acre Mulching
659A028	100 Square Yard Rolled Erosion Control Product, Type (1D)
665A000	1 Acre Temporary Seeding
665J002	1620 Linear Foot Silt Fence
665O001	1620 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 27,000.00)
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	670 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	3 Mile Solid Temporary Traffic Stripe
703A002	2410 Square Foot Traffic Control Markings, Class 2, Type A
703B002	90 Square Foot Traffic Control Legends, Class 2, Type A
703D001	750 Square Foot Temporary Traffic Control Markings
705A030	30 Each Pavement Markers, Class A-H, Type 2-C
705A032	170 Each Pavement Markers, Class A-H, Type 1-B
705A037	15 Each Pavement Markers, Class A-H, Type 2-D
705A038	90 Each Pavement Markers, Class A-H, Type 2-E
740B000	396 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	25 Each Cones (36 Inches High)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
ST-027-113-002
ESCAMBIA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

DRAINAGE IMPROVEMENTS ON SR-113 AND CHURCH STREET IN FLOMATON

The Length Of This Project Is: 0.221 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy
(70) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$12.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$755,000 To \$920,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 1 Acre)
206C000	79 Square Yard Removing Concrete Sidewalk
206D000	1145 Linear Foot Removing Pipe
206D005	45 Linear Foot Removing Gutter
206E001	10 Each Removing Inlets
210A000	344 Cubic Yard Unclassified Excavation
210D012	2675 Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0)
214A000	3524 Cubic Yard Structure Excavation
214B000	2675 Cubic Yard Foundation Backfill, Local
214B001	1062 Cubic Yard Foundation Backfill, Commercial
301A012	1458 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	1458 Square Yard Bituminous Treatment A
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	2160 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A340	240 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424A343	20 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	190 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B040	200 Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
530A001	120 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530B002	286 Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
530B005	1248 Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)
530B006	548 Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
600A000	1 Lump Sum Mobilization

602C000	4 Each Permanent Easement Marker
610C001	90 Ton Loose Riprap, Class 2
610D003	49 Square Yard Filter Blanket, Geotextile
618A000	79 Square Yard Concrete Sidewalk, 4" Thick
620A000	81 Cubic Yard Minor Structure Concrete
621A005	8 Each Junction Boxes, Type 1
621B005	1 Each Junction Box Units, Type 1
621C031	1 Each Inlets, Type S3 (1 Wing)
621C041	4 Each Inlets, Type B (Modified)
621C083	3 Each Inlets, Type B (Modified) (Double)
621C094	1 Each Inlets, Type S1 Or S3 (Partial)
621C115	2 Each Inlets, Type S3 (2 Wing) (Special)
621C116	2 Each Inlets, Type S3 (1 Wing) (Special)
623A001	911 Linear Foot Concrete Gutter (Valley)
623B002	45 Linear Foot Concrete Curb, Type A
637A001	160 Linear Foot Fence Reset (Includes All Types)
650A000	135 Cubic Yard Topsoil
652A100	1 Acre Seeding
654A001	350 Square Yard Solid Sodding (Bermuda)
656A010	1 Acre Mulching
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665E000	500 Square Yard Polyethylene
665F000	50 Each Hay Bales
665G000	50 Each Sand Bags
665J002	1300 Linear Foot Silt Fence
665O001	1300 Linear Foot Silt Fence Removal
665P005	14 Each Inlet Protection, Stage 3 Or 4
665Q002	200 Linear Foot Wattle
674A000	275 Linear Foot Construction Safety Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 49,000.00)
740B000	437 Square Foot Construction Signs
740D000	100 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	22 Each Barricades, Type III
740I005	11 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-406-062-110-801, 99-406-513-110-701 & 99-406-690-000-601
 MONTGOMERY AND BULLOCK COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

SHOULDER PAVING, DRAINAGE EXTENSIONS AND GUARDRAIL ON SR-110
 FROM THE MONTGOMERY OUTER LOOP TO SR-6 WEST OF UNION SPRINGS

The Length Of This Project Is: 24.770 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety
 (90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
 The Bracket Estimate On This Project Is From \$1,150,000 To \$1,400,000
 The Principal Items Of Work Are Approximately As Follows:

210D021	15425	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
214A000	320	Cubic Yard Structure Excavation
214B001	162	Cubic Yard Foundation Backfill, Commercial
305B077	400	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	1060	Gallon Tack Coat
407B000	14	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A370	1285	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	2900	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
502A000	1567	Pound Steel Reinforcement
524B011	16	Cubic Yard Culvert Concrete Extension (Cast In Place)
530A004	8	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A006	32	Linear Foot 48" Roadway Pipe (Class 3 R.C.)
530A101	16	Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A102	80	Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530A104	136	Linear Foot 36" Roadway Pipe (Class 3 R.C.) (Extension)
530A106	32	Linear Foot 48" Roadway Pipe (Class 3 R.C.) (Extension)
530B005	8	Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)
530B006	8	Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
610C001	40	Ton Loose Riprap, Class 2
610D003	32	Square Yard Filter Blanket, Geotextile
619A002	2	Each 18" Roadway Pipe End Treatment, Class 1

619A003	2 Each 24" Roadway Pipe End Treatment, Class 1
619A005	1 Each 36" Roadway Pipe End Treatment, Class 1
619A055	7 Each 36" Roadway Pipe End Treatment, Class 2
619A057	5 Each 48" Roadway Pipe End Treatment, Class 2
619A202	2 Each 24" Roadway Pipe End Treatment, Class 1 (Double Line)
619A229	4 Each 36" Roadway Pipe End Treatment, Class 2 (Double Line)
619B070	1 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 2
619B071	1 Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 2
620A000	11 Cubic Yard Minor Structure Concrete
621A004	4 Each Junction Boxes, Type 4
621A013	2 Each Junction Boxes, Type Special
629D001	12 Each Bridge Guardrail Retrofit, Type C
630A001	1505 Linear Foot Steel Beam Guardrail, Class A, Type 2
630A033	1900 Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
630C003	12 Each Guardrail End Anchor, Type 13
630C050	20 Each Guardrail End Anchor, Type 20 Series
630C070	1 Each Guardrail End Anchor, Type 10 Series
650A000	7800 Cubic Yard Topsoil
652A100	15 Acre Seeding
654A001	400 Square Yard Solid Sodding (Bermuda)
656A010	15 Acre Mulching
659A035	1500 Square Yard Rolled Erosion Control Product, Type (2C)
665F000	550 Each Hay Bales
665J002	19500 Linear Foot Silt Fence
665O001	19500 Linear Foot Silt Fence Removal
666A001	15 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 70,000.00)
701A227	14 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
740B000	2196 Square Foot Construction Signs
740D000	60 Each Channelizing Drums
740E000	240 Each Cones (36 Inches High)
740I005	12 Each Warning Lights, Type B (Detachable Head)
740L006	150 Each Vertical Panel, Type II (Double-Sided)
740M001	240 Each Ballast For Cone
740O000	3 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-509-022-182-950
 BALDWIN COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

MAINTENANCE DREDGING AT LITTLE LAGOON PASS IN GULF SHORES

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred Sixty Five (365) Calendar Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$485,000 To \$590,000

The Principal Items Of Work Are Approximately As Follows:

210J000	1000 Hour Dredge Pumping
210K000	3 Each Setting Up And Dismantling Of Dredging Equipment
210L000	12 Month Rental Of Dredging Equipment
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 25,000.00)

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
 Transportation Director

Notice To Contractors
State Maintenance Project No.
99-308-121-114-902
CHOCTAW COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., November 07, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-114 FROM SR-10 TO SR-156 IN PENNINGTON

The Length Of This Project Is: 5.616 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$905,000 To \$1,105,000

The Principal Items Of Work Are Approximately As Follows:

209A000	1 Each Mailbox Reset, Single
401B100	84653 Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	3163 Gallon Tack Coat
407B000	6 Mile Joint Sealant For Hot Mix Asphalt Pavement
410H000	1 Each Material Remixing Device
424A361	8670 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	58450 Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	1200 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
665J002	100 Linear Foot Silt Fence
665O001	100 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 46,600.00)
701A227	12 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	13 Mile Broken Temporary Traffic Stripe (Paint)
701C003	39 Mile Solid Temporary Traffic Stripe (Paint)
701G146	858 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	429 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)

701H001	858 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	429 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	192 Square Foot Traffic Control Markings, Class 2, Type A
703B002	148 Square Foot Traffic Control Legends, Class 2, Type A
703D002	384 Square Foot Temporary Traffic Control Markings (Paint)
703E002	296 Square Foot Temporary Traffic Control Legends (Paint)
705A032	175 Each Pavement Markers, Class A-H, Type 1-B
705A037	470 Each Pavement Markers, Class A-H, Type 2-D
740B000	444 Square Foot Construction Signs
740C000	52 Square Foot Special Construction Signs
740E000	100 Each Cones (36 Inches High)
740M001	100 Each Ballast For Cone
740O000	1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director