

# ALABAMA

## Department of Transportation

[www.dot.state.al.us](http://www.dot.state.al.us)




### Notice to Contractors

### Transportation Letting

### **SEPTEMBER 26, 2008**

10:00 am



Alabama Department of Transportation  
1409 Coliseum Boulevard, Room E-108  
Montgomery Alabama 36110

Plans and Proposals  
telephone: 334.242.6444  
e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)  
fax: 334.264.7976  
cell: 334.850.5988  
cell: 334.850.5328



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

## Project Number: IM-I059(335) Slide Correction on I-59 Northbound West of SR-7 (Exit 79) in Tuscaloosa Tuscaloosa County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Friday, September 19, 2008**

Location: Auditorium  
ALDOT Fifth Division  
2715 East Skyland Boulevard  
Tuscaloosa, Alabama 35407

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer  
Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

## Project Number: BRF-0008(548) & (549) Bridge Replacements (2) and Approaches on SR-8 (US-80) (WBR) at Chaney and Bogue Chitto Creeks West of Selma Dallas County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday, September 17, 2008**

Location: Auditorium  
ALDOT Sixth Division  
1525 Coliseum Boulevard  
Montgomery, Alabama 36110

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPAA-0008(532)  
& BR-7771(600)

Bridge Replacement and Approaches on  
SR-8(US-80) at Oliver Creek in  
Montgomery  
Montgomery County

A **MANDATORY PRE-BID CONFERENCE** is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Tuesday, September 16, 2008**

Location: Auditorium  
ALDOT Sixth Division  
1525 Coliseum Boulevard  
Montgomery, Alabama 36110

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

## Project Number: HSIP-0217(500) Turn Lanes and Safety Improvements on SR-217 at Various Sites Mobile County

A **MANDATORY PRE-BID CONFERENCE** is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.  
  
Date: **Thursday, September 18, 2008**  
  
Location: Auditorium  
ALDOT Ninth Division  
1701 I-65 West Service Road North  
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

## Project Number: STPBH-7284(600) Grade, Drainage, Pavement, and Signals for the Relocation of Municipal Drive at SR-3 (US-31) in Hoover Jefferson County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday, September 17, 2008**

Location: Auditorium  
ALDOT Third Division  
1020 Bankhead Highway West  
Birmingham, Alabama 35204

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# Special Notice to Contractors

Alabama Department of Transportation Specification 108.04(b)8 permits up to 17 acres of clearing and exposure of erodible material at any one time. If, during your review of plans for each letting, you determine that a project cannot reasonably be constructed without an increase in the allowable acreage of exposed erodible material, it is requested that you make written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increase in acreage prior to receiving bids.

August 29, 2008

**Alabama Department of Transportation  
1409 Coliseum Boulevard, Room E-108  
Montgomery, Alabama 36110-2060**

The Alabama Department of Transportation intends to use the *2008 Edition of the Standard Specifications for Highway Construction* (Spec Book) beginning with the August 29, 2008 Letting. The 2008 Spec Book is a single volume that contains both U. S. Customary and Metric units of measurement.

The cost of the book is \$20.00 each including standard shipping via UPS ground. Books can also be picked up in person or sent overnight via FedEx if you provide your account number. Unless otherwise specified your order will be shipped standard ground.

Please fill out the request form below and mail it along with a check or money order made payable to:

**Alabama Department of Transportation  
c/o Terry W. Robinson, Plans & Proposals Section  
1409 Coliseum Boulevard – Room E-108  
Montgomery, Alabama 36110-2060**

---

COMPANY NAME: \_\_\_\_\_

SHIPPING ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_

QUANTITY: \_\_\_\_\_ X \$20.00 PER BOOK = \$ \_\_\_\_\_

**DELIVERY OPTIONS (SELECT ONE)**

\_\_\_\_\_ STANDARD MAIL/SHIP (VIA UPS)

\_\_\_\_\_ PICK UP

\_\_\_\_\_ OVERNIGHT (PROVIDE YOUR FEDEX ACCOUNT NUMBER):  
\_\_\_\_\_





## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# Special Notice to Contractors

It is anticipated that Project Number APD-0471(501) Jefferson County, will be in an upcoming Letting. The project is to construct the grade, drain, base, pave, and bridges, etc., for the Corridor X / I-65 Route Interchange in Birmingham.

Due to the size and complex nature of the project a preliminary plan set is available for contractor review. The plan set is on compact disk in .pdf format and is available at no cost to the contractor. If you would like a compact disk containing the preliminary plan set please provide your company name, phone number, and shipping address in the space provided below and fax or mail this form to:

Alabama Department of Transportation  
c/o Terry W. Robinson  
1409 Coliseum Boulevard - Room E-108  
Montgomery Alabama 36110-2060  
FAX: 334.264.7976

---

Company Name

---

Shipping Address

---

Phone Number

NTC.4.9.2009



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# SPECIAL NOTICE TO CONTRACTORS

Project Number APD-0471(501) Jefferson County  
Grade, Drainage, Base, Pavement, Bridge, etc., for the  
Corridor X(I-22)/I-65 Route Interchange

It is anticipated that the referenced project will be in an upcoming letting. At a special work session to review the constructability of the project design with potential prime contractors continuous roll plots of the proposed project traffic control plan phasing were presented. Subsequent to that meeting several contractors have expressed interest in obtaining copies of the plots. Paper plots are available for \$20 per set. If you are interested in receiving the plots please fill out the following information and return this form and a check made out to the Alabama Department of Transportation to the following address:

Alabama Department of Transportation  
c/o Terry W. Robinson  
1409 Coliseum Boulevard - Room E-108  
Montgomery, Alabama 36110-2060  
FAX: 334.264.7976

---

Company Name

---

Shipping Address

---

Telephone Number



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Bidders are reminded of the requirements of Specification 102.09 in which bid bonds and cashier's checks in lieu of bid bonds must contain, among other things, the name of the bidder/company submitting the bid bond/check as well as the project number for which the bid is submitted.

Failure to abide by these requirements will cause the bid to be considered irregular and the bid will be rejected.

ntc.2.28.2008.5



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# Special Notice to Contractors

Bidders utilizing the Department's approved Internet Bidding Service Provider must deliver to the Assistant Bureau Chief, Plans & Proposals, Bureau of Office Engineer, the following documents sealed in the provided envelope prior to the time set for opening bids:

- The complete original Proposal Form.
- A fully executed bid bond.
- A copy of their Alabama General Contractors License.
- An HR-DBE Form, accurate at the time of bid package submittal – the apparent low bidder will be contacted to provide an updated HR-DBE prior to award.
- A fully executed Federal-Aid Funded Projects Certificate or 100% State Funded Projects Certificate.
- On 100% State Funded Projects, a Non-resident Contractor must submit a recent letter from an Attorney in his/her home state describing that state's treatment of non-resident contractors.
- It would be helpful, but not mandatory, if the bidder would place "Internet Bid" on the outside of the envelope.

December 15, 2006.1



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

# Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 Coliseum Boulevard, Montgomery, Alabama 36110




Bob Riley  
Governor

December 12, 2005

Joe McInnes  
Transportation Director

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin  
State Office Engineer 

RE: Sublet Approval Requirements for  
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. G. M. Harper  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. Terry Robinson  
Alabama Road Builders Association  
File



# ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley  
Governor

Mr. Joe D. Wilkerson  
Division Administrator  
Federal Highway Administration  
500 Eastern Boulevard, Suite 200  
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation  
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ronald L. Baldwin".

Ronald L. Baldwin  
State Office Engineer

RLB:CPM:agh  
Attachment

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. David Bollie  
File



The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

\*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- Prime contractor or subcontractor hires the trucker.
- Trucker is hauling to or from the project site.
- The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



Bob Riley  
Governor

ALABAMA  
DEPARTMENT OF TRANSPORTATION  
CONSTRUCTION BUREAU  
1409 COLISEUM BOULEVARD  
MONTGOMERY, ALABAMA 36110  
Telephone: (334) 242-6208  
FAX: (334) 264-3727



Joe McInnes  
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.  
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION  
Certification of Actual Payments to DBE Firms

Project No.: \_\_\_\_\_  
County: \_\_\_\_\_

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: \_\_\_\_\_

was or will be paid \$ \_\_\_\_\_

Note: this amount does / does not include gross receipts tax and bond.

(circle one)

(circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____	By: _____
signature	signature
Name: _____	Name: _____
please print	please print
Title: _____	Title: _____
Date: _____	Date: _____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: \_\_\_\_\_

signature

Name: \_\_\_\_\_

please print

Title: \_\_\_\_\_

Date: \_\_\_\_\_



GEORGE C. WALLACE  
GOVERNOR

*File*

STATE OF ALABAMA  
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

*JAT*

RAY D. BASS  
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog  
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship  
Federal Highway Administration  
File

1. Project Number:		2. County:		3. Division:				
4. Prime Contractor:		5. DBE:						
6. Date:	7. ALDOT Estimate:	8. Estimate Period: From:		To:				
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date	16. Amount Performed to Date
Pay Item No.	Item Description							
17. Comments:								18. Total:
								19. Total:
20. Signature of Authorized Representative:		Printed Name & Title						Date Signed

# Alabama Department of Transportation

## ALDOT Form DBE 10 Instructions

### Block Number    Instructions

1.        ALDOT Project Number
2.        County
3.        Division
4.        Prime Contractor for the Project
5.        DBE for this Report
6.        Date of Report
7.        ALDOT Estimate Number
8.        Work Period for this Estimate (Beginning Date - Ending Date)
9.        Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10.       Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11.       Unit Price of Work
12.       Units
13.       Units of Work Accomplished this Period
14.       Amount Performed for this Period (Block 11 times Block 13)
15.       Units Performed to Date
16.       Amount Performed to Date (Block 11 times Block 15)
17.       Comments Pertinent to this DBE-10
18.       Total of Amounts in Block 14
19.       Total of Amounts in Block 16
20.       Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

#### Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

#### Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet ). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

**Alabama Department of Transportation  
Disadvantaged Business Enterprise (DBE) Utilization Plan**

Project Number & County: \_\_\_\_\_ Contractor Name: \_\_\_\_\_

Letting Date: \_\_\_\_\_ Address: \_\_\_\_\_

Contract Amount: \_\_\_\_\_

Percent DBE Utilization Required: \_\_\_\_\_

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices OR list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
<b>Instructions:</b> 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			<b>Total Dollar Amount to DBEs:</b> \$ _____  <b>Required Dollar Amount of DBE Utilization:</b> \$ _____	

ALDOT Approval: \_\_\_\_\_

Date: \_\_\_\_\_



Project Number: \_\_\_\_\_

County: \_\_\_\_\_

**Certification of Prime Contractor:**

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

**Certification of Non-DBE Subcontractor:**

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

**Certification of DBE Subcontractor:**

Address: \_\_\_\_\_

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

DBE Certification Number: \_\_\_\_\_

BIDDER'S NAME: \_\_\_\_\_  
PROJECT NUMBER: \_\_\_\_\_ COUNTY: \_\_\_\_\_

[illegible]



## **ALABAMA DEPARTMENT OF TRANSPORTATION**

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

# **Diskette Failure**

**Please check your diskette as soon as possible  
after receipt. If you experience any problems  
contact the Plans and Proposals Section during  
regular work hours at 1-800-232-2157  
or 334-242-6441.**

**In the event of diskette failure the night before the  
letting please call the following numbers for  
assistance:  
334-850-5988  
334-850-5328**

September 26, 2008

COMPANY NAME: \_\_\_\_\_ BY: \_\_\_\_\_

SHIPPING ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_

MAIL ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_ PHONE: \_\_\_\_\_

DELIVERY OPTIONS: \_\_\_\_\_ STANDARD MAIL/SHIP (VIA UPS)  
(CHECK ONE) \_\_\_\_\_ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # \_\_\_\_\_)  
\_\_\_\_\_ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.  
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.  
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA.	NON-BID DISKETTE \$5.00 EA.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 10.00	_____	001 IM-I065(384), CHILTON
_____	_____	_____	\$ 18.00	_____	002 IM-I059(335), TUSCALOOSA
_____	_____	_____	\$ 27.00	_____	004 NHF-I085(323), MONTGOMERY
_____	_____	_____	\$ 8.00	_____	005 NHF-0053(534), PIKE
_____	_____	_____	\$ 55.00	_____	011 BRF-0008(548), ETC., DALLAS
_____	_____	_____	\$ 16.00	_____	018 BR-1011(200), CHEROKEE
_____	_____	_____	\$ 23.00	_____	019 STPAA-0008(532), ETC., MONTGOMERY
_____	_____	_____	\$ 6.00	_____	020 BRZ-6300(218), TUSCALOOSA
_____	_____	_____	\$ 22.00	_____	022 HSIP-0003(537), ETC., BALDWIN, ETC.
_____	_____	_____	\$ 20.00	_____	023 HSIP-0059(505), ETC., MOBILE, ETC.
_____	_____	_____	\$ 27.00	_____	024 HSIP-0217(500), MOBILE
_____	_____	_____	\$ 7.00	_____	026 RECA-0022(508), DALLAS
_____	_____	_____	\$ 44.00	_____	028 STPBH-7284(600), JEFFERSON
_____	_____	_____	\$ 4.00	_____	032 STPOA-5807(201), ST. CLAIR
_____	_____	_____	\$ 4.00	_____	035 STPMT-7906(600), ELMORE
_____	_____	_____	\$ 3.00	_____	041 ST-002-180-006, BALDWIN
_____	_____	_____	\$ 12.00	_____	042 ST-032-I59-001, GREENE
_____	_____	_____	\$ 19.00	_____	047 99-606-690-000-601, ELMORE, ETC.
_____	_____	_____	\$ 6.00	_____	048 99-802-391-230-801, LAUDERDALE, ETC.
_____	_____	_____	\$ 4.00	_____	049 99-803-502-520-820, ETC., BLOUNT, ETC.
_____	_____	_____	\$ 3.00	_____	050 STPOA-8101(600), ETOWAH

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2008 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2008 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2008 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 20.00	_____	2008 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

\*\* SEND ONE CHECK ONLY.\*\* FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 COLISEUM BOULEVARD

TERRY W. ROBINSON - ROOM E-108

MONTGOMERY, ALABAMA 36110

PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976

e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)

ORDER TOTAL : \$ \_\_\_\_\_ PAID BY: \_\_\_\_\_ DATE: \_\_\_\_\_

Notice To Contractors  
Federal Aid Project No.  
IM-I065(384)  
CHILTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE LIGHTING ON I-65 AT CR-42 (EXIT 219) NEAR JEMISON

The Length Of This Project Is: 0.758 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty (120) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$10.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$950,000 To \$1,160,000  
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
665E000	1063 Square Yard Polyethylene
665G000	680 Each Sand Bags
665J002	2110 Linear Foot Silt Fence
665O001	2110 Linear Foot Silt Fence Removal
665Q002	40 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 31,000.00)
740B000	868 Square Foot Construction Signs
740C000	33 Square Foot Special Construction Signs
740D000	112 Each Channelizing Drums
740E000	55 Each Cones (36 Inches High)
740M001	55 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
745A000	10 Hour Uniformed Police Officer
750Z010	1 Lump Sum Roadway Lighting System

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
IM-I059(335)  
TUSCALOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

SLIDE CORRECTION ON I-59 NORTHBOUND WEST OF SR-7 (EXIT 79) IN  
TUSCALOOSA

The Length Of This Project Is: 0.662 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred  
(100) Working Days.

A 4.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Friday, September 19, 2008, in the auditorium of the ALDOT Fifth Division office, 2715 East Skyland Blvd, Tuscaloosa, AL 35407. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$18.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,790,000 To \$2,100,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206C003	45 Square Yard Removing Concrete Flumes
206D000	64 Linear Foot Removing Pipe
206D011	940 Linear Foot Removing Fence
206D030	700 Linear Foot Removing Utility Lines
210A000	11778 Cubic Yard Unclassified Excavation
210D011	1550 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	139 Cubic Yard Structure Excavation
214B000	45 Cubic Yard Foundation Backfill, Local
219A000	21552 Ton Rock Buttress For Landslide Correction
230A000	26 Roadbed Station Roadbed Processing
301A008	445 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
401A000	3733 Square Yard Bituminous Treatment A
405A000	1250 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	14778 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
423A003	867 Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size

423B001	51 Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
424A280	569 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424B281	504 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B285	150 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B581	1135 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
430B003	552 Ton Aggregate Surfacing (ALDOT #57)
530A000	32 Linear Foot 15" Roadway Pipe (Class 3 R.C.)
530A004	8 Linear Foot 36" Roadway Pipe (Class 3 R.C.)
535A093	24 Linear Foot 24" Side Drain Pipe (Class 3 R.C.) (Temporary)
600A000	1 Lump Sum Mobilization
602A000	4 Each Right Of Way Markers
606A000	620 Linear Foot 6" Underdrain Pipe
610C001	39 Ton Loose Riprap, Class 2
610D002	6987 Square Yard Filter Blanket, Geotextile (Non-Woven)
619A001	1 Each 15" Roadway Pipe End Treatment, Class 1
619A005	1 Each 36" Roadway Pipe End Treatment, Class 1
620A000	1 Cubic Yard Minor Structure Concrete
635A001	1176 Linear Foot Woven Wire Fence (Metal Post)
650A000	250 Cubic Yard Topsoil
650B000	666 Cubic Yard Topsoil From Stockpiles
652A100	2 Acre Seeding
656A010	2 Acre Mulching
659A028	3134 Square Yard Rolled Erosion Control Product, Type (1D)
659A036	11084 Square Yard Rolled Erosion Control Product, Type (2D)
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665G000	150 Each Sand Bags
665J002	3000 Linear Foot Silt Fence
665N001	500 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	3000 Linear Foot Silt Fence Removal
665P005	6 Each Inlet Protection, Stage 3 Or 4
665Q002	650 Linear Foot Wattle
666A001	2 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 152,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	2 Mile Solid Temporary Traffic Stripe
701H000	7500 Linear Foot Solid Traffic Stripe Removed (Paint)
701H001	4200 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H005	7500 Linear Foot Broken Traffic Stripe Removed (Paint)
701H006	3350 Linear Foot Broken Traffic Stripe Removed (Plastic)
705A011	2574 Each Pavement Markers, Class C, Type 1-A
705A012	1301 Each Pavement Markers, Class C, Type 1-B
705A031	44 Each Pavement Markers, Class A-H, Type 1-A
726A000	2400 Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	10 Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D025	1 Each Portable Impact Attenuator Assembly (Unidirectional, TL-3)
740B000	954 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740F002	4 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)
740L004	64 Each Vertical Panel, Type II (Single-Sided)
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	5 Each Portable Changeable Message Sign, Type 2



The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
NHF-I085(323)  
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

INTERCHANGE IMPROVEMENTS (GRADE, DRAIN, PAVE AND BRIDGE) ON SR-9  
(US-231, EASTERN BOULEVARD) (SBR) AT I-85 IN MONTGOMERY

The Length Of This Project Is: 0.188 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Ten  
(110) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$27.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,140,000 To \$2,600,000  
The Principal Items Of Work Are Approximately As Follows:

206A050	1 Lump Sum Removal Of Old Bridge, Partial, Station 66+07.30 SBL
206A051	1 Lump Sum Removal Of Old Bridge, Partial, Station 69+38.65 SBL
206C001	20 Square Yard Removing Concrete Pavement
206C016	520 Square Yard Removing Concrete Slope Paving (Under Bridges)
206D000	8 Linear Foot Removing Pipe
206D001	400 Linear Foot Removing Guardrail
206D002	200 Linear Foot Removing Curb
206D010	60 Linear Foot Removing Safety Barrier
206E001	2 Each Removing Inlets
206E008	6 Each Removing Guardrail End Anchor (All Type)
210A000	594 Cubic Yard Unclassified Excavation
210D021	227 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
214A000	6 Cubic Yard Structure Excavation
214B001	4 Cubic Yard Foundation Backfill, Commercial
215A000	132 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheeting And Shoring, Sta 66+07.30 SBL
215B000	1 Lump Sum Cofferdams Or Sheeting And Shoring, Sta 69+38.65 SBL
405A000	184 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement

408A052	1425	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A281	166	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range E
424B281	181	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range E
424B284	50	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching,
		3/4" Maximum Aggregate Size Mix, ESAL Range E
424B288	50	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling,
		3/4" Maximum Aggregate Size Mix, ESAL Range E
424B581	90	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range E
424C280	195	Ton Superpave Bituminous Concrete Base Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range E
450A019	211	Square Yard Plain Cement Concrete Pavement, 10 Inches Thick
450B000	373	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	33300	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure,
		Sta 66+07.30 SBL, Approximately 47900 Lbs
502B001	1	Lump Sum Steel Reinforcement For Bridge Superstructure,
		Sta 69+38.65 SBL, Approximately 48100 Lbs .
505A000	2	Each Steel Test Piles (HP 10x42)
505A002	2	Each Steel Test Piles (HP 12x53)
505B055	2	Each Static Loading Tests (HP 10x42)
505B057	2	Each Static Loading Tests (HP 12x53)
505B085	2	Each Dynamic Loading Tests (HP 10x42)
505B087	2	Each Dynamic Loading Tests (HP 12x53)
505G002	24	Each Pile Points (Type A, 10")
505G003	28	Each Pile Points (Type A, 12")
505M000	810	Linear Foot Steel Piling Furnished And Driven (HP 10x42)
505M002	960	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
508A000	2270	Pound Structural Steel
510A000	182	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure,
		Sta 66+07.30 SBL, Approximately 137 Cubic Yards
510C052	1	Lump Sum Bridge Concrete Superstructure,
		Sta 69+38.65 SBL, Approximately 137 Cubic Yards
510E000	948	Square Yard Grooving Concrete Bridge Decks
511A061	12	Each Elastomeric Bearing Type 4 (Mark B1)
511A062	6	Each Elastomeric Bearing Type 4 (Mark B2)
511A063	6	Each Elastomeric Bearing Type 4 (Mark B3)
512L000	1	Lump Sum Precast Reinforced Concrete Girder (Specialty Item) Station 66+07.30
512L001	1	Lump Sum Precast Reinforced Concrete Girder (Specialty Item) Station 69+38.65
530A000	9	Linear Foot 15" Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
614A001	148	Cubic Yard Slope Paving (Under Bridges)
621A011	1	Each Junction Boxes, Type 1 Or 1P
621C020	2	Each Inlets, Type Y
621D019	4	Each Inlet Units, Type Y
629A005	30	Linear Foot Concrete Median Or Safety Barrier, Type 4A (Reinforced)
629A008	30	Linear Foot Concrete Median Or Safety Barrier, Type 5
629A021	140	Linear Foot Concrete Median Or Safety Barrier, Type 1
629E001	384	Linear Foot Bridge Rail Retrofit, Type IC
630A001	163	Linear Foot Steel Beam Guardrail, Class A, Type 2
630A033	125	Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
630C003	3	Each Guardrail End Anchor, Type 13
630C070	2	Each Guardrail End Anchor, Type 10 Series
650A000	60	Cubic Yard Topsoil
652A100	1	Acre Seeding
654A001	828	Square Yard Solid Sodding (Bermuda)
656A010	1	Acre Mulching
659A035	280	Square Yard Rolled Erosion Control Product, Type (2C)
665A000	1	Acre Temporary Seeding
665B000	1	Acre Temporary Mulching
665G000	100	Each Sand Bags
665J002	500	Linear Foot Silt Fence
665N001	100	Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	500	Linear Foot Silt Fence Removal
665P005	3	Each Inlet Protection, Stage 3 Or 4
665Q002	80	Linear Foot Wattle

666A001 1 Acre Pest Control Treatment  
 680A000 1 Lump Sum Engineering Controls  
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 115,000.00)  
 701B027 180 Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)  
 701B036 81 Linear Foot Dotted Class W, Type B Traffic Stripe, Black (5" Wide)  
 701E003 3823 Linear Foot Solid Temporary Traffic Stripe (Tape)  
 701E013 1001 Linear Foot Broken Temporary Traffic Stripe (Tape)  
 701G142 1001 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)  
 701G146 947 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)  
 701G154 980 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)  
 701G161 588 Linear Foot Broken Black, Class W, Type B Traffic Stripe (5" Wide)  
 701H002 3823 Linear Foot Solid Traffic Stripe Removed (Tape)  
 701H007 1001 Linear Foot Broken Traffic Stripe Removed (Tape)  
 703A011 935 Square Foot Traffic Control Markings, Class W, Type A  
 703B011 66 Square Foot Traffic Control Legends, Class W, Type A  
 705A011 51 Each Pavement Markers, Class C, Type 1-A  
 705A012 51 Each Pavement Markers, Class C, Type 1-B  
 705A022 42 Each Pavement Markers, Class C, Type 2-C  
 705A030 42 Each Pavement Markers, Class A-H, Type 2-C  
 705A031 13 Each Pavement Markers, Class A-H, Type 1-A  
 707G001 72 Each Barrier Rail Mounted Delineator (Bi-Directional)  
 726A000 2870 Linear Foot Portable Concrete Safety Barriers, Type 6  
 726A001 70 Linear Foot Portable Concrete Safety Barriers, Type 6-A  
 726D020 1 Each Portable Impact Attenuator Assembly (Unidirectional, TL-2)  
 726D025 6 Each Portable Impact Attenuator Assembly (Unidirectional, TL-3)  
 740B000 1366 Square Foot Construction Signs  
 740D000 100 Each Channelizing Drums  
 740E000 50 Each Cones (36 Inches High)  
 740M001 50 Each Ballast For Cone  
 741C010 2 Each Portable Sequential Arrow And Chevron Sign Unit  
 742A001 4 Each Portable Changeable Message Sign, Type 2  
 745A000 500 Hour Uniformed Police Officer  
 750C000 6 Each Electrical Junction Box, Type 1  
 750C001 1 Each Electrical Junction Box, Type 2  
 750C003 2 Each Electrical Junction Box, Type 4  
 750D204 75 Linear Foot 1 1/2 Inch, Rigid Nonmetallic Conduit  
 750D205 910 Linear Foot 2 Inch, Rigid Nonmetallic Conduit  
 750D224 75 Linear Foot 1 1/2 Inch Rigid Metallic Conduit  
 750E004 3757 Linear Foot Conductor, #6 AWG  
 750E005 1818 Linear Foot Conductor, #4 AWG  
 756A022 640 Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation  
 756A028 600 Linear Foot 6" Electrical Conduit, 1 line, Type 5 Installation  
 999 000 750 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
NHF-0053(534)  
PIKE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-53 (US-231) FROM  
JUST NORTH OF SR-93 TO THE WEST CITY LIMITS OF BRUNDIDGE

The Length Of This Project Is: 2.172 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty  
(40) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$8.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,054,000 To \$1,285,000

The Principal Items Of Work Are Approximately As Follows:

405A000	8061 Gallon Tack Coat
407B000	7 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	94136 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	3734 Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410H000	1 Each Material Remixing Device
423A003	308 Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423B001	486 Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
424A281	7767 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A286	500 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424B285	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	33622 Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 57,000.00)
701A227	6 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)

701A239	5 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	6872 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	10 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G252	525 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
703A002	10689 Square Foot Traffic Control Markings, Class 2, Type A
703B002	2235 Square Foot Traffic Control Legends, Class 2, Type A
703D001	4940 Square Foot Temporary Traffic Control Markings
703E001	263 Square Foot Temporary Traffic Control Legends
705A030	1002 Each Pavement Markers, Class A-H, Type 2-C
705A031	287 Each Pavement Markers, Class A-H, Type 1-A
705A038	444 Each Pavement Markers, Class A-H, Type 2-E
730H001	2990 Linear Foot Loop Wire
740B000	1422 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A002	2 Each Portable Changeable Message Sign, Type 1

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BRF-0008(548) & BRF-0008(549)  
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENTS (2) AND APPROACHES ON SR-8 (US-80) (WBR) AT  
CHANNEY CREEK AND AT BOGUE CHITTO CREEK WEST OF SELMA

The Length Of This Project Is: 1.224 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Twenty  
(220) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday September 17, 2008, in the auditorium of the ALDOT Sixth Division office, 1525 Coliseum Blvd., Montgomery, AL 36110. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$55.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$4,300,000 To \$5,200,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 6 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 376+70
206A001	1 Lump Sum Removal Of Old Bridge, Station 55+63.61
206D001	299 Linear Foot Removing Guardrail
206E008	13 Each Removing Guardrail End Anchor (All Type)
210A000	13340 Cubic Yard Unclassified Excavation
210D021	5969 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
301A012	13259 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	13066 Square Yard Bituminous Treatment A
405A000	5215 Gallon Tack Coat
407B000	4 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A281	2890 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A361	1614 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B280	3778 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E



424B285	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B288	145 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B581	774 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B589	46 Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
424B650	1092 Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	1539 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B658	1138 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	235 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	1498 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	22355 Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B035	500 Ton Aggregate Surfacing (ALDOT #467, #410 Modified Or #57)
450B000	214 Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	134600 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 376+39, Approx. 54300 Lbs.
502B001	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 54+67.00, Approx. 128000 Lbs.
505A002	1 Each Steel Test Piles (HP 12x53)
505B057	1 Each Static Loading Tests (HP 12x53)
505B087	1 Each Dynamic Loading Tests (HP 12x53)
505M002	688 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
506A005	461 Linear Foot Drilled Shaft Excavation, 3'-6" Diameter
506A008	108 Linear Foot Drilled Shaft Excavation, 4'-0" Diameter
506C041	480 Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete
506C042	108 Linear Foot Drilled Shaft Construction, 4'-0" Diameter, Class DS1 Concrete
506F000	90 Linear Foot Permanent Drilled Shaft Casing, 3'-6" Diameter
506F008	40 Linear Foot Permanent Drilled Shaft Casing, 4'-0" Diameter
506G001	8 Each Crosshole Sonic Logging, 3'-6" Diameter
506G002	4 Each Crosshole Sonic Logging, 4'-0" Diameter
508A000	18040 Pound Structural Steel
510A000	364 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Sta. 376+39, Approx. 199 Cu. Yds.
510C052	1 Lump Sum Bridge Concrete Superstructure, Sta. 54+67.00, Approx. 472 Cu. Yds.
510E000	2196 Square Yard Grooving Concrete Bridge Decks
511A051	108 Each Elastomeric Bearing Type 2 (Mark B2)
513B004	3252 Linear Foot Pretensioned-Prestressed Concrete Girders, Type II (Specialty Item)
600A000	1 Lump Sum Mobilization
601A000	1 Each Furnishing Base, Soil And Structure Laboratories
610C001	6480 Ton Loose Riprap, Class 2
610D000	3466 Square Yard Filter Blanket
614A000	4 Cubic Yard Slope Paving
621C020	4 Each Inlets, Type Y
621C132	2 Each Inlets, Type Y (Modified)
621D019	4 Each Inlet Units, Type Y
621D055	2 Each Inlet Units, Type Y (Modified)
630A001	1488 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1 Each Guardrail End Anchor, Type 8
630C003	4 Each Guardrail End Anchor, Type 13
630C070	9 Each Guardrail End Anchor, Type 10 Series
650A000	3085 Cubic Yard Topsoil
652A100	6 Acre Seeding
652C000	5 Acre Mowing
654A001	1232 Square Yard Solid Sodding (Bermuda)
656A010	6 Acre Mulching
659A035	3771 Square Yard Rolled Erosion Control Product, Type (2C)
665A000	5 Acre Temporary Seeding
665B000	5 Acre Temporary Mulching
665C010	217 Linear Foot Temporary Pipe
665G000	200 Each Sand Bags
665I000	1420 Ton Temporary Riprap, Class 2

665J002	1453 Linear Foot Silt Fence
665L000	843 Linear Foot Floating Basin Boom
665N000	200 Ton Temporary Coarse Aggregate, ALDOT Number 1
665O001	1453 Linear Foot Silt Fence Removal
665P005	14 Each Inlet Protection, Stage 3 Or 4
665Q002	580 Linear Foot Wattle
666A001	9 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 252,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1082 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	7 Mile Solid Temporary Traffic Stripe
701D005	4 Mile Solid Traffic Stripe Removed
701D015	3 Mile Broken Traffic Stripe Removed (Plastic)
701E006	1394 Linear Foot Solid Temporary Traffic Stripe (Removable Tape)
701E009	320 Linear Foot Broken Temporary Traffic Stripe (Removable Tape)
701G142	1102 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1102 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1102 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H002	1394 Linear Foot Solid Traffic Stripe Removed (Tape)
701H007	320 Linear Foot Broken Traffic Stripe Removed (Tape)
705A011	459 Each Pavement Markers, Class C, Type 1-A
705A012	356 Each Pavement Markers, Class C, Type 1-B
705A023	343 Each Pavement Markers, Class C, Type 2-D
705A031	121 Each Pavement Markers, Class A-H, Type 1-A
707G001	174 Each Barrier Rail Mounted Delineator (Bi-Directional)
726A000	7509 Linear Foot Portable Concrete Safety Barriers, Type 6
740B000	2161 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740F002	26 Each Barricades, Type III
740I005	13 Each Warning Lights, Type B (Detachable Head)
741C010	4 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	4 Each Portable Changeable Message Sign, Type 2
999 000	3000 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BR-1011(200)  
CHEROKEE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON CR-22 AT COWAN CREEK EAST  
OF CENTRE

The Length Of This Project Is: 0.207 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty (120) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$16.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,120,000 To \$1,370,000

The Principal Items Of Work Are Approximately As Follows:

206A000	1 Lump Sum Removal Of Old Bridge, Station 15+59.64
206D001	1420 Linear Foot Removing Guardrail
210A000	525 Cubic Yard Unclassified Excavation
210D001	1773 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
230A000	9 Roadbed Station Roadbed Processing
301A012	2036 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	1920 Square Yard Bituminous Treatment A
405A000	123 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A360	142 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	233 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	238 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
450B000	108 Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	73800 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 15+59, Approximately 55,400 Lbs.
506A005	233 Linear Foot Drilled Shaft Excavation, 3'-6" Diameter

506A006	37	Linear Foot Drilled Shaft Excavation, 5'-6" Diameter
506B002	42	Linear Foot Special Drilled Shaft Excavation, 3'-6" Diameter
506B005	36	Linear Foot Special Drilled Shaft Excavation, 5'-0" Diameter
506B006	4	Linear Foot Special Drilled Shaft Excavation, 5'-6" Diameter
506C021	275	Linear Foot Drilled Shaft Construction, 3'-6" Diameter, Class DS2 Concrete
506C024	36	Linear Foot Drilled Shaft Construction, 5'-0" Diameter, Class DS2 Concrete
506C025	192	Linear Foot Drilled Shaft Construction, 5'-6" Diameter, Class DS2 Concrete
506D000	100	Linear Foot Exploration Below Drilled Shaft
506F009	156	Linear Foot Permanent Drilled Shaft Casing, 5'-6" Diameter
508A000	3707	Pound Structural Steel
510A000	114	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure, Sta 15+59, Approx. 229 Cu Yds
510E000	635	Square Yard Grooving Concrete Bridge Decks
511A052	24	Each Elastomeric Bearing Type 2 (Mark B3)
513B005	944	Linear Foot Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)
600A000	1	Lump Sum Mobilization
610C001	1015	Ton Loose Riprap, Class 2
610D000	801	Square Yard Filter Blanket
630A033	1420	Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
630C003	4	Each Guardrail End Anchor, Type 13
650A000	137	Cubic Yard Topsoil
650B000	325	Cubic Yard Topsoil From Stockpiles
652A100	2	Acre Seeding
652C000	1	Acre Mowing
656A010	1	Acre Mulching
659A025	1580	Square Yard Rolled Erosion Control Product, Type (1A)
665A000	1	Acre Temporary Seeding
665B000	1	Acre Temporary Mulching
665E000	854	Square Yard Polyethylene
665J002	1978	Linear Foot Silt Fence
665L000	810	Linear Foot Floating Basin Boom
665O001	1978	Linear Foot Silt Fence Removal
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 55,500.00)
701G249	2200	Linear Foot Solid White, Class 2, Type A Traffic Stripe
701G258	1100	Linear Foot Broken Yellow, Class 2, Type A Traffic Stripe
705A037	28	Each Pavement Markers, Class A-H, Type 2-D
740B000	228	Square Foot Construction Signs
740F002	4	Each Barricades, Type III
740I005	2	Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-0008(532) & BR-7771(600)  
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (PRECAST) AND APPROACHES (EBR) ON SR-8  
(US-80) AT OLIVER CREEK IN MONTGOMERY

The Length Of This Project Is: 0.506 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Fifty  
(150) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Tuesday, September 16, 2008, in the auditorium of the ALDOT Sixth Division office, 1525 Coliseum Blvd., Montgomery, AL 36110. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$23.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,155,000 To \$2,630,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 2 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 33+37.19
206C001	229 Square Yard Removing Concrete Pavement
206C002	429 Square Yard Removing Concrete Slope Paving
206D001	320 Linear Foot Removing Guardrail
206D002	1699 Linear Foot Removing Curb
210A000	1913 Cubic Yard Unclassified Excavation
210D011	1953 Cubic Yard Borrow Excavation (A-4 Or Better)
210D025	939 Cubic Yard Borrow Excavation (Improved Roadbed)
214A000	96 Cubic Yard Structure Excavation
214B001	530 Cubic Yard Foundation Backfill, Commercial
305B077	519 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401A000	2589 Square Yard Bituminous Treatment A
405A000	1019 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	3304 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
420A015	659 Ton Polymer Modified Open Graded Friction Course
424A281	1208 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E

424B281	405	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B289	988	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
424B581	378	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B585	32	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424C280	384	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
502A000	60	Pound Steel Reinforcement
505A002	2	Each Steel Test Piles (HP 12x53)
505B057	2	Each Static Loading Tests (HP 12x53)
505B087	2	Each Dynamic Loading Tests (HP 12x53)
505M002	1030	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
507A000	2	Each Wire Rope Abutment Anchor Assembly
510A000	10	Cubic Yard Bridge Substructure Concrete, Class A
511A000	72	Each Elastomeric Bearing Type 1
512A010	2	Each Precast Concrete Abutment Caps, 2'-0" Wide by 1'-11 1/8" Deep by 24'-7" Long
512A011	2	Each Precast Concrete Abutment Caps, 2'-0" Wide by 2'-0" Deep by 33'-6" Long
512B014	1	Each Precast Concrete Intermediate Bent Caps, 2'-0" Wide by 2'-3 1/4" Deep by 24'-7" Long
512B015	1	Each Precast Concrete Intermediate Bent Caps, 2'-0" Wide by 2'-4 1/8" Deep by 33'-6" Long
512C017	28	Each Precast Concrete Type 1 Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long
512C025	4	Each Precast Concrete Type 2C Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long
512D012	2	Each Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long
512E001	16	Each Precast Concrete Abutment Panels, Type A2
512E022	8	Each Pre-cast Concrete Abutment Panels, Type A2 Modified 6'-8 1/2" Long
512E023	4	Each Precast Concrete Abutment Panels, Type AA2 3'-9 1/2" Long
512E024	4	Each Precast Concrete Abutment Panels, Type AAA-2, 11'-0" Long
512F001	4	Each Precast Concrete Wing Panels, Type W2
512G000	2	Each Precast Concrete Abutment Wing Cap Panels
524A010	4	Cubic Yard Culvert Concrete
532A031	481	Linear Foot 15" Slotted Drain Pipe
600A000	1	Lump Sum Mobilization
602A000	5	Each Right Of Way Markers
614A000	499	Cubic Yard Slope Paving
620A000	1	Cubic Yard Minor Structure Concrete
621A011	1	Each Junction Boxes, Type 1 Or 1P
621C020	1	Each Inlets, Type Y
621C041	3	Each Inlets, Type B (Modified)
621C092	1	Each Inlets, Type X (Modified)
630A001	220	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1	Each Guardrail End Anchor, Type 8
630C003	1	Each Guardrail End Anchor, Type 13
630C070	1	Each Guardrail End Anchor, Type 10 Series
641A684	245	Linear Foot 8 Inch Ductile Iron Water Main Laid (Restrained Joint)
641A700	1035	Linear Foot 30 Inch Ductile Iron Water Main Laid (Restrained Joint)
641C500	11000	Pound Ductile Iron Fittings
641D500	2	Each Fire Hydrant
641J518	1	Each 8 Inch Gate Valve With Box
641L500	30	Cubic Yard Concrete for Water Mains (Thrust Blocks)
641O550	1	Each 12 Inch x 8 Inch Tapping Valve And Sleeve
641O698	2	Each 30 Inch x 30 Inch Tapping Valve and Sleeve
641P520	1	Each 1 Inch Service Tap
641R515	1	Each 1 Inch Water Meter And Box Reset .
645A510	530	Linear Foot 8 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
645A526	75	Linear Foot 30 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
645F510	480	Linear Foot 8 Inch Abandon Existing Sanitary Sewer
645H510	3	Each 48 Inch Manhole
645H540	3	Each 60 Inch Manhole
645I500	8	Each 48 Inch Manhole Unit
645I505	10	Each 60 Inch Manhole Unit
645L540	6	Linear Foot 8 Inch P.V.C. Manhole Drop Connection
645M500	3	Each Connection To Existing Manhole

645N500	5 Each Abandon Existing Manhole
649A575	45 Linear Foot 42 Inch Steel Encasement Pipe, Type 1 Installation
649A645	210 Linear Foot 16 Inch Steel Encasement Pipe, Type 2 Installation
649A660	270 Linear Foot 24 Inch Steel Encasement Pipe, Type 2 Installation
650A000	146 Cubic Yard Topsoil
652A100	1 Acre Seeding
652C000	1 Acre Mowing
656A010	1 Acre Mulching
659A028	350 Square Yard Rolled Erosion Control Product, Type (1D)
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665E000	500 Square Yard Polyethylene
665G000	100 Each Sand Bags
665I000	50 Ton Temporary Riprap, Class 2
665J002	1628 Linear Foot Silt Fence
665O001	1628 Linear Foot Silt Fence Removal
665P005	6 Each Inlet Protection, Stage 3 Or 4
665Q002	200 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 116,000.00)
701A227	2 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1682 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	2 Mile Solid Temporary Traffic Stripe
701D008	2 Mile Solid Traffic Stripe Removed (Plastic)
701D015	2 Mile Broken Traffic Stripe Removed (Plastic)
701F000	1530 Linear Foot Dotted Temporary Traffic Stripe
703A002	1808 Square Foot Traffic Control Markings, Class 2, Type A
703B002	337 Square Foot Traffic Control Legends, Class 2, Type A
703D001	2124 Square Foot Temporary Traffic Control Markings
705A011	240 Each Pavement Markers, Class C, Type 1-A
705A012	134 Each Pavement Markers, Class C, Type 1-B
705A030	80 Each Pavement Markers, Class A-H, Type 2-C
705A031	63 Each Pavement Markers, Class A-H, Type 1-A
707G000	14 Each Barrier Rail Mounted Delineator (Mono-Directional)
710A126	15 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	28 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
726A000	525 Linear Foot Portable Concrete Safety Barriers, Type 6
740B000	752 Square Foot Construction Signs
740D000	80 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740F002	6 Each Barricades, Type III
740I005	3 Each Warning Lights, Type B (Detachable Head)
740M001	100 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
745A000	500 Hour Uniformed Police Officer
999 000	750 Hour Trainee Hours At 80 Cents Per Hour



The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BRZ-6300(218)  
TUSCALOOSA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (PRECAST) ON BROWNVILLE PIKE ROAD AT SIPSEY  
SWAMP (RELIEF BRIDGE NUMBER FIVE) AT BROWNVILLE

The Length Of This Project Is: 0.038 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Eighty Five  
(85) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$558,000 To \$680,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx. 1 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 75+83.44
210A000	683 Cubic Yard Unclassified Excavation
502A000	250 Pound Steel Reinforcement
505A032	1 Each Steel Test Piles (HP 12x53) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505A036	1 Each Steel Test Piles (HP 14x73) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505B102	1 Each Static Loading Tests (HP 12X53) (Maximum Bid Limited To \$2000 Per Each Loading Test)
505B106	1 Each Static Loading Tests (HP 14x73) (Maximum Bid Limited To \$2000 Per Each Loading Test)
505M002	985 Linear Foot Steel Piling Furnished And Driven (HP 12x53)
505M004	1285 Linear Foot Steel Piling Furnished And Driven (HP 14x73)
507A000	2 Each Wire Rope Abutment Anchor Assembly
510A000	40 Cubic Yard Bridge Substructure Concrete, Class A
511A000	77 Each Elastomeric Bearing Type 1
512A014	2 Each Precast Concrete Abutment Caps, 2'-0" Wide By 1'-8" Deep By 33'-0" Long
512B004	5 Each Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 2'-0" Deep By 31'-6" Long

512C004	36 Each Precast Concrete Type 1 Span Section, 3'-6" Wide By 1'-9" Deep By 34'-0" Long
512C007	12 Each Precast Concrete Type 2C Span Section, 3'-6" Wide By 1'-9" Deep By 34'-0" Long
512D002	4 Each Precast Concrete Barrier Rail End Section, 34'-0" Long
512D005	8 Each Precast Concrete Barrier Rail Intermediate Section, 34'-0" Long
512E002	24 Each Precast Concrete Abutment Panels, Type A3
512F002	12 Each Precast Concrete Wing Panels, Type W3
512G000	4 Each Precast Concrete Abutment Wing Cap Panels
600A000	1 Lump Sum Mobilization
610C001	585 Ton Loose Riprap, Class 2
610D000	343 Square Yard Filter Blanket
630A001	50 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C003	4 Each Guardrail End Anchor, Type 13
630C070	4 Each Guardrail End Anchor, Type 10 Series
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	50 Each Hay Bales
665J002	820 Linear Foot Silt Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 16,050.00)
740B000	20 Square Foot Construction Signs
740F002	2 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HSIP-0003(537), HSIP-7514(600) & HSIP-7533(600)  
BALDWIN AND MOBILE COUNTIES, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

SAFETY IMPROVEMENTS AT VARIOUS SITES AS INDICATED BY THE PLANS

The Length Of This Project Is: 0.890 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five  
(75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$22.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$500,000 To \$614,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206C002	237 Square Yard Removing Concrete Slope Paving
206C003	121 Square Yard Removing Concrete Flumes
206D002	1700 Linear Foot Removing Curb
206E000	2 Each Removing Headwalls
210A000	2254 Cubic Yard Unclassified Excavation
210D022	1854 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0)
214A000	21 Cubic Yard Structure Excavation
214B000	12 Cubic Yard Foundation Backfill, Local
230A000	28 Roadbed Station Roadbed Processing
301A012	3733 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	3733 Square Yard Bituminous Treatment A
405A000	426 Gallon Tack Coat
407B000	3 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	5538 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	605 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A363	10 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	439 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

424B681	738	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	10	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
530A001	47	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
614A000	66	Cubic Yard Slope Paving
619A101	2	Each 18" Side Drain Pipe End Treatment, Class 1
621A011	2	Each Junction Boxes, Type 1 Or 1P
623B000	2329	Linear Foot Concrete Curb, Type N
623B001	210	Linear Foot Concrete Curb, Type N Special
645K500	1	Each Manhole Frame And Cover Reset
650A000	341	Cubic Yard Topsoil
652A100	1	Acre Seeding
654A001	1095	Square Yard Solid Sodding (Bermuda)
656A010	1	Acre Mulching
659A036	200	Square Yard Rolled Erosion Control Product, Type (2D)
665A000	2	Acre Temporary Seeding
665B000	2	Acre Temporary Mulching
665G000	50	Each Sand Bags
665J002	2448	Linear Foot Silt Fence
665O001	2448	Linear Foot Silt Fence Removal
665Q002	710	Linear Foot Wattle
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 27,000.00)
701B207	1541	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	3	Mile Solid Temporary Traffic Stripe
701G242	332	Linear Foot Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701G253	4644	Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G256	406	Linear Foot Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701G265	6015	Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
703A002	1039	Square Foot Traffic Control Markings, Class 2, Type A
703B002	337	Square Foot Traffic Control Legends, Class 2, Type A
705A030	68	Each Pavement Markers, Class A-H, Type 2-C
705A031	87	Each Pavement Markers, Class A-H, Type 1-A
705A032	6	Each Pavement Markers, Class A-H, Type 1-B
705A037	24	Each Pavement Markers, Class A-H, Type 2-D
705A038	52	Each Pavement Markers, Class A-H, Type 2-E
740B000	1324	Square Foot Construction Signs
740C000	42	Square Foot Special Construction Signs
740D000	315	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740F002	4	Each Barricades, Type III
740I002	2	Each Warning Lights, Type B
740M001	100	Each Ballast For Cone
741C010	4	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HSIP-0059(505) & HSIP-CN08(912)  
MOBILE AND BALDWIN COUNTIES, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

TRAFFIC SIGNAL IMPROVEMENTS AT VARIOUS INTERSECTIONS AS  
INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Eighty (180) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$20.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$335,000 To \$410,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 32,000.00)
730A012	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at Rimes Rd) (Site 1)
730A013	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at Springhill Medical Center) (Site 2)
730A014	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at Durhu Dr) (Site 3)
730A015	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at I-65 West Service Rd) (Site 4)
730A016	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at I-65 Southbound Ramps) (Site 5)
730A017	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at I-65 Northbound Ramps) (Site 6)
730A018	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at Springdale Blvd) (Site 7)
730A019	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at Northgate Dr) (Site 8)
730A020	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at Dauphin Square) (Site 9)
730A021	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Dauphin St at Sage Ave) (Site 10)
730A022	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( U.S. Highway 98 at Catherine St) (Site 11)

730A023	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at Sage Ave)(Site 12)
730A024	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( U.S. Highway 90 at Ann St)(Site 13)
730A025	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( U.S. Highway 90 at Houston St)(Site 14)
730A026	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at General Bullard Ave) (Site 15)
730A027	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at University Blvd) (Site 16)
730A028	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at McGregor/Azalea Rd) (Site 17)
730A029	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at Berwyn Dr West) (Site 18)
730A030	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at Downtowner Blvd) (Site 19)
730A031	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at Yester Oaks Dr /Montlimar Dr)(Site 20)
730A032	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Airport Blvd at Windsor Place) /Service Rd)(Site 21)
730A060	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( AL 59 at Baldwin Co Rd 32) (Site 22)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at Rimes Rd)(Site 1)
730C001	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at Springhill Medical Center)(Site 2)
730C002	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at Durhu Dr)(Site 3)
730C003	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at I-65 West Service Rd) (Site 4)
730C004	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at I-65 Southbound Ramps)(Site 5)
730C005	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at I-65 Northbound Ramps)(Site 6)
730C006	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at Springdale Blvd) (Site 7)
730C007	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at Northgate Dr) (Site 8)
730C008	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at Dauphin Square) (Site 9)
730C009	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Dauphin St at Sage Ave)(Site 10)
730C010	1 Lump Sum Furnishing And Installing Traffic Control Unit ( U.S. Highway 98 at Catherine St) (Site 11)
730C011	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at Sage Ave)(Site 12)
730C012	1 Lump Sum Furnishing And Installing Traffic Control Unit ( U.S. Highway 90 at Ann St)(Site 13)
730C013	1 Lump Sum Furnishing And Installing Traffic Control Unit ( U.S. Highway 90 at Houston St)(Site 14)
730C014	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at General Bullard Ave) (Site 15)
730C015	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at University Blvd) (Site 16)
730C100	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at McGregor/Azalea Rd) (Site 17)
730C101	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at Berwyn Dr West) (Site 18)
730C102	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at Downtowner Blvd) (Site 19)
730C103	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at Yester Oaks Dr /Montlimar Dr)(Site 20)
730C104	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Airport Blvd at Windsor Place/Service Rd)(Site 21)
730C105	1 Lump Sum Furnishing And Installing Traffic Control Unit ( AL 59 at Baldwin Co Rd 32) (Site 22)
730H001	2160 Linear Foot Loop Wire
730J010	57 Each Vehicle Loop Detector
730L005	60 Linear Foot 2", Non-Metallic, Conduit

730P020	1 Each Vehicular Signal Head, 12 Inch, 1 Section, Type LED
730P022	94 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P023	2 Each Vehicular Signal Head, 12 Inch, 4 Section, Type LED
730P024	15 Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730Q011	14 Each Pedestrian Signal Head, Type LED
730R022	9 Each Controller Assembly, Type III, 8 Phase
730R030	1 Each Controller Assembly, Type III, Master
730U005	1 Lump Sum Furnishing And Installing Video Detection System (Airport Blvd at Sage Ave)(Site 12)
730U007	1 Lump Sum Furnishing And Installing Video Detection System (Airport Blvd at University Blvd) (Site 16)
730U008	1 Lump Sum Furnishing And Installing Video Detection System (Airport Blvd at McGregor/Azalea Rd) (Site 17)
730U009	1 Lump Sum Furnishing And Installing Video Detection System (Airport Blvd at Downtowner Blvd) (Site 19)
730U010	1 Lump Sum Furnishing And Installing Video Detection System (Airport Blvd at Yester Oaks Dr /Montlimar Dr)(Site 20)
730U011	1 Lump Sum Furnishing And Installing Video Detection System (Airport Blvd at Windsor Place/Service Rd)(Site 21)
730Z000	1 Lump Sum Computer Equipment, Desktop
734A051	8640 Linear Foot Cable OSP, Figure 8, 12F SM
734E000	1540 Linear Foot Detectable Tape System
734E005	9 Each Marker Post
734E021	1540 Linear Foot Buried Duct HDPE SDR11 2 Inch
734F002	10 Each Distribution Hardware SFDU 12 Fiber
734G002	40 Each Connector FC Termination SM
734H015	40 Each Patch Cord Simplex SM,FC
734J000	2 Each Commbox F1
734J003	2 Each Pull Box (24 In X 24 In X 12 In) Alum
734M000	3 Each Riser Assembly
734N021	10 Each Fiber Optic Transceiver, RS-232 Remote W/ Power
740B000	664 Square Foot Construction Signs
740E000	80 Each Cones (36 Inches High)
740M001	80 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
745A000	80 Hour Uniformed Police Officer
756A022	130 Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director



Notice To Contractors  
Federal Aid Project No.  
HSIP-0217(500)  
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

TURN LANES AND SAFETY IMPROVEMENTS ON SR-217 AT VARIOUS SITES AS  
INDICATED ON THE PLANS

The Length Of This Project Is: 1.19 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Seventy Five (175) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Thursday, September 18, 2008, in the auditorium of the ALDOT Ninth Division office, 1701 I-65 West Service Road North, Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$27.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,500,000 To \$1,800,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 1 Acre)
206C002	155 Square Yard Removing Concrete Slope Paving
206D000	642 Linear Foot Removing Pipe
206E000	82 Each Removing Headwalls
210A000	5316 Cubic Yard Unclassified Excavation
210D022	2651 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0))
214A000	1185 Cubic Yard Structure Excavation
214B000	476 Cubic Yard Foundation Backfill, Local
230A000	41 Roadbed Station Roadbed Processing
301A012	10351 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	10181 Square Yard Bituminous Treatment A
405A000	1040 Gallon Tack Coat
407B000	4 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A360	1702 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A363	50 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D

424B651 1136 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 424B659 100 Ton Superpave Bituminous Concrete Upper Binder Layer,  
 Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D  
 424B681 1136 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 430B043 200 Ton Aggregate Surfacing (1" Down, Crusher Run)  
 530A100 12 Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)  
 530A102 76 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)  
 530A103 23 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)  
 530B016 52 Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.) (Extension)  
 530B017 25 Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.) (Extension)  
 533A098 36 Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.)  
 533B098 486 Linear Foot 22" Span, 14" Rise Storm Sewer Pipe (Class 3 R.C.)  
 533B099 713 Linear Foot 29" Span, 18" Rise Storm Sewer Pipe (Class 3 R.C.)  
 533B100 77 Linear Foot 36" Span, 23" Rise Storm Sewer Pipe (Class 3 R.C.)  
 535A078 36 Linear Foot 15" Side Drain Pipe (Class 3 R.C.)  
 535A080 114 Linear Foot 18" Side Drain Pipe (Class 3 R.C.)  
 535A085 100 Linear Foot 24" Side Drain Pipe (Class 3 R.C.)  
 535A339 200 Linear Foot 12" Side Drain Pipe (P.C.) (Extension)  
 535A410 724 Linear Foot 15" Side Drain Pipe (Class 3 R.C.) (Extension)  
 535A411 800 Linear Foot 18" Side Drain Pipe (Class 3 R.C.) (Extension)  
 535A412 472 Linear Foot 24" Side Drain Pipe (Class 3 R.C.) (Extension)  
 535A413 264 Linear Foot 30" Side Drain Pipe (Class 3 R.C.) (Extension)  
 535B009 16 Linear Foot 18" Span, 11" Rise Side Drain Pipe  
 535B091 144 Linear Foot 29" Span, 18" Rise Side Drain Pipe (Class 3 R.C.)  
 535B093 72 Linear Foot 36" Span, 23" Rise Side Drain Pipe (Class 3 R.C.)  
 535B097 64 Linear Foot 36" Span, 23" Rise Side Drain Pipe (Class 3 R.C.) (Extension)  
 535B300 84 Linear Foot 18" Span, 11" Rise Side Drain Pipe (Class 3 R.C.) (Extension)  
 535B301 72 Linear Foot 22" Span, 14" Rise Side Drain Pipe (Class 3 R.C.) (Extension)  
 535B303 64 Linear Foot 36" Span, 23" Rise Side Drain Pipe (Class 3 R.C.) (Extension)  
 600A000 1 Lump Sum Mobilization  
 614A000 9 Cubic Yard Slope Paving  
 619A003 2 Each 24" Roadway Pipe End Treatment, Class 1  
 619A051 2 Each 15" Roadway Pipe End Treatment, Class 2  
 619A054 1 Each 30" Roadway Pipe End Treatment, Class 2  
 619A127 4 Each 24" Side Drain Pipe End Treatment, Class 2  
 619A128 11 Each 30" Side Drain Pipe End Treatment, Class 2  
 619A202 2 Each 24" Roadway Pipe End Treatment, Class 1 (Double Line)  
 619B017 1 Each 29" Span, 18" Rise Roadway Pipe End Treatment, Class 1  
 619B020 2 Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 1  
 619B021 2 Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 1  
 619B143 4 Each 36" Span, 23" Rise Side Drain Pipe End Treatment, Class 2  
 619B267 1 Each 29" Span, 18" Rise Roadway Pipe End Treatment, Class 1 (Double Line)  
 620A000 37 Cubic Yard Minor Structure Concrete  
 621A005 3 Each Junction Boxes, Type 1  
 621C109 23 Each Inlets, Type PD  
 650A000 1864 Cubic Yard Topsoil  
 652A100 5 Acre Seeding  
 654A001 3793 Square Yard Solid Sodding (Bermuda)  
 656A010 5 Acre Mulching  
 659A045 500 Square Yard Rolled Erosion Control Product, Type (4)  
 665F000 200 Each Hay Bales  
 665G000 240 Each Sand Bags  
 665J002 2990 Linear Foot Silt Fence  
 665O001 2990 Linear Foot Silt Fence Removal  
 665P005 29 Each Inlet Protection, Stage 3 Or 4  
 665Q002 1140 Linear Foot Wattle  
 666A001 5 Acre Pest Control Treatment  
 680A000 1 Lump Sum Engineering Controls  
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 78,000.00)  
 701A227 3 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)  
 701A230 4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)  
 701B207 1620 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)  
 701C001 7 Mile Solid Temporary Traffic Stripe  
 703A002 3620 Square Foot Traffic Control Markings, Class 2, Type A  
 703B002 247 Square Foot Traffic Control Legends, Class 2, Type A  
 703D001 343 Square Foot Temporary Traffic Control Markings  
 705A030 42 Each Pavement Markers, Class A-H, Type 2-C

705A032	1141 Each Pavement Markers, Class A-H, Type 1-B
705A037	110 Each Pavement Markers, Class A-H, Type 2-D
705A038	616 Each Pavement Markers, Class A-H, Type 2-E
740B000	946 Square Foot Construction Signs
740D000	300 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
RECA-0022(508)  
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

STRUCTURE REMOVAL ALONG SR-22 FROM THE END OF THE EXISTING FIVE  
LANE NORTH OF SELMA TO CR-63

The Length Of This Project Is: 4.431 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$153,000 To \$187,000

The Principal Items Of Work Are Approximately As Follows:

204A000	1 Each Closing Water Well
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
205A005	1 Each Removal Of Structures, Structure No. 5
205A006	1 Each Removal Of Structures, Structure No. 6
205A007	1 Each Removal Of Structures, Structure No. 7
205A008	1 Each Removal Of Structures, Structure No. 8
205A009	1 Each Removal Of Structures, Structure No. 9
205A010	1 Each Removal Of Structures, Structure No. 10
205A011	1 Each Removal Of Structures, Structure No. 11
210D021	2000 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
600A000	1 Lump Sum Mobilization
650A000	600 Cubic Yard Topsoil
652A100	2 Acre Seeding
656A010	2 Acre Mulching
665J002	3000 Linear Foot Silt Fence
665N001	400 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	3000 Linear Foot Silt Fence Removal
674A000	500 Linear Foot Construction Safety Fence

740B000      352 Square Foot Construction Signs

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPBH-7284(600)  
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

RELOCATION (GRADE, DRAINAGE, PAVEMENT AND SIGNALS) OF MUNICIPAL  
DRIVE AT SR-3 (US-31) IN HOOVER

The Length Of This Project Is: 0.336 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Fifty  
(250) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, September 17, 2008, in the auditorium of the ALDOT Third Division office, 1020 Bankhead Highway West, Birmingham, AL 35204. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$44.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$4,275,000 To \$5,200,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx. 6 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
206C000	545 Square Yard Removing Concrete Sidewalk
206C003	3 Square Yard Removing Concrete Flumes
206D000	1063 Linear Foot Removing Pipe
206D001	62 Linear Foot Removing Guardrail
206D002	620 Linear Foot Removing Curb
206D003	2861 Linear Foot Removing Curb And Gutter
206D008	293 Linear Foot Removing Retaining Wall
206E000	5 Each Removing Headwalls
206E001	20 Each Removing Inlets
206E008	1 Each Removing Guardrail End Anchor (All Type)
210A000	63127 Cubic Yard Unclassified Excavation
210D000	34774 Cubic Yard Borrow Excavation
214A000	3032 Cubic Yard Structure Excavation
214B001	817 Cubic Yard Foundation Backfill, Commercial

230A000 40 Roadbed Station Roadbed Processing  
 301A012 14583 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness  
 305B071 9 Ton Coarse Aggregate, Section 801, For Miscellaneous Use  
 401A000 13039 Square Yard Bituminous Treatment A  
 405A000 416 Gallon Tack Coat  
 407B000 2 Mile Joint Sealant For Hot Mix Asphalt Pavement  
 408A052 6431 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)  
 424A281 486 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E  
 424A340 815 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B  
 424B636 3521 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B  
 424B640 87 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B  
 529A016 14043 Square Foot Retaining Wall (Modular Block Wall)  
 530A001 487 Linear Foot 18" Roadway Pipe (Class 3 R.C.)  
 530A002 72 Linear Foot 24" Roadway Pipe (Class 3 R.C.)  
 530A003 165 Linear Foot 30" Roadway Pipe (Class 3 R.C.)  
 530B014 4 Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.) (Extension)  
 533A098 1545 Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.)  
 533A099 360 Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.)  
 533A100 272 Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.)  
 534E001 341 Linear Foot Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)  
 534F000 274 Linear Foot Cleaning Existing Culvert (Greater Than 48" Horizontal Opening)  
 600A000 1 Lump Sum Mobilization  
 602A000 29 Each Right Of Way Markers  
 610C001 177 Ton Loose Riprap, Class 2  
 610D000 172 Square Yard Filter Blanket  
 614A000 53 Cubic Yard Slope Paving  
 618A000 863 Square Yard Concrete Sidewalk, 4" Thick  
 618B003 45 Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)  
 619A002 1 Each 18" Roadway Pipe End Treatment, Class 1  
 620A000 1 Cubic Yard Minor Structure Concrete  
 621A004 1 Each Junction Boxes, Type 4  
 621A011 6 Each Junction Boxes, Type 1 Or 1P  
 621C001 1 Each Inlets, Type B  
 621C008 2 Each Inlets, Type E  
 621C015 25 Each Inlets, Type S1 Or S3 (1 Wing)  
 621C016 1 Each Inlets, Type S2 Or S4 (1 Wing)  
 621C017 5 Each Inlets, Type S1 Or S3 (2 Wing)  
 621C109 4 Each Inlets, Type PD  
 621D008 3 Each Inlet Units, Type E  
 621D015 20 Each Inlet Units, Type S1 Or S3  
 621D109 4 Each Inlet Units, Type PD  
 621I001 1 Each Stilling Basins, Type 1  
 622A001 1 Each Manhole Covers Reset (Storm)  
 623B000 556 Linear Foot Concrete Curb, Type N  
 623B001 161 Linear Foot Concrete Curb, Type N Special  
 623C000 6138 Linear Foot Combination Curb & Gutter, Type C  
 623C003 192 Linear Foot Combination Curb & Gutter, Type C (Modified)  
 630A050 622 Linear Foot Steel Beam Guardrail, Class A, Type 4  
 630C050 6 Each Guardrail End Anchor, Type 20 Series  
 634A014 727 Linear Foot Industrial Fence, 4 Feet High (P.V.C. Coated)  
 637A001 407 Linear Foot Fence Reset (Includes All Types)  
 640B002 1 Lump Sum Underground Utility Adjustment (Electrical)  
 640B003 1 Lump Sum Underground Utility Adjustment (Communication)  
 640B005 1 Lump Sum Underground Utility Adjustment (Water)  
 645A510 588 Linear Foot 8 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid  
 645A598 208 Linear Foot 3 Inch Ductile Iron Sanitary Sewer Force Main Pipe Laid  
 645E519 80 Linear Foot 2 Inch P.V.C. Stacks And Laterals  
 645F510 281 Linear Foot 8 Inch Abandon Existing Sanitary Sewer  
 645H510 7 Each 48 Inch Manhole  
 645I500 28 Each 48 Inch Manhole Unit  
 645J500 1 Each Manhole Cone Reset  
 645K500 1 Each Manhole Frame And Cover Reset  
 645M500 1 Each Connection To Existing Manhole  
 645O514 1 Each 3 Inch Air And Vacuum Valve Assembly

650B000	3480	Cubic Yard Topsoil From Stockpiles
652A100	3	Acre Seeding
652C000	3	Acre Mowing
654A000	3383	Square Yard Solid Sodding
656A010	3	Acre Mulching
659A036	5833	Square Yard Rolled Erosion Control Product, Type (2D)
665A000	3	Acre Temporary Seeding
665B000	3	Acre Temporary Mulching
665G000	654	Each Sand Bags
665I000	50	Ton Temporary Riprap, Class 2
665J002	5773	Linear Foot Silt Fence
665L000	200	Linear Foot Floating Basin Boom
665O001	5773	Linear Foot Silt Fence Removal
665P005	6	Each Inlet Protection, Stage 3 Or 4
665Q002	1765	Linear Foot Wattle
666A001	3	Acre Pest Control Treatment
674A000	200	Linear Foot Construction Safety Fence
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 350,000.00)
701A227	1	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A231	1	Mile Solid White, Class 2, Type A Traffic Stripe
701A235	2	Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A239	1	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A240	1	Mile Broken White, Class 2, Type A Traffic Stripe
701A245	1	Mile Broken Yellow, Class 2, Type A Traffic Stripe
701B205	470	Linear Foot Dotted, Class 2, Type A, Traffic Stripe
701B207	600	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	3	Mile Solid Temporary Traffic Stripe
701D005	3	Mile Solid Traffic Stripe Removed
701E001	2600	Linear Foot Solid Temporary Traffic Stripe (Paint)
701E011	1000	Linear Foot Broken Temporary Traffic Stripe (Paint)
703A002	2777	Square Foot Traffic Control Markings, Class 2, Type A
703B002	366	Square Foot Traffic Control Legends, Class 2, Type A
705A030	49	Each Pavement Markers, Class A-H, Type 2-C
705A031	14	Each Pavement Markers, Class A-H, Type 1-A
705A037	72	Each Pavement Markers, Class A-H, Type 2-D
707B003	3	Each Type A Hazard Marker Installation
710A115	9	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	87	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	286	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
730A000	1	Lump Sum Removal Of Existing Traffic Control Unit ( US-31 At Municipal Drive)
730C000	1	Lump Sum Furnishing And Installing Traffic Control Unit ( US-31 At Municipal Drive)
730E000	4	Each Metal Traffic Signal Pole Foundation
730G001	4	Each Metal Traffic Signal Strain Pole
730L003	50	Linear Foot 1", Non-Metallic, Conduit
730L005	50	Linear Foot 2", Non-Metallic, Conduit
730N010	4	Each Luminaire Extension Assembly, 12 Ft.
730P022	11	Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P024	2	Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730R022	1	Each Controller Assembly, Type III, 8 Phase
730T000	1	Each Wood Pole
730U005	1	Lump Sum Furnishing And Installing Video Detection System
734B007	70	Linear Foot Drop Cable OSP 12F SM Central Core
734E000	40	Linear Foot Detectable Tape System
734E040	30	Linear Foot Conduit Galvanized Rigid Steel 2 Inch
734E100	20	Linear Foot Buried Duct HDPE SDR11 2 x 2 Inch
734F002	1	Each Distribution Hardware SFDU 12 Fiber
734G002	4	Each Connector FC Termination SM
734G005	1	Each Splice Closure, Aerial With Trays
734G009	4	Each Splicing, Fusion
734H015	4	Each Patch Cord Simplex SM,FC
740B000	866	Square Foot Construction Signs
740D000	38	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740F002	27	Each Barricades, Type III



740I005           8 Each Warning Lights, Type B (Detachable Head)  
740M001       100 Each Ballast For Cone  
741C010        2 Each Portable Sequential Arrow And Chevron Sign Unit  
999 000       1500 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-5807(201)  
ST. CLAIR COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-29 FROM I-20 AT PELL CITY  
TO SR-174

The Length Of This Project Is: 2.510 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$548,000 To \$650,000

The Principal Items Of Work Are Approximately As Follows:

206C010	59 Square Yard Removing Concrete Driveway
405A000	2950 Gallon Tack Coat
407B000	3 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	2469 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B644	4200 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B647	618 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1220 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
630A001	238 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1 Each Guardrail End Anchor, Type 8
630C050	3 Each Guardrail End Anchor, Type 20 Series
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 30,000.00)
701A231	5 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	3 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe
701G251	275 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)

703A002	144 Square Foot Traffic Control Markings, Class 2, Type A
705A032	53 Each Pavement Markers, Class A-H, Type 1-B
705A037	229 Each Pavement Markers, Class A-H, Type 2-D
740B000	285 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPMT-7906(600)  
ELMORE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-23 FROM COBBS FORD ROAD IN  
PRATTVILLE TO SR-143

The Length Of This Project Is: 2.124 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$405,000 To \$495,000

The Principal Items Of Work Are Approximately As Follows:

206D001	343	Linear Foot Removing Guardrail
206E008	8	Each Removing Guardrail End Anchor (All Type)
405A000	3277	Gallon Tack Coat
407B000	3	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A053	1153	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
424A336	1443	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424A338	1803	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424B640	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
424B647	801	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	142	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
630A004	343	Linear Foot Steel Beam Guardrail, Class B, Type 2
630C022	8	Each Guardrail End Anchor, Type Special
630C050	4	Each Guardrail End Anchor, Type 20 Series
630C070	4	Each Guardrail End Anchor, Type 10 Series
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 20,000.00)
701A030	5	Mile Solid White, Class 2T, Type A Traffic Stripe

701A034	3 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	2 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	4 Mile Broken Temporary Traffic Stripe
701C001	8 Mile Solid Temporary Traffic Stripe
703A004	786 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	62 Each Pavement Markers, Class A-H, Type 1-B
705A037	211 Each Pavement Markers, Class A-H, Type 2-D
740B000	255 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
ST-002-180-006  
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

TURN LANE (GRADE, DRAINAGE AND PAVEMENT) ON SR-180 AT EAST STREET IN GULF SHORES

The Length Of This Project Is: 0.175 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$160,000 To \$195,000

The Principal Items Of Work Are Approximately As Follows:

210A000	398 Cubic Yard Unclassified Excavation
210D023	643 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 (0) Or Better)
214A000	10 Cubic Yard Structure Excavation
214B000	4 Cubic Yard Foundation Backfill, Local
230A000	14 Roadbed Station Roadbed Processing
301A012	1188 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	1188 Square Yard Bituminous Treatment A
405A000	405 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A360	398 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	225 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	123 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B043	50 Ton Aggregate Surfacing (1" Down, Crusher Run)
502A000	165 Pound Steel Reinforcement
524B011	1 Cubic Yard Culvert Concrete Extension (Cast In Place)
530A103	18 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
535A412	8 Linear Foot 24" Side Drain Pipe (Class 3 R.C.) (Extension)
600A000	1 Lump Sum Mobilization
610C001	50 Ton Loose Riprap, Class 2
610D003	40 Square Yard Filter Blanket, Geotextile
619A102	1 Each 24" Side Drain Pipe End Treatment, Class 1
619A203	1 Each 30" Roadway Pipe End Treatment, Class 1 (Double Line)
620A000	1 Cubic Yard Minor Structure Concrete

630A034	52 Linear Foot Steel Beam Guardrail, Class A, Type 2 (8'-0" Post)
630C001	2 Each Guardrail End Anchor, Type 8
650A000	570 Cubic Yard Topsoil
652A100	1 Acre Seeding
654A001	491 Square Yard Solid Sodding (Bermuda)
656A010	1 Acre Mulching
665J002	1300 Linear Foot Silt Fence
665L000	350 Linear Foot Floating Basin Boom
665O001	1300 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 8,300.00)
701B207	180 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	1 Mile Solid Temporary Traffic Stripe
701G253	2207 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G265	3442 Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
703A002	384 Square Foot Traffic Control Markings, Class 2, Type A
703B002	23 Square Foot Traffic Control Legends, Class 2, Type A
703D001	32 Square Foot Temporary Traffic Control Markings
705A030	10 Each Pavement Markers, Class A-H, Type 2-C
705A032	190 Each Pavement Markers, Class A-H, Type 1-B
705A037	12 Each Pavement Markers, Class A-H, Type 2-D
705A038	26 Each Pavement Markers, Class A-H, Type 2-E
740B000	483 Square Foot Construction Signs
740D000	50 Each Channelizing Drums

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
ST-032-I59-001  
GREENE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

PARTIAL INTERCHANGE LIGHTING ON I-59 AT CR-208 (EXIT 45) NORTH  
OF EUTAW

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety  
(90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$12.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$484,000 To \$592,000  
The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
665E000	500 Square Yard Polyethylene
665G000	665 Each Sand Bags
665J002	684 Linear Foot Silt Fence
665O001	684 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 26,000.00)
740B000	868 Square Foot Construction Signs
740C000	33 Square Foot Special Construction Signs
740D000	112 Each Channelizing Drums
740E000	55 Each Cones (36 Inches High)
740M001	55 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2 Each Portable Changeable Message Sign, Type 2
745A000	10 Hour Uniformed Police Officer
750Z010	1 Lump Sum Roadway Lighting System
756A022	475 Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director



Notice To Contractors  
 State Maintenance Project No.  
 99-606-690-000-601  
 ELMORE AND MONTGOMERY COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

TURN LANES (GRADE, DRAINAGE AND PAVEMENT) AT VARIOUS LOCATIONS  
 AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five  
 (65) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$19.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
 The Bracket Estimate On This Project Is From \$590,000 To \$700,000  
 The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4,000 Per Acre) (Approx. 1 Acre)
210A000	2435 Cubic Yard Unclassified Excavation
210D011	3037 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	157 Cubic Yard Structure Excavation
214B001	60 Cubic Yard Foundation Backfill, Commercial
401A000	10632 Square Yard Bituminous Treatment A
405A000	813 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	844 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	1388 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	50 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	1407 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	1117 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
530A000	48 Linear Foot 15" Roadway Pipe (Class 3 R.C.)
530A001	119 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A100	79 Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)
600A000	1 Lump Sum Mobilization
614A000	22 Cubic Yard Slope Paving
619A002	1 Each 18" Roadway Pipe End Treatment, Class 1
619A100	2 Each 15" Side Drain Pipe End Treatment, Class 1

619A101	2 Each 18" Side Drain Pipe End Treatment, Class 1
620A000	1 Cubic Yard Minor Structure Concrete
621A011	3 Each Junction Boxes, Type 1 Or 1P
621C020	3 Each Inlets, Type Y
621D019	1 Each Inlet Units, Type Y
623B000	730 Linear Foot Concrete Curb, Type N
650A000	1225 Cubic Yard Topsoil
652A100	4 Acre Seeding
652C000	3 Acre Mowing
656A010	4 Acre Mulching
665A000	3 Acre Temporary Seeding
665B000	3 Acre Temporary Mulching
665J002	5780 Linear Foot Silt Fence
665O001	5780 Linear Foot Silt Fence Removal
665Q002	770 Linear Foot Wattle
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 30,250.00)
701B207	1210 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701E000	9104 Linear Foot Solid Temporary Traffic Stripe
701E010	2549 Linear Foot Broken Temporary Traffic Stripe
701G242	2549 Linear Foot Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701G253	7107 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G265	1997 Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
703A002	1484 Square Foot Traffic Control Markings, Class 2, Type A
703B002	496 Square Foot Traffic Control Legends, Class 2, Type A
703D001	530 Square Foot Temporary Traffic Control Markings
705A030	185 Each Pavement Markers, Class A-H, Type 2-C
740B000	3221 Square Foot Construction Signs
740D000	265 Each Channelizing Drums

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-802-391-230-801  
LAUDERDALE AND LAWRENCE COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON VARIOUS ROADS AND PARKING LOTS  
IN JOE WHEELER STATE PARK AS INDICATED ON THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five  
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$400,000 To \$490,000  
The Principal Items Of Work Are Approximately As Follows:

301A000	5216 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 3" Compacted Thickness
305B077	481 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
401A000	5216 Square Yard Bituminous Treatment A
405A000	954 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	1883 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B638	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	37 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B647	46 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665E000	3000 Square Yard Polyethylene
665J002	8065 Linear Foot Silt Fence
665O001	8065 Linear Foot Silt Fence Removal
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 21,000.00)
701G009	6400 Linear Foot Solid White, Class 1, Type A Traffic Stripe
703A000	12 Square Foot Traffic Control Markings, Class 1, Type A
740B000	96 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)

740M001        50 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
 State Maintenance Project No.  
 99-803-502-520-820 & 99-803-595-290-820  
 BLOUNT AND SHELBY COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

PAVEMENT REPAIR AND RESURFACING AT VARIOUS SITES IN RICKWOOD  
 CAVERNS STATE PARK AND OAK MOUNTAIN STATE PARK AS INDICATED ON  
 THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
 (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
 The Bracket Estimate On This Project Is From \$395,000 To \$480,000  
 The Principal Items Of Work Are Approximately As Follows:

401B100	19008	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	1230	Gallon Tack Coat
407B000	2	Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	2208	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range A/B
424B670	1002	Ton Superpave Bituminous Concrete Lower Binder Layer,
		Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1	Lump Sum Mobilization
665J002	300	Linear Foot Silt Fence
665O001	300	Linear Foot Silt Fence Removal
665Q002	100	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 16,000.00)
740B000	338	Square Foot Construction Signs
740E000	150	Each Cones (36 Inches High)
740M001	150	Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-8101(600)  
ETOWAH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., September 26, 2008, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-446 (ROCKY FORD ROAD) FROM  
CENTRE ROAD AT HOKES BLUFF TO REEVES ROAD

The Length Of This Project Is: 2.789 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$575,000 To \$700,000

The Principal Items Of Work Are Approximately As Follows:

209A000	21 Each Mailbox Reset, Single
401B103	32740 Square Yard Bituminous Treatment J (With Polymer Additive)
405A000	1965 Gallon Tack Coat
407B000	3 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	2460 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
	Maximum Aggregate Size Mix, ESAL Range A/B
424A347	500 Ton Superpave Bituminous Concrete Wearing Surface Layer,
	Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B636	4100 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
424C344	200 Ton Superpave Bituminous Concrete Base Layer, Patching, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
424C350	290 Ton Superpave Bituminous Concrete Base Layer, Widening, 1"
	Maximum Aggregate Size Mix, ESAL Range A/B
430B043	1300 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
630A021	300 Linear Foot Steel Beam Guardrail, Class A, Type 2 (Steel Post)
630C070	8 Each Guardrail End Anchor, Type 10 Series
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$30,000.00)
701A231	6 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe

701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	12 Mile Solid Temporary Traffic Stripe
703A002	144 Square Foot Traffic Control Markings, Class 2, Type A
703D001	144 Square Foot Temporary Traffic Control Markings
705A032	74 Each Pavement Markers, Class A-H, Type 1-B
705A037	294 Each Pavement Markers, Class A-H, Type 2-D
740B000	222 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director