



# ALABAMA

## Department of Transportation

[www.dot.state.al.us](http://www.dot.state.al.us)



### Notice to Contractors Transportation Letting **FEBRUARY 27, 2009** 10:00 am



Alabama Department of Transportation  
1409 Coliseum Boulevard, Room E-108  
Montgomery Alabama 36110

Plans and Proposals  
telephone: 334.242.6444  
e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)  
fax: 334.264.7976  
cell: 334.850.5988  
cell: 334.850.5328



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPAA-STPMB-7535(601)

Old Shell Road, Additional Lanes (Grade,  
Drainage and Pavement and Signals) from  
Schillinger Road to Hillcrest Road in  
Mobile  
Mobile County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 9:00 a.m.

Date: **Friday, February 20, 2009**

Location: Auditorium  
ALDOT Ninth Division  
1701 I-65 West Service Road, North  
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

# NOTICE TO PROSPECTIVE BIDDERS

Project Number: ST-025-176-001  
SR-176 Bridge Replacement at Brooks  
Branch southeast of Fort Payne  
Dekalb County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 8:30 a.m.  
Date: **Wednesday, February 18, 2009**  
Location: Auditorium  
ALDOT First Division  
23445 U.S. Highway 431  
Guntersville, Alabama 35976

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.

## Special Notice to Contractors

This notice is to advise that the U. S. Department of Labor has issued a final ruling concerning certified labor payroll submittals and employee privacy. **Effective on any federal aid project let on or after January 18, 2009, the contractor or subcontractor shall no longer show the Social Security number or the address of individual laborers or mechanics on the certified labor payrolls.** This ruling affects Form FHWA-1273 (Required Contract Provisions for Federal Aid Construction Projects), Part V, paragraph 2b, that is included in federal aid contracts. However, an identification number for tracking purpose must still be provided on the payrolls for each individual. This tracking number should be the last four digits of the individual's Social Security number.

Please note that this in no way alters the requirement that employers maintain records of each employee's full Social Security number and address. They will just not be reported on the certified payrolls.

January 14, 2009

**ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
MONTGOMERY ALABAMA 36110-2060**

## **2009 SPECIAL AND STANDARD HIGHWAY DRAWINGS**

The Alabama Department of Transportation is using the 2009 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2009. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at [www.dot.state.al.us](http://www.dot.state.al.us). Look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

Alabama Department of Transportation  
c/o Terry W. Robinson  
1409 Coliseum Boulevard – Room E-108  
Montgomery Alabama 36110-2060

---

Company Name: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

\_\_\_\_\_

Quantity: \_\_\_\_\_ x \$125.00 per U.S. Book = \$ \_\_\_\_\_

\_\_\_\_\_ x \$125.00 per Metric Book = \$ \_\_\_\_\_

\_\_\_\_\_ x \$25.00 per Compact Disk = \$ \_\_\_\_\_

Total: \$ \_\_\_\_\_

Delivery Options (Select One)

\_\_\_\_\_ Standard UPS Ground

\_\_\_\_\_ Overnight, Provide Shipping Acct Number: \_\_\_\_\_

\_\_\_\_\_ Pick up



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley  
Governor

Joe McInnes  
Transportation Director

October 7, 2008

Re: **2009 Calendar Year**  
Notice to Contractors Subscription  
Alabama Department of  
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a **\$40.00** per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD, ROOM E-108  
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

---

---

---

---

---



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

October 7, 2008

**Re: 2009 Calendar Year**  
Bid Tabulations Subscription  
Alabama Department of  
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: [www.dot.state.al.us](http://www.dot.state.al.us). If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION**  
**1409 COLISEUM BOULEVARD ROOM E-108**  
**MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

---

---

---

---



Bob Riley  
GOVERNOR


ALABAMA  
DEPARTMENT OF TRANSPORTATION  
CONSTRUCTION BUREAU  
1409 COLISEUM BOULEVARD  
MONTGOMERY, ALABAMA 36130-3050  
PHONE (334) 242-6208  
FAX (334) 264-3727

Joe McInnes  
TRANSPORTATION DIRECTOR

October 31, 2008

MEMORANDUM

TO: Mr. Ronnie Baldwin  
Office Engineer

FROM: Terry McDuffie   
Construction Engineer

RE: Worker Visibility Rule - 23 CFR 634

File	
Terry	-
James	JE
Tracey	TE
Ken	KE
Jason	JD
Jeff	JE
Jim	JD
Mitch	
Barry	
Robert	
Scott	
Susan	-
Mark	
Geneva	
Becky	
Plan	
Review	

Title 23 of the Code of Federal Regulations, Part 634, requires that all workers within the rights-of-way of federal aid highways wear high visibility safety apparel. The effective date of this regulation is November 24, 2008.

We are requesting that you provide notification to all prospective bidders that compliance with this regulation will be required under the language of Article 107.01 of the Standard Specifications... *"The Contractor shall keep fully informed of all Federal and State laws, all local laws, ordinances, and regulations...He shall at all times observe and comply with all laws, ordinances, regulations..."*.

Further information and explanation is available by selecting "High Visibility Clothing" at [www.workzonesafety.org](http://www.workzonesafety.org). A copy of the regulation may be obtained by selecting "Laws and Regulations" at the same website.

TM/JLB/jlb

pc: Mr. D. W. Vaughn  
Mr. G. M. Harper  
Division Engineers  
File


FHWA  
Mr. Billy Norrell, ARBA  
Mr. Mel Monk, AAPA





## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

### Special Notice to Contractors

Alabama Department of Transportation Specification 108.04(b)8 permits up to 17 acres of clearing and exposure of erodible material at any one time. If, during your review of plans for each letting, you determine that a project cannot reasonably be constructed without an increase in the allowable acreage of exposed erodible material, it is requested that you make written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increase in acreage prior to receiving bids.

August 29, 2008



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe McInnes*  
Transportation Director

# Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley  
Governor

ALABAMA  
DEPARTMENT OF TRANSPORTATION  
CONSTRUCTION BUREAU  
1409 COLISEUM BOULEVARD  
MONTGOMERY, ALABAMA 36110  
Telephone: (334) 242-6208  
FAX: (334) 264-3727



Joe McInnes  
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.  
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION  
Certification of Actual Payments to DBE Firms

Project No.: \_\_\_\_\_  
County: \_\_\_\_\_

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: \_\_\_\_\_  
was or will be paid \$ \_\_\_\_\_

Note: this amount does / does not include gross receipts tax and bond.  
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: \_\_\_\_\_  
signature  
Name: \_\_\_\_\_  
please print  
Title: \_\_\_\_\_  
Date: \_\_\_\_\_



GEORGE C. WALLACE  
GOVERNOR

*File*

STATE OF ALABAMA  
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

*JAT*

RAY D. BASS  
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog  
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship  
Federal Highway Administration  
File

[illegible]

# Alabama Department of Transportation

## ALDOT Form DBE 10 Instructions

### Block Number    Instructions

1. ALDOT Project Number
2. County
3. Division
4. Prime Contractor for the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

### Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

### Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet ). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.



# Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: \_\_\_\_\_

Contractor Name: \_\_\_\_\_

Letting Date: \_\_\_\_\_

Address: \_\_\_\_\_

Contract Amount: \_\_\_\_\_

Percent DBE Utilization Required: \_\_\_\_\_

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices OR list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
<b>Instructions:</b> 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer				
Total Dollar Amount to DBEs:			\$ _____	
Required Dollar Amount of DBE Utilization:			\$ _____	

ALDOT Approval: \_\_\_\_\_

Date: \_\_\_\_\_

Project Number: \_\_\_\_\_

County: \_\_\_\_\_

**Certification of Prime Contractor:**

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

**Certification of Non-DBE Subcontractor:** \_\_\_\_\_

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

Certification of DBE Subcontractor: \_\_\_\_\_

Address: \_\_\_\_\_

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_

Date: \_\_\_\_\_

DBE Certification Number: \_\_\_\_\_

In accordance with 49 CFR Part 26.11, the Alabama Department of Transportation will establish its State Disadvantaged Business Enterprise (DBE) goal using Bidders' Lists of Quoters. These Bidders' Lists of Quoters will be used to determine the relative availability of DBE's and Non-DBE's. Each Bidder's List of Quoters is a compilation of quoters who have submitted quotes to the Bidder during the advertising period. Subsequent to notification as Apparent Low Bidder, the Bidder must submit an updated Form HR-DBE prior to award of contract. Form HR-DBE will accompany Form OE-110 (DBE Utilization Plan) if appropriate.

Each time Form HR-DBE is submitted to the Department, the Bidder shall list the quoters for the project, using additional sheets if necessary. The listing shall include EACH quoter's name, business location, telephone number and whether or not the quoter is an Alabama certified DBE. **FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RENDER THE BID NON-RESPONSIVE AND THE BID MAY BE REJECTED.**

The term "quoter" shall include all subcontractors, manufacturers, and suppliers of materials.

Providing the listing of quoters in compliance with these provisions shall not be a substitute for the requirements of Subcontractors Fair Practices Act, Chapter 18, Laws of 1988. Sections 13-4-31 through 13-4-43.

BIDDER'S NAME: \_\_\_\_\_ PROJECT NUMBER: \_\_\_\_\_ COUNTY: \_\_\_\_\_

[illegible]



Bob Riley  
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 Coliseum Boulevard, Montgomery, Alabama 36110



Joe McInnes  
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin  
State Office Engineer

RE: Sublet Approval Requirements for  
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. G. M. Harper  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. Terry Robinson  
Alabama Road Builders Association  
File



ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley  
Governor

Mr. Joe D. Wilkerson  
Division Administrator  
Federal Highway Administration  
500 Eastern Boulevard, Suite 200  
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation  
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, reading "Ronald L. Baldwin".

Ronald L. Baldwin  
State Office Engineer

RLB:CPM:agh  
Attachment

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. David Bollie  
.File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

\*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- Prime contractor or subcontractor hires the trucker.
- Trucker is hauling to or from the project site.
- The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



## ALABAMA DEPARTMENT OF TRANSPORTATION


1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

## Diskette Failure

Please check your diskette as soon as possible after receipt. If you experience any problems contact the Plans and Proposals Section during regular work hours at 1-800-232-2157 or 334-242-6441.

In the event of diskette failure the night before the letting please call the following numbers for assistance:

334-850-5988

334-850-5328



February 27, 2009

COMPANY NAME: \_\_\_\_\_ BY: \_\_\_\_\_  
SHIPPING ADDRESS: \_\_\_\_\_  
CITY, STATE, ZIP: \_\_\_\_\_  
-----  
MAIL ADDRESS: \_\_\_\_\_  
CITY, STATE, ZIP: \_\_\_\_\_ PHONE: \_\_\_\_\_  
=====

DELIVERY OPTIONS: \_\_\_\_\_ STANDARD MAIL/SHIP (VIA UPS)  
(CHECK ONE) \_\_\_\_\_ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # \_\_\_\_\_)  
\_\_\_\_\_ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.  
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.  
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 5.00	_____	001 IM-I059(350), DEKALB
_____	_____	_____	\$ 5.00	_____	002 IM-I059(349), ETOWAH
_____	_____	_____	\$ 97.00	_____	003 IM-NHF-I065(386), MONTGOMERY
_____	_____	_____	\$ 23.00	_____	005 ACAPD-0471(524), JEFFERSON
_____	_____	_____	\$ 15.00	_____	007 BRF-0035(503), JACKSON
_____	_____	_____	\$ 91.00	_____	009 STPAA-STPMB-7535(601), MOBILE
_____	_____	_____	\$ 4.00	_____	011 BR-2111(201), CRENSHAW
_____	_____	_____	\$ 4.00	_____	016 HRRR-0207(201), BALDWIN
_____	_____	_____	\$ 3.00	_____	017 HRRR-2425(200), DALLAS
_____	_____	_____	\$ 2.00	_____	018 HRRR-3000(208), FRANKLIN
_____	_____	_____	\$ 3.00	_____	023 STPNU-1202(201), CHOCTAW
_____	_____	_____	\$ 3.00	_____	026 STPOA-CN08(265), DALLAS
_____	_____	_____	\$ 2.00	_____	027 STPOA-0119(200), AUTAUGA
_____	_____	_____	\$ 4.00	_____	029 ST-017-888-019, COLBERT
_____	_____	_____	\$ 7.00	_____	030 ST-025-176-001, DEKALB
_____	_____	_____	\$ 2.00	_____	032 99-504-690-000-701, RANDOLPH

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2009 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2009 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2009 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 20.00	_____	2008 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

\*\* SEND ONE CHECK ONLY.\*\* FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK  
MAKE CHECKS PAYABLE TO:  
ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
TERRY W. ROBINSON - ROOM E-108  
MONTGOMERY, ALABAMA 36110  
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976  
e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)

ORDER TOTAL : \$ \_\_\_\_\_ PAID BY: \_\_\_\_\_ DATE: \_\_\_\_\_

Notice To Contractors  
Federal Aid Project No.  
IM-I059(350)  
DEKALB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

CONCRETE PAVEMENT SLAB REMOVAL, REPLACEMENT & SPALL REPAIR ON  
I-59 FROM THE ETOWAH COUNTY LINE TO THE GEORGIA STATE LINE

The Length Of This Project Is: 42.493 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By October 1, 2009.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,175,000 To \$1,435,000

The Principal Items Of Work Are Approximately As Follows:

453C000	2524 Square Yard Removal Of Concrete Pavement Slab
453D000	701 Cubic Yard Concrete Pavement Replacement Slab
600A000	1 Lump Sum Mobilization
665J002	600 Linear Foot Silt Fence
665O001	600 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 45,000.00)
701G142	1456 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1330 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	126 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H002	1456 Linear Foot Solid Traffic Stripe Removed (Tape)
701H007	2912 Linear Foot Broken Traffic Stripe Removed (Tape)
705A031	33 Each Pavement Markers, Class A-H, Type 1-A
740B000	2584 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	1 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
IM-1059(349)  
ETOWAH COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

PAVER LAID SURFACE TREATMENT AND TRAFFIC STRIPE ON I-59 FROM  
ATTALLA (MP 181.056) TO THE DEKALB COUNTY LINE

The Length Of This Project Is: 6.928 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By June 30, 2009

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$1,845,000 To \$2,250,000  
The Principal Items Of Work Are Approximately As Follows:

404H000	37710	Gallon Paver-Laid Surface Treatment Tack Coat
404I000	9131	Ton Paver-Laid Surface Treatment Plant Mix
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
428C000	120596	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
665J002	550	Linear Foot Silt Fence
665O001	550	Linear Foot Silt Fence Removal
665Q002	400	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 100,000.00)
701A227	14	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	14	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	14	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	504	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	27	Mile Broken Temporary Traffic Stripe
701C001	53	Mile Solid Temporary Traffic Stripe
701G142	1722	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1722	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1722	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	3443	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1722	Linear Foot Broken Traffic Stripe Removed (Plastic)
705A030	20	Each Pavement Markers, Class A-H, Type 2-C

705A031	882 Each Pavement Markers, Class A-H, Type 1-A
740B000	1534 Square Foot Construction Signs
740C000	33 Square Foot Special Construction Signs
740D000	500 Each Channelizing Drums
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
IM-NHF-I065(386)  
MONTGOMERY COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

ADDITIONAL LANES AND CONCRETE PAVEMENT REHABILITATION ON I-65  
FROM THE MILL STREET BRIDGE TO THE ALABAMA RIVER BRIDGE IN  
MONTGOMERY

The Length Of This Project Is: 1.360 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed By May 15, 2010.

A 7.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$97.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$12,420,000 To \$15,100,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 29 Acres)
206A050	1 Lump Sum Removal Of Old Bridge, Partial, Station 80+18.90 SBL
206A051	1 Lump Sum Removal Of Old Bridge, Partial, Station 80+18.90 NBL
206C002	2561 Square Yard Removing Concrete Slope Paving
206C013	610 Square Yard Removing Bridge End Slab
206D000	661 Linear Foot Removing Pipe
206D001	5006 Linear Foot Removing Guardrail
206E001	11 Each Removing Inlets
206E002	1 Each Removing Junction Boxes
206E008	74 Each Removing Guardrail End Anchor (All Type)
206E020	9 Each Removing Existing Overhead Sign Structure
206E041	6 Each Removing Impact Attenuators
210A000	21711 Cubic Yard Unclassified Excavation
210D011	3620 Cubic Yard Borrow Excavation (A-4 Or Better)
214A000	2076 Cubic Yard Structure Excavation
214B001	999 Cubic Yard Foundation Backfill, Commercial
214B002	1367 Cubic Yard Foundation Backfill, Commercial (ALDOT #467)
230A000	105 Roadbed Station Roadbed Processing

260A002 14 Cubic Yard Cement Mortar Flowable Backfill, Mix 3  
 301A008 26453 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness  
 301A020 346 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 8" Compacted Thickness  
 305B077 500 Ton Crushed Aggregate, Section 825, For Miscellaneous Use  
 401A000 51467 Square Yard Bituminous Treatment A  
 404H000 20061 Gallon Paver-Laid Surface Treatment Tack Coat  
 404I000 3643 Ton Paver-Laid Surface Treatment Plant Mix  
 405A000 6584 Gallon Tack Coat  
 407B000 13 Mile Joint Sealant For Hot Mix Asphalt Pavement  
 408A055 26102 Square Yard Planing Existing Pavement (Approximately 4.10" Thru 5.0" Thick)  
 410C000 1 Each Contractor Retained Profilograph  
 410D000 1 Each Portable Nuclear Asphalt Content Gauge  
 410H000 1 Each Material Remixing Device  
 423A003 1955 Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size  
 423B001 3781 Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size  
 424A280 88 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E  
 424A288 200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E  
 424A291 200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E  
 424A360 2210 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D  
 424B281 149 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E  
 424B285 250 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E  
 424B289 200 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E  
 424B292 200 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E  
 424B581 15532 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E  
 424B651 4847 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D  
 428C000 9572 Linear Foot Scoring Bituminous Pavement Surface By Cutting  
 450B000 1386 Square Yard Reinforced Cement Concrete Bridge End Slab  
 453C000 2288 Square Yard Removal Of Concrete Pavement Slab  
 453D000 509 Cubic Yard Concrete Pavement Replacement Slab  
 454A000 3385 Linear Foot Cleaning And Sealing Concrete Pavement, Type I, Joints  
 454A001 5869 Linear Foot Cleaning And Sealing Concrete Pavement, Type I, Cracks  
 454A002 68945 Linear Foot Cleaning And Sealing Concrete Pavement, Type II, Joints  
 454A003 15000 Linear Foot Cleaning And Sealing Concrete Pavement, Type II, Cracks  
 454A004 14224 Linear Foot Cleaning And Sealing Concrete Pavement, Type I, Joints (Longitudinal Edge Joints)  
 455A000 63216 Square Yard Grinding Concrete Pavement  
 455B000 1 Each Profilograph  
 457A000 158040 Pound Undersealing Concrete Pavement  
 502A000 3970 Pound Steel Reinforcement  
 508A000 2900 Pound Structural Steel  
 510A000 22 Cubic Yard Bridge Substructure Concrete, Class A  
 530A000 24 Linear Foot 15" Roadway Pipe (Class 3 R.C.)  
 530A002 3522 Linear Foot 24" Roadway Pipe (Class 3 R.C.)  
 530A004 20 Linear Foot 36" Roadway Pipe (Class 3 R.C.)  
 530A005 4 Linear Foot 42" Roadway Pipe (Class 3 R.C.)  
 530B000 4 Linear Foot 18" Span, 11" Rise Roadway Pipe (Class 3 R.C.)  
 530B002 211 Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)  
 534E000 3862 Linear Foot Cleaning Existing Culvert (Less Than Or Equal To 48" Horizontal Opening)  
 600A000 1 Lump Sum Mobilization  
 601A000 1 Each Furnishing Base, Soil And Structure Laboratories  
 606A000 500 Linear Foot 6" Underdrain Pipe  
 614A000 157 Cubic Yard Slope Paving  
 619A002 1 Each 18" Roadway Pipe End Treatment, Class 1  
 620A000 7 Cubic Yard Minor Structure Concrete  
 621A011 11 Each Junction Boxes, Type 1 Or 1P  
 621A019 1 Each Junction Boxes, Type 1 Or 2P

621B014	1 Each Junction Box Units, Type 1 Or 2P
621C004	1 Each Inlets, Type GH
621C070	13 Each Inlets, Type E4
621C075	17 Each Inlets, Type E4 (Modified)
621D004	1 Each Inlet Units, Type GH
621D047	13 Each Inlet Units, Type E4
621D049	18 Each Inlet Units, Type E4 (Modified)
629A005	1225 Linear Foot Concrete Median Or Safety Barrier, Type 4A (Reinforced)
629A057	2141 Linear Foot Concrete Median Or Safety Barrier, Type GS-54
629A058	2295 Linear Foot Concrete Median Or Safety Barrier, Type GS-54 (SE)
629A059	313 Linear Foot Concrete Median Or Safety Barrier, Type GS-54 (PP)
629A072	54 Linear Foot Concrete Median Or Safety Barrier, Type GS-54-PP (Special)
629A073	50 Linear Foot Concrete Median Or Safety Barrier, Type GS-54(Special)
630A001	5863 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	5 Each Guardrail End Anchor, Type 8
630C003	23 Each Guardrail End Anchor, Type 13
630C050	13 Each Guardrail End Anchor, Type 20 Series
630C070	16 Each Guardrail End Anchor, Type 10 Series
634D038	2 Each Gate, 6 Feet Wide, Complete With Fittings (P.V.C. Coated)
650A000	2486 Cubic Yard Topsoil
652A100	6 Acre Seeding
652C000	12 Acre Mowing
654A001	624 Square Yard Solid Sodding (Bermuda)
656A010	6 Acre Mulching
659A035	2977 Square Yard Rolled Erosion Control Product, Type (2C)
665A000	3 Acre Temporary Seeding
665B000	3 Acre Temporary Mulching
665C010	84 Linear Foot Temporary Pipe
665E000	559 Square Yard Polyethylene
665G000	2400 Each Sand Bags
665I000	100 Ton Temporary Riprap, Class 2
665J002	7206 Linear Foot Silt Fence
665N000	500 Ton Temporary Coarse Aggregate, ALDOT Number 1
665O001	7206 Linear Foot Silt Fence Removal
665P005	40 Each Inlet Protection, Stage 3 Or 4
665Q002	500 Linear Foot Wattle
665T000	1676 Linear Foot Temporary Earth Berms
666A001	6 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 1,052,000.00)
701A087	3 Mile Broken White, Class W, Type A Traffic Stripe (5" Wide)
701A091	1 Mile Solid White, Class W, Type A Traffic Stripe (5" Wide)
701A099	1 Mile Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701A227	5 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	7 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B027	245 Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701B059	1109 Linear Foot Dotted, Class W, Type A Traffic Stripe (Lane Drop 10" Wide)
701B063	12058 Linear Foot Dotted, Class 2, Type A Traffic Stripe (Lane Drop 10" Wide)
701B207	2423 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	12 Mile Broken Temporary Traffic Stripe
701C001	18 Mile Solid Temporary Traffic Stripe
701E003	12958 Linear Foot Solid Temporary Traffic Stripe (Tape)
701E013	10051 Linear Foot Broken Temporary Traffic Stripe (Tape)
701F000	1823 Linear Foot Dotted Temporary Traffic Stripe
701H002	12958 Linear Foot Solid Traffic Stripe Removed (Tape)
701H007	10051 Linear Foot Broken Traffic Stripe Removed (Tape)
703A002	5504 Square Foot Traffic Control Markings, Class 2, Type A
703A011	1285 Square Foot Traffic Control Markings, Class W, Type A
703B002	677 Square Foot Traffic Control Legends, Class 2, Type A
703B011	23 Square Foot Traffic Control Legends, Class W, Type A
703D001	330 Square Foot Temporary Traffic Control Markings
705A011	2545 Each Pavement Markers, Class C, Type 1-A
705A012	457 Each Pavement Markers, Class C, Type 1-B
705A030	450 Each Pavement Markers, Class A-H, Type 2-C
705A031	1441 Each Pavement Markers, Class A-H, Type 1-A
705A032	270 Each Pavement Markers, Class A-H, Type 1-B
707G000	214 Each Barrier Rail Mounted Delineator (Mono-Directional)
709A000	2 Each Milepost, Type A



710A115	361	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A125	7	Square Foot Class 7, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IV, VII, VIII Or IX Background)
710A126	35	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A140	5128	Square Foot Class 6, Aluminum Multiple Flat Sign Panels 0.125" Thick Or Steel Multiple Flat Sign Panels 12 Gauge (Ty. III Background)
710A142	311	Square Foot Class 2A, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III, IV, VII Or VIII Bckgd)
710B001	1092	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710B007	35	Linear Foot Roadway Sign Post (W6 x 15 Steel Beam)
710C001	1	Lump Sum Removal Of Existing Roadway Signs
715A000	1	Lump Sum Overhead Roadway Sign Structure OHSB-3
715A001	1	Lump Sum Overhead Roadway Sign Structure OHB-4
715A002	1	Lump Sum Overhead Roadway Sign Structure OHB-5
715A003	1	Lump Sum Overhead Roadway Sign Structure OHSB-6
715A004	1	Lump Sum Overhead Roadway Sign Structure OHSB-7
715A005	1	Lump Sum Overhead Roadway Sign Structure OHC-8
715A006	1	Lump Sum Overhead Roadway Sign Structure OHSB-9
715A007	1	Lump Sum Overhead Roadway Sign Structure OHSB-11
715A008	1	Lump Sum Overhead Roadway Sign Structure OHSB-12
715A009	1	Lump Sum Overhead Roadway Sign Structure OHC-13
715A010	1	Lump Sum Overhead Roadway Sign Structure OHB-14
715A011	1	Lump Sum Overhead Roadway Sign Structure OHSB-15
715A012	1	Lump Sum Overhead Roadway Sign Structure OHSB-18
715A013	1	Lump Sum Overhead Roadway Sign Structure OHSB-19
726A000	8530	Linear Foot Portable Concrete Safety Barriers, Type 6
726A001	160	Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D025	16	Each Portable Impact Attenuator Assembly (Unidirectional, TL-3)
728A000	4	Each Truck Mounted Impact Attenuator Unit
731A017	2	Each Traffic Counting Units, Type C-D
731A018	1	Each Traffic Counting Units, Type D-D
731A019	1	Each Traffic Counting Units, Type I-D
734E000	9347	Linear Foot Detectable Tape System
734E005	19	Each Marker Post
734E037	100	Linear Foot Conduit PVC Schedule 80 2 Inch
734E040	2380	Linear Foot Conduit Galvanized Rigid Steel 2 Inch
734E100	9347	Linear Foot Buried Duct HDPE SDR11 2 x 2 Inch
734J001	41	Each Commbox F2
734J004	4	Each Pull Box (36 In X 36 In X 24 In) Alum
740B000	2230	Square Foot Construction Signs
740C000	189	Square Foot Special Construction Signs
740D000	325	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740M001	100	Each Ballast For Cone
741C010	6	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	8	Each Portable Changeable Message Sign, Type 2
745A000	3500	Hour Uniformed Police Officer
750Z010	1	Lump Sum Roadway Lighting System
756A028	1367	Linear Foot 6" Electrical Conduit, 1 line, Type 5 Installation
999 000	2250	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
ACAPD-0471(524)  
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

ULTIMATE PAVEMENT AND TRAFFIC STRIPE ON CORRIDOR "X" FROM CR-105  
TO CR-77 NORTHWEST OF BIRMINGHAM

The Length Of This Project Is: 1.837 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Twenty Five (125) Working Days.

A 6.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$23.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$9,100,000 To \$11,100,000  
The Principal Items Of Work Are Approximately As Follows:

210A000	580	Cubic Yard Unclassified Excavation
210D000	42769	Cubic Yard Borrow Excavation
231C000	161	Roadbed Station Stabilizing Roadbed With In-Place Material
301A012	105126	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
327E000	20720	Ton Permeable Asphalt Treated Base
401A043	103031	Square Yard Bituminous Treatment AE
401B108	4345	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	17832	Gallon Tack Coat
407B000	11	Mile Joint Sealant For Hot Mix Asphalt Pavement
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
420A015	4164	Ton Polymer Modified Open Graded Friction Course
423A003	10440	Ton Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size
423B001	20447	Ton Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size
424A360	3033	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B581	42464	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E

424B651 3311 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 424C360 694 Ton Superpave Bituminous Concrete Base Layer, 1"  
 Maximum Aggregate Size Mix, ESAL Range C/D  
 428C000 146975 Linear Foot Scoring Bituminous Pavement Surface By Cutting  
 600A000 1 Lump Sum Mobilization  
 605A002 30552 Linear Foot Pavement Edge Drain (Aggregate Filled Underdrain)  
 605A004 500 Linear Foot Pavement Median Drain  
 605B000 15 Each Special Underdrain Outlet, Type A  
 605B001 2 Each Special Underdrain Outlet, Type B  
 614A000 887 Cubic Yard Slope Paving  
 621C020 12 Each Inlets, Type Y  
 621D019 14 Each Inlet Units, Type Y  
 630A001 440 Linear Foot Steel Beam Guardrail, Class A, Type 2  
 630C000 2 Each Guardrail End Anchor, Type 10  
 630C001 2 Each Guardrail End Anchor, Type 8  
 650A000 11599 Cubic Yard Topsoil  
 652A100 28 Acre Seeding  
 652C000 56 Acre Mowing  
 654A000 3219 Square Yard Solid Sodding  
 656A010 28 Acre Mulching  
 665A000 28 Acre Temporary Seeding  
 665B000 28 Acre Temporary Mulching  
 665J002 18966 Linear Foot Silt Fence  
 665O001 18966 Linear Foot Silt Fence Removal  
 665P005 14 Each Inlet Protection, Stage 3 Or 4  
 665Q002 380 Linear Foot Wattle  
 666A001 28 Acre Pest Control Treatment  
 680A000 1 Lump Sum Engineering Controls  
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 540,000.00)  
 701A227 8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)  
 701A230 33 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)  
 701A239 11 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)  
 701A244 1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)  
 701B025 389 Linear Foot Dotted, Class W, Type A Traffic Stripe  
 701B207 5381 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)  
 701G152 2052 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe  
 701G252 2365 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)  
 701H001 944 Linear Foot Solid Traffic Stripe Removed (Plastic)  
 701H002 2088 Linear Foot Solid Traffic Stripe Removed (Tape)  
 703A002 379 Square Foot Traffic Control Markings, Class 2, Type A  
 703A011 455 Square Foot Traffic Control Markings, Class W, Type A  
 703B002 269 Square Foot Traffic Control Legends, Class 2, Type A  
 703C001 2365 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Plastic)  
 703C003 192 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Tape)  
 705A030 53 Each Pavement Markers, Class A-H, Type 2-C  
 705A031 2462 Each Pavement Markers, Class A-H, Type 1-A  
 705A032 470 Each Pavement Markers, Class A-H, Type 1-B  
 705A037 119 Each Pavement Markers, Class A-H, Type 2-D  
 705A038 27 Each Pavement Markers, Class A-H, Type 2-E  
 707G000 53 Each Barrier Rail Mounted Delineator (Mono-Directional)  
 709A000 4 Each Milepost, Type A  
 710A115 494 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel  
 Flat Sign Panels 14 Gauge (Type III Or Type IV Background)  
 710A126 92 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat  
 Sign Panels 14 Gauge (Type IX Background)  
 710A140 1279 Square Foot Class 6, Aluminum Multiple Flat Sign Panels 0.125" Thick Or  
 Steel Multiple Flat Sign Panels 12 Gauge (Ty. III Background)  
 710A141 120 Square Foot Class 6, Aluminum Flat Sign Panels 0.125" Thick Or Steel  
 Flat Sign Panels 12 Gauge (Type III Background)  
 710B001 1157 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)  
 710B007 52 Linear Foot Roadway Sign Post (W6 x 15 Steel Beam)  
 710B008 237 Linear Foot Roadway Sign Post (W8 x 18 Steel Beam)  
 726C000 2200 Linear Foot State Furnished Portable Concrete Safety Barriers  
 740B000 674 Square Foot Construction Signs  
 740D000 121 Each Channelizing Drums  
 740F002 16 Each Barricades, Type III  
 740I005 8 Each Warning Lights, Type B (Detachable Head)  
 741C010 2 Each Portable Sequential Arrow And Chevron Sign Unit

999 000 1500 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BRF-0035(503)  
JACKSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (PARTIAL) ON SR-35 AT THE TENNESSEE RIVER

The Length Of This Project Is: 0.184 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Eighty (280) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$15.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$20,400,000 To \$25,000,000  
The Principal Items Of Work Are Approximately As Follows:

215A000	7873 Cubic Yard Unclassified Bridge Excavation
502A000	562234 Pound Steel Reinforcement
502B000	1 Lump Sum Steel Reinforcement For Bridge Superstructure, Sta. 38+01.63 (Approx. 343,348 Lbs.)
503A000	3889 Cubic Yard Seal Concrete
503B014	1 Lump Sum Cofferdam And Pumping, Pier No. 7
503B015	1 Lump Sum Cofferdam And Pumping, Pier No. 8
503B016	1 Lump Sum Cofferdam And Pumping, Pier No. 9
506A007	343 Linear Foot Drilled Shaft Excavation, 8'-0" Diameter
506B011	165 Linear Foot Special Drilled Shaft Excavation, 8'-0" Diameter
506C110	508 Linear Foot Drilled Shaft Construction, 8'-0" Diameter, Class HPDS Concrete
506D000	150 Linear Foot Exploration Below Drilled Shaft
506F005	508 Linear Foot Permanent Drilled Shaft Casing, 8'-0" Diameter
506G010	15 Each Crosshole Sonic Logging, 8'-0" Diameter
508A000	5576 Pound Structural Steel
508B001	1 Each Structural Steel Superstructure, 300'-0"~375'-0"~300'-0" Continuous Span Approx. 3,511,097 lbs. (Specialty Item)
510A000	4907 Cubic Yard Bridge Substructure Concrete, Class A
510C051	1 Lump Sum Bridge Concrete Superstructure, Sta. 38+01.63, Approx. 1341 Cu. Yds.
510E000	3875 Square Yard Grooving Concrete Bridge Decks

511A010	4	Each Elastomeric Bearing Type 5 (Mark B1)
511A062	4	Each Elastomeric Bearing Type 4 (Mark B2)
511A063	4	Each Elastomeric Bearing Type 4 (Mark B3)
511A064	4	Each Elastomeric Bearing Type 4 (Mark B4)
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
665L000	1044	Linear Foot Floating Basin Boom
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 422,500.00)
740B000	536	Square Foot Construction Signs
740D000	40	Each Channelizing Drums
741C010	1	Each Portable Sequential Arrow And Chevron Sign Unit
999 000	3000	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPAA-STPMB-7535(601)  
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

ADDITIONAL LANES (GRADE, DRAINAGE, PAVEMENT AND SIGNALS) ON OLD  
SHELL ROAD FROM SCHILLINGER ROAD TO HILLCREST ROAD IN MOBILE

The Length Of This Project Is: 2.232 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred Sixty  
(360) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 9:00 A.M. on Friday, February 20, 2009, at the ALDOT Ninth Division Auditorium, 1701 - I-65 West Service Road North, Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$91.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$12,500,000 To \$15,000,000  
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 13 Acres)
205A001	1 Each Removal Of Structures, Structure No. 1
205A002	1 Each Removal Of Structures, Structure No. 2
205A003	1 Each Removal Of Structures, Structure No. 3
205A004	1 Each Removal Of Structures, Structure No. 4
206B000	1 Lump Sum Removal Of Old Box Culvert, Station 62+82
206C000	321 Square Yard Removing Concrete Sidewalk
206C001	23840 Square Yard Removing Concrete Pavement
206C002	489 Square Yard Removing Concrete Slope Paving
206C003	10 Square Yard Removing Concrete Flumes
206C010	364 Square Yard Removing Concrete Driveway
206C017	243 Square Yard Removing Concrete Pad
206D000	5087 Linear Foot Removing Pipe
206D002	124 Linear Foot Removing Curb
206D003	331 Linear Foot Removing Curb And Gutter
206D005	64 Linear Foot Removing Gutter
206D011	861 Linear Foot Removing Fence
206E000	36 Each Removing Headwalls



206E001	32	Each Removing Inlets
206E002	4	Each Removing Junction Boxes
206E003	2	Each Removing Manholes
209A000	60	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
210A000	57670	Cubic Yard Unclassified Excavation
210D012	47330	Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0)
214A000	14076	Cubic Yard Structure Excavation
214B000	6357	Cubic Yard Foundation Backfill, Local
214B002	200	Cubic Yard Foundation Backfill, Commercial (ALDOT #467)
230A000	137	Roadbed Station Roadbed Processing
301A004	2400	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4" Compacted Thickness
301A012	90162	Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	78795	Square Yard Bituminous Treatment A
405A000	2820	Gallon Tack Coat
407B000	13	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	751	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	10385	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	6345	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	9849	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	50	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	800	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	9660	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B040	550	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
505E000	350	Linear Foot Permanent Steel Sheet Piling
529A010	392	Square Foot Retaining Wall
530B003	48	Linear Foot 36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)
530B004	108	Linear Foot 44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)
530B009	76	Linear Foot 88" Span, 54" Rise Roadway Pipe (Class 3 R.C.)
530B020	172	Linear Foot 88" Span, 54" Rise Roadway Pipe (Class 3 R.C.) (Extension)
532A038	2088	Linear Foot 18" Slotted Drain Pipe (Curved Vane)
532A057	300	Linear Foot 18" Slotted Drain Pipe (Curved Vane) (With Variable Height Grate)
533A097	10	Linear Foot 15" Storm Sewer Pipe (Class 3 R.C.)
533A098	13148	Linear Foot 18" Storm Sewer Pipe (Class 3 R.C.)
533A099	3390	Linear Foot 24" Storm Sewer Pipe (Class 3 R.C.)
533A100	1885	Linear Foot 30" Storm Sewer Pipe (Class 3 R.C.)
533A101	849	Linear Foot 36" Storm Sewer Pipe (Class 3 R.C.)
533A103	579	Linear Foot 48" Storm Sewer Pipe (Class 3 R.C.)
533B100	290	Linear Foot 36" Span, 23" Rise Storm Sewer Pipe (Class 3 R.C.)
533B101	520	Linear Foot 44" Span, 27" Rise Storm Sewer Pipe (Class 3 R.C.)
533B103	1020	Linear Foot 59" Span, 36" Rise Storm Sewer Pipe (Class 3 R.C.)
534E001	531	Linear Foot Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)
535A080	156	Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
535A085	56	Linear Foot 24" Side Drain Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
602A000	223	Each Right Of Way Markers
602C000	20	Each Permanent Easement Marker
606A012	1500	Linear Foot 6" Underdrain Pipe, Type 8
610C001	908	Ton Loose Riprap, Class 2
610D003	717	Square Yard Filter Blanket, Geotextile
614A000	424	Cubic Yard Slope Paving
618A000	5799	Square Yard Concrete Sidewalk, 4" Thick
618B002	121	Square Yard Concrete Driveway, 6" Thick
619A002	14	Each 18" Roadway Pipe End Treatment, Class 1
619A003	6	Each 24" Roadway Pipe End Treatment, Class 1
619A054	1	Each 30" Roadway Pipe End Treatment, Class 2
619A055	2	Each 36" Roadway Pipe End Treatment, Class 2
619A101	6	Each 18" Side Drain Pipe End Treatment, Class 1
619A102	2	Each 24" Side Drain Pipe End Treatment, Class 1
619B068	2	Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2
619B283	1	Each 36" Span, 23" Rise Roadway Pipe End Treatment, Class 2 (Double Line)
619B284	2	Each 44" Span, 27" Rise Roadway Pipe End Treatment, Class 2 (Double Line)

619B322 2 Each 88" Span, 54" Rise Roadway Pipe End Treatment, Class 2 (Triple Line)  
 620A000 17 Cubic Yard Minor Structure Concrete  
 621A004 2 Each Junction Boxes, Type 4  
 621A005 1 Each Junction Boxes, Type 1  
 621A011 8 Each Junction Boxes, Type 1 Or 1P  
 621A019 3 Each Junction Boxes, Type 1 Or 2P  
 621B004 4 Each Junction Box Units, Type 4  
 621C001 3 Each Inlets, Type B  
 621C015 108 Each Inlets, Type S1 Or S3 (1 Wing)  
 621C016 7 Each Inlets, Type S2 Or S4 (1 Wing)  
 621C017 3 Each Inlets, Type S1 Or S3 (2 Wing)  
 621C018 8 Each Inlets, Type S2 Or S4 (2 Wing)  
 621C030 9 Each Inlets, Type "Special"  
 621C065 4 Each Inlets, Type S (Modified) (1 Wing)  
 621C066 1 Each Inlets, Type S (Modified) (2 Wing)  
 621C109 33 Each Inlets, Type PD  
 621C110 8 Each Inlets, Type PD-6  
 621C117 1 Each Inlets, Type S4 (2 Wing) (Special)  
 621D015 32 Each Inlet Units, Type S1 Or S3  
 621D016 8 Each Inlet Units, Type S2 Or S4  
 621D032 1 Each Inlet Units, Type Special  
 621D109 3 Each Inlet Units, Type PD  
 621E001 19 Each Manholes, Type M  
 621F002 12 Each Manhole Units, Type M  
 623A000 3657 Linear Foot Concrete Gutter  
 623B000 504 Linear Foot Concrete Curb, Type N  
 623C000 20242 Linear Foot Combination Curb & Gutter, Type C  
 630A000 88 Linear Foot Steel Beam Guardrail, Class A, Type 1  
 630C001 1 Each Guardrail End Anchor, Type 8  
 630C070 1 Each Guardrail End Anchor, Type 10 Series  
 634A002 1681 Linear Foot Industrial Fence, 6 Feet High  
 634D005 2 Each Gate, 16 Feet Wide, Complete With Fittings (Without Barbed Wire)  
 637A001 3413 Linear Foot Fence Reset (Includes All Types)  
 640I010 5 Each Gas Meter Relocation  
 641A534 1943 Linear Foot 1 Inch P.E. Water Service Line Laid  
 641A538 193 Linear Foot 2 Inch P.E. Water Service Line Laid  
 641A612 1888 Linear Foot 6 Inch Ductile Iron Water Main Laid  
 641A614 1694 Linear Foot 8 Inch Ductile Iron Water Main Laid  
 641A618 688 Linear Foot 12 Inch Ductile Iron Water Main Laid  
 641A622 5047 Linear Foot 16 Inch Ductile Iron Water Main Laid  
 641A682 110 Linear Foot 6 Inch Ductile Iron Water Main Laid (Restrained Joint)  
 641C500 36740 Pound Ductile Iron Fittings  
 641D500 16 Each Fire Hydrant  
 641E500 20 Each Fire Hydrant Reset  
 641J510 1 Each 2 Inch Gate Valve With Box  
 641J516 39 Each 6 Inch Gate Valve With Box  
 641J518 4 Each 8 Inch Gate Valve With Box  
 641J522 1 Each 12 Inch Gate Valve With Box  
 641J526 1 Each 16 Inch Gate Valve With Box  
 641L500 35 Cubic Yard Concrete for Water Mains (Thrust Blocks)  
 641M512 197 Each 6 Inch Retainer Gland  
 641M514 92 Each 8 Inch Retainer Gland  
 641M518 20 Each 12 Inch Retainer Gland  
 641M522 187 Each 16 Inch Retainer Gland  
 641N510 6 Each 6 Inch x 6 Inch Anchor Tee  
 641N520 4 Each 8 Inch x 6 Inch Anchor Tee  
 641N560 16 Each 16 Inch x 6 Inch Anchor Tee  
 641O506 1 Each 2 Inch x 2 Inch Tapping Valve And Sleeve  
 641O514 5 Each 6 Inch x 6 Inch Tapping Valve And Sleeve  
 641O520 5 Each 8 Inch x 8 Inch Tapping Valve And Sleeve  
 641O554 2 Each 12 Inch x 12 Inch Tapping Valve And Sleeve  
 641O586 5 Each 16 Inch x 6 Inch Tapping Valve And Sleeve  
 641O596 14 Each 16 Inch x 16 Inch Tapping Valve And Sleeve  
 641P520 25 Each 1 Inch Service Tap  
 641P530 3 Each 2 Inch Service Tap  
 641Q510 2 Each 3/4 Inch Water Meter And Box Set  
 641R510 45 Each 3/4 Inch Water Meter And Box Reset  
 641R520 3 Each 2 Inch Water Meter And Box Reset  
 641S500 28 Each Valve Box Reset

645A510	587	Linear Foot	8 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
645A548	1243	Linear Foot	8 Inch P.V.C. Sanitary Sewer Gravity Pipe Laid
645A647	640	Linear Foot	2 Inch P.V.C. Sanitary Sewer Force Main Pipe Laid
645E524	855	Linear Foot	6 Inch P.V.C. Stacks And Laterals
645F510	1352	Linear Foot	8 Inch Abandon Existing Sanitary Sewer
645G520	19	Each	8 Inch Sanitary Sewer Lateral Cleanout
645H510	10	Each	48 Inch Manhole
645J500	37	Each	48 Inch Manhole Unit
645J500	22	Each	Manhole Cone Reset
645K500	5	Each	Manhole Frame And Cover Reset
645M500	5	Each	Connection To Existing Manhole
645N500	3	Each	Abandon Existing Manhole
645Q500	1	Each	Sanitary Sewer Conflict Junction Box, Type Special
646A615	105	Linear Foot	1 Inch Steel Gas Service Line Laid
646A810	630	Linear Foot	2 Inch Steel Gas Main Laid
646A830	1725	Linear Foot	8 Inch Steel Gas Main Laid
646C585	34	Each	2 Inch Steel Fitting
646C605	26	Each	8 Inch Steel Fitting
646E610	5	Each	2 Inch x 2 Inch Steel Hot Tap
646E655	2	Each	8 Inch x 8 Inch Steel Hot Tap
649A635	100	Linear Foot	12 Inch Steel Encasement Pipe, Type 2 Installation
649A640	220	Linear Foot	14 Inch Steel Encasement Pipe, Type 2 Installation
650A000	8518	Cubic Yard	Topsoil
652A100	12	Acre	Seeding
652C000	24	Acre	Mowing
654A001	18880	Square Yard	Solid Sodding (Bermuda)
656A010	12	Acre	Mulching
659A027	3000	Square Yard	Rolled Erosion Control Product, Type (1C)
659A035	3000	Square Yard	Rolled Erosion Control Product, Type (2C)
665A000	5	Acre	Temporary Seeding
665B000	5	Acre	Temporary Mulching
665E000	2000	Square Yard	Polyethylene
665F000	500	Each	Hay Bales
665G000	1000	Each	Sand Bags
665I000	750	Ton	Temporary Riprap, Class 2
665J002	32000	Linear Foot	Silt Fence
665K000	3000	Cubic Yard	Drainage Sump Excavation
665N000	5	Ton	Temporary Coarse Aggregate, ALDOT Number 1
665O001	32000	Linear Foot	Silt Fence Removal
665P005	240	Each	Inlet Protection, Stage 3 Or 4
665Q002	5000	Linear Foot	Wattle
666A001	12	Acre	Pest Control Treatment
674A000	2000	Linear Foot	Construction Safety Fence
680A000	1	Lump Sum	Engineering Controls
698A000	1	Lump Sum	Construction Fuel (Maximum Bid Limited to \$ 1,101,000.00)
701A227	5	Mile	Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5	Mile	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4	Mile	Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3	Mile	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1230	Linear Foot	Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5	Mile	Broken Temporary Traffic Stripe
701C001	35	Mile	Solid Temporary Traffic Stripe
701D007	35	Mile	Solid Traffic Stripe Removed (Paint)
701D008	2	Mile	Solid Traffic Stripe Removed (Plastic)
701D014	5	Mile	Broken Traffic Stripe Removed (Paint)
703A002	7660	Square Foot	Traffic Control Markings, Class 2, Type A
703B002	202	Square Foot	Traffic Control Legends, Class 2, Type A
703C000	100	Square Foot	Removal Of Existing Traffic Control Markings Or Legends (Paint)
703C001	100	Square Foot	Removal Of Existing Traffic Control Markings Or Legends (Plastic)
703D001	500	Square Foot	Temporary Traffic Control Markings
703E001	600	Square Foot	Temporary Traffic Control Legends
705A023	600	Each	Pavement Markers, Class C, Type 2-D
705A030	59	Each	Pavement Markers, Class A-H, Type 2-C
705A031	295	Each	Pavement Markers, Class A-H, Type 1-A
705A032	185	Each	Pavement Markers, Class A-H, Type 1-B
705A037	455	Each	Pavement Markers, Class A-H, Type 2-D
705A038	75	Each	Pavement Markers, Class A-H, Type 2-E
710A115	120	Square Foot	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)

710A126	124 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	456 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
713A000	25 Linear Foot Permanent Barricades
730A012	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Old Shell at Cody Rd)
730A013	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Old Shell at Foreman Rd)
730A014	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) ( Old Shell at Hillcrest Rd)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Old Shell at Cody Rd)
730C001	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Old Shell at Foreman Rd)
730C002	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Old Shell at Hillcrest Rd)
730E000	7 Each Metal Traffic Signal Pole Foundation
730F000	1 Each Metal Traffic Signal Pole With 40' Mast Arm
730F001	4 Each Metal Traffic Signal Pole With 50' Mast Arm
730F002	2 Each Metal Traffic Signal Pole With 54' Mast Arm
730H001	900 Linear Foot Loop Wire
730I001	35 Linear Foot Loop Detector Lead-In-Cable
730K000	8 Each Traffic Signal Junction Box
730L005	420 Linear Foot 2", Non-Metallic, Conduit
730N010	10 Each Luminaire Extension Assembly, 12 FT
730P022	11 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P023	2 Each Vehicular Signal Head, 12 Inch, 4 Section, Type LED
730P024	5 Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730Q011	20 Each Pedestrian Signal Head, Type LED
730R022	2 Each Controller Assembly, Type III, 8 Phase
730R030	2 Each Controller Assembly, Type III, Master
730U005	1 Lump Sum Furnishing And Installing Video Detection System
730U007	1 Lump Sum Furnishing And Installing Video Detection System
730U008	1 Lump Sum Furnishing And Installing Video Detection System
734A011	11295 Linear Foot Cable OSP, Loose Tube, 24F SM
734B005	190 Linear Foot Drop Cable OSP 6F SM Central Core
734E000	11015 Linear Foot Detectable Tape System
734E021	10355 Linear Foot Buried Duct HDPE SDR11 2 Inch
734G002	24 Each Connector FC Termination SM
734G006	3 Each Splice Closure, Underground, 24 fiber
734G009	14 Each Splicing, Fusion
734H015	24 Each Patch Cord Simplex SM,FC
734J000	7 Each Commbox F1
734N021	3 Each Fiber Optic Transceiver, RS-232 Remote W/ Power
740B000	2410 Square Foot Construction Signs
740C000	269 Square Foot Special Construction Signs
740D000	305 Each Channelizing Drums
740E000	300 Each Cones (36 Inches High)
740F002	58 Each Barricades, Type III
740I005	28 Each Warning Lights, Type B (Detachable Head)
740L005	192 Each Vertical Panel, Type I (Double-Sided)
740M001	300 Each Ballast For Cone
741C010	1 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	7 Each Portable Changeable Message Sign, Type 2
745A000	80 Hour Uniformed Police Officer
756A022	635 Linear Foot 4" Electrical Conduit, 1 Line, Type 5 Installation
756A029	450 Linear Foot 5" Electrical Conduit, 2 Lines, Type 5 Installation
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
BR-2111(201)  
CRENSHAW COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (PRECAST) AND APPROACHES ON CR-6 AT  
PROVIDENCE CREEK WEST OF GLENWOOD

The Length Of This Project Is: 0.052 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy  
(70) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$275,000 To \$335,000

The Principal Items Of Work Are Approximately As Follows:

206A000	1	Lump Sum Removal Of Old Bridge, Station 120+50
210A000	335	Cubic Yard Unclassified Excavation
210D021	650	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
230A000	2	Roadbed Station Roadbed Processing
301A025	515	Square Yard Crushed Aggregate Base Course, Type B, Road Mixed, 6" Compacted Thickness
401A000	515	Square Yard Bituminous Treatment A
424A341	41	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
502A000	2170	Pound Steel Reinforcement
505A032	1	Each Steel Test Piles (HP 12x53) (Maximum Bid Limited To \$2000 Per Each Test Pile)
505B102	1	Each Static Loading Tests (HP 12X53) (Maximum Bid Limited To \$2000 Per Each Loading Test)
505M002	765	Linear Foot Steel Piling Furnished And Driven (HP 12x53)
508A000	256	Pound Structural Steel
510A000	18	Cubic Yard Bridge Substructure Concrete, Class A
511A000	33	Each Elastomeric Bearing Type 1
512B004	1	Each Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 2'-0" Deep By 31'-6" Long
512C017	12	Each Precast Concrete Type 1 Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long

512C025	4 Each Precast Concrete Type 2C Span Section, 3'-6" By 2'-0" Deep By 39'-11 3/4" Long
512D030	4 Each Precast Concrete Barrier Rail End Section, 39'-11 3/8" Long
600A000	1 Lump Sum Mobilization
610C001	480 Ton Loose Riprap, Class 2
610D003	550 Square Yard Filter Blanket, Geotextile
630C003	4 Each Guardrail End Anchor, Type 13
630C050	4 Each Guardrail End Anchor, Type 20 Series
650A000	20 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665J002	500 Linear Foot Silt Fence
665L000	100 Linear Foot Floating Basin Boom
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 8,150.00)
740B000	250 Square Foot Construction Signs
740F002	10 Each Barricades, Type III
740I005	5 Each Warning Lights, Type B (Detachable Head)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-0207(201)  
BALDWIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

SAFETY IMPROVEMENTS (PLANING, RESURFACING & TRAFFIC STRIPE) ON  
CR-87 FROM CR-32 TO WESLEY PATE ROAD NORTHEAST OF FOLEY

The Length Of This Project Is: 1.039 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$290,000 To \$350,000

The Principal Items Of Work Are Approximately As Follows:

206C010	7 Square Yard Removing Concrete Driveway
210D022	1401 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-2-4(0) Or A-4(0)
405A000	966 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	4667 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	1086 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B659	777 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B003	100 Ton Aggregate Surfacing (ALDOT #57)
600A000	1 Lump Sum Mobilization
650A000	1990 Cubic Yard Topsoil
652A100	3 Acre Seeding
652C000	3 Acre Mowing
654A001	1620 Square Yard Solid Sodding (Bermuda)
656A010	3 Acre Mulching
665A000	1 Acre Temporary Seeding
665B000	1 Acre Temporary Mulching
665F000	50 Each Hay Bales
665J002	1000 Linear Foot Silt Fence
665O001	1000 Linear Foot Silt Fence Removal



680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 16,000.00)
701C000	2	Mile Broken Temporary Traffic Stripe
701C001	2	Mile Solid Temporary Traffic Stripe
701G253	11090	Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G256	4720	Linear Foot Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701G265	2062	Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
703A002	79	Square Foot Traffic Control Markings, Class 2, Type A
705A032	136	Each Pavement Markers, Class A-H, Type 1-B
705A037	6	Each Pavement Markers, Class A-H, Type 2-D
740B000	432	Square Foot Construction Signs
740D000	105	Each Channelizing Drums
740E000	50	Each Cones (36 Inches High)

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-2425(200)  
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

SAFETY IMPROVEMENTS (WIDENING, PAVEMENT MARKERS & SIGNING) ON  
CR-65 FROM EAST OF CR-37 TO SR-22 AT SELMA

The Length Of This Project Is: 2.864 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$77,400 To \$84,600

The Principal Items Of Work Are Approximately As Follows:

405A000	123 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	321 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	58 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
650A000	87 Cubic Yard Topsoil
652A100	1 Acre Seeding
656A010	1 Acre Mulching
665F000	20 Each Hay Bales
665J002	100 Linear Foot Silt Fence
665O001	100 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 4,000.00)
701A030	6 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	6 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701C001	1 Mile Solid Temporary Traffic Stripe
701G251	420 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A004	30 Square Foot Traffic Control Markings, Class 2T, Type A
705A037	379 Each Pavement Markers, Class A-H, Type 2-D
707B004	4 Each Type B Hazard Marker Installation

710A115	181 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710B001	348 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs
740B000	182 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
HRRR-3000(208)  
FRANKLIN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

WIDENING AND TRAFFIC STRIPE ON CR-77 FROM CR-54 TO CR-56 EAST OF  
RUSSELLVILLE

The Length Of This Project Is: 2.019 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty  
(40) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$190,000 To \$230,000

The Principal Items Of Work Are Approximately As Follows:

405A000	710 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A346	1778 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424C350	356 Ton Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	854 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
665F000	80 Each Hay Bales
665J002	500 Linear Foot Silt Fence
665O001	500 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$10,045.00)
701A231	4 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701C003	4 Mile Solid Temporary Traffic Stripe (Paint)
705A037	234 Each Pavement Markers, Class A-H, Type 2-D
740B000	150 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPNU-1202(201)  
CHOCTAW COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-14 FROM SR-17 IN GILBERTOWN  
TO CR-21

The Length Of This Project Is: 5.757 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$800,000 To \$975,000

The Principal Items Of Work Are Approximately As Follows:

405A000	4054 Gallon Tack Coat
407B000	6 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A341	5774 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	5912 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424C344	100 Ton Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
650A000	563 Cubic Yard Topsoil
652A100	3 Acre Seeding
656A010	3 Acre Mulching
665F000	40 Each Hay Bales
665J002	600 Linear Foot Silt Fence
665O001	600 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 41,700.00)
701A030	12 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	8 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	4 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	16 Mile Solid Temporary Traffic Stripe

703A004 140 Square Foot Traffic Control Markings, Class 2T, Type A  
740B000 258 Square Foot Construction Signs  
740O000 1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-CN08(265)  
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-9 AND CR-45 AT SITES AS  
INDICATED ON THE PLANS

The Length Of This Project Is: 6.442 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five  
(45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$775,000 To \$950,000

The Principal Items Of Work Are Approximately As Follows:

206E019	4 Each Removing Guardrail End Anchor (Type 10)
405A000	1461 Gallon Tack Coat
407B000	8 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	6498 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B639	443 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	3623 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	590 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630C050	4 Each Guardrail End Anchor, Type 20 Series
650A000	1261 Cubic Yard Topsoil
652A100	6 Acre Seeding
656A010	6 Acre Mulching
665F000	580 Each Hay Bales
665J002	2900 Linear Foot Silt Fence
665O001	2900 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 40,000.00)
701A030	14 Mile Solid White, Class 2T, Type A Traffic Stripe



701A034	14 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	4 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	28 Mile Solid Temporary Traffic Stripe
701G251	2025 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A004	460 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	142 Each Pavement Markers, Class A-H, Type 1-B
705A037	568 Each Pavement Markers, Class A-H, Type 2-D
740B000	391 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	2 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
Federal Aid Project No.  
STPOA-0119(200)  
AUTAUGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-21 FROM CR-40 THROUGH WHITE  
CITY TO THE CHILTON COUNTY LINE

The Length Of This Project Is: 9.412 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty  
(30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$730,000 To \$900,000

The Principal Items Of Work Are Approximately As Follows:

405A000	6627 Gallon Tack Coat
407B000	10 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A336	4820 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B
424A346	8285 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 38,500.00)
701A030	19 Mile Solid White, Class 2T, Type A Traffic Stripe
701A034	8 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	7 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
703A004	224 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	292 Each Pavement Markers, Class A-H, Type 1-B
705A037	755 Each Pavement Markers, Class A-H, Type 2-D
740B000	244 Square Foot Construction Signs
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
ST-017-888-019  
COLBERT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

TRAFFIC SIGNAL AT THE INTERSECTION OF HALEY DRIVE AND TITUS  
DRIVE EAST OF CHEROKEE

The Length Of This Project Is: 0.170 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$96,000 To \$117,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 3,000.00)
701B207	241 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
703A002	544 Square Foot Traffic Control Markings, Class 2, Type A
703B002	22 Square Foot Traffic Control Legends, Class 2, Type A
710A115	20 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710B001	42 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit ( Haley Dr. and Titus Dr.)
730E000	4 Each Metal Traffic Signal Pole Foundation
730G001	4 Each Metal Traffic Signal Strain Pole
730H001	3128 Linear Foot Loop Wire
730I001	2900 Linear Foot Loop Detector Lead-In-Cable
730J010	11 Each Vehicle Loop Detector
730K000	8 Each Traffic Signal Junction Box
730L002	60 Linear Foot 1", Metallic, Conduit
730L005	740 Linear Foot 2", Non-Metallic, Conduit
730N010	4 Each Luminaire Extension Assembly, 12 Feet
730P022	11 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730R022	1 Each Controller Assembly, Type III, 8 Phase
730T000	1 Each Wood Pole
740B000	256 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
ST-025-176-001  
DEKALB COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT (STRUCTURAL PLATE ARCH PIPE) ON SR-176 AT  
BROOKS BRANCH SOUTHEAST OF FORT PAYNE

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty  
(60) Working Days.

A mandatory pre-bid conference is scheduled for 8:30 A.M. on Wednesday, February 18, 2009, at the ALDOT First Division Office, 23445 U.S. Highway 431, Guntersville, AL 35976. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$103,000 To \$125,000 The Principal Items Of Work Are Approximately As Follows:

206D000	82 Linear Foot Removing Pipe
206E000	2 Each Removing Headwalls
210A000	1630 Cubic Yard Unclassified Excavation
214A000	190 Cubic Yard Structure Excavation
301A012	112 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
405A000	15 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A360	10 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	15 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
430B004	541 Ton Aggregate Surfacing (ALDOT #810)
531C010	44 Linear Foot 192" Span, 100" Rise, 0.168" Plate Corrugated Steel Structural Plate Arch
600A000	1 Lump Sum Mobilization
665J002	290 Linear Foot Silt Fence
665O001	290 Linear Foot Silt Fence Removal
665Q002	50 Linear Foot Wattle
666A001	1 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 3,300.00)
701E000	400 Linear Foot Solid Temporary Traffic Stripe
701G253	100 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701G265	100 Linear Foot Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
705A037	2 Each Pavement Markers, Class A-H, Type 2-D
740B000	340 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)
740F002	4 Each Barricades, Type III

740I005           2 Each Warning Lights, Type B (Detachable Head)  
740M001           200 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director

Notice To Contractors  
State Maintenance Project No.  
99-504-690-000-701  
RANDOLPH COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., February 27, 2009, and at that time publicly opened for constructing the following:

BRIDGE COATING ON SR-1 (US-431) AT WEDOWEE CREEK (MP 195.526)  
AND AT THE LITTLE TALLAPOOSA RIVER (MP 198.657)

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety  
(90) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.  
The Bracket Estimate On This Project Is From \$373,500 To \$455,000  
The Principal Items Of Work Are Approximately As Follows:

521B000	1 Lump Sum Coating Existing Bridge At 195.526
521B001	1 Lump Sum Coating Existing Bridge At 198.657
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 12,500.00)
740B000	96 Square Foot Construction Signs
740E000	40 Each Cones (36 Inches High)
740M001	40 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES  
Transportation Director