



ALABAMA

Department of Transportation

www.dot.state.al.us



Notice to Contractors Transportation Letting **JANUARY 16, 2009** 10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.850.5988
cell: 334.850.5328



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: HPP-NHF-EBF-A109(901)
Anniston East Bypass, Base, Pavement,
and Partial Grade and Drain from 700'
North of Choccolocco Road to 1500'
South of Lake Yahou
Calhoun County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday, January 7, 2009**

Location: Calhoun County Highway Department
160 Seaton Drive
Anniston, Alabama 36205

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: BRF-BRDF-0035(501) SR-35, Bridge Replacement and Approaches at Little River southeast of Fort Payne Cherokee and Dekalb Counties

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 8:30 a.m.

Date: **Wednesday, January 7, 2009**


Location: ALDOT First Division Office
23445 U.S. Highway 431
Guntersville, Alabama 35976

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: NHF-0053(522) &
NHF-HSIPF-0053(535)

SR-53 (US-231) Additional Lanes (Grade, Drainage,
Pavement and Signals) from SR-210 in Dothan to north
of John D. Odom Road and SR-53, Planing, Resurfacing
and Traffic Stripe from Horace Shepard Drive to Troy
University's driveway
Houston County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above
referenced project as indicated below:

Time: 10:00 a.m.

Date: **Wednesday, January 7, 2009**

Location: Auditorium
ALDOT Seventh Division
299 Elba Highway
Troy, Alabama 36081

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: STPMB-STPAA-7500(601)
CR-56, Additional Lanes (Grade, Drainage
and Pavement) from west of Snow Road to
Flave Pierce Road
Mobile County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above
referenced project as indicated below:

Time: 9:00 a.m.

Date: **Wednesday, January 7, 2009**

Location: Building C Auditorium
ALDOT Ninth Division
1701 I-65 West Service Road, North
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: 99-409-022-000-952
Roadside Mowing, Litter Collection and
Selective Clearing along I-10 and I-65
Baldwin County

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.
Date: Tuesday, January 6, 2009
Location: Auditorium
ALDOT Ninth Division
1701 I-65 West Service Road, North
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: 99-409-491-000-951
Roadside Mowing, Litter Collection and
Selective Clearing along I-10, I-65 and
I-165
Mobile County

A **MANDATORY** PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.

Date: Tuesday, January 6, 2009

Location: Auditorium
ALDOT Ninth Division
1701 I-65 West Service Road, North
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

NOTICE TO PROSPECTIVE BIDDERS

Project Number: 99-409-690-000-953
Roadside Mowing, Litter Collection and
Selective Clearing along I-65
Escambia and Conecuh Counties

A MANDATORY PRE-BID CONFERENCE is scheduled for the above referenced project as indicated below:

Time: 10:00 a.m.
Date: Tuesday, January 6, 2009
Location: Auditorium
ALDOT Ninth Division
1701 I-65 West Service Road, North
Mobile, Alabama 36618

Any qualified contractor wishing to bid on this project is required to have a company representative present at this mandatory pre-bid conference. The bidder's attendance must be documented on the meeting registration sheet. Proposals issued to contractors who fail to attend the mandatory pre-bid conference and/or fail to register their attendance will be voided and their bids will not be received nor considered.

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060**

2009 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2009 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2009. This book is published in two volumes. Volume I contains U. S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us. Look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

Alabama Department of Transportation
c/o Terry W. Robinson
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060

Company Name: _____

Shipping Address: _____

Quantity: _____ x \$125.00 per U.S. Book = \$ _____

_____ x \$125.00 per Metric Book = \$ _____

_____ x \$25.00 per Compact Disk = \$ _____

Total: \$ _____

Delivery Options (Select One)

_____ Standard UPS Ground

_____ Overnight, Provide Shipping Acct Number: _____

_____ Pick up



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 7, 2008

Re: **2009 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors service will be provided for a **\$40.00** per year mailing fee.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

October 7, 2008

Re: 2009 Calendar Year
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to "**Alabama Department of Transportation**" and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



Bob Riley
GOVERNOR


ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36130-3050
PHONE (334) 242-6208
FAX (334) 264-3727

Joe McInnes
TRANSPORTATION DIRECTOR

October 31, 2008

MEMORANDUM

TO: Mr. Ronnie Baldwin
Office Engineer

FROM: Terry McDuffie 
Construction Engineer

RE: Worker Visibility Rule - 23 CFR 634

File	
Terry	-
James	JE
Tracey	TE
Ken	KE
Jason	JD
Jeff	JE
Jim	JE
Mitch	
Barry	
Robert	
Scott	
Susan	-
Mark	
Geneva	
Becky	
Plan	
Review	

Title 23 of the Code of Federal Regulations, Part 634, requires that all workers within the rights-of-way of federal aid highways wear high visibility safety apparel. The effective date of this regulation is November 24, 2008.

We are requesting that you provide notification to all prospective bidders that compliance with this regulation will be required under the language of Article 107.01 of the Standard Specifications... *"The Contractor shall keep fully informed of all Federal and State laws, all local laws, ordinances, and regulations...He shall at all times observe and comply with all laws, ordinances, regulations..."*.

Further information and explanation is available by selecting "High Visibility Clothing" at www.workzonesafety.org. A copy of the regulation may be obtained by selecting "Laws and Regulations" at the same website.

TM/JLB/jlb


pc: Mr. D. W. Vaughn
Mr. G. M. Harper
Division Engineers
File

FHWA
Mr. Billy Norrell, ARBA
Mr. Mel Monk, AAPA



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

Alabama Department of Transportation Specification 108.04(b)8 permits up to 17 acres of clearing and exposure of erodible material at any one time. If, during your review of plans for each letting, you determine that a project cannot reasonably be constructed without an increase in the allowable acreage of exposed erodible material, it is requested that you make written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increase in acreage prior to receiving bids.

August 29, 2008



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer
Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____	_____
signature	signature
Name: _____	_____
please print	please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature
Name: _____
please print
Title: _____
Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Blankenship
Federal Highway Administration
File

[illegible]

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Block Number Instructions

1. ALDOT Project Number
2. County
3. Division
4. Prime Contractor for the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Original ☐
Revised ☐

Project Number & County: _____

Contractor Name: _____

Letting Date: _____

Address: _____

Contract Amount: _____

Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Dollar Amount
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Name: _____				
Cert. Number: _____				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer				
Total Dollar Amount to DBEs:			\$ _____	
Required Dollar Amount of DBE Utilization:			\$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

In accordance with 49 CFR Part 26.11, the Alabama Department of Transportation will establish its State Disadvantaged Business Enterprise (DBE) goal using Bidders' Lists of Quoters. These Bidders' Lists of Quoters will be used to determine the relative availability of DBE's and Non-DBE's. Each Bidder's List of Quoters is a compilation of quoters who have submitted quotes to the Bidder during the advertising period. Subsequent to notification as Apparent Low Bidder, the Bidder must submit an updated Form HR-DBE prior to award of contract. Form HR-DBE will accompany Form OE-110 (DBE Utilization Plan) if appropriate.

Each time Form HR-DBE is submitted to the Department, the Bidder shall list the quoters for the project, using additional sheets if necessary. The listing shall include EACH quoter's name, business location, telephone number and whether or not the quoter is an Alabama certified DBE. **FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RENDER THE BID NON-RESPONSIVE AND THE BID MAY BE REJECTED.**

The term "quoter" shall include all subcontractors, manufacturers, and suppliers of materials.

Providing the listing of quoters in compliance with these provisions shall not be a substitute for the requirements of Subcontractors Fair Practices Act, Chapter 18, Laws of 1988, Sections 13-4-31 through 13-4-43.

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in cursive script, reading "Ronald L. Baldwin".

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Diskette Failure

**Please check your diskette as soon as possible
after receipt. If you experience any problems
contact the Plans and Proposals Section during
regular work hours at 1-800-232-2157
or 334-242-6441.**

**In the event of diskette failure the night before the
letting please call the following numbers for
assistance:
334-850-5988
334-850-5328**

January 16, 2009

COMPANY NAME: _____ BY: _____
SHIPPING ADDRESS: _____
CITY, STATE, ZIP: _____

MAIL ADDRESS: _____
CITY, STATE, ZIP: _____ PHONE: _____
=====

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: PLEASE INDICATE QUANTITY DESIRED OF PROJECT ITEMS.
YOU ARE LIMITED TO ONE BID PACKAGE (BIDDING PROPOSAL & BIDDING DISKETTE) PER PROJECT.
DISKETTES ARE AVAILABLE IN 3.5" (90mm) ONLY.

BID PACKAGE (LIMIT ONE PER PROJECT)	NON-BID PROPOSAL \$5.00 EA. QTY.	NON-BID DISKETTE \$5.00 EA. QTY.	PLANS PRICE EACH	PLANS QTY.	
_____	_____	_____	\$ 34.00	_____	001 HPP-NHF-EBF-A109(901) , CALHOUN
_____	_____	_____	\$ 4.00	_____	002 IM-I065(371) , CHILTON
_____	_____	_____	\$ 71.00	_____	004 BRF-BRDF-0035(501) , CHEROKEE ,ETC.
_____	_____	_____	\$ 5.00	_____	007 NHF-0005(521) ,ETC. , JEFFERSON
_____	_____	_____	\$ 7.00	_____	008 NHF-0012 (534) , MONROE
_____	_____	_____	\$ 7.00	_____	009 NHF-0013(552) , MARENGO
_____	_____	_____	\$162.00	_____	011 NHF-0053(522) ,ETC. , HOUSTON
_____	_____	_____	\$ 82.00	_____	014 NHF-0001(527) , MARSHALL
_____	_____	_____	\$ 7.00	_____	016 STPAAF-0005(520) ,ETC. , JEFFERSON
_____	_____	_____	\$ 4.00	_____	017 STPAAF-0074(520) , CULLMAN
_____	_____	_____	\$ 49.00	_____	018 STPMB-STPAA-7500(601) , MOBILE
_____	_____	_____	\$ 6.00	_____	019 STPOAF-HSIPF-0038(523) , TALLADEGA
_____	_____	_____	\$ 33.00	_____	025 HSIPF-CN08(911) , MOBILE
_____	_____	_____	\$ 4.00	_____	026 HSIP-CN09(900) ,ETC. , BUTLER
_____	_____	_____	\$ 11.00	_____	028 HSIP-0027(503) ,ETC. , DALE
_____	_____	_____	\$ 2.00	_____	031 HSIP-7442(603) , CALHOUN
_____	_____	_____	\$ 9.00	_____	034 NH-0009(528) , CRENSHAW
_____	_____	_____	\$ 3.00	_____	036 STPAA-0117(504) , DEKALB ,ETC.
_____	_____	_____	\$ 4.00	_____	037 STPAA-0171(505) , MARION
_____	_____	_____	\$ 4.00	_____	039 STPAA-HSIP-0013(553) , MOBILE
_____	_____	_____	\$ 2.00	_____	045 STPNU-4009(201) , LAWRENCE
_____	_____	_____	\$ 3.00	_____	046 STPOA-CN08(265) , DALLAS
_____	_____	_____	\$ 10.00	_____	047 ST-007-003-001 , BUTLER
_____	_____	_____	\$ 4.00	_____	048 ST-017-888-019 , COLBERT
_____	_____	_____	\$ 3.00	_____	050 99-301-253-068-905 , DEKALB
_____	_____	_____	\$ 5.00	_____	051 99-302-391-099-902 ,ETC. , LAUDERDALE ,ETC.
_____	_____	_____	\$ 2.00	_____	052 99-302-473-107-911 , MARION ,ETC.
_____	_____	_____	\$ 3.00	_____	055 99-409-022-000-952 , BALDWIN
_____	_____	_____	\$ 3.00	_____	056 99-409-491-000-951 , MOBILE
_____	_____	_____	\$ 3.00	_____	057 99-409-690-000-953 , ESCAMBIA ,ETC.

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$ 5.00	_____	EXPEDITE BIDDING SOFTWARE DISKETTE (MAY BE USED FOR ALL LETTINGS)
\$125.00	_____	2009 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2009 METRIC STANDARD HIGHWAY DRAWINGS
\$ 25.00	_____	2009 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$ 20.00	_____	2008 STANDARD SPECIFICATIONS BOOK (US Customary AND METRIC COMBINED)
\$ 5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$ 2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
TERRY W. ROBINSON - ROOM E-108
MONTGOMERY, ALABAMA 36110
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
e-mail: offengr@dot.state.al.us

ORDER TOTAL : \$ _____ PAID BY: _____ DATE: _____

Notice To Contractors
Federal Aid Project No.
HPP-NHF-EBF-A109(901)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

BASE, PAVEMENT AND PARTIAL GRADE AND DRAIN ON THE ANNISTON EAST
BYPASS FROM 700' NORTH OF CHOCCOLOCCO ROAD TO 1500' SOUTH OF
LAKE YAHOU

The Length Of This Project Is: 2.756 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Fifty (250) Working Days.

A 6.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, January 7, 2009, at the Calhoun County Highway Department office, 160 Seaton Drive, Anniston, AL 36205. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 34.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$11,400,000 To \$14,000,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 11 Acres)
206D000	266 Linear Foot Removing Pipe
206D001	1967 Linear Foot Removing Guardrail
206D011	500 Linear Foot Removing Fence
206E002	1 Each Removing Junction Boxes
206E008	6 Each Removing Guardrail End Anchor (All Type)
206E032	4 Each Removing Type III Barricades
210A000	81042 Cubic Yard Unclassified Excavation
214A000	2150 Cubic Yard Structure Excavation
214B001	254 Cubic Yard Foundation Backfill, Commercial
231B001	1409 Ton Roadbed Stabilizing Material, ALDOT #467
231C000	281 Roadbed Station Stabilizing Roadbed With In-Place Material
301A004	23594 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4" Compacted Thickness
301A008	25777 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness
301A012	169958 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness

401B108	188090	Square Yard Bituminous Treatment G (With Polymer Additive)
405A000	22934	Gallon Tack Coat
407B000	26	Mill Joint Sealant For Hot Mix Asphalt Pavement
408A052	3045	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410A002	1	Each Profilograph
410H000	1	Each Material Remixing Device
424A280	5623	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A286	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A360	7169	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B280	8081	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B581	38051	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B585	100	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B650	9239	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	16103	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B688	775	Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	40600	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B011	2708	Ton Aggregate Surfacing (ALDOT #5)
430B014	400	Ton Aggregate Surfacing (ALDOT #410 Modified)
502A000	73065	Pound Steel Reinforcement
505I000	1025	Square Foot Temporary Steel Sheet Piling
524A011	133	Cubic Yard Culvert Concrete (Cast In Place)
524B011	256	Cubic Yard Culvert Concrete Extension (Cast In Place)
530A002	293	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
602A000	3	Each Right Of Way Markers
610C001	387	Ton Loose Riprap, Class 2
610D003	366	Square Yard Filter Blanket, Geotextile
614A000	345	Cubic Yard Slope Paving
619A003	1	Each 24" Roadway Pipe End Treatment, Class 1
619A008	1	Each 54" Roadway Pipe End Treatment, Class 1
621C015	2	Each Inlets, Type S1 Or S3 (1 Wing)
621C020	1	Each Inlets, Type Y
621C056	10	Each Inlets, Type S3 (1 Wing) (Partial)
621C158	2	Each Inlets, Type E3 (Partial)
621C159	18	Each Inlets, Type E4 (Partial)
621D015	1	Each Inlet Units, Type S1 Or S3
623C000	2968	Linear Foot Combination Curb & Gutter, Type C
629A057	8276	Linear Foot Concrete Median Or Safety Barrier, Type GS-54
629C001	2	Each Concrete Median Or Safety Barrier End Section (Type TES Modified)
634A002	2147	Linear Foot Industrial Fence, 6 Feet High
650A000	4682	Cubic Yard Topsoil
652A100	5	Acre Seeding
652C000	33	Acre Mowing
654A001	652	Square Yard Solid Sodding (Bermuda)
656A010	5	Acre Mulching
659A036	10989	Square Yard Rolled Erosion Control Product, Type (2D)
659A048	1548	Square Yard Rolled Erosion Control Product, Type (5A)
665A000	3	Acre Temporary Seeding
665B000	3	Acre Temporary Mulching
665C010	1000	Linear Foot Temporary Pipe
665E000	3000	Square Yard Polyethylene
665G000	2520	Each Sand Bags
665I000	25	Ton Temporary Riprap, Class 2
665J002	11970	Linear Foot Silt Fence
665O001	44186	Linear Foot Silt Fence Removal
665P005	42	Each Inlet Protection, Stage 3 Or 4
665Q002	2280	Linear Foot Wattle
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 730,000.00)

701A227	10 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	6 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1141 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6 Mile Broken Temporary Traffic Stripe
701C001	21 Mile Solid Temporary Traffic Stripe
703A002	2222 Square Foot Traffic Control Markings, Class 2, Type A
703B002	338 Square Foot Traffic Control Legends, Class 2, Type A
703D001	504 Square Foot Temporary Traffic Control Markings
705A030	10 Each Pavement Markers, Class A-H, Type 2-C
705A031	325 Each Pavement Markers, Class A-H, Type 1-A
705A032	40 Each Pavement Markers, Class A-H, Type 1-B
705A037	246 Each Pavement Markers, Class A-H, Type 2-D
707B003	1 Each Type A Hazard Marker Installation
707G000	414 Each Barrier Rail Mounted Delineator (Mono-Directional)
710A115	294 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	45 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	377 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
720A031	2 Each Vehicular Impact Attenuator Assembly (Bi-directional, "70 MPH")
726A000	510 Linear Foot Portable Concrete Safety Barriers, Type 6
740B000	524 Square Foot Construction Signs
740D000	250 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740F002	16 Each Barricades, Type III
740I005	8 Each Warning Lights, Type B (Detachable Head)
740M001	200 Each Ballast For Cone
741C010	3 Each Portable Sequential Arrow And Chevron Sign Unit
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
IM-I065(371)
CHILTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

CLEARING ALONG I-65 FROM SOUTH OF THE CR-48 UNDERPASS EAST OF
JEMISON TO THE SHELBY COUNTY LINE

The Length Of This Project Is: 9.492 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Calendar Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,200,000 To \$1,500,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 131 Acres)
600A000	1 Lump Sum Mobilization
652A100	131 Acre Seeding
652C000	256 Acre Mowing
656A010	131 Acre Mulching
659A028	4000 Square Yard Rolled Erosion Control Product, Type (1D)
659A036	131766 Square Yard Rolled Erosion Control Product, Type (2D)
665G000	1000 Each Sand Bags
665J002	5000 Linear Foot Silt Fence
665K000	500 Cubic Yard Drainage Sump Excavation
665N001	1000 Ton Temporary Coarse Aggregate, ALDOT Number 4
665O001	5000 Linear Foot Silt Fence Removal
665Q002	4000 Linear Foot Wattle
666A001	131 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 65,000.00)
740B000	1640 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

742A001 2 Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
BRF-BRDF-0035(501)
CHEROKEE AND DEKALB COUNTIES, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

BRIDGE REPLACEMENT AND APPROACHES ON SR-35 AT LITTLE RIVER
SOUTHEAST OF FORT PAYNE

The Length Of This Project Is: 0.757 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Fifty Five (255) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 8:30 A.M. on Wednesday, January 7, 2009, at the ALDOT First Division Office, 23445 U.S. Highway 431, Guntersville, AL 35976. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$71.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$6,220,000 To \$7,600,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 8 Acres)
206A000	1 Lump Sum Removal Of Old Bridge, Station 50+21.52
206D000	204 Linear Foot Removing Pipe
206D003	12 Linear Foot Removing Curb And Gutter
206E000	9 Each Removing Headwalls
210A000	55302 Cubic Yard Unclassified Excavation
214A000	944 Cubic Yard Structure Excavation
214B001	306 Cubic Yard Foundation Backfill, Commercial
215A000	800 Cubic Yard Unclassified Bridge Excavation
215B000	1 Lump Sum Cofferdams Or Sheet Piling And Shoring, Sta. 50+00
230A000	45 Roadbed Station Roadbed Processing
301A006	205 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 4.5" Compacted Thickness
301A012	19679 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	19458 Square Yard Bituminous Treatment A
405A000	2090 Gallon Tack Coat
407B000	2 Mile Joint Sealant For Hot Mix Asphalt Pavement

408A052	2120	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A054	3010	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
424A360	1963	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	3070	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1129	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	2409	Ton Superpave Bituminous Concrete Base Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B044	385	Ton Aggregate Surfacing (ALDOT #4)
450B000	107	Square Yard Reinforced Cement Concrete Bridge End Slab
502A000	129175	Pound Steel Reinforcement
502B000	1	Lump Sum Steel Reinforcement For Bridge Superstructure,
		Sta. 50+00, Approximately 190,630 Pounds
508A000	7800	Pound Structural Steel
508B032	1	Each Structural Steel Superstructure,
		115'-135'-135'-80' Continuous Span, Approx. 881,650 Pounds
510A000	1536	Cubic Yard Bridge Substructure Concrete, Class A
510C051	1	Lump Sum Bridge Concrete Superstructure,
		Sta. 50+00, Approximately 675 Cubic Yards
510E000	2058	Square Yard Grooving Concrete Bridge Decks
511A004	30	Each Elastomeric Bearing Type 4
514A000	11775	Square Foot Simulated Stone Masonry
517G000	625	Linear Foot Ornamental Metal Railing
517H000	3	Each Ornamental Metal Bench
530A000	60	Linear Foot 15" Roadway Pipe (Class 3 R.C.)
530A002	115	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	335	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A004	104	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A101	22	Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A102	82	Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530A104	28	Linear Foot 36" Roadway Pipe (Class 3 R.C.) (Extension)
530B005	192	Linear Foot 51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
602A000	24	Each Right Of Way Markers
603A002	1	Each Furnishing Type 3 Field Office
610C001	257	Ton Loose Riprap, Class 2
610D003	830	Square Yard Filter Blanket, Geotextile
618A000	1304	Square Yard Concrete Sidewalk, 4" Thick
619A001	1	Each 15" Roadway Pipe End Treatment, Class 1
619A002	2	Each 18" Roadway Pipe End Treatment, Class 1
619A003	4	Each 24" Roadway Pipe End Treatment, Class 1
619A004	6	Each 30" Roadway Pipe End Treatment, Class 1
619A005	4	Each 36" Roadway Pipe End Treatment, Class 1
619B020	2	Each 51" Span, 31" Rise Roadway Pipe End Treatment, Class 1
620A000	3	Cubic Yard Minor Structure Concrete
621A019	7	Each Junction Boxes, Type 1 Or 2P
621B014	6	Each Junction Box Units, Type 1 Or 2P
621C008	1	Each Inlets, Type E
621C037	1	Each Inlets, Type AB (Modified)
621D000	1	Each Inlet Units, Type AB
621D008	1	Each Inlet Units, Type E
623C000	213	Linear Foot Combination Curb & Gutter, Type C
627D000	96	Each Precast Concrete Parking Bumpers
630A050	1163	Linear Foot Steel Beam Guardrail, Class A, Type 4
630C003	4	Each Guardrail End Anchor, Type 13
630C050	1	Each Guardrail End Anchor, Type 20 Series
630C070	5	Each Guardrail End Anchor, Type 10 Series
650B000	5088	Cubic Yard Topsoil From Stockpiles
652A100	20	Acre Seeding
652C000	20	Acre Mowing
654A001	2758	Square Yard Solid Sodding (Bermuda)
656C000	5	Ton Mulching For Vegetation Establishment, Class A
656C002	40	Ton Mulching For Vegetation Establishment, Class C
659A033	3191	Square Yard Rolled Erosion Control Product, Type (2A)
659A036	4685	Square Yard Rolled Erosion Control Product, Type (2D)
659A041	8136	Square Yard Rolled Erosion Control Product, Type (3B)

659A050	2417 Square Yard Rolled Erosion Control Product, Type (5C)
665E000	5000 Square Yard Polyethylene
665G000	200 Each Sand Bags
665I000	430 Ton Temporary Riprap, Class 2
665J002	12925 Linear Foot Silt Fence
665N000	381 Ton Temporary Coarse Aggregate, ALDOT Number 1
665O001	12925 Linear Foot Silt Fence Removal
665P005	4 Each Inlet Protection, Stage 3 Or 4
665Q002	2657 Linear Foot Wattle
665U000	1 Each Sedimentation Basin, Type 1
665U001	1 Each Sedimentation Basin, Type 2
665V000	3458 Pound Polyacrylamide Powder
666A001	8 Acre Pest Control Treatment
674A000	683 Linear Foot Construction Safety Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 336,000.00)
701A227	4 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1080 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	1 Mile Broken Temporary Traffic Stripe
701C001	6 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701G146	930 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	930 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	1893 Square Foot Traffic Control Markings, Class 2, Type A
703B002	135 Square Foot Traffic Control Legends, Class 2, Type A
705A006	189 Each Pavement Markers, Class A, Type 2-E
705A030	12 Each Pavement Markers, Class A-H, Type 2-C
705A032	249 Each Pavement Markers, Class A-H, Type 1-B
705A037	135 Each Pavement Markers, Class A-H, Type 2-D
709A001	1 Each Milepost, Type B
710A115	267 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	28 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	546 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
713A000	25 Linear Foot Permanent Barricades
726A000	416 Linear Foot Portable Concrete Safety Barriers, Type 6
726D020	1 Each Portable Impact Attenuator Assembly (Unidirectional, TL-2)
740B000	590 Square Foot Construction Signs
740D000	55 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	20 Each Barricades, Type III
740I005	9 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
NHF-0005(521) & NHF-0005(525)
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, GUARDRAIL & BRIDGE RAIL RETROFIT ON SR-5
(US-78) FROM FIVE MILE CREEK TO CR-845 (SNOWVILLE-BRENT ROAD)
IN BIRMINGHAM

The Length Of This Project Is: 3.529 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,000,000 To \$2,500,000

The Principal Items Of Work Are Approximately As Follows:

206C025	831	Square Yard Removing Bituminous Pavement On Concrete Surfaces
206D001	7900	Linear Foot Removing Guardrail
206E008	40	Each Removing Guardrail End Anchor (All Type)
210D001	1600	Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1000	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	10131	Gallon Tack Coat
407B000	28	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	144725	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A281	10022	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A287	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A290	524	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A367	2903	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B285	900	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E

424C291	143	Ton Superpave Bituminous Concrete Base Layer, Widening, 1 1/2"
		Maximum Aggregate Size Mix, ESAL Range E
428C000	35303	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
629E000	1796	Linear Foot Bridge Rail Retrofit, Type C
630A001	6475	Linear Foot Steel Beam Guardrail, Class A, Type 2
630A033	1650	Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
630C003	24	Each Guardrail End Anchor, Type 13
630C050	5	Each Guardrail End Anchor, Type 20 Series
630C070	11	Each Guardrail End Anchor, Type 10 Series
650A000	320	Cubic Yard Topsoil
652A100	1	Acre Seeding
656A010	1	Acre Mulching
659A036	2000	Square Yard Rolled Erosion Control Product, Type (2D)
665A000	1	Acre Temporary Seeding
665B000	1	Acre Temporary Mulching
665J002	2000	Linear Foot Silt Fence
665O001	2000	Linear Foot Silt Fence Removal
665Q002	500	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 102,000.00)
701A227	7	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	7	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	3770	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	15	Mile Broken Temporary Traffic Stripe
701C001	29	Mile Solid Temporary Traffic Stripe
701G142	1653	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1653	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	1653	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	3306	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	1653	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	1144	Square Foot Traffic Control Markings, Class 2, Type A
703B002	157	Square Foot Traffic Control Legends, Class 2, Type A
703D001	432	Square Foot Temporary Traffic Control Markings
705A030	112	Each Pavement Markers, Class A-H, Type 2-C
705A031	933	Each Pavement Markers, Class A-H, Type 1-A
705A032	67	Each Pavement Markers, Class A-H, Type 1-B
740B000	1669	Square Foot Construction Signs
740C000	128	Square Foot Special Construction Signs
740D000	120	Each Channelizing Drums
740E000	619	Each Cones (36 Inches High)
740M001	619	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0012 (534)
MONROE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-12 (US-84) FROM
THE CLARKE COUNTY LINE THROUGH PERDUE TO 0.367 MILES EAST OF CR-1

The Length Of This Project Is: 6.613 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$5.00, and Non-Bid diskettes may be purchased for \$5.00. Plans may be purchased for \$7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,800,000 To \$2,200,000

The Principal Items Of Work Are Approximately As Follows:

401B100	64121	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	5631	Gallon Tack Coat
407B000	10	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	132192	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	8923	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	9291	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	300	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	62669	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	3700	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization
665J002	100	Linear Foot Silt Fence
665O001	100	Linear Foot Silt Fence Removal

665Q002	100 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 103,000.00)
701A227	12 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	14 Mile Broken Temporary Traffic Stripe (Paint)
701C003	15 Mile Solid Temporary Traffic Stripe (Paint)
701D008	2 Mile Solid Traffic Stripe Removed (Plastic)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G146	7166 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	3447 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	731 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	5707 Square Foot Traffic Control Markings, Class 2, Type A
703B002	157 Square Foot Traffic Control Legends, Class 2, Type A
703D002	8625 Square Foot Temporary Traffic Control Markings (Paint)
703E002	471 Square Foot Temporary Traffic Control Legends (Paint)
705A030	374 Each Pavement Markers, Class A-H, Type 2-C
705A032	996 Each Pavement Markers, Class A-H, Type 1-B
705A037	372 Each Pavement Markers, Class A-H, Type 2-D
705A038	792 Each Pavement Markers, Class A-H, Type 2-E
740B000	412 Square Foot Construction Signs
740C000	64 Square Foot Special Construction Signs
740C002	20 Square Foot Special Construction Signs(Motorcycle Plaque)
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0013(552)
MARENGO COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-13 (US-43) FROM
SOUTH OF SR-69 IN PROVIDENCE TO THE SOUTH CITY LIMIT OF DEMOPOLIS

The Length Of This Project Is: 10.387 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy (70) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,960,000 To \$3,635,000
The Principal Items Of Work Are Approximately As Follows:

209A000	10	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
401B100	158439	Square Yard Bituminous Treatment E (With Polymer Additive)
405A000	8292	Gallon Tack Coat
407B000	11	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	201521	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	13603	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	1000	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	20152	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	100	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	109688	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B043	3607	Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1	Lump Sum Mobilization

665J002	200 Linear Foot Silt Fence
665O001	200 Linear Foot Silt Fence Removal
665Q002	100 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 160,000.00)
701A227	21 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	7 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C002	21 Mile Broken Temporary Traffic Stripe (Paint)
701C003	47 Mile Solid Temporary Traffic Stripe (Paint)
703A002	2307 Square Foot Traffic Control Markings, Class 2, Type A
703B002	48 Square Foot Traffic Control Legends, Class 2, Type A
703D002	2412 Square Foot Temporary Traffic Control Markings (Paint)
703E002	144 Square Foot Temporary Traffic Control Legends (Paint)
705A030	232 Each Pavement Markers, Class A-H, Type 2-C
705A032	463 Each Pavement Markers, Class A-H, Type 1-B
705A037	932 Each Pavement Markers, Class A-H, Type 2-D
705A038	92 Each Pavement Markers, Class A-H, Type 2-E
740B000	1192 Square Foot Construction Signs
740C000	48 Square Foot Special Construction Signs
740C002	30 Square Foot Special Construction Signs(Motorcycle Plaque)
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
NHF-0053(522) & NHF-HSIPF-0053(535)
HOUSTON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

ADDITIONAL LANES (GRADE, DRAINAGE, PAVEMENT AND SIGNALS) ON
SR-53 (US-231) FROM SR-210 (ROSS CLARK CIRCLE) IN DOTHAN TO TROY
UNIVERSITY'S DRIVEWAY

The Length Of This Project Is: 3.463 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Three Hundred Ten (310) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Wednesday, January 7, 2009, at the ALDOT Seventh Division office, 299 Elba Highway, Troy, AL 36081. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$162.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$12,800,000 To \$15,600,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 34 Acres)
206B009	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 531+93.58
206B010	1 Lump Sum Removal Of Old Box Culvert, Partial, Station 571+11.32
206C002	7009 Square Yard Removing Concrete Slope Paving
206C003	1031 Square Yard Removing Concrete Flumes
206C010	485 Square Yard Removing Concrete Driveway
206D000	3535 Linear Foot Removing Pipe
206D001	456 Linear Foot Removing Guardrail
206D002	12492 Linear Foot Removing Curb
206D003	10366 Linear Foot Removing Curb And Gutter
206D005	806 Linear Foot Removing Gutter
206E000	56 Each Removing Headwalls
206E001	82 Each Removing Inlets
206E002	8 Each Removing Junction Boxes
206E008	10 Each Removing Guardrail End Anchor (All Type)
206E020	1 Each Removing Existing Overhead Sign Structure
206E042	23 Each Removing Inlets (Partial)

210A000	27057	Cubic Yard Unclassified Excavation
210D021	6055	Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	56	Station Machine Grading Shoulders
214A000	5736	Cubic Yard Structure Excavation
214B001	2046	Cubic Yard Foundation Backfill, Commercial
230A000	338	Roadbed Station Roadbed Processing
401A000	59725	Square Yard Bituminous Treatment A
405A000	14970	Gallon Tack Coat
407B000	30	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	149249	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A281	19144	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A286	7856	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424B280	1215	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B281	8204	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B285	398	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
424B289	12394	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range E
424B293	859	Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range E
424C280	17873	Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
428C000	10484	Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B000	750	Ton Aggregate Surfacing (ALDOT #467 Or #57)
502A000	33855	Pound Steel Reinforcement
524B011	263	Cubic Yard Culvert Concrete Extension (Cast In Place)
530A001	1424	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	186	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A100	90	Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)
530A101	106	Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
530A102	12	Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
530B001	116	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
530B006	44	Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)
530B017	20	Linear Foot 59" Span, 36" Rise Roadway Pipe (Class 3 R.C.) (Extension)
533A857	2290	Linear Foot 18" Storm Sewer Pipe
533A858	700	Linear Foot 24" Storm Sewer Pipe
533A859	38	Linear Foot 30" Storm Sewer Pipe
533A860	86	Linear Foot 36" Storm Sewer Pipe
533B098	378	Linear Foot 22" Span, 14" Rise Storm Sewer Pipe (Class 3 R.C.)
533B100	32	Linear Foot 36" Span, 23" Rise Storm Sewer Pipe (Class 3 R.C.)
534E000	1297	Linear Foot Cleaning Existing Culvert (Less Than Or Equal To 48" Horizontal Opening)
534F000	761	Linear Foot Cleaning Existing Culvert (Greater Than 48" Horizontal Opening)
535A001	428	Linear Foot 18" Side Drain Pipe
535A002	289	Linear Foot 24" Side Drain Pipe
538B084	294	Linear Foot 59" Span, 36" Rise Roadway Pipe Rehabilitation
600A000	1	Lump Sum Mobilization
601A000	1	Each Furnishing Base, Soil And Structure Laboratories
606A000	1275	Linear Foot 6" Underdrain Pipe
610C001	646	Ton Loose Riprap, Class 2
610D003	474	Square Yard Filter Blanket, Geotextile
614A000	427	Cubic Yard Slope Paving
618A000	3571	Square Yard Concrete Sidewalk, 4" Thick
618B003	351	Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
619A001	3	Each 15" Roadway Pipe End Treatment, Class 1
619A002	19	Each 18" Roadway Pipe End Treatment, Class 1
619A003	6	Each 24" Roadway Pipe End Treatment, Class 1
619A004	1	Each 30" Roadway Pipe End Treatment, Class 1
619A100	2	Each 15" Side Drain Pipe End Treatment, Class 1
619A101	29	Each 18" Side Drain Pipe End Treatment, Class 1
619A102	12	Each 24" Side Drain Pipe End Treatment, Class 1
619B021	2	Each 59" Span, 36" Rise Roadway Pipe End Treatment, Class 1
619B118	1	Each 36" Span, 23" Rise Side Drain Pipe End Treatment, Class 1

620A000	9 Cubic Yard Minor Structure Concrete
621A005	3 Each Junction Boxes, Type 1
621A011	80 Each Junction Boxes, Type 1 Or 1P
621A019	2 Each Junction Boxes, Type 1 Or 2P
621B005	4 Each Junction Box Units, Type 1
621C001	1 Each Inlets, Type B
621C002	13 Each Inlets, Type C, P1 Or P3
621C015	59 Each Inlets, Type S1 Or S3 (1 Wing)
621C017	10 Each Inlets, Type S1 Or S3 (2 Wing)
621C020	13 Each Inlets, Type Y
621C029	5 Each Inlets, Type E2 (Modified)
621C053	3 Each Inlets, Type Special (Partial)
621C056	5 Each Inlets, Type S3 (1 Wing) (Partial)
621C062	3 Each Inlets, Type S3 (2 Wing) (Partial)
621C109	16 Each Inlets, Type PD
621C111	30 Each Inlets, Type PB
621D015	12 Each Inlet Units, Type S1 Or S3
621D019	15 Each Inlet Units, Type Y
621D022	5 Each Inlet Units, Type C, P1 Or P3
621D037	1 Each Inlet Units, Type PB
623A004	207 Linear Foot Concrete Gutter (Modified)
623B000	266 Linear Foot Concrete Curb, Type N
623B001	2510 Linear Foot Concrete Curb, Type N Special
623C000	29234 Linear Foot Combination Curb & Gutter, Type C
629A004	228 Linear Foot Concrete Median Or Safety Barrier, Type 4A (Modified)
630C003	2 Each Guardrail End Anchor, Type 13
630C047	2 Each Guardrail End Anchor, Type 24
630C050	2 Each Guardrail End Anchor, Type 20 Series
634A000	243 Linear Foot Industrial Fence, 4 Feet High
650A000	11478 Cubic Yard Topsoil
652A100	26 Acre Seeding
652C000	35 Acre Mowing
654A001	1822 Square Yard Solid Sodding (Bermuda)
656A010	26 Acre Mulching
659A036	1514 Square Yard Rolled Erosion Control Product, Type (2D)
659A048	11242 Square Yard Rolled Erosion Control Product, Type (5A)
665A000	23 Acre Temporary Seeding
665B000	23 Acre Temporary Mulching
665G000	2590 Each Sand Bags
665I000	975 Ton Temporary Riprap, Class 2
665J002	18400 Linear Foot Silt Fence
665K000	850 Cubic Yard Drainage Sump Excavation
665O001	18400 Linear Foot Silt Fence Removal
665P005	211 Each Inlet Protection, Stage 3 Or 4
665Q002	22205 Linear Foot Wattle
666A001	26 Acre Pest Control Treatment
674A000	1000 Linear Foot Construction Safety Fence
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 688,000.00)
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	13 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	15152 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	25 Mile Broken Temporary Traffic Stripe
701C001	45 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	7 Mile Broken Traffic Stripe Removed (Plastic)
701E006	4784 Linear Foot Solid Temporary Traffic Stripe (Removable Tape)
701E009	819 Linear Foot Broken Temporary Traffic Stripe (Removable Tape)
701F000	14378 Linear Foot Dotted Temporary Traffic Stripe
701G252	600 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
701H002	4784 Linear Foot Solid Traffic Stripe Removed (Tape)
701H007	819 Linear Foot Broken Traffic Stripe Removed (Tape)
703A002	15191 Square Foot Traffic Control Markings, Class 2, Type A
703B002	4207 Square Foot Traffic Control Legends, Class 2, Type A
703C001	1950 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Plastic)

703C003	706 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Tape)
703D000	639 Square Foot Temporary Traffic Control Markings (Tape)
703D001	16623 Square Foot Temporary Traffic Control Markings
703E000	67 Square Foot Temporary Traffic Control Legends (Tape)
703E001	266 Square Foot Temporary Traffic Control Legends
705A011	480 Each Pavement Markers, Class C, Type 1-A
705A012	240 Each Pavement Markers, Class C, Type 1-B
705A030	3277 Each Pavement Markers, Class A-H, Type 2-C
705A031	210 Each Pavement Markers, Class A-H, Type 1-A
705A037	83 Each Pavement Markers, Class A-H, Type 2-D
705A038	308 Each Pavement Markers, Class A-H, Type 2-E
707B003	1 Each Type A Hazard Marker Installation
709A000	4 Each Milepost, Type A
710A115	661 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A125	360 Square Foot Class 7, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IV, VII, VIII Or IX Background)
710A126	244 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A141	348 Square Foot Class 6, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III Background)
710B001	2215 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
710C000	1 Lump Sum Removal Of Existing Roadway Signs
726B000	300 Linear Foot Portable Concrete Safety Barriers, Type 6
726B001	20 Linear Foot Portable Concrete Safety Barriers, Type 6-A
726D020	2 Each Portable Impact Attenuator Assembly (Unidirectional, TL-2)
730A000	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Sta. 512+00 to Sta. 513+00)
730A001	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Mall Dr)
730A002	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Retail Dr)
730A003	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Westgate Pkwy)
730A004	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Redmond Dr)
730A005	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Murphy Mill Rd)
730A006	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Plum Rd)
730A007	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ Napier Field Rd)
730A008	1 Lump Sum Removal Of Existing Traffic Control Unit (HWY 231 @ John D. Odom Rd)
730A012	1 Lump Sum Removal Of Existing Traffic Control Unit (Partial) (HWY 231 @ Ross Clark Cir)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Ross Clark Cir)
730C001	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Mall Dr)
730C002	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Retail Dr)
730C003	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Westgate Pkwy)
730C004	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Redmond Dr)
730C005	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Murphy Mill Rd)
730C006	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Plum Rd)
730C007	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ Napier Field Rd)
730C008	1 Lump Sum Furnishing And Installing Traffic Control Unit (HWY 231 @ John D. Odom Rd)
730E000	34 Each Metal Traffic Signal Pole Foundation
730G001	34 Each Metal Traffic Signal Strain Pole
730K000	57 Each Traffic Signal Junction Box
730L003	360 Linear Foot 1", Non-Metallic, Conduit
730L005	1170 Linear Foot 2", Non-Metallic, Conduit
730N000	36 Each Luminaire Extension Assembly, 12 Foot
730P022	107 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730P023	1 Each Vehicular Signal Head, 12 Inch, 4 Section, Type LED
730P024	2 Each Vehicular Signal Head, 12 Inch, 5 Section, Type LED
730Q011	46 Each Pedestrian Signal Head, Type LED
730R022	7 Each Controller Assembly, Type III, 8 Phase
730R030	1 Each Controller Assembly, Type III, Master
730S004	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ Mall Drive)
730S005	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ Retail Dr)
730S006	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ Westgate Pkwy)

730S007	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ Redmond Dr)
730S008	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ Murphy Mill Rd)
730S009	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ Plum Rd)
730S010	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ Napier Field Rd)
730S011	1 Lump Sum Furnishing And Installing Emergency Vehicle Preemption System(HWY 231 @ John D. Odom Rd)
730U005	1 Lump Sum Furnishing And Installing Video Detection System
730U007	1 Lump Sum Furnishing And Installing Video Detection System
730U008	1 Lump Sum Furnishing And Installing Video Detection System
730U009	1 Lump Sum Furnishing And Installing Video Detection System
730U010	1 Lump Sum Furnishing And Installing Video Detection System
730U011	1 Lump Sum Furnishing And Installing Video Detection System
730U012	1 Lump Sum Furnishing And Installing Video Detection System
730U013	1 Lump Sum Furnishing And Installing Video Detection System
730U014	1 Lump Sum Furnishing And Installing Video Detection System
730Y600	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Signal Head
730Y601	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Signal Head
730Y602	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Head
730Y603	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Signal Head
730Y604	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Signal Head
730Y605	1 Lump Sum Furnishing And Installing Pedestal Pole and Foundation With LED Pedestrian Signal Head
734A017	14700 Linear Foot Cable OSP, Loose Tube, 144F SM
734B007	2070 Linear Foot Drop Cable OSP 12F SM Central Core
734E000	13500 Linear Foot Detectable Tape System
734E100	4000 Linear Foot Buried Duct HDPE SDR11 2 x 2 Inch
734F002	9 Each Distribution Hardware SFDU 12 Fiber
734G002	36 Each Connector FC Termination SM
734G009	36 Each Splicing, Fusion
734G140	9 Each Splice Closure, Undergrade, 144 Fiber
734H015	36 Each Patch Cord Simplex SM,FC
734J000	33 Each Commbox F1
740B000	4522 Square Foot Construction Signs
740D000	2700 Each Channelizing Drums
740E000	100 Each Cones (36 Inches High)
740F002	142 Each Barricades, Type III
740I005	16 Each Warning Lights, Type B (Detachable Head)
740M001	100 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit
742A001	4 Each Portable Changeable Message Sign, Type 2
756A028	10310 Linear Foot 6" Electrical Conduit, 1 line, Type 5 Installation
999 000	2250 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NHF-0001(527)
MARSHALL COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

REMOVAL OF CROSSTOVS AND CONSTRUCTION OF TURN LANES ON SR-1
(US-431) FROM BOAZ TO SOUTH OF GUNTERSVILLE

The Length Of This Project Is: 12.405 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Ten (210) Working Days.

A 8.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$82.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$7,230,000 To \$8,835,000

The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 39 Acres)
206C002	368 Square Yard Removing Concrete Slope Paving
206C015	245 Square Yard Removing Concrete Foundation Slab
206D000	3763 Linear Foot Removing Pipe
206D003	4344 Linear Foot Removing Curb And Gutter
206D008	12 Linear Foot Removing Retaining Wall
206E001	90 Each Removing Inlets
210A000	28366 Cubic Yard Unclassified Excavation
210D000	5000 Cubic Yard Borrow Excavation
214A000	10466 Cubic Yard Structure Excavation
214B001	10238 Cubic Yard Foundation Backfill, Commercial
305B078	6062 Ton Crushed Aggregate, Section 825, Type B, For Miscellaneous Use
405A000	16657 Gallon Tack Coat
407B000	10 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	415 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A360	4959 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	50 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D

424B651 9952 Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424B655 25 Ton Superpave Bituminous Concrete Upper Binder Layer,
 Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
 424B681 13623 Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424C360 13933 Ton Superpave Bituminous Concrete Base Layer, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 424C370 109 Ton Superpave Bituminous Concrete Base Layer, Widening, 1"
 Maximum Aggregate Size Mix, ESAL Range C/D
 430B014 50 Ton Aggregate Surfacing (ALDOT #410 Modified)
 530A001 14362 Linear Foot 18" Roadway Pipe (Class 3 R.C.)
 530A002 5 Linear Foot 24" Roadway Pipe (Class 3 R.C.)
 530A100 11 Linear Foot 15" Roadway Pipe (Class 3 R.C.) (Extension)
 530A101 6 Linear Foot 18" Roadway Pipe (Class 3 R.C.) (Extension)
 530A102 5 Linear Foot 24" Roadway Pipe (Class 3 R.C.) (Extension)
 530A815 43 Linear Foot 15" Roadway Pipe (14 Gauge C.C.M.) (Stack Pipe) (No Bedding Required)
 534E001 8994 Linear Foot Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)
 534F001 191 Linear Foot Cleaning Existing Pipe (Greater Than 48" Horizontal Opening)
 535A078 87 Linear Foot 15" Side Drain Pipe (Class 3 R.C.)
 535A080 46 Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
 600A000 1 Lump Sum Mobilization
 602A000 11 Each Right Of Way Markers
 614A000 4470 Cubic Yard Slope Paving
 619A100 2 Each 15" Side Drain Pipe End Treatment, Class 1
 619A101 1 Each 18" Side Drain Pipe End Treatment, Class 1
 620A000 6 Cubic Yard Minor Structure Concrete
 621A011 40 Each Junction Boxes, Type 1 Or 1P
 621A019 6 Each Junction Boxes, Type 1 Or 2P
 621B014 7 Each Junction Box Units, Type 1 Or 2P
 621C015 91 Each Inlets, Type S1 Or S3 (1 Wing)
 621C017 8 Each Inlets, Type S1 Or S3 (2 Wing)
 621C020 70 Each Inlets, Type Y
 621C111 39 Each Inlets, Type PB
 621D015 51 Each Inlet Units, Type S1 Or S3
 621D019 104 Each Inlet Units, Type Y
 621D037 25 Each Inlet Units, Type PB
 623B001 11103 Linear Foot Concrete Curb, Type N Special
 623C000 3470 Linear Foot Combination Curb & Gutter, Type C
 630A050 200 Linear Foot Steel Beam Guardrail, Class A, Type 4
 630C001 2 Each Guardrail End Anchor, Type 8
 630C070 2 Each Guardrail End Anchor, Type 10 Series
 650A000 8997 Cubic Yard Topsoil
 652A100 12 Acre Seeding
 652C000 24 Acre Mowing
 654A000 1357 Square Yard Solid Sodding
 656A010 12 Acre Mulching
 659A048 40911 Square Yard Rolled Erosion Control Product, Type (5A)
 665C010 200 Linear Foot Temporary Pipe
 665G000 16720 Each Sand Bags
 665I000 959 Ton Temporary Riprap, Class 2
 665J002 4473 Linear Foot Silt Fence
 665K000 1300 Cubic Yard Drainage Sump Excavation
 665O001 4473 Linear Foot Silt Fence Removal
 665P005 109 Each Inlet Protection, Stage 3 Or 4
 665Q002 3109 Linear Foot Wattle
 666A001 12 Acre Pest Control Treatment
 680A000 1 Lump Sum Engineering Controls
 698A000 1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 616,000.00)
 701A227 8 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
 701A230 12 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
 701B207 29638 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
 701C001 6 Mile Solid Temporary Traffic Stripe
 703A002 2637 Square Foot Traffic Control Markings, Class 2, Type A
 703B002 3563 Square Foot Traffic Control Legends, Class 2, Type A
 705A030 1385 Each Pavement Markers, Class A-H, Type 2-C
 705A037 20 Each Pavement Markers, Class A-H, Type 2-D
 710A126 23 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat
 Sign Panels 14 Gauge (Type IX Background)

710B001	42 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
740B000	867 Square Foot Construction Signs
740D000	166 Each Channelizing Drums
740E000	50 Each Cones (36 Inches High)
740F002	8 Each Barricades, Type III
740I005	4 Each Warning Lights, Type B (Detachable Head)
740M001	50 Each Ballast For Cone
741C010	8 Each Portable Sequential Arrow And Chevron Sign Unit
999 000	1500 Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
STPAAF-0005(520) & STPAAF-0005(524)
JEFFERSON COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING, GUARDRAIL AND BRIDGE RAIL RETROFIT ON SR-5
(US-78) FROM THE CR-65 OVERPASS TO FIVE MILE CREEK IN BIRMINGHAM

The Length Of This Project Is: 6.777 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 7.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$3,300,000 To \$4,000,000
The Principal Items Of Work Are Approximately As Follows:

206C025	2281	Square Yard Removing Bituminous Pavement On Concrete Surfaces
206D001	1600	Linear Foot Removing Guardrail
206E008	41	Each Removing Guardrail End Anchor (All Type)
210D001	2500	Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
305B077	1000	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	22923	Gallon Tack Coat
407B000	25	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	327471	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A281	19302	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A287	500	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A290	696	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424A367	10352	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B285	1500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E

428C000	69073	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
629E000	1458	Linear Foot Bridge Rail Retrofit, Type C
629E001	1648	Linear Foot Bridge Rail Retrofit, Type IC
630A001	1838	Linear Foot Steel Beam Guardrail, Class A, Type 2
630A033	450	Linear Foot Steel Beam Guardrail, Class A, Type 2 (7'-0" Post)
630A034	650	Linear Foot Steel Beam Guardrail, Class A, Type 2 (8'-0" Post)
630C001	4	Each Guardrail End Anchor, Type 8
630C003	18	Each Guardrail End Anchor, Type 13
630C050	6	Each Guardrail End Anchor, Type 20 Series
630C070	13	Each Guardrail End Anchor, Type 10 Series
650A000	500	Cubic Yard Topsoil
652A100	1	Acre Seeding
656A010	1	Acre Mulching
659A036	2000	Square Yard Rolled Erosion Control Product, Type (2D)
665A000	1	Acre Temporary Seeding
665B000	1	Acre Temporary Mulching
665J002	5000	Linear Foot Silt Fence
665O001	5000	Linear Foot Silt Fence Removal
665Q002	1000	Linear Foot Wattle
666A001	1	Acre Pest Control Treatment
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 169,000.00)
701A227	15	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	13	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	13	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	10291	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	26	Mile Broken Temporary Traffic Stripe
701C001	54	Mile Solid Temporary Traffic Stripe
701G142	697	Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	697	Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	697	Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1394	Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	697	Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	3311	Square Foot Traffic Control Markings, Class 2, Type A
703B002	964	Square Foot Traffic Control Legends, Class 2, Type A
703D001	1920	Square Foot Temporary Traffic Control Markings
705A030	239	Each Pavement Markers, Class A-H, Type 2-C
705A031	1984	Each Pavement Markers, Class A-H, Type 1-A
705A032	188	Each Pavement Markers, Class A-H, Type 1-B
730H001	8719	Linear Foot Loop Wire
730I001	525	Linear Foot Loop Detector Lead-In-Cable
731A010	1	Each Traffic Counting Units, Type K
740B000	2531	Square Foot Construction Signs
740C000	256	Square Foot Special Construction Signs
740D000	260	Each Channelizing Drums
740E000	999	Each Cones (36 Inches High)
740M001	999	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAAF-0074 (520)
CULLMAN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-74 (US-278) FROM
THE WINSTON COUNTY LINE AT NESMITH TO MP 69.417

The Length Of This Project Is: 7.818 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty Five (65) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,260,000 To \$2,760,000
The Principal Items Of Work Are Approximately As Follows:

405A000	9431	Gallon Tack Coat
407B000	12	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	157170	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	7500	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	10609	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	19647	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	1425	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	82569	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
430B040	6028	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
665J002	600	Linear Foot Silt Fence
665O001	600	Linear Foot Silt Fence Removal
665Q002	50	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 119,600.00)

701A227	17 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	11 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	3 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	180 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	13 Mile Broken Temporary Traffic Stripe
701C001	52 Mile Solid Temporary Traffic Stripe
701G146	592 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	592 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1184 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	932 Square Foot Traffic Control Markings, Class 2, Type A
703B002	311 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1863 Square Foot Temporary Traffic Control Markings
703E001	622 Square Foot Temporary Traffic Control Legends
705A030	53 Each Pavement Markers, Class A-H, Type 2-C
705A031	157 Each Pavement Markers, Class A-H, Type 1-A
705A032	195 Each Pavement Markers, Class A-H, Type 1-B
705A037	783 Each Pavement Markers, Class A-H, Type 2-D
740B000	700 Square Foot Construction Signs
740D000	200 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPMB-STPAA-7500(601)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

ADDITIONAL LANES (GRADE, DRAINAGE AND PAVEMENT) ON CR-56
(AIRPORT BLVD) FROM WEST OF SNOW ROAD TO FLAVE PIERCE ROAD
SOUTH OF THE MOBILE REGIONAL AIRPORT

The Length Of This Project Is: 1.751 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Two Hundred Seventy Five (275) Working Days.

A 10.00% DBE Contract Obligation Is Required.

A mandatory pre-bid conference is scheduled for 9:00 A.M. on Wednesday, January 7, 2009, at the ALDOT Ninth Division, Building C Auditorium, 1701 I-65 West Service Road, North, Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00 , and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$49.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$7,300,000 To \$9,000,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000 Per Acre) (Approximately 28 acres)
205A001	1 Each Removal Of Structures, Structure No. 1
206C002	1122 Square Yard Removing Concrete Slope Paving
206D000	2959 Linear Foot Removing Pipe
206D003	5462 Linear Foot Removing Curb And Gutter
206D011	1805 Linear Foot Removing Fence
206E000	70 Each Removing Headwalls
206E001	21 Each Removing Inlets
206E002	6 Each Removing Junction Boxes
210A000	28116 Cubic Yard Unclassified Excavation
210D000	5148 Cubic Yard Borrow Excavation
210D012	13771 Cubic Yard Borrow Excavation (A-2-4(0) Or A-4(0)
214A000	6147 Cubic Yard Structure Excavation
214B001	2634 Cubic Yard Foundation Backfill, Commercial
230A000	111 Roadbed Station Roadbed Processing
301A012	30034 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness

401A000	25340	Square Yard Bituminous Treatment A
405A000	2885	Gallon Tack Coat
407B000	25	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	4600	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A360	5058	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A363	200	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B650	6828	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	200	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	3278	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B688	14793	Ton Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B692	335	Ton Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
458B000	17000	Square Yard Breaking And Seating Concrete Pavement
529A010	4238	Square Foot Retaining Wall
530A001	4947	Linear Foot 18" Roadway Pipe (Class 3 R.C.)
530A002	2634	Linear Foot 24" Roadway Pipe (Class 3 R.C.)
530A003	1566	Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A004	952	Linear Foot 36" Roadway Pipe (Class 3 R.C.)
530A005	411	Linear Foot 42" Roadway Pipe (Class 3 R.C.)
530B000	52	Linear Foot 18" Span, 11" Rise Roadway Pipe (Class 3 R.C.)
530B001	275	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
530B002	61	Linear Foot 29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)
532A030	40	Linear Foot 12" Slotted Drain Pipe
534E001	2978	Linear Foot Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)
535A001	150	Linear Foot 18" Side Drain Pipe
535B011	32	Linear Foot 22" Span, 14" Rise Side Drain Pipe
535B012	92	Linear Foot 29" Span, 18" Rise Side Drain Pipe
600A000	1	Lump Sum Mobilization
602A000	71	Each Right Of Way Markers
606A012	2000	Linear Foot 6" Underdrain Pipe, Type 8
610C001	123	Ton Loose Riprap, Class 2
610D003	117	Square Yard Filter Blanket, Geotextile
614A000	141	Cubic Yard Slope Paving
618B003	186	Square Yard Concrete Driveway, 6" Thick (Includes Wire Mesh)
619A002	3	Each 18" Roadway Pipe End Treatment, Class 1
619A004	1	Each 30" Roadway Pipe End Treatment, Class 1
619A005	2	Each 36" Roadway Pipe End Treatment, Class 1
619A101	7	Each 18" Side Drain Pipe End Treatment, Class 1
619A244	1	Each 36" Roadway Pipe End Treatment, Class 1 (Triple Line)
619A245	1	Each 42" Roadway Pipe End Treatment, Class 1 (Triple Line)
619A259	1	Each 36" Roadway Pipe End Treatment, Class 2 (Triple Line)
619A260	1	Each 42" Roadway Pipe End Treatment, Class 2 (Triple Line)
619B016	1	Each 22" Span, 14" Rise Roadway Pipe End Treatment, Class 1
619B116	2	Each 22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1
619B117	4	Each 29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1
620A000	2	Cubic Yard Minor Structure Concrete
621A011	26	Each Junction Boxes, Type 1 Or 1P
621A019	10	Each Junction Boxes, Type 1 Or 2P
621B011	12	Each Junction Box Units, Type 1 Or 1P
621B014	10	Each Junction Box Units, Type 1 Or 2P
621C002	2	Each Inlets, Type C, P1 Or P3
621C015	55	Each Inlets, Type S1 Or S3 (1 Wing)
621C016	3	Each Inlets, Type S2 Or S4 (1 Wing)
621C017	12	Each Inlets, Type S1 Or S3 (2 Wing)
621C018	3	Each Inlets, Type S2 Or S4 (2 Wing)
621C057	1	Each Inlets, Type 1 Special
621C109	22	Each Inlets, Type PD
621C115	4	Each Inlets, Type S3 (2 Wing) (Special)
621C116	1	Each Inlets, Type S3 (1 Wing) (Special)
621C117	1	Each Inlets, Type S4 (2 Wing) (Special)
621D015	38	Each Inlet Units, Type S1 Or S3
621D016	9	Each Inlet Units, Type S2 Or S4
621D109	1	Each Inlet Units, Type PD

621I001	2 Each Stilling Basins, Type 1
623A000	1043 Linear Foot Concrete Gutter
623C000	14553 Linear Foot Combination Curb & Gutter, Type C
641A532	907 Linear Foot 3/4 Inch P.E. Water Service Line Laid
641A534	32 Linear Foot 1 Inch P.E. Water Service Line Laid
641A538	16 Linear Foot 2 Inch P.E. Water Service Line Laid
641A568	11 Linear Foot 2 Inch P.V.C. Water Service Line Laid
641A612	2594 Linear Foot 6 Inch Ductile Iron Water Main Laid
641A614	60 Linear Foot 8 Inch Ductile Iron Water Main Laid
641A618	597 Linear Foot 12 Inch Ductile Iron Water Main Laid
641A682	16 Linear Foot 6 Inch Ductile Iron Water Main Laid (Restrained Joint)
641A688	155 Linear Foot 12 Inch Ductile Iron Water Main Laid (Restrained Joint)
641C500	14325 Pound Ductile Iron Fittings
641D500	2 Each Fire Hydrant
641E500	16 Each Fire Hydrant Reset
641F500	6 Linear Foot Fire Hydrant Extension
641I614	1 Each 8 Inch Pressure Reducer Valve
641J516	12 Each 6 Inch Gate Valve With Box
641J520	2 Each 10 Inch Gate Valve With Box
641L500	20 Cubic Yard Concrete for Water Mains (Thrust Blocks)
641M512	222 Each 6 Inch Retainer Gland
641M514	38 Each 8 Inch Retainer Gland
641M516	8 Each 10 Inch Retainer Gland
641M518	64 Each 12 Inch Retainer Gland
641N510	5 Each 6 Inch x 6 Inch Anchor Tee
641N540	2 Each 12 Inch x 6 Inch Anchor Tee
641O514	14 Each 6 Inch x 6 Inch Tapping Valve And Sleeve
641O520	7 Each 8 Inch x 8 Inch Tapping Valve And Sleeve
641O548	4 Each 12 Inch x 6 Inch Tapping Valve And Sleeve
641O554	8 Each 12 Inch x 12 Inch Tapping Valve And Sleeve
641R510	39 Each 3/4 Inch Water Meter And Box Reset
641R515	1 Each 1 Inch Water Meter And Box Reset
641R520	2 Each 2 Inch Water Meter And Box Reset
641R535	1 Each 6 Inch Water Meter And Box Reset
641S500	46 Each Valve Box Reset
645A512	160 Linear Foot 10 Inch Ductile Iron Sanitary Sewer Gravity Pipe Laid
645A550	1901 Linear Foot 10 Inch P.V.C. Sanitary Sewer Gravity Pipe Laid
645A576	67 Linear Foot 12 Inch HDPE Sanitary Sewer Gravity Pipe Laid
645A602	40 Linear Foot 6 Inch Ductile Iron Sanitary Sewer Force Main Pipe Laid
645A652	461 Linear Foot 6 Inch P.V.C. Sanitary Sewer Force Main Pipe Laid
645A654	1032 Linear Foot 8 Inch P.V.C. Sanitary Sewer Force Main Pipe Laid
645E512	34 Linear Foot 6 Inch Ductile Iron Stacks And Laterals
645E524	537 Linear Foot 6 Inch P.V.C. Stacks And Laterals
645F510	1891 Linear Foot 8 Inch Abandon Existing Sanitary Sewer
645F515	1093 Linear Foot 10 Inch Abandon Existing Sanitary Sewer
645G515	14 Each 6 Inch Sanitary Sewer Lateral Cleanout
645H510	10 Each 48 Inch Manhole
645I500	35 Each 48 Inch Manhole Unit
645J500	10 Each Manhole Cone Reset
645K500	9 Each Manhole Frame And Cover Reset
645M500	2 Each Connection To Existing Manhole
645N500	8 Each Abandon Existing Manhole
645O512	2 Each 2 Inch Air And Vacuum Valve Assembly
649A660	186 Linear Foot 24 Inch Steel Encasement Pipe, Type 2 Installation
650A000	1500 Cubic Yard Topsoil
650B000	4670 Cubic Yard Topsoil From Stockpiles
652A100	12 Acre Seeding
652C000	24 Acre Mowing
654A001	4687 Square Yard Solid Sodding (Bermuda)
656A010	12 Acre Mulching
659A036	2083 Square Yard Rolled Erosion Control Product, Type (2D)
659A049	3386 Square Yard Rolled Erosion Control Product, Type (5B)
665A000	24 Acre Temporary Seeding
665B000	24 Acre Temporary Mulching
665C010	103 Linear Foot Temporary Pipe
665E000	762 Square Yard Polyethylene
665F000	500 Each Hay Bales
665G000	1000 Each Sand Bags
665I000	524 Ton Temporary Riprap, Class 2

665J002	10951	Linear Foot Silt Fence
665K000	1800	Cubic Yard Drainage Sump Excavation
665O001	10951	Linear Foot Silt Fence Removal
665P005	83	Each Inlet Protection, Stage 3 Or 4
665Q002	2037	Linear Foot Wattle
665T000	1523	Linear Foot Temporary Earth Berms
666A001	12	Acre Pest Control Treatment
674A000	500	Linear Foot Construction Safety Fence
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 625,000.00)
701A227	5	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	4	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	1754	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	2	Mile Broken Temporary Traffic Stripe (Paint)
701C003	12	Mile Solid Temporary Traffic Stripe (Paint)
701D007	8	Mile Solid Traffic Stripe Removed (Paint)
701D014	4	Mile Broken Traffic Stripe Removed (Paint)
701F001	1080	Linear Foot Dotted Temporary Traffic Stripe (Paint)
701H010	1044	Linear Foot Dotted Traffic Stripe Removed (Paint)
703A002	11422	Square Foot Traffic Control Markings, Class 2, Type A
703B002	292	Square Foot Traffic Control Legends, Class 2, Type A
703C000	4045	Square Foot Removal Of Existing Traffic Control Markings Or Legends (Paint)
703D002	922	Square Foot Temporary Traffic Control Markings (Paint)
705A011	650	Each Pavement Markers, Class C, Type 1-A
705A012	233	Each Pavement Markers, Class C, Type 1-B
705A023	1509	Each Pavement Markers, Class C, Type 2-D
705A024	250	Each Pavement Markers, Class C, Type 2-E
705A030	83	Each Pavement Markers, Class A-H, Type 2-C
705A031	204	Each Pavement Markers, Class A-H, Type 1-A
705A032	75	Each Pavement Markers, Class A-H, Type 1-B
705A037	404	Each Pavement Markers, Class A-H, Type 2-D
705A038	38	Each Pavement Markers, Class A-H, Type 2-E
707B009	1	Each Type A Hazard Marker Installation (Temporary)
730A012	1	Lump Sum Removal Of Existing Traffic Control Unit (Partial) (Airport Blvd @ Snow Rd)
730E000	2	Each Metal Traffic Signal Pole Foundation
740B000	1423	Square Foot Construction Signs
740C002	38	Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	593	Each Channelizing Drums
740E000	100	Each Cones (36 Inches High)
740F002	41	Each Barricades, Type III
740I005	21	Each Warning Lights, Type B (Detachable Head)
740L005	123	Each Vertical Panel, Type I (Double-Sided)
740M001	100	Each Ballast For Cone
741C010	2	Each Portable Sequential Arrow And Chevron Sign Unit
742A001	2	Each Portable Changeable Message Sign, Type 2
999 000	1500	Hour Trainee Hours At 80 Cents Per Hour

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOAF-HSIPF-0038(523)
TALLADEGA COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-38 (US-280) FROM
THE OAK GROVE CITY LIMITS TO THE COOSA COUNTY LINE

The Length Of This Project Is: 10.045 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred Thirty (130) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 6.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$5,100,000 To \$6,300,000

The Principal Items Of Work Are Approximately As Follows:

206D001	3315	Linear Foot Removing Guardrail
206E008	16	Each Removing Guardrail End Anchor (All Type)
209A000	4	Each Mailbox Reset, Single
405A000	38955	Gallon Tack Coat
407B000	53	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	135170	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A052	169100	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	427	Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)
410H000	1	Each Material Remixing Device
424A276	11523	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range E
424A278	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range E
424A280	7825	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A356	1764	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A359	150	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D

424A369	436	Ton Superpave Bituminous Concrete	Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A370	1705	Ton Superpave Bituminous Concrete	Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B284	200	Ton Superpave Bituminous Concrete	Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B288	28236	Ton Superpave Bituminous Concrete	Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E
424B658	4396	Ton Superpave Bituminous Concrete	Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B661	100	Ton Superpave Bituminous Concrete	Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424C291	6310	Ton Superpave Bituminous Concrete	Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range E
428C000	104756	Linear Foot Scoring Bituminous Pavement Surface By Cutting	
430B043	3825	Ton Aggregate Surfacing (1" Down, Crusher Run)	
502A000	282	Pound Steel Reinforcement	
524B011	4	Cubic Yard Culvert Concrete Extension (Cast In Place)	
600A000	1	Lump Sum Mobilization	
630A001	2921	Linear Foot Steel Beam Guardrail, Class A, Type 2	
630C001	2	Each Guardrail End Anchor, Type 8	
630C003	6	Each Guardrail End Anchor, Type 13	
630C050	4	Each Guardrail End Anchor, Type 20 Series	
630C070	4	Each Guardrail End Anchor, Type 10 Series	
652A100	1	Acre Seeding	
656A010	1	Acre Mulching	
665J002	450	Linear Foot Silt Fence	
665O001	450	Linear Foot Silt Fence Removal	
665Q002	175	Linear Foot Wattle	
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 285,700.00)	
701A227	35	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)	
701A230	16	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	
701A239	17	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)	
701B207	16185	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)	
701C000	42	Mile Broken Temporary Traffic Stripe	
701C001	125	Mile Solid Temporary Traffic Stripe	
703A002	10920	Square Foot Traffic Control Markings, Class 2, Type A	
703B002	2740	Square Foot Traffic Control Legends, Class 2, Type A	
703D001	1375	Square Foot Temporary Traffic Control Markings	
730H001	10000	Linear Foot Loop Wire	
730I001	14000	Linear Foot Loop Detector Lead-In-Cable	
740B000	2352	Square Foot Construction Signs	
740C002	456	Square Foot Special Construction Signs(Motorcycle Plaque)	
740E000	250	Each Cones (36 Inches High)	
740M001	250	Each Ballast For Cone	
741C010	1	Each Portable Sequential Arrow And Chevron Sign Unit	

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIPF-CN08(911)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

SAFETY IMPROVEMENTS (GRADE, DRAINAGE AND PAVEMENT) AT VARIOUS
SITES AS INDICATED BY THE PLANS

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Ninety (90) Working Days.

A 5.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00 , a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$33.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$860,000 To \$1,000,000

The Principal Items Of Work Are Approximately As Follows:

206C002	173 Square Yard Removing Concrete Slope Paving
206C003	185 Square Yard Removing Concrete Flumes
206D000	217 Linear Foot Removing Pipe
206D001	130 Linear Foot Removing Guardrail
206D003	1389 Linear Foot Removing Curb And Gutter
206D010	70 Linear Foot Removing Safety Barrier
206E000	9 Each Removing Headwalls
206E001	2 Each Removing Inlets
206E008	1 Each Removing Guardrail End Anchor (All Type)
210A000	1412 Cubic Yard Unclassified Excavation
210D023	552 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 (0) Or Better)
214A000	186 Cubic Yard Structure Excavation
214B000	83 Cubic Yard Foundation Backfill, Local
230A000	20 Roadbed Station Roadbed Processing
301A012	4610 Square Yard Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness
401A000	4610 Square Yard Bituminous Treatment A
405A000	671 Gallon Tack Coat
407B000	4 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	11017 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A053	1669 Square Yard Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)

420A015	232	Ton Polymer Modified Open Graded Friction Course
424A280	1101	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424A286	255	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E
424B281	477	Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B581	503	Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range E
424B585	65	Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E
430B040	50	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
530B001	300	Linear Foot 22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)
535A080	94	Linear Foot 18" Side Drain Pipe (Class 3 R.C.)
535A086	148	Linear Foot 30" Side Drain Pipe (Class 3 R.C.)
600A000	1	Lump Sum Mobilization
606A000	100	Linear Foot 6" Underdrain Pipe
614A000	36	Cubic Yard Slope Paving
619A101	4	Each 18" Side Drain Pipe End Treatment, Class 1
619A103	4	Each 30" Side Drain Pipe End Treatment, Class 1
621A011	1	Each Junction Boxes, Type 1 Or 1P
621C015	2	Each Inlets, Type S1 Or S3 (1 Wing)
621C031	1	Each Inlets, Type S3 (1 Wing)
621C033	1	Each Inlets, Type S3 (2 Wing)
621C116	1	Each Inlets, Type S3 (1 Wing) (Special)
621D015	1	Each Inlet Units, Type S1 Or S3
623A004	151	Linear Foot Concrete Gutter (Modified)
623B000	35	Linear Foot Concrete Curb, Type N
623B001	14	Linear Foot Concrete Curb, Type N Special
623C000	1251	Linear Foot Combination Curb & Gutter, Type C
629A004	45	Linear Foot Concrete Median Or Safety Barrier, Type 4A (Modified)
630A001	272	Linear Foot Steel Beam Guardrail, Class A, Type 2
630C001	1	Each Guardrail End Anchor, Type 8
630C050	2	Each Guardrail End Anchor, Type 20 Series
637A000	206	Linear Foot Fence Reset
650A000	473	Cubic Yard Topsoil
652A100	2	Acre Seeding
652C000	2	Acre Mowing
654A000	1367	Square Yard Solid Sodding
656A010	2	Acre Mulching
659A036	1318	Square Yard Rolled Erosion Control Product, Type (2D)
665A000	2	Acre Temporary Seeding
665B000	2	Acre Temporary Mulching
665E000	300	Square Yard Polyethylene
665G000	250	Each Sand Bags
665J002	2550	Linear Foot Silt Fence
665O001	2550	Linear Foot Silt Fence Removal
665P005	5	Each Inlet Protection, Stage 3 Or 4
665Q002	280	Linear Foot Wattle
666A001	2	Acre Pest Control Treatment
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 47,000.00)
701A227	2	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	2	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701B207	597	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C002	1	Mile Broken Temporary Traffic Stripe (Paint)
701C003	4	Mile Solid Temporary Traffic Stripe (Paint)
701D008	1	Mile Solid Traffic Stripe Removed (Plastic)
701D015	1	Mile Broken Traffic Stripe Removed (Plastic)
701F001	597	Linear Foot Dotted Temporary Traffic Stripe (Paint)
703A002	6835	Square Foot Traffic Control Markings, Class 2, Type A
703B002	738	Square Foot Traffic Control Legends, Class 2, Type A
703D002	3808	Square Foot Temporary Traffic Control Markings (Paint)
705A011	425	Each Pavement Markers, Class C, Type 1-A
705A012	483	Each Pavement Markers, Class C, Type 1-B
705A023	37	Each Pavement Markers, Class C, Type 2-D
705A030	66	Each Pavement Markers, Class A-H, Type 2-C
705A031	578	Each Pavement Markers, Class A-H, Type 1-A

705A032	407	Each Pavement Markers, Class A-H, Type 1-B
705A037	23	Each Pavement Markers, Class A-H, Type 2-D
705A038	139	Each Pavement Markers, Class A-H, Type 2-E
707G000	27	Each Barrier Rail Mounted Delineator (Mono-Directional)
710A115	20	Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	4	Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710A140	343	Square Foot Class 6, Aluminum Multiple Flat Sign Panels 0.125" Thick Or Steel Multiple Flat Sign Panels 12 Gauge(Ty. III Background)
710A141	35	Square Foot Class 6, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III Background)
710A142	87	Square Foot Class 2A, Aluminum Flat Sign Panels 0.125" Thick Or Steel Flat Sign Panels 12 Gauge (Type III, IV, VII Or VIII Bckgd)
710B001	42	Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
726A001	20	Linear Foot Portable Concrete Safety Barriers,Type 6-A
726C001	1183	Linear Foot State Furnished Portable Concrete Safety Barriers (Type 6)
726D025	1	Each Portable Impact Attenuator Assembly (Unidirectional,TL-3)
740B000	2267	Square Foot Construction Signs
740C000	129	Square Foot Special Construction Signs
740C002	25	Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	355	Each Channelizing Drums
740E000	150	Each Cones (36 Inches High)
740F002	1	Each Barricades, Type III
740I005	1	Each Warning Lights, Type B (Detachable Head)
740M001	150	Each Ballast For Cone
741C010	4	Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
HSIP-CN09(900) & 99-306-074-690-901
BUTLER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-185 FROM SR-3
(US-31) TO SR-263 AND ON SR-245 FROM CR-41 TO SR-185 IN
GREENVILLE

The Length Of This Project Is: 8.014 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,840,000 To \$2,250,000

The Principal Items Of Work Are Approximately As Follows:

206C010	20 Square Yard Removing Concrete Driveway
210D021	1500 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
212A000	312 Station Machine Grading Shoulders
405A000	11510 Gallon Tack Coat
407B000	26 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	150500 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	14250 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	650 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	1000 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	2550 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	61500 Linear Foot Scoring Bituminous Pavement Surface By Cutting
430B012	400 Ton Aggregate Surfacing (ALDOT #410 Or #467)
600A000	1 Lump Sum Mobilization
630A001	225 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C050	3 Each Guardrail End Anchor, Type 20 Series
650A000	2400 Cubic Yard Topsoil

652A100	6 Acre Seeding
654A000	250 Square Yard Solid Sodding
656A010	6 Acre Mulching
659A028	500 Square Yard Rolled Erosion Control Product, Type (1D)
665A000	6 Acre Temporary Seeding
665B000	6 Acre Temporary Mulching
665F000	300 Each Hay Bales
665J002	2000 Linear Foot Silt Fence
665O001	2000 Linear Foot Silt Fence Removal
666A001	6 Acre Pest Control Treatment
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 95,000.00)
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	30 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	5 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B027	250 Linear Foot Dotted, Class W, Type A Traffic Stripe (5" Wide)
701C000	16 Mile Broken Temporary Traffic Stripe
701C001	80 Mile Solid Temporary Traffic Stripe
701G142	600 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	1026 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G154	826 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1852 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	600 Linear Foot Broken Traffic Stripe Removed (Plastic)
701H011	250 Linear Foot Dotted Traffic Stripe Removed (Plastic)
703A002	4779 Square Foot Traffic Control Markings, Class 2, Type A
703B002	359 Square Foot Traffic Control Legends, Class 2, Type A
703C001	76 Square Foot Removal Of Existing Traffic Control Markings Or Legends (Plastic)
703D001	9558 Square Foot Temporary Traffic Control Markings
705A031	221 Each Pavement Markers, Class A-H, Type 1-A
705A032	101 Each Pavement Markers, Class A-H, Type 1-B
705A037	912 Each Pavement Markers, Class A-H, Type 2-D
705A038	644 Each Pavement Markers, Class A-H, Type 2-E
730H001	9800 Linear Foot Loop Wire
740B000	1886 Square Foot Construction Signs
740C000	162 Square Foot Special Construction Signs
740C002	54 Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	400 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project Nos.
HSIP-0027(503) & 99-307-232-027-901
DALE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-27 FROM THE OZARK
EAST CITY LIMIT TO EAST OF CR-59

The Length Of This Project Is: 6.398 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Fifty (50) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$11.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,720,000 To \$2,100,000

The Principal Items Of Work Are Approximately As Follows:

206C010	552 Square Yard Removing Concrete Driveway
209A000	10 Each Mailbox Reset, Single
209A001	4 Each Mailbox Reset, Double
209A002	7 Each Mailbox Reset, Multiple
210D011	12552 Cubic Yard Borrow Excavation (A-4 Or Better)
212A000	660 Station Machine Grading Shoulders
405A000	13322 Gallon Tack Coat
407B000	7 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	90756 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A358	4102 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D
424A361	10056 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	100 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B663	2885 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
650A000	2585 Cubic Yard Topsoil
652A100	30 Acre Seeding
652C000	35 Acre Mowing

656A010	30 Acre Mulching
659A027	1500 Square Yard Rolled Erosion Control Product, Type (1C)
665J002	5000 Linear Foot Silt Fence
665Q001	5000 Linear Foot Silt Fence Removal
665Q002	500 Linear Foot Wattle
666A001	18 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 93,000.00)
701A227	13 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	5 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	70 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	5 Mile Broken Temporary Traffic Stripe
701C001	34 Mile Solid Temporary Traffic Stripe
701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G146	935 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G150	935 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
701G154	935 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	927 Square Foot Traffic Control Markings, Class 2, Type A
703B002	90 Square Foot Traffic Control Legends, Class 2, Type A
703D001	845 Square Foot Temporary Traffic Control Markings
705A030	44 Each Pavement Markers, Class A-H, Type 2-C
705A032	290 Each Pavement Markers, Class A-H, Type 1-B
705A037	807 Each Pavement Markers, Class A-H, Type 2-D
705A038	47 Each Pavement Markers, Class A-H, Type 2-E
740B000	1194 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
HSIP-7442(603)
CALHOUN COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

TRAFFIC STRIPE, MARKINGS, LEGENDS AND PAVEMENT MARKERS ON
BYNUM-LEATHERWOOD ROAD FROM SR-202 IN OXFORD TO US-431

The Length Of This Project Is: 5.723 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$90,000 To \$110,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
701A231	13 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A240	1 Mile Broken White, Class 2, Type A Traffic Stripe
701A245	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701B205	2640 Linear Foot Dotted, Class 2, Type A, Traffic Stripe
703A002	4843 Square Foot Traffic Control Markings, Class 2, Type A
703B002	337 Square Foot Traffic Control Legends, Class 2, Type A
705A032	1932 Each Pavement Markers, Class A-H, Type 1-B
705A037	280 Each Pavement Markers, Class A-H, Type 2-D

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
NH-0009(528)
CRENSHAW COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-9 (US-331) FROM
JUST EAST OF SR-10 IN LUVERNE TO CR-57 (AIRPORT ROAD)

The Length Of This Project Is: 2.735 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 9.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$700,000 To \$800,000

The Principal Items Of Work Are Approximately As Follows:

405A000	5476	Gallon Tack Coat
407B000	6	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	70873	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A361	5848	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A365	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424A366	100	Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	14070	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization
680A000	1	Lump Sum Engineering Controls
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 35,000.00)
701A227	6	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	4	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	1	Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	195	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2	Mile Broken Temporary Traffic Stripe
701C001	10	Mile Solid Temporary Traffic Stripe

701D007	1 Mile Solid Traffic Stripe Removed (Paint)
701D008	1 Mile Solid Traffic Stripe Removed (Plastic)
701D014	1 Mile Broken Traffic Stripe Removed (Paint)
701D015	1 Mile Broken Traffic Stripe Removed (Plastic)
701G146	1514 Linear Foot Solid White, Class W, Type A Traffic Stripe (5" Wide)
701G150	757 Linear Foot Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	2750 Square Foot Traffic Control Markings, Class 2, Type A
703B002	202 Square Foot Traffic Control Legends, Class 2, Type A
703D001	2695 Square Foot Temporary Traffic Control Markings
705A030	50 Each Pavement Markers, Class A-H, Type 2-C
705A031	32 Each Pavement Markers, Class A-H, Type 1-A
705A032	299 Each Pavement Markers, Class A-H, Type 1-B
705A037	640 Each Pavement Markers, Class A-H, Type 2-D
730H001	2750 Linear Foot Loop Wire
740B000	990 Square Foot Construction Signs
740E000	150 Each Cones (36 Inches High)
740M001	150 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0117(504)
DEKALB AND JACKSON COUNTIES, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-117 FROM SR-75 IN
IDER TO SR-71 AT FLAT ROCK

The Length Of This Project Is: 5.429 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,955,000 To \$2,390,000
The Principal Items Of Work Are Approximately As Follows:

405A000	7340	Gallon Tack Coat
407B000	6	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	101157	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
408A056	21000	Square Yard Planing Existing Pavement (Approximately 5.10" Thru 6.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A361	8347	Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B650	11128	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B681	6930	Ton Superpave Bituminous Concrete Lower Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
430B040	1732	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 101,500.00)
701A227	11	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	7	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	265	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)

701C000	7 Mile Broken Temporary Traffic Stripe
701C001	35 Mile Solid Temporary Traffic Stripe
701F000	530 Linear Foot Dotted Temporary Traffic Stripe
701G252	120 Linear Foot Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)
703A002	1777 Square Foot Traffic Control Markings, Class 2, Type A
703B002	90 Square Foot Traffic Control Legends, Class 2, Type A
703D001	3554 Square Foot Temporary Traffic Control Markings
703E001	180 Square Foot Temporary Traffic Control Legends
705A032	185 Each Pavement Markers, Class A-H, Type 1-B
705A037	291 Each Pavement Markers, Class A-H, Type 2-D
740B000	604 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-0171(505)
MARION COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-171 FROM NORTH OF
CR-45 (MP 64.145) TO NORTH OF CR-35 (MP 70.817) IN HAMILTON

The Length Of This Project Is: 6.671 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,740,000 To \$2,100,000

The Principal Items Of Work Are Approximately As Follows:

206E019	8	Each Removing Guardrail End Anchor (Type 10)
209A000	1	Each Mailbox Reset, Single
305B077	2090	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	14535	Gallon Tack Coat
407B000	11	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	145345	Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
410H000	1	Each Material Remixing Device
424A360	11226	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424A369	40	Ton Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B653	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B655	500	Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	10015	Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
428C000	70114	Linear Foot Scoring Bituminous Pavement Surface By Cutting
600A000	1	Lump Sum Mobilization

630A001	50 Linear Foot Steel Beam Guardrail, Class A, Type 2
630C070	8 Each Guardrail End Anchor, Type 10 Series
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 92,750.00)
701A227	14 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	9 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	2 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	4 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	786 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	17 Mile Broken Temporary Traffic Stripe
701C001	66 Mile Solid Temporary Traffic Stripe
701G146	338 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	338 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	676 Linear Foot Solid Traffic Stripe Removed (Plastic)
703A002	6554 Square Foot Traffic Control Markings, Class 2, Type A
703B002	113 Square Foot Traffic Control Legends, Class 2, Type A
703D001	1877 Square Foot Temporary Traffic Control Markings
705A030	370 Each Pavement Markers, Class A-H, Type 2-C
705A031	141 Each Pavement Markers, Class A-H, Type 1-A
705A032	585 Each Pavement Markers, Class A-H, Type 1-B
705A037	622 Each Pavement Markers, Class A-H, Type 2-D
705A038	186 Each Pavement Markers, Class A-H, Type 2-E
740B000	803 Square Foot Construction Signs
740C000	126 Square Foot Special Construction Signs
740C002	42 Square Foot Special Construction Signs(Motorcycle Plaque)
740D000	50 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	1 Each Pilot Car
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPAA-HSIP-0013(553)
MOBILE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-13 (US-43) FROM
NORTH OF SR-158 (MP 4.660) IN SARALAND TO NORTH OF PLATEAU
AVENUE (MP 9.049) IN SATSUMA

The Length Of This Project Is: 4.389 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy (70) Working Days.

A 3.00% DBE Contract Obligation Is Required.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,665,000 To \$2,030,000

The Principal Items Of Work Are Approximately As Follows:

405A000	9200 Gallon Tack Coat
407B000	30 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	178950 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A361	15200 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A364	25 Ton Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	200 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	525 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
650A000	1000 Cubic Yard Topsoil
652A100	2 Acre Seeding
654A000	2800 Square Yard Solid Sodding
656A010	2 Acre Mulching
665F000	100 Each Hay Bales
665J002	1000 Linear Foot Silt Fence

6650001	1000 Linear Foot Silt Fence Removal
665Q002	200 Linear Foot Wattle
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 90,000.00)
701A227	10 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A239	11 Mile Broken White, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	7150 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	15 Mile Broken Temporary Traffic Stripe
701C001	9 Mile Solid Temporary Traffic Stripe
701G142	864 Linear Foot Broken White, Class W, Type A Traffic Stripe (5" Wide)
701G146	864 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	864 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
701H001	1728 Linear Foot Solid Traffic Stripe Removed (Plastic)
701H006	864 Linear Foot Broken Traffic Stripe Removed (Plastic)
703A002	10640 Square Foot Traffic Control Markings, Class 2, Type A
703B002	2059 Square Foot Traffic Control Legends, Class 2, Type A
703D001	5345 Square Foot Temporary Traffic Control Markings
703E001	1230 Square Foot Temporary Traffic Control Legends
705A030	510 Each Pavement Markers, Class A-H, Type 2-C
705A031	800 Each Pavement Markers, Class A-H, Type 1-A
705A032	840 Each Pavement Markers, Class A-H, Type 1-B
705A037	650 Each Pavement Markers, Class A-H, Type 2-D
740B000	771 Square Foot Construction Signs
740C002	84 Square Foot Special Construction Signs(Motorcycle Plaque)
740E000	250 Each Cones (36 Inches High)
740M001	250 Each Ballast For Cone
741C010	2 Each Portable Sequential Arrow And Chevron Sign Unit

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPNU-4009(201)
LAWRENCE COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-87 FROM CR-434 AT FIVE
POINTS TO THE MORGAN COUNTY LINE

The Length Of This Project Is: 4.622 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract. The Bracket Estimate On This Project Is From \$460,000 To \$560,000 The Principal Items Of Work Are Approximately As Follows:

405A000	1613 Gallon Tack Coat
407B000	5 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	4224 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	1344 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
430B043	724 Ton Aggregate Surfacing (1" Down, Crusher Run)
600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 24,000.00)
701A231	9 Mile Solid White, Class 2, Type A Traffic Stripe
701A235	7 Mile Solid Yellow, Class 2, Type A Traffic Stripe
701A245	2 Mile Broken Yellow, Class 2, Type A Traffic Stripe
701C000	14 Mile Broken Temporary Traffic Stripe
701C001	4 Mile Solid Temporary Traffic Stripe
703A002	312 Square Foot Traffic Control Markings, Class 2, Type A
705A032	83 Each Pavement Markers, Class A-H, Type 1-B
705A037	479 Each Pavement Markers, Class A-H, Type 2-D
740B000	276 Square Foot Construction Signs
7400000	1 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
Federal Aid Project No.
STPOA-CN08(265)
DALLAS COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON CR-9 AND CR-45 AT SITES AS
INDICATED ON THE PLANS

The Length Of This Project Is: 6.442 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Minimum wage rates for this project have been pre-determined by the Secretary Of Labor and are set forth in the advertised specifications. This project is subject to the contract work hours and Safety Standards Act and its implementing regulations.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$775,000 To \$950,000

The Principal Items Of Work Are Approximately As Follows:

206E019	4 Each Removing Guardrail End Anchor (Type 10)
405A000	1461 Gallon Tack Coat
407B000	8 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A340	6498 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B639	443 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B643	3623 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B648	590 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
630C050	4 Each Guardrail End Anchor, Type 20 Series
650A000	1261 Cubic Yard Topsoil
652A100	6 Acre Seeding
656A010	6 Acre Mulching
665F000	580 Each Hay Bales
665J002	2900 Linear Foot Silt Fence
665O001	2900 Linear Foot Silt Fence Removal
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 40,000.00)
701A030	14 Mile Solid White, Class 2T, Type A Traffic Stripe

701A034	14 Mile Solid Yellow, Class 2T, Type A Traffic Stripe
701A044	4 Mile Broken Yellow, Class 2T, Type A Traffic Stripe
701C000	8 Mile Broken Temporary Traffic Stripe
701C001	28 Mile Solid Temporary Traffic Stripe
701G251	2025 Linear Foot Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)
703A004	460 Square Foot Traffic Control Markings, Class 2T, Type A
705A032	142 Each Pavement Markers, Class A-H, Type 1-B
705A037	568 Each Pavement Markers, Class A-H, Type 2-D
740B000	391 Square Foot Construction Signs
740E000	50 Each Cones (36 Inches High)
740M001	50 Each Ballast For Cone
740O000	2 Each Pilot Car

The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
ST-007-003-001
BUTLER COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

TURN LANES (GRADE, DRAINAGE, PAVEMENT AND SIGNING) ON SR-3
(US-31) AT THE NEW SCHOOL IN GEORGIANA

The Length Of This Project Is: 0.275 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 10.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.
The Bracket Estimate On This Project Is From \$495,000 To \$600,000
The Principal Items Of Work Are Approximately As Follows:

201A002	1 Lump Sum Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approx. 3 Acres)
206D000	40 Linear Foot Removing Pipe
206E000	4 Each Removing Headwalls
206E001	1 Each Removing Inlets
210A000	2771 Cubic Yard Unclassified Excavation
210D001	3820 Cubic Yard Borrow Excavation (Loose Truckbed Measurement)
210D021	1147 Cubic Yard Borrow Excavation (Loose Truckbed Measurement) (A-4 Or Better)
214A000	126 Cubic Yard Structure Excavation
214B001	36 Cubic Yard Foundation Backfill, Commercial
401B113	4148 Square Yard Bituminous Treatment E, PG64-22 (With Polymer Additive)
405A000	638 Gallon Tack Coat
407B000	1 Mile Joint Sealant For Hot Mix Asphalt Pavement
424A361	598 Ton Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424A367	425 Ton Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B651	422 Ton Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B662	10 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B681	432 Ton Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424B685	50 Ton Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D
424C360	557 Ton Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D

428D001	2260 Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(16 Inch Wide)
430B043	100 Ton Aggregate Surfacing (1" Down, Crusher Run)
530A003	20 Linear Foot 30" Roadway Pipe (Class 3 R.C.)
530A006	44 Linear Foot 48" Roadway Pipe (Class 3 R.C.)
530A103	26 Linear Foot 30" Roadway Pipe (Class 3 R.C.) (Extension)
535A001	80 Linear Foot 18" Side Drain Pipe
535A300	16 Linear Foot 15" Side Drain Pipe (Extension)
535A301	8 Linear Foot 18" Side Drain Pipe (Extension)
600A000	1 Lump Sum Mobilization
602C000	4 Each Permanent Easement Marker
606A000	210 Linear Foot 6" Underdrain Pipe
619A004	2 Each 30" Roadway Pipe End Treatment, Class 1
619A007	1 Each 48" Roadway Pipe End Treatment, Class 1
619A100	2 Each 15" Side Drain Pipe End Treatment, Class 1
619A101	2 Each 18" Side Drain Pipe End Treatment, Class 1
620A000	1 Cubic Yard Minor Structure Concrete
621A011	1 Each Junction Boxes, Type 1 Or 1P
621C027	2 Each Inlets, Type C
621E001	1 Each Manholes, Type M
621F002	4 Each Manhole Units, Type M
623C000	260 Linear Foot Combination Curb & Gutter, Type C
650B000	1394 Cubic Yard Topsoil From Stockpiles
652A100	3 Acre Seeding
652C000	3 Acre Mowing
654A001	800 Square Yard Solid Sodding (Bermuda)
656A010	3 Acre Mulching
659A035	1600 Square Yard Rolled Erosion Control Product, Type (2C)
665A000	3 Acre Temporary Seeding
665B000	3 Acre Temporary Mulching
665I000	30 Ton Temporary Riprap, Class 2
665J002	1500 Linear Foot Silt Fence
665O001	1500 Linear Foot Silt Fence Removal
665P005	2 Each Inlet Protection, Stage 3 Or 4
665Q002	400 Linear Foot Wattle
666A001	3 Acre Pest Control Treatment
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 35,700.00)
701A227	1 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	1 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	450 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C001	4 Mile Solid Temporary Traffic Stripe
701D005	2 Mile Solid Traffic Stripe Removed
703A002	956 Square Foot Traffic Control Markings, Class 2, Type A
703B002	442 Square Foot Traffic Control Legends, Class 2, Type A
703D001	210 Square Foot Temporary Traffic Control Markings
703E001	280 Square Foot Temporary Traffic Control Legends
705A011	60 Each Pavement Markers, Class C, Type 1-A
705A023	65 Each Pavement Markers, Class C, Type 2-D
705A030	2 Each Pavement Markers, Class A-H, Type 2-C
705A032	190 Each Pavement Markers, Class A-H, Type 1-B
705A037	24 Each Pavement Markers, Class A-H, Type 2-D
705A038	95 Each Pavement Markers, Class A-H, Type 2-E
709B000	1 Each Milepost Reset
710A115	10 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710A126	78 Square Foot Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)
710B001	132 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
730Y100	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With Illuminated School Zone Sign
730Y101	1 Lump Sum Furnishing And Installing Pedestal Pole And Foundation With Illuminated School Zone Sign
740B000	393 Square Foot Construction Signs
740D000	75 Each Channelizing Drums
740E000	25 Each Cones (36 Inches High)
740F002	4 Each Barricades, Type III
740I005	2 Each Warning Lights, Type B (Detachable Head)
740L003	35 Each Vertical Panel, Type I (Single-Sided)
740M001	25 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
ST-017-888-019
COLBERT COUNTY, Alabama

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

TRAFFIC SIGNAL AT THE INTERSECTION OF HALEY DRIVE AND TITUS
DRIVE EAST OF CHEROKEE

The Length Of This Project Is: 0.170 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 4.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$80,000 To \$99,000

The Principal Items Of Work Are Approximately As Follows:

600A000	1 Lump Sum Mobilization
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 2,500.00)
701B207	241 Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
703A002	544 Square Foot Traffic Control Markings, Class 2, Type A
703B002	22 Square Foot Traffic Control Legends, Class 2, Type A
710A115	20 Square Foot Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)
710B001	42 Linear Foot Roadway Sign Post (#3 "U" Channel Galvanized Steel)
730C000	1 Lump Sum Furnishing And Installing Traffic Control Unit (Haley Dr. and Titus Dr.)
730G002	4 Each Concrete Traffic Signal Strain Pole
730H001	3128 Linear Foot Loop Wire
730I001	2900 Linear Foot Loop Detector Lead-In-Cable
730J010	11 Each Vehicle Loop Detector
730K000	8 Each Traffic Signal Junction Box
730L002	60 Linear Foot 1", Metallic, Conduit
730L005	740 Linear Foot 2", Non-Metallic, Conduit
730N010	4 Each Luminaire Extension Assembly, 12 Feet
730P022	11 Each Vehicular Signal Head, 12 Inch, 3 Section, Type LED
730R022	1 Each Controller Assembly, Type III, 8 Phase
730T000	1 Each Wood Pole
740B000	256 Square Foot Construction Signs
740E000	25 Each Cones (36 Inches High)
740M001	25 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-301-253-068-905
DEKALB COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

PLANING, RESURFACING AND TRAFFIC STRIPE ON SR-68 FROM THE EAST
CITY LIMIT OF CROSSVILLE TO THE WEST CITY LIMIT OF COLLINSVILLE

The Length Of This Project Is: 6.400 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$1,585,000 To \$1,935,000

The Principal Items Of Work Are Approximately As Follows:

405A000	6825	Gallon Tack Coat
407B000	7	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	113733	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
408A054	1250	Square Yard Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)
410C000	1	Each Contractor Retained Profilograph
410H000	1	Each Material Remixing Device
424A360	7677	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B651	14217	Ton Superpave Bituminous Concrete Upper Binder Layer, 1"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B659	182	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D
428D000	66907	Linear Foot Scoring Bituminous Pavement Surface Edge By Cutting(10 Inch Wide)
430B040	3148	Ton Aggregate Surfacing (Crushed Aggregate Base, Type B)
600A000	1	Lump Sum Mobilization
665J002	1100	Linear Foot Silt Fence
665O001	1100	Linear Foot Silt Fence Removal
665Q002	100	Linear Foot Wattle
698A000	1	Lump Sum Construction Fuel (Maximum Bid Limited to \$ 82,000.00)
701A227	13	Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	10	Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	3	Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701B207	423	Linear Foot Dotted, Class 2, Type A Traffic Stripe (5" Wide)
701C000	6	Mile Broken Temporary Traffic Stripe

701C001	45 Mile Solid Temporary Traffic Stripe
701D009	1 Mile Solid Traffic Stripe Removed (Tape)
701F000	845 Linear Foot Dotted Temporary Traffic Stripe
701G146	678 Linear Foot Solid White, Class W, Type A Traffic Stripe (5"Wide)
701G154	678 Linear Foot Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)
703A002	177 Square Foot Traffic Control Markings, Class 2, Type A
703B002	45 Square Foot Traffic Control Legends, Class 2, Type A
703D001	354 Square Foot Temporary Traffic Control Markings
703E001	90 Square Foot Temporary Traffic Control Legends
705A032	117 Each Pavement Markers, Class A-H, Type 1-B
705A037	303 Each Pavement Markers, Class A-H, Type 2-D
740B000	450 Square Foot Construction Signs
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project Nos.
 99-302-391-099-902 & 99-302-391-207-901
 LAUDERDALE AND LIMESTONE COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-99 AND ON SR-207 AT SITES
 AS INDICATED ON THE PLANS

The Length Of This Project Is: 8.922 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Seventy Five (75) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 5.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$2,800,000 To \$3,500,000

The Principal Items Of Work Are Approximately As Follows:

209A000	7	Each Mailbox Reset, Single
209A001	1	Each Mailbox Reset, Double
305B077	6545	Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	13579	Gallon Tack Coat
407B000	12	Mile Joint Sealant For Hot Mix Asphalt Pavement
408A051	1068	Square Yard Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)
424A340	2176	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range A/B
424A360	8360	Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2"
		Maximum Aggregate Size Mix, ESAL Range C/D
424A369	110	Ton Superpave Bituminous Concrete Wearing Surface Layer,
		Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D
424B635	3089	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range A/B
424B639	500	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	2328	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B650	11518	Ton Superpave Bituminous Concrete Upper Binder Layer, 3/4"
		Maximum Aggregate Size Mix, ESAL Range C/D
424B654	200	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
424B657	7736	Ton Superpave Bituminous Concrete Upper Binder Layer,
		Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D

424B661	156 Ton Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 152,500.00)
701A227	19 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	12 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	5 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	14 Mile Broken Temporary Traffic Stripe
701C001	81 Mile Solid Temporary Traffic Stripe
703A002	972 Square Foot Traffic Control Markings, Class 2, Type A
703D001	1944 Square Foot Temporary Traffic Control Markings
705A032	298 Each Pavement Markers, Class A-H, Type 1-B
705A037	952 Each Pavement Markers, Class A-H, Type 2-D
740B000	1066 Square Foot Construction Signs
740D000	50 Each Channelizing Drums
740E000	200 Each Cones (36 Inches High)
740M001	200 Each Ballast For Cone
740O000	2 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
 State Maintenance Project No.
 99-302-473-107-911
 MARION AND FAYETTE COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

RESURFACING AND TRAFFIC STRIPE ON SR-107 FROM APPROXIMATELY 800'
 SOUTH OF THE FAYETTE COUNTY LINE TO SR-118 (US-278) IN GUIN

The Length Of This Project Is: 3.279 Miles.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Thirty (30) Working Days.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 2.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, Al 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$650,000 To \$800,000

The Principal Items Of Work Are Approximately As Follows:

305B077	1127 Ton Crushed Aggregate, Section 825, For Miscellaneous Use
405A000	2416 Gallon Tack Coat
407B000	4 Mile Joint Sealant For Hot Mix Asphalt Pavement
408A052	534 Square Yard Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)
424A340	3745 Ton Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B638	500 Ton Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
424B642	3307 Ton Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B
600A000	1 Lump Sum Mobilization
680A000	1 Lump Sum Engineering Controls
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 33,500.00)
701A227	7 Mile Solid White, Class 2, Type A Traffic Stripe (5" Wide)
701A230	6 Mile Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701A244	1 Mile Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)
701C000	2 Mile Broken Temporary Traffic Stripe
701C001	24 Mile Solid Temporary Traffic Stripe
703A002	366 Square Foot Traffic Control Markings, Class 2, Type A
703D001	366 Square Foot Temporary Traffic Control Markings
705A032	45 Each Pavement Markers, Class A-H, Type 1-B
705A037	362 Each Pavement Markers, Class A-H, Type 2-D
740B000	479 Square Foot Construction Signs
740E000	100 Each Cones (36 Inches High)

740M001 100 Each Ballast For Cone
740O000 1 Each Pilot Car

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-409-022-000-952
BALDWIN COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

ROADSIDE MOWING, LITTER COLLECTION AND SELECTIVE CLEARING ALONG
I-10 AND I-65 IN BALDWIN COUNTY

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Sixty (60) Working Days.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Tuesday, January 6, 2009, at the ALDOT Ninth Division Auditorium, 1701 I-65 West Service Road, North, Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$210,000 To \$255,000

The Principal Items Of Work Are Approximately As Follows:

201B001	10 Acre Selective Clearing
655A009	2 Cycle Maintenance Roadside Mowing (Approximately 1330 Acres)
655A010	1 Cycle Maintenance Roadside Mowing (Approximately 1350 Acres)
655F000	3 Cycle Litter Collection (Approximately 1095 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 18,000.00)
740B000	256 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered." Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-409-491-000-951
MOBILE COUNTY, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

ROADSIDE MOWING, LITTER COLLECTION AND SELECTIVE CLEARING ALONG
I-10, I-65 AND I-165 IN MOBILE COUNTY

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In One Hundred (100) Working Days.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Tuesday, January 6, 2009, at the ALDOT Ninth Division Auditorium, 1701 I-65 West Service Road, North, Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$220,000 To \$270,000

The Principal Items Of Work Are Approximately As Follows:

201B001	2 Acre Selective Clearing
655A009	3 Cycle Maintenance Roadside Mowing (Approximately 1448 Acres)
655A010	1 Cycle Maintenance Roadside Mowing (Approximately 1451 Acres)
655F000	4 Cycle Litter Collection (Approximately 605 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ 18,500.00)
740B000	256 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director

Notice To Contractors
State Maintenance Project No.
99-409-690-000-953
ESCAMBIA AND CONECUH COUNTIES, Alabama

M a i n t e n a n c e

Sealed bids will be received by the Director Of Transportation at the office of the Alabama Department Of Transportation, Montgomery, Alabama until 10 AM., January 16, 2009, and at that time publicly opened for constructing the following:

ROADSIDE MOWING, LITTER COLLECTION AND SELECTIVE CLEARING ALONG
I-65 IN ESCAMBIA AND CONECUH COUNTIES

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

The Entire Project Shall Be Completed In Forty Five (45) Working Days.

A mandatory pre-bid conference is scheduled for 10:00 A.M. on Tuesday, January 6, 2009, at the ALDOT Ninth Division Auditorium, 1701 I-65 West Service Road, North, Mobile, AL 36618. Any qualified bidder wishing to bid this project is required to have a company representative present at this mandatory pre-bid conference. Proposals issued to bidders who fail to attend the mandatory pre-bid meeting and/or register their attendance will be voided and their bids will not be received nor considered.

A Bidding Package (which includes a bidding proposal and a bidding diskette) may be purchased for \$10.00, a Non-Bid Proposal may be purchased for \$ 5.00, and Non-Bid diskettes may be purchased for \$ 5.00. Plans may be purchased for \$ 3.00 per set. Plans and Proposals are available at the Alabama Department Of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department Of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department Of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This Bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Bracket Estimate On This Project Is From \$188,000 To \$230,000

The Principal Items Of Work Are Approximately As Follows:

201B001	10 Acre Selective Clearing
655A009	2 Cycle Maintenance Roadside Mowing (Approximately 1104 Acres)
655A010	1 Cycle Maintenance Roadside Mowing (Approximately 1138 Acres)
655F000	3 Cycle Litter Collection (Approximately 1138 Acres)
698A000	1 Lump Sum Construction Fuel (Maximum Bid Limited to \$ \$16,000.00)
740B000	256 Square Foot Construction Signs

Plans and Specifications are on file in Room E-108 of the Alabama Department of Transportation at Montgomery, Alabama 36110.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

Section 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."

The right to reject any or all bids is reserved.

JOE MCINNES
Transportation Director