

# ALABAMA

## Department of Transportation

[www.dot.state.al.us](http://www.dot.state.al.us)




### Notice to Contractors

### Transportation Letting

### **November 6, 2015**

10:00 am



Alabama Department of Transportation  
1409 Coliseum Boulevard, Room E-108  
Montgomery Alabama 36110

Plans and Proposals  
telephone: 334.242.6444  
e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)  
fax: 334.264.7976  
cell: 334.322.1754  
cell: 334.850.5328

# **NOTICE TO CONTRACTORS**

Your attention is directed to three new Special Provisions:

Special Provision 12-0090 Title VI Assurance

Special Provision 12-0091 Non-Discrimination Statutes and Authorities

Special Provision 12-0095 Disadvantaged Business Enterprise

**Special attention is directed to sections 111.03, 111.09 (a) and 111.09 (b) of Special Provision 12-0095. These sections require the apparent low bidder to submit their DBE utilization plan within seven calendar days of the letting date to the Department and contain severe penalties if the apparent low bidder fails to do so.**

These Special Provisions are effective April 1, 2015.

## NOTICE TO CONTRACTORS

The Alabama Immigration Law, Beason-Hammon Alabama Taxpayer and Citizen Act, requires that a certificate of compliance form be completed and submitted to the Department for each contract prior to award. This form must have an original signature, and the project cannot be awarded without the form. This is effective beginning with the January 31, 2014 letting.

This certificate of compliance form is available on ALDOT'S website ([http://www.dot.state.al.us/Project Letting Information](http://www.dot.state.al.us/Project%20Letting%20Information)) and should be furnished to the Alabama Department of Transportation by the apparent low bidder within 10 days of the letting for non-early award contracts, and within 5 days for early award contracts at the following address:

Alabama Department of Transportation  
C/o Ms. Sylvia Dryer  
1409 Coliseum Boulevard, Room E-101  
Montgomery, Alabama 36110



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Robert Bentley*  
Governor

*John R. Cooper*  
Transportation Director

February 15, 2013

A handwritten signature, likely of the Transportation Director, in dark ink.

If you have any questions about the plans or proposals, please make sure you have thoroughly reviewed them and the applicable sections of the Standard Specifications (Spec Book) as it applies to your question. If further clarification is needed, please contact the Plans and Proposals section of the Bureau of Office Engineer with any questions you may have. We may be contacted at (334) 242-6526 and (334) 353-6329 or our e-mail address is [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us). We will work with you to resolve any issues.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Robert Bentley*  
Governor

*John R. Cooper*  
Transportation Director

October 5, 2015

**Re: 2016 Calendar Year**  
Bid Tabulations Subscription  
Alabama Department of  
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: [www.dot.state.al.us](http://www.dot.state.al.us). If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to “**Alabama Department of Transportation**” and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION**  
**C/O OFFICE ENGINEER**  
**1409 COLISEUM BOULEVARD ROOM E-108**  
**MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

---

---

---

---



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Robert Bentley*  
Governor

*John R. Cooper*  
Transportation Director

October 5, 2015

Re: **2016 Calendar Year**  
Notice to Contractors Subscription  
Alabama Department of  
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors, are available, at no charge, at the Alabama Department of Transportation website: [www.dot.state.al.us](http://www.dot.state.al.us). If you prefer to subscribe to the mail out service there is a fee of **\$40.00** per calendar year.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to “**Alabama Department of Transportation**” and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION**  
**C/O OFFICE ENGINEER**  
**1409 COLISEUM BOULEVARD, ROOM E-108**  
**MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.

---

---

---

---

---



Robert Bentley  
Governor

## ALABAMA DEPARTMENT OF TRANSPORTATION

Legal Bureau  
1409 Coliseum Boulevard  
Montgomery, Alabama 36110

Telephone (334) 242-6350 – Fax (334) 264-4359




John R. Cooper  
Transportation Director

### MEMORANDUM

May 30, 2012

**TO:** Bureau Chiefs and Division Engineers

**FROM:**   
Jim R. Ippolito, Jr.  
Chief Counsel

**RE:** Amended Alabama Immigration Law

As you are aware, the Alabama Legislature recently amended the immigration law. The amended law, and specifically, Ala. Code § 31-13-9, affects all contracts involving the Department. The law no longer requires that contractors provide affidavits attesting that they are enrolled in E-verify. Under the amended law, contractors are only required to provide proof that they are enrolled in E-verify. For example, a contractor may provide a copy of its E-verify contract.

In addition, the amended law requires that State agencies include the following language in all contracts and agreements:

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

Please include this language in all future contracts or agreements.


Thank you for your cooperation and assistance in this matter.

JRI/JAT/lbw



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 Fax: 334-264-7976  
www.dot.state.al.us



*Robert Bentley*  
Governor

*John R. Cooper*  
Transportation Director

### NOTICE TO CONTRACTORS

The Alabama Department of Transportation intends to maintain a public database of contractors who have furnished the documents necessary to be awarded a contract or to be authorized to subcontract work with the department pursuant to recent guidance concerning implementation of the amended Alabama Immigration Law, Beason-Hammon Alabama Taxpayer and Citizen Protection Act.

The Memorandum of Understanding concerning the E-Verify program with the United States Department of Homeland Security is required to be on-file with the Alabama Department of Transportation prior to award of a contract or authorization to subcontract, respectively.

It is no longer a requirement for the Affidavit for Business Entity/Employer/Contractor (OE-EV) and the Affidavit for Subcontractor (OE-EVSUB) to be submitted to the department.

The department encourages all business entities that intend to enter into a contract or subcontract with the Alabama Department of Transportation for the construction or maintenance of transportation facilities to download the complete E-Verify Memorandum of Understanding and furnish it to the Alabama Department of Transportation at the following address:

Alabama Department of Transportation  
c/o Mr. Bryan Nichols  
1409 Coliseum Boulevard, Room E-108  
Montgomery, Alabama 36110


NTC 5.31.2012





ROBERT BENTLEY  
GOVERNOR

ALABAMA  
DEPARTMENT OF TRANSPORTATION  
CONSTRUCTION BUREAU  
1409 COLISEUM BOULEVARD, G-101  
MONTGOMERY, ALABAMA 36110  
PHONE (334) 242-6216  
FAX (334) 264-3727



JOHN R. COOPER  
TRANSPORTATION DIRECTOR

May 25, 2012

**MEMORANDUM**

TO: Mr. Ronnie Baldwin, P.E.  
Office Engineer

FROM: Terry McDuffie, P.E. *Terry McDuffie*  
State Construction Engineer

RE: Special Notice to Contractors  
Underground Storage Tank (UST) Systems

The Alabama Department of Environmental Management (ADEM) has recently changed the regulations governing the removal and closure of Underground Storage Tank (UST) Systems. The changes state that the contractors who physically conduct any work associated with the removal and closure of UST Systems must have at least one (1) certified supervisor on-site to conduct such work. These certifications are managed by the Alabama Petroleum Contractor's Association (ALPEC) and a current list of the certified individuals and companies are listed at the following link:  
[http://www.alpec.info/UST\\_Certification.html](http://www.alpec.info/UST_Certification.html).

These regulations will become effective as of July 16, 2012, and are applicable to any UST system closure performed from this date forward, regardless of when the project was let to contract. The following link is for the actual ADEM regulation:  
<http://adem.state.al.us/alEnviroRegLaws/files/Division6Vol2.pdf>.

ALDOT Section 250 of the Standard Specifications requires that all work for the removal and disposal of UST shall be in conformance with the rules and regulations of ADEM, the Environmental Protection Agency (EPA), and the Occupational Safety and Health Administration (OSHA). This section goes into more detail on all the work required by the contractor for this item. Based on the wording of this specification, no special provision to change the work requirements is needed, but this memorandum is being provided to your office to make prospective bidders aware of ADEM's new regulations and Divisions to ensure that the required supervisor is on-site.

TM/WJP

pc: Mr. G. M. Harper  
Division Engineers  
Mr. Buddy Cox  
Mr. Barry Fagan  
File



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



*Robert Bentley*  
Governor

*John R. Cooper*  
Transportation Director

### Special Notice to Contractors

Effective immediately, the department is discontinuing the sale of plans for advertised projects after opening bids. Subcontractors, vendors, and suppliers should obtain plans from the successful primary contractor.

January 19, 2012

Alabama Department of Transportation  
1409 Coliseum Boulevard, Room E-108  
Montgomery, Alabama 36110-2060

## 2012 Edition of the Standard Specifications

The Alabama Department of Transportation is implementing use of the 2012 Edition of the Standard Specifications for Highway Construction (Spec Book) beginning with the January 27, 2012, Letting.

The cost of the book is \$20.00 each including standard shipping via UPS ground. Books can also be picked up in person or sent overnight via FedEx if you provide your account number. Unless otherwise specified your order will be shipped standard ground.

Please fill out the request form below and mail it along with a check or money order made payable to:

Alabama Department of Transportation  
Bureau of Office Engineer, Plans & Proposals Section  
1409 Coliseum Boulevard- Room E-108  
Montgomery, Alabama 36110-2060

COMPANY NAME: \_\_\_\_\_

SHIPPING ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_

QUANTITY: \_\_\_\_\_ X \$20.00 PER BOOK = \$ \_\_\_\_\_

DELIVERY OPTIONS (SELECT ONE)

\_\_\_\_\_ STANDARD MAIL/SHIP (VIA UPS)

\_\_\_\_\_ PICK UP

\_\_\_\_\_ OVERNIGHT (PROVIDE YOUR FEDEX ACCOUNT NUMBER):

\_\_\_\_\_

ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
MONTGOMERY ALABAMA 36110-2060

## 2016 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2016 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2016. This book is published in two volumes. Volume I contains U.S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at [www.dot.state.al.us](http://www.dot.state.al.us). Look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

Alabama Department of Transportation  
Bureau of Office Engineer, Plans & Proposal Section  
1409 Coliseum Boulevard – Room E-108  
Montgomery Alabama 36110-2060

---

Company Name: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

Quantity: \_\_\_\_\_ x \$125.00 per U.S. Book = \$\_\_\_\_\_

\_\_\_\_\_ x \$125.00 per Metric Book = \$\_\_\_\_\_

\_\_\_\_\_ x \$25.00 per Compact Disk = \$\_\_\_\_\_

Total: \$\_\_\_\_\_

Delivery Options (Select One)

\_\_\_\_\_ Standard UPS Ground

\_\_\_\_\_ Overnight, Provide Shipping Acct Number: \_\_\_\_\_

\_\_\_\_\_ Pick up



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



*Robert Bentley*  
Governor

*John R. Cooper*  
Transportation Director

### Special Notice to Contractors

Alabama Department of Transportation Specification 108.04(b)8 permits up to 17 acres of clearing and exposure of erodible material at any one time unless otherwise indicated on the plans. If, during your review of plans for each letting, you determine that a project cannot reasonably be constructed within the allowed acreage of exposed erodible material, it is requested that you make written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increase in acreage prior to receiving bids.



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110



*Robert Bentley*  
Governor

*John R. Cooper*  
Transportation Director

### Special Notice to Contractors

This is to advise that the "Request for Permission to Sublet Work" form and instruction sheet have been changed. These new forms should be used for all new sublet requests. They can be accessed on the Bureau of Office Engineer's Forms Page at [http://alletting.dot.state.al.us/pages/OE\\_forms.htm](http://alletting.dot.state.al.us/pages/OE_forms.htm) or on the Letting Page at the bottom of the "Helpful Links" section (yellow background) at <http://alletting.dot.state.al.us>.

April 22, 2011

Form OE-7  
Rev. 3-2011

# REQUEST FOR PERMISSION TO SUBLET WORK

Director-Alabama Department of Transportation  
Attention: OFFICE ENGINEER  
1409 Coliseum Boulevard, Room E-101  
Montgomery, Alabama 36110

Project No. (1) \_\_\_\_\_

County (2) \_\_\_\_\_

Dear Sir:

Your approval is requested for subletting the following items of work included in our contract with the Alabama Department of Transportation for the construction of the above numbered project to

(3) \_\_\_\_\_ of (4) \_\_\_\_\_

<u>Item No.</u> (5)	<u>Item/Description</u> (6)	<u>Quantity</u> (7)	<u>Unit</u> (8)	<u>Unit Price</u> (9)	<u>Amount</u> (10)

The contractor, sub-recipient, or the subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

The subcontract for this work, if this sublet request is approved, will contain all the pertinent provisions and regulations of the prime contract, and the subcontractor has been furnished with a copy of the pertinent provisions and requirements.

Sincerely,

(11)(a) \_\_\_\_\_  
Surety

(12)(a) \_\_\_\_\_  
Prime Contractor

(b) \_\_\_\_\_  
AL Contractor's License Number

BY(b): \_\_\_\_\_

BY(c): \_\_\_\_\_

I hereby certify that I have been furnished with a copy of the pertinent provisions and regulations of the prime contract, including labor standards clauses, that relate to these items of work. Furthermore, I have read and understand the statements noted above.

(13)(a) \_\_\_\_\_  
Subcontractor

(b) \_\_\_\_\_  
AL Contractor's License Number

BY(c): \_\_\_\_\_

DETAILED INSTRUCTIONS FOR COMPLETING REQUEST  
FOR PERMISSION TO SUBLET WORK FORMS

- (1) Project number shall be exactly as it appears on your contract with the Alabama Department of Transportation.
- (2) Show county or counties as shown on contract.
- (3) Show proposed subcontractor's name as it appears on General Contractor's License and Certificate of Insurance and Qualification Letter.
- (4) Give subcontractor's city and state.
- (5) Item numbers shall correspond to those in the contract (ex.: 600A-000).
- (6) Item description shall be complete; just as it appears in your contract. \*
- (7) Quantity shall correspond to contract quantity.
- (8) Unit must correspond to contract unit (ex.: ton, sy, cy, etc.)
- (9) Unit price shall be the same as that included in the contract. \*
- (10) Amount of each item shall correspond to the contract amount for this item. If necessary, attachment(s) may be used for additional items. Total amount of all items in this sublet shall equal the total amount of sublet shown by you on the attached Affirmative Action Form.
- (11)
  - (a) Surety's name.
  - (b) Signature and seal of authorized agent.
- (12)
  - (a) Prime contractor's name shall be shown exactly as it appears on your contract.
  - (b) Prime contractor's license number.
  - (c) Signature shall be legible.
- (13)
  - (a) Subcontractor's name shall be exactly as it appears on his Qualification Letter and General Contractor's License.
  - (b) Subcontractor's License Number.
  - (c) Subcontractor's signature shall be legible.

\*Partials: If partial quantity is used, an explanation shall be provided showing exactly what portion of quantity will be performed by the subcontractor. If partial unit price, such as hauling, the unit (ex.: ton, cy, sy, etc.) must agree with the contract unit. However, a unit corresponding to the subcontract agreement unit may be used in the explanation of the partial. Partial unit price, whether hauling, labor, or whatever, shall be the actual unit price agreed upon with the subcontractor. If partial quantity or partial unit price, give complete description, then show (partial) followed by an explanation of what portion of this work is to be performed by the subcontractor. For expediency, asterisk(s) and footnote(s) may be used.

Note: On all federal-aid projects, the prime contractor shall be responsible for seeing that the two attached federal forms be completed (if applicable). Equal employment opportunity statement shall be completed, signed and dated by the subcontractor, indicating has/has not, as appropriate. On all federally assisted subcontracts in excess of \$10,000.00, the affirmative action form shall be completed. The amount shown on the affirmative action form shall equal the amount of the sublet. Please ensure that all information is supplied on these forms.

A copy of the subcontract is required for all projects. Subcontract shall include the following statement: "This subcontract includes the appropriate provisions of the contract between (\_\_\_\_\_) (prime contractor) and the Alabama Department of Transportation, dated \_\_\_\_\_(date signed by Governor)."

Mail completed assembly to: Alabama Department of Transportation  
1409 Coliseum Blvd., Room E-101  
Montgomery, AL 36110





Robert Bentley  
Governor

## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

[www.dot.state.al.us](http://www.dot.state.al.us)



John R. Cooper  
Transportation Director

### Special Notice to Contractors

Pursuant to Section 107.01, Standard Specifications for Highway Construction 2012, ***"The contractor shall keep fully informed of all Federal and State laws, all local laws, ordinances, and regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority which in any manner affect those engaged or employed on the work, or which in any way affect the conduct of the work. He shall at all times observe and comply with all such laws, ordinances, regulations, orders, and decrees; and shall protect and indemnify the State and its representatives against any claim or liability arising from or based on the violation of any such law ordinance, regulation, order, or decree, whether by himself or his employees."***

The scope of the foregoing specification includes any laws or regulations governing the licensure of general contractors and subcontractors in the state of Alabama.

January 4, 2014



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



Bob Riley  
Governor

Joe McInnes  
Transportation Director

### Special Notice to Contractors

The Alabama Department of Transportation does not enter into agreements to appoint purchasing agents for highway contracts which are otherwise allowed pursuant to Alabama Department of Revenue Sales and Use Tax Regulations Section 810-6-3-.69.02 or any other authorizing provision of law. The bidder's attention is directed to Section 107 of the Alabama Department of Transportation Standard Specifications For Highway Construction, specifically Sections 107.01 and 107.02, concerning the Contractor's responsibility to keep fully informed of and comply with all Federal and State laws and the payment of all applicable charges, fees and taxes. Any questions concerning the applicability of the Alabama State Sales Tax to any provision of a contract for highway construction should be directed to the Alabama Department of Revenue at 334-242-1490.

January 19, 2010



## ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110  
Bureau of Office Engineer  
Plans and Proposals Section  
Telephone: 334-242-6444 FAX: 334-264-7976  
[www.dot.state.al.us](http://www.dot.state.al.us)



*Bob Riley*  
Governor

*Joe Molinas*  
Transportation Director

# Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley  
Governor

ALABAMA  
DEPARTMENT OF TRANSPORTATION  
CONSTRUCTION BUREAU  
1409 COLISEUM BOULEVARD  
MONTGOMERY, ALABAMA 36110  
Telephone: (334) 242-6208  
FAX: (334) 264-3727



Joe McInnes  
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.  
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION  
Certification of Actual Payments to DBE Firms

Project No.: \_\_\_\_\_  
County: \_\_\_\_\_

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: \_\_\_\_\_  
was or will be paid \$ \_\_\_\_\_

Note: this amount does / does not include gross receipts tax and bond.  
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: \_\_\_\_\_  
signature

Name: \_\_\_\_\_  
please print

Title: \_\_\_\_\_

Date: \_\_\_\_\_



GEORGE C. WALLACE  
GOVERNOR

*File*

STATE OF ALABAMA  
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

*JAT*

RAY D. BASS  
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog  
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Elankenship  
Federal Highway Administration  
File

ALDOT FORM DBE-10

1. Project Number:		2. County:		3. Region:				
4. Prime Contractor:		5. DBE:						
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:				
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date	16. Amount Performed to Date
Pay Item No.	Item Description							
17. Comments:						18. Total:		19. Total:
20. Signature of Authorized Representative:		Printed Name & Title				Date Signed		



# Alabama Department of Transportation

## ALDOT Form DBE 10 Instructions

*Revised 5-2015*

### Block Number Instructions

1. ALDOT Project Number
2. County
3. Region
4. Prime Contractor For the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

### Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

### Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet ). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

# Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: \_\_\_\_\_ Contractor Name: \_\_\_\_\_  
 Letting Date: \_\_\_\_\_ Address: \_\_\_\_\_  
 Contract Amount: \_\_\_\_\_  
 Percent DBE Utilization Required: \_\_\_\_\_

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices OR list the type of work and attach additional pages for details)	Dollar Amount
Name: Cert Number:				
Name: Cert Number:				
Name: Cert Number:				
Name: Cert Number:				
Name: Cert Number:				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: \_\_\_\_\_

Date: \_\_\_\_\_

Project Number: \_\_\_\_\_

County: \_\_\_\_\_

**Certification of Prime Contractor:**

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_ Date: \_\_\_\_\_

**Certification of Non-DBE Subcontractor:** \_\_\_\_\_

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_ Date: \_\_\_\_\_

**Certification of DBE Subcontractor:** \_\_\_\_\_

Address: \_\_\_\_\_

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: \_\_\_\_\_

Signature of Authorized Representative: \_\_\_\_\_ Date: \_\_\_\_\_

DBE Certification Number: \_\_\_\_\_

BIDDER'S NAME: \_\_\_\_\_ PROJECT NUMBER: \_\_\_\_\_ COUNTY: \_\_\_\_\_

[illegible]



Bob Riley  
Governor

# ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes  
Transportation Director

December 12, 2005

## MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin  
State Office Engineer 

RE: Sublet Approval Requirements for  
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. G. M. Harper  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. Terry Robinson  
Alabama Road Builders Association  
File



# ALABAMA DEPARTMENT OF TRANSPORTATION

406 Coliseum Boulevard Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley  
Governor

Mr. Joe D. Wilkerson  
Division Administrator  
Federal Highway Administration  
500 Eastern Boulevard, Suite 200  
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation  
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material hauliers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material hauliers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBratney, Assistant State Office Engineer, and Mr. Skip Powe, DSE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Ronald L. Baldwin". The signature is fluid and cursive, with the first name "Ronald" being the most prominent.

Ronald L. Baldwin  
State Office Engineer

RLB:CPM:agh  
Attachment

pc: Mr. Joe McInnes  
Mr. D. W. Vaughn  
Mr. Terry McDuffie  
Mr. Clay McBrien  
Mr. David Bollie  
.File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

\*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.



November 6, 2015

COMPANY NAME: \_\_\_\_\_ BY: \_\_\_\_\_

SHIPPING ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_

MAIL ADDRESS: \_\_\_\_\_

CITY, STATE, ZIP: \_\_\_\_\_ PHONE: \_\_\_\_\_

DELIVERY OPTIONS: \_\_\_\_\_ STANDARD MAIL/SHIP (VIA UPS)

(CHECK ONE) \_\_\_\_\_ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # \_\_\_\_\_)

\_\_\_\_\_ WILL PICK UP

NOTE: You are limited to one bidding proposal per project. You must be pre-qualified to purchase a bidding proposal.

**WE ARE NO LONGER ACCEPTING 3.5" DISKETTES.** Bidding files are available at our website. [www.dot.state.al.us](http://www.dot.state.al.us)

BIDDING PROPOSAL (ONE EACH)	PLANS PRICE	PLANS QTY.	
\$5.00 _____	\$4.00 _____	005 .	ACAA59579-ATRP(011), RUSSELL
\$5.00 _____	\$13.00 _____	015 .	ACBRZ60511-ATRP(009), ETC., BARBOUR
\$5.00 _____	\$10.00 _____	017 .	ACBRZ61379-ATRP(014), ETOWAH
\$5.00 _____	\$8.00 _____	018 .	ACBRZ61699-ATRP(011), CLEBURNE
\$5.00 _____	\$6.00 _____	021 .	ACOA60289-ATRP(014), BIBB
\$5.00 _____	\$10.00 _____	022 .	ACNU60291-ATRP(005), ETC., BIBB
\$5.00 _____	\$3.00 _____	023 .	ACNU60309-ATRP(014), CHILTON
\$5.00 _____	\$10.00 _____	024 .	ACNU61054-ATRP(008), TALLAPOOSA
\$5.00 _____	\$19.00 _____	028 .	ACOA61156-ATRP(002), BALDWIN
\$5.00 _____	\$11.00 _____	035 .	ERPR-8980(928), BALDWIN
\$5.00 _____	\$10.00 _____	041 .	HSR-0150(502), JEFFERSON
\$5.00 _____	\$3.00 _____	044 .	IM-I065(449), AUTAUGA
\$5.00 _____	\$4.00 _____	067 .	STPNU-4815(250), MARSHALL
\$5.00 _____	\$8.00 _____	074 .	STPOA-UR14(606), LAUDERDALE
\$5.00 _____	\$6.00 _____	077 .	99-305-632-069-501, TUSCALOOSA
\$5.00 _____	\$17.00 _____	078 .	99-309-022-059-504, BALDWIN
\$5.00 _____	\$9.00 _____	079 .	99-502-424-565-401, LIMESTONE

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$125.00 _____		2015 STANDARD HIGHWAY DRAWINGS
\$125.00 _____		2015 METRIC STANDARD HIGHWAY DRAWINGS
\$25.00 _____		2015 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$20.00 _____		2012 STANDARD SPECIFICATIONS BOOK
\$5.00 _____		CURRENT QUALIFIED CONTRACTORS LIST
\$2.00 _____		CURRENT BRIDGE POSTING MAP & CHART

**\*\* SEND ONE CHECK ONLY.\*\*** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO: ALABAMA DEPARTMENT OF TRANSPORTATION  
1409 COLISEUM BOULEVARD  
OFFICE ENGINEER - ROOM E-108  
MONTGOMERY, ALABAMA 36110  
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976  
e-mail: [offengr@dot.state.al.us](mailto:offengr@dot.state.al.us)

ORDER TOTAL: \$ \_\_\_\_\_ PAID BY: \_\_\_\_\_ DATE: \_\_\_\_\_



## **Alabama Department of Transportation Notice to Contractors**

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10:00 AM on November 06, 2015 and at that time publicly opened for constructing the following projects as described herein.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

Plans and Proposals are available and on file at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

### **For Federal Aid Projects:**

- **Minimum Wage Rates have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. Federal Aid Projects are also subject to the contract work hours and Safety Standards Act and its implementing regulations.**
- **The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.**
- **The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.**

### **For State and State Maintenance Projects:**

- **Sections 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and Engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."**

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

### **The Quantities shown are approximate and are for information only.**

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The right to reject any or all bids is reserved.

JOHN R. COOPER  
Transportation Director

**Contract ID:** 20151106005**Projects:** ACAA59579-ATRP(011)**Letting Date:** November 06, 2015**County:** RUSSELL**Contract Time:** 35 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on CR-59 (Auburn Road) from the Lee County Line to the junction of SR-8 (US-80) in Phenix City. Length 1.602 mi.

The Bracket Estimate on this project is from \$392,820 to \$480,113 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
401B108	Bituminous Treatment G (With Polymer Additive)	28,204	SQYD
405A000	Tack Coat	275	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	2	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	28,809	SQYD
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	2,377	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	6	Ton
600A000	Mobilization	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 21,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	210	LF
701C001	Solid Temporary Traffic Stripe	8	Mile
703A002	Traffic Control Markings, Class 2, Type A	209	SQFT
703B002	Traffic Control Legends, Class 2, Type A	45	SQFT
705A037	Pavement Markers, Class A-H, Type 2-D	215	Each
740B000	Construction Signs	332	SQFT
740O000	Pilot Car	1	Each

**( ) Item will be bid as lump sum.**

**Contract ID:** 20151106015**Projects:** ACBRZ60511-ATRP(009), ACBRZ60513-ATRP(005),  
ACBRZ60512-ATRP(005)**Letting Date:** November 06, 2015**County:** BARBOUR**Contract Time:** 70 Working Days**DBE Goal Percent:** 4.00

**Description:** for constructing the Bridge Replacement (Precast) on Cody Kennedy Road over a Tributary of Pea Creek northwest of Louisville (Site #1); on CR-79 (Poplar Springs Road) over an Unnamed Tributary of South Fork of Cowikee Creek (Site #2); and on CR-163 (Old Sardis Church Road) over Howell Creek west of Eufaula (Site #3). Length 0.057 mi.

The Bracket Estimate on this project is from \$1,043,928 to \$1,275,912 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$13.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 2 Acres)	(1)	LS
206A000	Removal Of Old Bridge, Station 9+11.32	(1)	LS
206A001	Removal Of Old Bridge, Station 5+69.10	(1)	LS
206A002	Removal Of Old Bridge, Station 5+04.60	(1)	LS
210A000	Unclassified Excavation	820	CUYD
502A001	Steel Reinforcement (Grade 60)	8,998	LB
505A002	Steel Test Piles (HP 12x53)	3	Each
505A005	Steel Test Piles (HP 14x89)	3	Each
505B057	Static Loading Tests (HP 12x53)	3	Each
505B060	Static Loading Tests (HP 14x89)	3	Each
505M002	Steel Piling Furnished And Driven (HP 12x53)	1,109	LF
505M012	Steel Piling Furnished And Driven (HP 14 x 89)	1,087	LF
508A000	Structural Steel	1,854	LB
510A000	Bridge Substructure Concrete, Class A	81	CUYD
511A000	Elastomeric Bearing Type 1	132	Each
512B004	Precast Concrete Intermediate Bent Caps, 2'-0" Wide By 2'-0" Deep By 31'-6" Long	6	Each
512C004	Precast Concrete Type 1 Span Section, 3'-6" Wide By 1'-9" Deep By 34'-0" Long	54	Each
512C007	Precast Concrete Type 2C Span Section, 3'-6" Wide By 1'- 9" Deep By 34'-0" Long	18	Each
512D002	Precast Concrete Barrier Rail End Section, 34'-0" Long	12	Each
512D005	Precast Concrete Barrier Rail Intermediate Section, 34'-0" Long	6	Each
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	2,370	Ton
610D003	Filter Blanket, Geotextile	1,764	SQYD
630C003	Guardrail End Anchor, Type 13	12	Each
630C070	Guardrail End Anchor, Type 10 Series	12	Each
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 36,000.00)	(1)	LS
740B000	Construction Signs	423	SQFT
740F002	Barricades, Type III	24	Each
740I002	Warning Lights, Type B	12	Each

( ) Item will be bid as lump sum.

**Contract ID:** 20151106017**Projects:** ACBRZ61379-ATRP(014)**Letting Date:** November 06, 2015**County:** ETOWAH**Contract Time:** 120 Working Days**DBE Goal Percent:** 3.00**Description:** for constructing the Bridge Replacement on Fairview Cove Road over Bristow Creek south of Aurora. Length 0.213 mi.

The Bracket Estimate on this project is from \$924,355 to \$1,129,768 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$10.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 1 Acre)	(1)	LS
209A000	Mailbox Reset, Single	2	Each
210A000	Unclassified Excavation	2,748	CUYD
210D001	Borrow Excavation (Loose Truckbed Measurement)	17,641	CUYD
214A000	Structure Excavation	175	CUYD
214B001	Foundation Backfill, Commercial	167	CUYD
230A000	Roadbed Processing	12	RBST
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	3,524	SQYD
401A000	Bituminous Treatment A	2,643	SQYD
405A000	Tack Coat	90	Gal
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	170	Ton
424A346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	100	Ton
424B636	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	378	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	100	Ton
502A000	Steel Reinforcement	49,256	LB
524A010	Culvert Concrete	342	CUYD
535A001	18" Side Drain Pipe	48	LF
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	986	Ton
610D003	Filter Blanket, Geotextile	880	SQYD
619A002	18" Roadway Pipe End Treatment, Class 1	4	Each
630A021	Steel Beam Guardrail, Class A, Type 2 (Steel Post)	200	LF
630C070	Guardrail End Anchor, Type 10 Series	4	Each
635B002	Gate, 20 Feet Wide	2	Each
636A004	Barbed Wire Fence, 4 Strands, 4 Feet High (Metal Post)	1,970	LF
650B000	Topsoil From Stockpiles	2,233	CUYD
652A100	Seeding	2	Acre
656A010	Mulching	2	Acre
665A000	Temporary Seeding	2	Acre
665B001	Temporary Mulching	4	Ton
665E000	Polyethylene	260	SQYD
665I000	Temporary Riprap, Class 2	50	Ton
665J002	Silt Fence	2,160	LF

Item No.	Description	Quantity	Units
665O001	Silt Fence Removal	2,160	LF
665Q002	Wattle	200	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 47,000.00)	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	1	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	1	Mile
703A002	Traffic Control Markings, Class 2, Type A	20	SQFT
703D001	Temporary Traffic Control Markings	20	SQFT
705A037	Pavement Markers, Class A-H, Type 2-D	30	Each
713A000	Permanent Barricades	40	LF
740B000	Construction Signs	191	SQFT
740F002	Barricades, Type III	6	Each
740I002	Warning Lights, Type B	3	Each

( ) Item will be bid as lump sum.

**Contract ID:** 20151106018**Projects:** ACBRZ61699-ATRP(011)**Letting Date:** November 06, 2015**County:** CLEBURNE**Contract Time:** 140 Working Days**DBE Goal Percent:** 3.00**Description:** for constructing the Bridge Replacement and Approaches on CR-118 over Dynne Creek south of Arbacoochee. Length 0.150 mi.

The Bracket Estimate on this project is from \$852,754 to \$1,042,255 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 PER ACRE)(APPROXIMATELY 1 ACRE)	(1)	LS
206A000	Removal Of Old Bridge, Station 15+08.13	(1)	LS
210A000	Unclassified Excavation	5,439	CUYD
214A000	Structure Excavation	3,200	CUYD
214B001	Foundation Backfill, Commercial	820	CUYD
230A000	Roadbed Processing	8	RBST
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	1,867	SQYD
401A000	Bituminous Treatment A	1,867	SQYD
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	147	Ton
424B636	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	258	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	80	Ton
502A000	Steel Reinforcement	116,559	LB
524A010	Culvert Concrete	581	CUYD
600A000	Mobilization	(1)	LS
602A000	Right Of Way Markers	12	Each
610C001	Loose Riprap, Class 2	488	Ton
610D003	Filter Blanket, Geotextile	390	SQYD
630A001	Steel Beam Guardrail, Class A, Type 2	300	LF
630C050	Guardrail End Anchor, Type 20 Series	4	Each
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665F000	Hay Bales	50	Each
665J002	Silt Fence	1,800	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 43,000.00)	(1)	LS
701G263	Solid Yellow, Class 2, Type A Traffic Stripe	1,600	LF
740B000	Construction Signs	225	SQFT
740F002	Barricades, Type III	8	Each
740I002	Warning Lights, Type B	4	Each

**( ) Item will be bid as lump sum.**



**Contract ID:** 20151106021**Projects:** ACOA60289-ATRP(014)**Letting Date:** November 06, 2015**County:** BIBB**Contract Time:** 30 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Resurfacing, Traffic Stripe, and Pavement Markers on CR-58 (University Way) from the intersection of SR-5 to the junction of SR-25 in Brent. Length 1.137 mi.

The Bracket Estimate on this project is from \$404,541 to \$494,439 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$6.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C008	Removing Concrete Median	190	SQYD
206D002	Removing Curb	1,858	LF
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	189	CUYD
301E008	Crushed Aggregate Base Course, Type B, Plant Mixed	75	Ton
405A000	Tack Coat	2,350	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	2	Mile
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,775	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	460	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	262	Ton
600A000	Mobilization	(1)	LS
610C000	Loose Riprap, Class 1	250	Ton
610D003	Filter Blanket, Geotextile	364	SQYD
623A001	Concrete Gutter (Valley)	459	LF
623C003	Combination Curb & Gutter, Type C (Modified)	1,858	LF
650A000	Topsoil	215	CUYD
654A001	Solid Sodding (Bermuda)	1,934	SQYD
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
665Q002	Wattle	100	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 22,000.00)	(1)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	3	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	3	Mile
701B205	Dotted, Class 2, Type A, Traffic Stripe	425	LF
701C001	Solid Temporary Traffic Stripe	6	Mile
701E010	Broken Temporary Traffic Stripe	906	LF
701G240	Broken White, Class 2, Type A Traffic Stripe	906	LF
703A002	Traffic Control Markings, Class 2, Type A	767	SQFT
703B002	Traffic Control Legends, Class 2, Type A	90	SQFT
703D001	Temporary Traffic Control Markings	432	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	63	Each
705A032	Pavement Markers, Class A-H, Type 1-B	132	Each
705A037	Pavement Markers, Class A-H, Type 2-D	156	Each
705A038	Pavement Markers, Class A-H, Type 2-E	66	Each
740B000	Construction Signs	452	SQFT



Item No.	Description	Quantity	Units
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	125	Each
740M001	Ballast For Cone	125	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

( ) Item will be bid as lump sum.

**Contract ID:** 20151106022**Projects:** ACNU60291-ATRP(005), ACNU60292-ATRP(015),  
ACNU60294-ATRP(006)**Letting Date:** November 06, 2015**County:** BIBB**Contract Time:** 90 Working Days**DBE Goal Percent:** 4.00

**Description:** for constructing the Resurfacing and Traffic Stripe on CR-12 (Grey Hill Road) from 0.3 mile west of the junction of CR-282 west of Green Pond to the Shelby County Line (Site #1); on CR-9/CR-24 (Vance Road) from the Tuscaloosa County Line to the intersection of SR-5 in West Blocton (Site #2); and on CR-26 (Haysop Church Road) from the intersection of SR-6 (US-82) to the junction of CR-131 northwest of Eoline (Site #3). Length 12.744 mi.

The Bracket Estimate on this project is from \$2,511,220 to \$3,069,269 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$10.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	350	LF
206E019	Removing Guardrail End Anchor (Type 10)	8	Each
401B108	Bituminous Treatment G (With Polymer Additive)	165,348	SQYD
405A000	Tack Coat	12,414	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	14	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	16,567	Ton
424B640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B	650	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	1,250	Ton
424B648	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	400	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	7,335	Ton
600A000	Mobilization	(1)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	550	LF
630C003	Guardrail End Anchor, Type 13	4	Each
630C050	Guardrail End Anchor, Type 20 Series	12	Each
665J002	Silt Fence	2,400	LF
665O001	Silt Fence Removal	2,400	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 132,000.00)	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	3	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	2	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	1	Mile
701A231	Solid White, Class 2, Type A Traffic Stripe	23	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	16	Mile
701A245	Broken Yellow, Class 2, Type A Traffic Stripe	6	Mile
701C000	Broken Temporary Traffic Stripe	7	Mile
701C001	Solid Temporary Traffic Stripe	46	Mile
701G144	Solid White, Class W, Type A Traffic Stripe	802	LF
701G152	Solid Yellow, Class W, Type A Traffic Stripe	802	LF
703A002	Traffic Control Markings, Class 2, Type A	898	SQFT
703A004	Traffic Control Markings, Class 2T, Type A	68	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	364	Each

Item No.	Description	Quantity	Units
705A037	Pavement Markers, Class A-H, Type 2-D	1,490	Each
740B000	Construction Signs	708	SQFT
740O000	Pilot Car	1	Each

( ) Item will be bid as lump sum.

**Contract ID:** 20151106023**Projects:** ACNU60309-ATRP(014)**Letting Date:** November 06, 2015**County:** CHILTON**Contract Time:** 30 Working Days**Description:** for constructing the Re-Striping on CR-73 from the junction of CR-50 west of Jemison to the Shelby County Line. Length 9.104 mi.

The Bracket Estimate on this project is from \$94,716 to \$115,764 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
600A000	Mobilization	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	19	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	15	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	5	Mile
703A004	Traffic Control Markings, Class 2T, Type A	498	SQFT

**( ) Item will be bid as lump sum.**

**Contract ID:** 20151106024**Projects:** ACNU61054-ATRP(008)**Letting Date:** November 06, 2015**County:** TALLAPOOSA**Contract Time:** 45 Working Days**DBE Goal Percent:** 4.00**Description:** for constructing the Resurfacing and Traffic Stripe on Lafayette Street from the junction of Madwind Road to the junction of North Loop Road in Dadeville. Length 3.679 mi.

The Bracket Estimate on this project is from \$822,492 to \$1,005,268 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$10.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	577	SQYD
206D003	Removing Curb And Gutter	65	LF
401B108	Bituminous Treatment G (With Polymer Additive)	53,290	SQYD
405A000	Tack Coat	2,745	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	4	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	27,270	SQYD
424A346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	4,820	Ton
424A347	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	15	Ton
424B639	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	250	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	645	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	740	Ton
600A000	Mobilization	(1)	LS
618A000	Concrete Sidewalk, 4" Thick	469	SQYD
618B003	Concrete Driveway, 6" Thick (Includes Wire Mesh)	55	SQYD
623A000	Concrete Gutter	48	LF
623B120	Concrete Curb, (Type Special)	545	LF
631F001	Steel Beam Guardrail, Class A, Type 2 Relocated	150	LF
631G009	Guardrail End Anchor, Type 10 Series Relocated	4	Each
641S500	Valve Box Reset	8	Each
645K500	Manhole Frame And Cover Reset	5	Each
650A000	Topsoil	85	CUYD
652A100	Seeding	2	Acre
654A001	Solid Sodding (Bermuda)	1,052	SQYD
656A010	Mulching	2	Acre
665F000	Hay Bales	200	Each
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
666A001	Pest Control Treatment	2	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 43,000.00)	(1)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	6	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	8	Mile
701B205	Dotted, Class 2, Type A, Traffic Stripe	115	LF
701C003	Solid Temporary Traffic Stripe (Paint)	18	Mile

Item No.	Description	Quantity	Units
701E011	Broken Temporary Traffic Stripe (Paint)	1,700	LF
701G258	Broken Yellow, Class 2, Type A Traffic Stripe	1,700	LF
703A002	Traffic Control Markings, Class 2, Type A	1,103	SQFT
703B002	Traffic Control Legends, Class 2, Type A	688	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	38	Each
705A037	Pavement Markers, Class A-H, Type 2-D	481	Each
705A038	Pavement Markers, Class A-H, Type 2-E	19	Each
710A115	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)	32	SQFT
710A126	Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)	42	SQFT
710B009	Roadway Sign Post (4" O.D. Steel Uniform Diameter)	28	LF
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	125	LF
730H001	Loop Wire	2,368	LF
730I001	Loop Detector Lead-In-Cable	700	LF
740B000	Construction Signs	736	SQFT
740D000	Channelizing Drums	25	Each
740E000	Cones (36 Inches High)	125	Each
740M001	Ballast For Cone	125	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each

**( ) Item will be bid as lump sum.**

**Contract ID:** 20151106028**Projects:** ACOA61156-ATRP(002)**Letting Date:** November 06, 2015**County:** BALDWIN**Contract Time:** 100 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on Fairhope Avenue from the intersection of Bancroft Street to the intersection of SR-181 in Fairhope. Length 2.609 mi.

The Bracket Estimate on this project is from \$909,215 to \$1,111,262 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$19.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	205	SQYD
206D003	Removing Curb And Gutter	36	LF
210A000	Unclassified Excavation	1,450	CUYD
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	140	SQYD
401A000	Bituminous Treatment A	55	SQYD
405A000	Tack Coat	3,810	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	5	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	6,502	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	5,923	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	200	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	125	Ton
424B662	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D	440	Ton
424B692	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D	7	Ton
600A000	Mobilization	(1)	LS
610D003	Filter Blanket, Geotextile	1,000	SQYD
618A000	Concrete Sidewalk, 4" Thick	153	SQYD
618A002	Concrete Sidewalk, 4" Thick (Includes Brick Paver)	161	SQYD
623C003	Combination Curb & Gutter, Type C (Modified)	489	LF
641S500	Valve Box Reset	9	Each
645K500	Manhole Frame And Cover Reset	23	Each
650A000	Topsoil	3,155	CUYD
654A001	Solid Sodding (Bermuda)	9,561	SQYD
665A000	Temporary Seeding	3	Acre
665B001	Temporary Mulching	9	Ton
665E000	Polyethylene	500	SQYD
665F000	Hay Bales	200	Each
665G000	Sand Bags	200	Each
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
665Q002	Wattle	1,500	LF

Item No.	Description	Quantity	Units
666A001	Pest Control Treatment	3	Acre
674A000	Construction Safety Fence	1,000	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 48,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701A231	Solid White, Class 2, Type A Traffic Stripe	6	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	969	LF
701C002	Broken Temporary Traffic Stripe (Paint)	2	Mile
701C003	Solid Temporary Traffic Stripe (Paint)	15	Mile
703A002	Traffic Control Markings, Class 2, Type A	3,813	SQFT
703B002	Traffic Control Legends, Class 2, Type A	225	SQFT
703D002	Temporary Traffic Control Markings (Paint)	256	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	67	Each
705A032	Pavement Markers, Class A-H, Type 1-B	111	Each
705A037	Pavement Markers, Class A-H, Type 2-D	348	Each
705A038	Pavement Markers, Class A-H, Type 2-E	77	Each
730H001	Loop Wire	1,200	LF
740B000	Construction Signs	1,162	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	130	Each
740M001	Ballast For Cone	130	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

( ) Item will be bid as lump sum.



**Contract ID:** 20151106035**Projects:** ERPR-8980(928)**Letting Date:** November 06, 2015**County:** BALDWIN**Contract Time:** 55 Working Days**DBE Goal Percent:** 3.00**Description:** for constructing the Culvert and Outfall Repair on I-10 at D'Olive Creek in Daphne. Length 0.189 mi.

The Bracket Estimate on this project is from \$582,503 to \$711,948 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$11.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 1 Acre)	(1)	LS
210A000	Unclassified Excavation	485	CUYD
430B003	Aggregate Surfacing (ALDOT #57)	146	Ton
502A000	Steel Reinforcement	4,105	LB
505E000	Permanent Steel Sheet Piling	2,924	LF
520A000	Repairs To Existing Bridge, Station (532+63.83)	(1)	LS
524A011	Culvert Concrete (Cast In Place)	25	CUYD
600A000	Mobilization	(1)	LS
610A015	Loose Riprap, Class 2 (Remove & Relocate)	798	SQYD
610C001	Loose Riprap, Class 2	1,111	Ton
610D003	Filter Blanket, Geotextile	1,441	SQYD
615B000	Riprap Grout	41	CUYD
650A000	Topsoil	26	CUYD
654A001	Solid Sodding (Bermuda)	215	SQYD
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665E000	Polyethylene	500	SQYD
665F000	Hay Bales	50	Each
665G000	Sand Bags	100	Each
665J002	Silt Fence	1,600	LF
665L000	Floating Basin Boom	250	LF
665N000	Temporary Coarse Aggregate, ALDOT Number 1	50	Ton
665O001	Silt Fence Removal	1,600	LF
665Q002	Wattle	500	LF
666A001	Pest Control Treatment	1	Acre
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 30,000.00)	(1)	LS
740B000	Construction Signs	496	SQFT
740D000	Channelizing Drums	50	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each

**( ) Item will be bid as lump sum.**

**Contract ID:** 20151106041**Projects:** HSR-0150(502)**Letting Date:** November 06, 2015**County:** JEFFERSON**Contract Time:** 45 Working Days

**Description:** for constructing the Grade Crossing and Signalization Improvements on SR-150 at the Norfolk Southern Railroad Crossing between 1st Avenue and Hall Avenue in Bessemer. Length 0.121 mi.

The Bracket Estimate on this project is from \$263,739 to \$322,348 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$10.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C001	Removing Concrete Pavement	159	SQYD
206D002	Removing Curb	60	LF
405A000	Tack Coat	245	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	4,900	SQYD
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	460	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1	Ton
600A000	Mobilization	(1)	LS
614A000	Slope Paving	14	CUYD
623C000	Combination Curb & Gutter, Type C	172	LF
649A620	6 Inch Steel Encasement Pipe, Type 2 Installation	110	LF
650A000	Topsoil	11	CUYD
654A000	Solid Sodding	109	SQYD
665J002	Silt Fence	100	LF
665O001	Silt Fence Removal	100	LF
665Q002	Wattle	30	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 8,500.00)	(1)	LS
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	125	LF
701E000	Solid Temporary Traffic Stripe	1,785	LF
701E010	Broken Temporary Traffic Stripe	850	LF
701F000	Dotted Temporary Traffic Stripe	125	LF
701G242	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	850	LF
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	530	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1,255	LF
703A002	Traffic Control Markings, Class 2, Type A	844	SQFT
703B002	Traffic Control Legends, Class 2, Type A	320	SQFT
703D001	Temporary Traffic Control Markings	844	SQFT
703E001	Temporary Traffic Control Legends	320	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	16	Each
705A031	Pavement Markers, Class A-H, Type 1-A	7	Each
705A037	Pavement Markers, Class A-H, Type 2-D	11	Each
710A115	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)	45	SQFT

Item No.	Description	Quantity	Units
710A126	Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)	24	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	98	LF
730A012	Removal Of Existing Traffic Control Unit (Partial) ( SR-150 @ Carolina Avenue)	(1)	LS
730C000	Furnishing And Installing Traffic Control Unit ( SR-150 @ Carolina Avenue)	(1)	LS
730E000	Metal Traffic Signal Pole Foundation	3	Each
730G001	Metal Traffic Signal Strain Pole	2	Each
730H001	Loop Wire	4,270	LF
730I001	Loop Detector Lead-In-Cable	3,120	LF
730J010	Vehicle Loop Detector	14	Each
730K000	Traffic Signal Junction Box	7	Each
730L005	2", Non-Metallic, Conduit	400	LF
730N000	Luminaire Extension Assembly,	10	Each
730P022	Vehicular Signal Head, 12 Inch, 3 Section, Type LED	13	Each
730P030	Vehicular Signal Head, 12 Inch, 3 Section, Optically Programmed	5	Each
730P032	Vehicular Signal Head, 12 Inch, 5 Section, Optically Programmed	1	Each
730Q011	Pedestrian Signal Head, Type LED	1	Each
730Y600	Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Signal Head	(1)	LS
740B000	Construction Signs	1,042	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	50	Each
740M001	Ballast For Cone	50	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each
743D001	Sign, Type 1 (Blank Out)	2	Each
756A015	4" Electrical Conduit, 1 Line, Type 4 Installation	52	LF

( ) Item will be bid as lump sum.

**Contract ID:** 20151106044**Projects:** IM-I065(449)**Letting Date:** November 06, 2015**County:** AUTAUGA**Contract Time:** 30 Working Days**DBE Goal Percent:** 4.00

**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on I-65 from the Elmore County Line to just south of the SR-3 (US-31) Interchange (MP 186.000) north of Prattville. Length 4.418 mi.

The Bracket Estimate on this project is from \$1,472,600 to \$1,799,844 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
408B000	Micro-Milling Existing Pavement(Approximately 0.00" Thru 1.00" Thick)	156,000	SQYD
410H000	Material Remixing Device	1	Each
420A015	Polymer Modified Open Graded Friction Course	7,400	Ton
420B000	Open Graded Friction Course Tack Coat	31,200	Gal
424B285	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E	100	Ton
600A000	Mobilization	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 88,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	1,350	LF
701C000	Broken Temporary Traffic Stripe	18	Mile
701C001	Solid Temporary Traffic Stripe	36	Mile
701F000	Dotted Temporary Traffic Stripe	1,350	LF
703A002	Traffic Control Markings, Class 2, Type A	409	SQFT
705A031	Pavement Markers, Class A-H, Type 1-A	700	Each
740B000	Construction Signs	1,802	SQFT
740D000	Channelizing Drums	500	Each
740E000	Cones (36 Inches High)	500	Each
740M001	Ballast For Cone	500	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	4	Each

( ) Item will be bid as lump sum.

**Contract ID:** 20151106067**Projects:** STPNU-4815(250)**Letting Date:** November 06, 2015**County:** MARSHALL**Contract Time:** 30 Working Days**DBE Goal Percent:** 5.00

**Description:** for constructing the Resurfacing and Traffic Stripe on CR-466 (Simpson Point Road) from the junction of CR-469 (Eleven Forty Road) to the intersection of CR-5 (Cathedral Caverns Highway) south of Grant. Length 5.266 mi.

The Bracket Estimate on this project is from \$781,472 to \$955,133 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
405A000	Tack Coat	5,686	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	6	Mile
424A341	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	7,736	Ton
424B643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	300	Ton
424C344	Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B	200	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	1,500	Ton
600A000	Mobilization	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 43,800.00)	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	11	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	9	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	2	Mile
701C000	Broken Temporary Traffic Stripe	2	Mile
701C001	Solid Temporary Traffic Stripe	9	Mile
703A004	Traffic Control Markings, Class 2T, Type A	400	SQFT
703B004	Traffic Control Legends, Class 2T, Type A	480	SQFT
703D002	Temporary Traffic Control Markings (Paint)	400	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	200	Each
705A037	Pavement Markers, Class A-H, Type 2-D	924	Each
740B000	Construction Signs	702	SQFT
740O000	Pilot Car	1	Each

( ) Item will be bid as lump sum.

**Contract ID:** 20151106074**Projects:** STPOA-UR14(606)**Letting Date:** November 06, 2015**County:** LAUDERDALE**Contract Time:** 30 Working Days**Description:** for constructing the Traffic Signal Installation on CR-47 (Jackson Highway) at CR-30 (Church Road) in St. Florian. Length 0.113 mi.

The Bracket Estimate on this project is from \$102,572 to \$125,366 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
600A000	Mobilization	(1)	LS
614A000	Slope Paving	5	CUYD
654A001	Solid Sodding (Bermuda)	10	SQYD
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 3,100.00)	(1)	LS
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	150	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	75	LF
703A002	Traffic Control Markings, Class 2, Type A	190	SQFT
703C001	Removal Of Existing Traffic Control Markings Or Legends (Plastic)	20	SQFT
710A115	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)	19	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2", 14 Ga Square Tubular Steel)	42	LF
730C000	Furnishing And Installing Traffic Control Unit ( CR-47 (Jackson Highway) at CR-30 (Church Road)	(1)	LS
730E000	Metal Traffic Signal Pole Foundation	2	Each
730F000	Metal Traffic Signal Pole With 30 ft and 40 ft Mast Arm	1	Each
730F001	Metal Traffic Signal Pole With 35 ft and 50 ft Mast Arm	1	Each
730K000	Traffic Signal Junction Box	4	Each
730L002	1", Metallic, Conduit	50	LF
730L003	1", Non-Metallic, Conduit	50	LF
730L005	2", Non-Metallic, Conduit	300	LF
730N000	Luminaire Extension Assembly, 12 Feet	1	Each
730P022	Vehicular Signal Head, 12 Inch, 3 Section, Type LED	7	Each
730P024	Vehicular Signal Head, 12 Inch, 5 Section, Type LED	1	Each
730R022	Controller Assembly, Type III, 8 Phase	1	Each
730T000	Wood Pole	1	Each
730U015	Video Detection System	(1)	LS
740B000	Construction Signs	466	SQFT
740E000	Cones (36 Inches High)	15	Each
740M001	Ballast For Cone	15	Each
756A028	6" Electrical Conduit, 1 Line, Type 5 Installation	90	LF

**( ) Item will be bid as lump sum.**

**Contract ID:** 20151106077**Projects:** 99-305-632-069-501**Letting Date:** November 06, 2015**County:** TUSCALOOSA**Contract Time:** 30 Working Days**Description:** for constructing the Micro-Milling on SR-69 from just north of the Hale County Line (MP 130.820) to just south of the junction of CR-95 (MP 138.197) in Tuscaloosa. Length 7.376 mi.

The Bracket Estimate on this project is from \$694,286 to \$848,571 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$6.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
408B001	Micro-Milling Existing Pavement(Approximately 1.10" Thru 2.00" Thick)	214,113	SQYD
424A283	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range E	250	Ton
600A000	Mobilization	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 39,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	14	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	16	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	13	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	18,166	LF
701C000	Broken Temporary Traffic Stripe	15	Mile
701C001	Solid Temporary Traffic Stripe	30	Mile
701G142	Broken White, Class W, Type A Traffic Stripe (5" Wide)	1,221	LF
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	1,221	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	1,221	LF
701G161	Broken Black, Class W, Type B Traffic Stripe (5" Wide)	1,221	LF
701H002	Solid Traffic Stripe Removed (Tape)	2,441	LF
701H007	Broken Traffic Stripe Removed (Tape)	1,221	LF
703A002	Traffic Control Markings, Class 2, Type A	1,356	SQFT
703B002	Traffic Control Legends, Class 2, Type A	90	SQFT
705A031	Pavement Markers, Class A-H, Type 1-A	975	Each
705A032	Pavement Markers, Class A-H, Type 1-B	184	Each
705A037	Pavement Markers, Class A-H, Type 2-D	237	Each
705A038	Pavement Markers, Class A-H, Type 2-E	327	Each
740B000	Construction Signs	1,617	SQFT
740D000	Channelizing Drums	350	Each
740I002	Warning Lights, Type B	2	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	1	Each

( ) Item will be bid as lump sum.

**Contract ID:** 20151106078**Projects:** 99-309-022-059-504**Letting Date:** November 06, 2015**County:** BALDWIN**Contract Time:** 120 Working Days**Description:** for constructing the Modifications to various driveways and side streets on SR-59 from the junction of SR-182 to the intersection of 20th Avenue in Gulf Shores. Length 1.723 mi.

The Bracket Estimate on this project is from \$637,164 to \$778,755 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$17.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	632	SQYD
206C010	Removing Concrete Driveway	577	SQYD
206D003	Removing Curb And Gutter	818	LF
206D005	Removing Gutter	881	LF
209A000	Mailbox Reset, Single	3	Each
210A000	Unclassified Excavation	1,121	CUYD
210D022	Borrow Excavation (Loose Truckbed Measurement)(A-2-4(0) or A-4(0) )	395	CUYD
405A000	Tack Coat	113	Gal
407A000	Joint Sealant For Hot Mix Asphalt Pavement	30	Gal
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	867	SQYD
424A366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	311	Ton
424B285	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E	56	Ton
430B040	Aggregate Surfacing (Crushed Aggregate Base, Type B)	303	Ton
600A000	Mobilization	(1)	LS
606A016	4" Underdrain Pipe	68	LF
614A000	Slope Paving	61	CUYD
618A000	Concrete Sidewalk, 4" Thick	601	SQYD
618B003	Concrete Driveway, 6" Thick (Includes Wire Mesh)	1,372	SQYD
623A000	Concrete Gutter	1,741	LF
623B000	Concrete Curb, Type N	1,438	LF
623B001	Concrete Curb, Type N Special	120	LF
623C000	Combination Curb & Gutter, Type C	292	LF
623C004	Combination Curb & Gutter, Type C (Special)	385	LF
641S500	Valve Box Reset	11	Each
645K500	Manhole Frame And Cover Reset	3	Each
650A000	Topsoil	377	CUYD
654A001	Solid Sodding (Bermuda)	3,390	SQYD
665G000	Sand Bags	500	Each
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	500	LF
674A000	Construction Safety Fence	500	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 12,000.00)	(1)	LS



Item No.	Description	Quantity	Units
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701C000	Broken Temporary Traffic Stripe	1	Mile
701C001	Solid Temporary Traffic Stripe	1	Mile
701D007	Solid Traffic Stripe Removed (Paint)	1	Mile
701D014	Broken Traffic Stripe Removed (Paint)	1	Mile
703A002	Traffic Control Markings, Class 2, Type A	3,792	SQFT
703C000	Removal Of Existing Traffic Control Markings Or Legends (Paint)	702	SQFT
703D001	Temporary Traffic Control Markings	3,792	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	60	Each
705A037	Pavement Markers, Class A-H, Type 2-D	60	Each
705A038	Pavement Markers, Class A-H, Type 2-E	60	Each
710A028	Class 2, Aluminum Flat Sign Panels 0.04" Thickness (Type III Or Type IV Background	80	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	162	LF
710C000	Removal Of Existing Roadway Signs	(1)	LS
711A000	Roadway Sign Relocation	(1)	LS
740B000	Construction Signs	833	SQFT
740D000	Channelizing Drums	75	Each
740E000	Cones (36 Inches High)	25	Each
740M001	Ballast For Cone	25	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
745A000	Uniformed Police Officer	400	HOURL

( ) Item will be bid as lump sum.

**Contract ID:** 20151106079**Projects:** 99-502-424-565-401**Letting Date:** November 06, 2015**County:** LIMESTONE**Contract Time:** 45 Working Days**Description:** for constructing the Bridge Pile Stabilization on I-565 and on Service Roads in Mooresville.  
Length 2.150 mi.

The Bracket Estimate on this project is from \$388,450 to \$472,772 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
262A000	Drill Holes for Compaction Grouting	190	Each
262B000	Portland Cement Pressure Grout	475	CUYD
600A000	Mobilization	(1)	LS
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665F000	Hay Bales	10	Each
665J002	Silt Fence	1,000	LF
665N003	Temporary Coarse Aggregate,ALDOT Number 2	200	Ton
665O001	Silt Fence Removal	1,000	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 12,000.00)	(1)	LS
740B000	Construction Signs	1,177	SQFT
740D000	Channelizing Drums	150	Each
740F002	Barricades, Type III	12	Each
740I002	Warning Lights, Type B	10	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

**( ) Item will be bid as lump sum.**