

ALABAMA

Department of Transportation

www.dot.state.al.us




Notice to Contractors

Transportation Letting

December 4, 2015

10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.322.1754
cell: 334.850.5328

NOTICE TO CONTRACTORS

Your attention is directed to three new Special Provisions:

Special Provision 12-0090 Title VI Assurance

Special Provision 12-0091 Non-Discrimination Statutes and Authorities

Special Provision 12-0095 Disadvantaged Business Enterprise

Special attention is directed to sections 111.03, 111.09 (a) and 111.09 (b) of Special Provision 12-0095. These sections require the apparent low bidder to submit their DBE utilization plan within seven calendar days of the letting date to the Department and contain severe penalties if the apparent low bidder fails to do so.

These Special Provisions are effective April 1, 2015.

NOTICE TO CONTRACTORS

The Alabama Immigration Law, Beason-Hammon Alabama Taxpayer and Citizen Act, requires that a certificate of compliance form be completed and submitted to the Department for each contract prior to award. This form must have an original signature, and the project cannot be awarded without the form. This is effective beginning with the January 31, 2014 letting.

This certificate of compliance form is available on ALDOT'S website ([http://www.dot.state.al.us/Project Letting Information](http://www.dot.state.al.us/Project%20Letting%20Information)) and should be furnished to the Alabama Department of Transportation by the apparent low bidder within 10 days of the letting for non-early award contracts, and within 5 days for early award contracts at the following address:

Alabama Department of Transportation
C/o Ms. Sylvia Dryer
1409 Coliseum Boulevard, Room E-101
Montgomery, Alabama 36110



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

February 15, 2013

A handwritten signature, likely of John R. Cooper, in dark ink.

If you have any questions about the plans or proposals, please make sure you have thoroughly reviewed them and the applicable sections of the Standard Specifications (Spec Book) as it applies to your question. If further clarification is needed, please contact the Plans and Proposals section of the Bureau of Office Engineer with any questions you may have. We may be contacted at (334) 242-6526 and (334) 353-6329 or our e-mail address is offengr@dot.state.al.us. We will work with you to resolve any issues.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

October 5, 2015

Re: 2016 Calendar Year
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to “**Alabama Department of Transportation**” and mail it to:

ALABAMA DEPARTMENT OF TRANSPORTATION
C/O OFFICE ENGINEER
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

October 5, 2015

Re: **2016 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors, are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$40.00** per calendar year.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to “**Alabama Department of Transportation**” and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
C/O OFFICE ENGINEER
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



Robert Bentley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

Legal Bureau
1409 Coliseum Boulevard
Montgomery, Alabama 36110

Telephone (334) 242-6350 – Fax (334) 264-4359




John R. Cooper
Transportation Director

MEMORANDUM

May 30, 2012

TO: Bureau Chiefs and Division Engineers

FROM: 
Jim R. Ippolito, Jr.
Chief Counsel

RE: Amended Alabama Immigration Law

As you are aware, the Alabama Legislature recently amended the immigration law. The amended law, and specifically, Ala. Code § 31-13-9, affects all contracts involving the Department. The law no longer requires that contractors provide affidavits attesting that they are enrolled in E-verify. Under the amended law, contractors are only required to provide proof that they are enrolled in E-verify. For example, a contractor may provide a copy of its E-verify contract.

In addition, the amended law requires that State agencies include the following language in all contracts and agreements:

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

Please include this language in all future contracts or agreements.


Thank you for your cooperation and assistance in this matter.

JRI/JAT/lbw



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 Fax: 334-264-7976
www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

NOTICE TO CONTRACTORS

The Alabama Department of Transportation intends to maintain a public database of contractors who have furnished the documents necessary to be awarded a contract or to be authorized to subcontract work with the department pursuant to recent guidance concerning implementation of the amended Alabama Immigration Law, Beason-Hammon Alabama Taxpayer and Citizen Protection Act.

The Memorandum of Understanding concerning the E-Verify program with the United States Department of Homeland Security is required to be on-file with the Alabama Department of Transportation prior to award of a contract or authorization to subcontract, respectively.

It is no longer a requirement for the Affidavit for Business Entity/Employer/Contractor (OE-EV) and the Affidavit for Subcontractor (OE-EVSUB) to be submitted to the department.

The department encourages all business entities that intend to enter into a contract or subcontract with the Alabama Department of Transportation for the construction or maintenance of transportation facilities to download the complete E-Verify Memorandum of Understanding and furnish it to the Alabama Department of Transportation at the following address:

Alabama Department of Transportation
c/o Mr. Bryan Nichols
1409 Coliseum Boulevard, Room E-108
Montgomery, Alabama 36110

NTC 5.31.2012



ROBERT BENTLEY
GOVERNOR

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD, G-101
MONTGOMERY, ALABAMA 36110
PHONE (334) 242-6216
FAX (334) 264-3727



JOHN R. COOPER
TRANSPORTATION DIRECTOR

May 25, 2012

MEMORANDUM

TO: Mr. Ronnie Baldwin, P.E.
Office Engineer

FROM: Terry McDuffie, P.E. *Terry McDuffie*
State Construction Engineer

RE: Special Notice to Contractors
Underground Storage Tank (UST) Systems

The Alabama Department of Environmental Management (ADEM) has recently changed the regulations governing the removal and closure of Underground Storage Tank (UST) Systems. The changes state that the contractors who physically conduct any work associated with the removal and closure of UST Systems must have at least one (1) certified supervisor on-site to conduct such work. These certifications are managed by the Alabama Petroleum Contractor's Association (ALPEC) and a current list of the certified individuals and companies are listed at the following link:
http://www.alpec.info/UST_Certification.html.

These regulations will become effective as of July 16, 2012, and are applicable to any UST system closure performed from this date forward, regardless of when the project was let to contract. The following link is for the actual ADEM regulation:
<http://adem.state.al.us/alEnviroRegLaws/files/Division6Vol2.pdf>.

ALDOT Section 250 of the Standard Specifications requires that all work for the removal and disposal of UST shall be in conformance with the rules and regulations of ADEM, the Environmental Protection Agency (EPA), and the Occupational Safety and Health Administration (OSHA). This section goes into more detail on all the work required by the contractor for this item. Based on the wording of this specification, no special provision to change the work requirements is needed, but this memorandum is being provided to your office to make prospective bidders aware of ADEM's new regulations and Divisions to ensure that the required supervisor is on-site.

TM/WJP

pc: Mr. G. M. Harper
Division Engineers
Mr. Buddy Cox
Mr. Barry Fagan
File



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

Special Notice to Contractors

Effective immediately, the department is discontinuing the sale of plans for advertised projects after opening bids. Subcontractors, vendors, and suppliers should obtain plans from the successful primary contractor.

January 19, 2012

Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery, Alabama 36110-2060

2012 Edition of the Standard Specifications

The Alabama Department of Transportation is implementing use of the 2012 Edition of the Standard Specifications for Highway Construction (Spec Book) beginning with the January 27, 2012, Letting.

The cost of the book is \$20.00 each including standard shipping via UPS ground. Books can also be picked up in person or sent overnight via FedEx if you provide your account number. Unless otherwise specified your order will be shipped standard ground.

Please fill out the request form below and mail it along with a check or money order made payable to:

Alabama Department of Transportation
Bureau of Office Engineer, Plans & Proposals Section
1409 Coliseum Boulevard- Room E-108
Montgomery, Alabama 36110-2060

COMPANY NAME: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

QUANTITY: _____ X \$20.00 PER BOOK = \$ _____

DELIVERY OPTIONS (SELECT ONE)

_____ STANDARD MAIL/SHIP (VIA UPS)

_____ PICK UP

_____ OVERNIGHT (PROVIDE YOUR FEDEX ACCOUNT NUMBER):

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060

2016 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2016 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2016. This book is published in two volumes. Volume I contains U.S. Customary (English) Units and Volume II contains Metric Units of measurement.

Printed volumes may be purchased separately at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. The CD contains both English and Metric Drawings. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The books are also available on our website at www.dot.state.al.us. Look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

Alabama Department of Transportation
Bureau of Office Engineer, Plans & Proposal Section
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060

Company Name: _____

Shipping Address: _____

Quantity: _____ x \$125.00 per U.S. Book = \$ _____

_____ x \$125.00 per Metric Book = \$ _____

_____ x \$25.00 per Compact Disk = \$ _____

Total: \$ _____

Delivery Options (Select One)

_____ Standard UPS Ground

_____ Overnight, Provide Shipping Acct Number: _____

_____ Pick up



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

Special Notice to Contractors

Alabama Department of Transportation Specification 108.04(b)8 permits up to 17 acres of clearing and exposure of erodible material at any one time unless otherwise indicated on the plans. If, during your review of plans for each letting, you determine that a project cannot reasonably be constructed within the allowed acreage of exposed erodible material, it is requested that you make written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increase in acreage prior to receiving bids.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110



Robert Bentley
Governor

John R. Cooper
Transportation Director

Special Notice to Contractors

This is to advise that the "Request for Permission to Sublet Work" form and instruction sheet have been changed. These new forms should be used for all new sublet requests. They can be accessed on the Bureau of Office Engineer's Forms Page at http://alletting.dot.state.al.us/pages/OE_forms.htm or on the Letting Page at the bottom of the "Helpful Links" section (yellow background) at <http://alletting.dot.state.al.us>.

April 22, 2011

Form OE-7
Rev. 3-2011

REQUEST FOR PERMISSION TO SUBLET WORK

Director-Alabama Department of Transportation
Attention: OFFICE ENGINEER
1409 Coliseum Boulevard, Room E-101
Montgomery, Alabama 36110

Project No. (1) _____

County (2) _____

Dear Sir:

Your approval is requested for subletting the following items of work included in our contract with the Alabama Department of Transportation for the construction of the above numbered project to

(3) _____ of (4) _____

<u>Item No.</u> (5)	<u>Item/Description</u> (6)	<u>Quantity</u> (7)	<u>Unit</u> (8)	<u>Unit Price</u> (9)	<u>Amount</u> (10)

The contractor, sub-recipient, or the subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

The subcontract for this work, if this sublet request is approved, will contain all the pertinent provisions and regulations of the prime contract, and the subcontractor has been furnished with a copy of the pertinent provisions and requirements.

Sincerely,

(11)(a) _____
Surety

(12)(a) _____
Prime Contractor

(b) _____
AL Contractor's License Number

BY(b): _____

BY(c): _____

I hereby certify that I have been furnished with a copy of the pertinent provisions and regulations of the prime contract, including labor standards clauses, that relate to these items of work. Furthermore, I have read and understand the statements noted above.

(13)(a) _____
Subcontractor

(b) _____
AL Contractor's License Number

BY(c): _____

DETAILED INSTRUCTIONS FOR COMPLETING REQUEST
FOR PERMISSION TO SUBLET WORK FORMS

- (1) Project number shall be exactly as it appears on your contract with the Alabama Department of Transportation.
- (2) Show county or counties as shown on contract.
- (3) Show proposed subcontractor's name as it appears on General Contractor's License and Certificate of Insurance and Qualification Letter.
- (4) Give subcontractor's city and state.
- (5) Item numbers shall correspond to those in the contract (ex.: 600A-000).
- (6) Item description shall be complete; just as it appears in your contract. *
- (7) Quantity shall correspond to contract quantity.
- (8) Unit must correspond to contract unit (ex.: ton, sy, cy, etc.)
- (9) Unit price shall be the same as that included in the contract. *
- (10) Amount of each item shall correspond to the contract amount for this item. If necessary, attachment(s) may be used for additional items. Total amount of all items in this sublet shall equal the total amount of sublet shown by you on the attached Affirmative Action Form.
- (11)
 - (a) Surety's name.
 - (b) Signature and seal of authorized agent.
- (12)
 - (a) Prime contractor's name shall be shown exactly as it appears on your contract.
 - (b) Prime contractor's license number.
 - (c) Signature shall be legible.
- (13)
 - (a) Subcontractor's name shall be exactly as it appears on his Qualification Letter and General Contractor's License.
 - (b) Subcontractor's License Number.
 - (c) Subcontractor's signature shall be legible.

*Partials: If partial quantity is used, an explanation shall be provided showing exactly what portion of quantity will be performed by the subcontractor. If partial unit price, such as hauling, the unit (ex.: ton, cy, sy, etc.) must agree with the contract unit. However, a unit corresponding to the subcontract agreement unit may be used in the explanation of the partial. Partial unit price, whether hauling, labor, or whatever, shall be the actual unit price agreed upon with the subcontractor. If partial quantity or partial unit price, give complete description, then show (partial) followed by an explanation of what portion of this work is to be performed by the subcontractor. For expediency, asterisk(s) and footnote(s) may be used.

Note: On all federal-aid projects, the prime contractor shall be responsible for seeing that the two attached federal forms be completed (if applicable). Equal employment opportunity statement shall be completed, signed and dated by the subcontractor, indicating has/has not, as appropriate. On all federally assisted subcontracts in excess of \$10,000.00, the affirmative action form shall be completed. The amount shown on the affirmative action form shall equal the amount of the sublet. Please ensure that all information is supplied on these forms.

A copy of the subcontract is required for all projects. Subcontract shall include the following statement: "This subcontract includes the appropriate provisions of the contract between (_____) (prime contractor) and the Alabama Department of Transportation, dated _____(date signed by Governor)."

Mail completed assembly to: Alabama Department of Transportation
1409 Coliseum Blvd., Room E-101
Montgomery, AL 36110



Robert Bentley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



John R. Cooper
Transportation Director

Special Notice to Contractors

Pursuant to Section 107.01, Standard Specifications for Highway Construction 2012, ***"The contractor shall keep fully informed of all Federal and State laws, all local laws, ordinances, and regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority which in any manner affect those engaged or employed on the work, or which in any way affect the conduct of the work. He shall at all times observe and comply with all such laws, ordinances, regulations, orders, and decrees; and shall protect and indemnify the State and its representatives against any claim or liability arising from or based on the violation of any such law ordinance, regulation, order, or decree, whether by himself or his employees."***

The scope of the foregoing specification includes any laws or regulations governing the licensure of general contractors and subcontractors in the state of Alabama.

January 4, 2014



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

The Alabama Department of Transportation does not enter into agreements to appoint purchasing agents for highway contracts which are otherwise allowed pursuant to Alabama Department of Revenue Sales and Use Tax Regulations Section 810-6-3-.69.02 or any other authorizing provision of law. The bidder's attention is directed to Section 107 of the Alabama Department of Transportation Standard Specifications For Highway Construction, specifically Sections 107.01 and 107.02, concerning the Contractor's responsibility to keep fully informed of and comply with all Federal and State laws and the payment of all applicable charges, fees and taxes. Any questions concerning the applicability of the Alabama State Sales Tax to any provision of a contract for highway construction should be directed to the Alabama Department of Revenue at 334-242-1490.

January 19, 2010



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe Molinas
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature

Name: _____
please print

Title: _____

Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Elankenship
Federal Highway Administration
File

ALDOT FORM DBE-10

1. Project Number:		2. County:		3. Region:				
4. Prime Contractor:		5. DBE:						
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:				
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)	11. Unit Price	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date	16. Amount Performed to Date
Pay Item No.	Item Description							
17. Comments:						18. Total:		19. Total:
20. Signature of Authorized Representative:		Printed Name & Title				Date Signed		

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Revised 5-2015

Block Number Instructions

1. ALDOT Project Number
2. County
3. Region
4. Prime Contractor For the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

Project Number & County: _____ Contractor Name: _____
 Letting Date: _____ Address: _____
 Contract Amount: _____
 Percent DBE Utilization Required: _____

DBE Firm Name & Certification Number	Type of Firm	Pay Item No.	Description of Work (include quantities and subcontract unit prices OR list the type of work and attach additional pages for details)	Dollar Amount
Name: Cert Number:				
Name: Cert Number:				
Name: Cert Number:				
Name: Cert Number:				
Name: Cert Number:				
Instructions: 1. This plan must be submitted within the timeframe specified by the contract after notification of apparent low bid. 2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith effort must be attached. 3. Type of Firm – Contractor, Supplier, or Manufacturer			Total Dollar Amount to DBEs: \$ _____ Required Dollar Amount of DBE Utilization: \$ _____	

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

Certification of DBE Subcontractor: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____ Date: _____

DBE Certification Number: _____

BIDDER'S NAME: _____ PROJECT NUMBER: _____ COUNTY: _____

[illegible]



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION
406 Coliseum Boulevard Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material hauliers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material hauliers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBratney, Assistant State Office Engineer, and Mr. Skip Powe, DSE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Ronald L. Baldwin". The signature is fluid and cursive, with the first name "Ronald" being the most prominent.

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
.File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.

December 4, 2015

COMPANY NAME: _____ BY: _____
SHIPPING ADDRESS: _____
CITY, STATE, ZIP: _____

MAIL ADDRESS: _____
CITY, STATE, ZIP: _____ PHONE: _____

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: You are limited to one bidding proposal per project. You must be pre-qualified to purchase a bidding proposal.

WE ARE NO LONGER ACCEPTING 3.5" DISKETTES. Bidding files are available at our website. www.dot.state.al.us

BIDDING PROPOSAL (ONE EACH)	PLANS PRICE	PLANS QTY.	
\$5.00 _____	\$9.00 _____	004 .	ACAA61048-ATRP(003), MONTGOMERY
\$5.00 _____	\$11.00 _____	006 .	ACBR59659-ATRP(005), LIMESTONE
\$5.00 _____	\$17.00 _____	009 .	ACBRZ59491-ATRP(008), ETC., JEFFERSON
\$5.00 _____	\$13.00 _____	010 .	ACBRZ60420-ATRP(003), ETC., RANDOLPH
\$5.00 _____	\$8.00 _____	011 .	ACBRZ61145-ATRP(015), LEE
\$5.00 _____	\$18.00 _____	012 .	ACBRZ61167-ATRP(005), BALDWIN
\$5.00 _____	\$4.00 _____	018 .	ACNU60293-ATRP(005), BIBB
\$5.00 _____	\$4.00 _____	019 .	ACNU60295-ATRP(006), BIBB
\$5.00 _____	\$4.00 _____	020 .	ACNU60425-ATRP(013), RANDOLPH
\$5.00 _____	\$4.00 _____	023 .	ACNU61347-ATRP(015), CLARKE
\$5.00 _____	\$9.00 _____	024 .	ACNU62845-ATRP(006), ETC., DEKALB
\$5.00 _____	\$55.00 _____	031 .	BR-0002(528), LAUDERDALE
\$5.00 _____	\$13.00 _____	033 .	BR-0214(251), BALDWIN
\$5.00 _____	\$17.00 _____	036 .	CMAQ-3715(253), JEFFERSON
\$5.00 _____	\$21.00 _____	039 .	ERPR-8980(909), BALDWIN
\$5.00 _____	\$7.00 _____	042 .	HSIP-0063(506), TALLAPOOSA
\$5.00 _____	\$11.00 _____	046 .	IM-I065(406), MONTGOMERY
\$5.00 _____	\$37.00 _____	047 .	IM-I065(452), CULLMAN
\$5.00 _____	\$8.00 _____	051 .	NH-HSIP-0001(589), MADISON
\$5.00 _____	\$4.00 _____	052 .	NH-HSIP-0006(556), MONTGOMERY
\$5.00 _____	\$7.00 _____	053 .	NH-HSIP-0008(582), MARENGO
\$5.00 _____	\$9.00 _____	056 .	SRTS-SR11(906), LOWNDES
\$5.00 _____	\$14.00 _____	059 .	STPAA-0118(511), MARION
\$5.00 _____	\$12.00 _____	060 .	STPAA-0167(507), GENEVA
\$5.00 _____	\$8.00 _____	062 .	STPAA-0177(502), CLARKE
\$5.00 _____	\$12.00 _____	065 .	STPAA-HSIP-0056(503), WASHINGTON
\$5.00 _____	\$7.00 _____	066 .	STPAA-HSIP-0126(500), ETC., MONTGOMERY
\$5.00 _____	\$6.00 _____	068 .	STPAA-NR13(949), CHAMBERS, ETC.
\$5.00 _____	\$4.00 _____	070 .	STPAA-STPOA-4214(258), LIMESTONE
\$5.00 _____	\$8.00 _____	073 .	STPBH-7002(601), JEFFERSON
\$5.00 _____	\$2.00 _____	077 .	STPNU-1715(250), COLBERT
\$5.00 _____	\$4.00 _____	079 .	STPNU-3214(252), GREENE
\$5.00 _____	\$6.00 _____	082 .	STPNU-5214(253), MORGAN
\$5.00 _____	\$43.00 _____	091 .	ST-005-160-007, BLOUNT

THE PROJECT (S) BELOW HAVE BEEN DESIGNATED AS AN SBE PROJECT, AND CAN ONLY BE BID ON BY QUALIFIED SBE CONTRACTORS THAT HAVE BEEN PRE-APPROVED BY THE ALDOT DBE UNIT AND ALDOT OFFICE ENGINEER.

\$5.00 _____	\$9.00 _____	200 .	STPAA-NR13(958), CLARKE, ETC.
\$5.00 _____	\$11.00 _____	201 .	STPAA-NR13(959), COVINGTON, ETC.

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

December 4, 2015

EACH	QTY.	
\$125.00	_____	2015 STANDARD HIGHWAY DRAWINGS
\$125.00	_____	2015 METRIC STANDARD HIGHWAY DRAWINGS
\$25.00	_____	2015 STANDARD HIGHWAY DRAWING US AND METRIC (CD)
\$20.00	_____	2012 STANDARD SPECIFICATIONS BOOK
\$5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

**** SEND ONE CHECK ONLY.**** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO:

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
OFFICE ENGINEER - ROOM E-108
MONTGOMERY, ALABAMA 36110
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
e-mail: offengr@dot.state.al.us

ORDER TOTAL: \$ _____ PAID BY: _____ DATE: _____



Alabama Department of Transportation Notice to Contractors

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10:00 AM on December 04, 2015 and at that time publicly opened for constructing the following projects as described herein.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

Plans and Proposals are available and on file at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

For Federal Aid Projects:

- **Minimum Wage Rates have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. Federal Aid Projects are also subject to the contract work hours and Safety Standards Act and its implementing regulations.**
- **The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.**
- **The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.**

For State and State Maintenance Projects:

- **Sections 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and Engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."**

Cashier's check or bid bond for 5% of bid (maximum - \$10,000.00) made payable to the Alabama Department of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Quantities shown are approximate and are for information only.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The right to reject any or all bids is reserved.

JOHN R. COOPER
Transportation Director

Contract ID: 20151204004**Projects:** ACAA61048-ATRP(003)**Letting Date:** December 04, 2015**County:** MONTGOMERY**Contract Time:** 45 Working Days**DBE Goal Percent:** 5.00

Description: for constructing the Resurfacing and Traffic Stripe on CR-233 (Fairview Avenue) from 0.1 mile south of the intersection of Airbase Boulevard to the I-65 Interchange in Montgomery. Length 1.153 mi.

The Bracket Estimate on this project is from \$1,127,763 to \$1,378,377 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C002	Removing Concrete Slope Paving	185	SQYD
210A000	Unclassified Excavation	144	CUYD
405A000	Tack Coat	2,663	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	6	Mile
408B001	Micro-Milling Existing Pavement(Approximately 1.10" Thru 2.00" Thick)	101,562	SQYD
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	5,859	Ton
424B654	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	228	Ton
424B658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	350	Ton
424B684	Superpave Bituminous Concrete Lower Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	457	Ton
600A000	Mobilization	(1)	LS
610D003	Filter Blanket, Geotextile	70	SQYD
618A000	Concrete Sidewalk, 4" Thick	99	SQYD
623C000	Combination Curb & Gutter, Type C	310	LF
641S500	Valve Box Reset	28	Each
645K500	Manhole Frame And Cover Reset	17	Each
665G000	Sand Bags	200	Each
665J002	Silt Fence	1,650	LF
665O001	Silt Fence Removal	1,650	LF
665P005	Inlet Protection, Stage 3 Or 4	22	Each
665Q002	Wattle	100	LF
674A000	Construction Safety Fence	500	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 59,500.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	1,950	LF
701C000	Broken Temporary Traffic Stripe	5	Mile
701C001	Solid Temporary Traffic Stripe	4	Mile
703A002	Traffic Control Markings, Class 2, Type A	5,771	SQFT
703B002	Traffic Control Legends, Class 2, Type A	1,765	SQFT
703C000	Removal Of Existing Traffic Control Markings Or Legends (Paint)	89	SQFT
703D001	Temporary Traffic Control Markings	5,771	SQFT

Item No.	Description	Quantity	Units
705A030	Pavement Markers, Class A-H, Type 2-C	132	Each
705A031	Pavement Markers, Class A-H, Type 1-A	144	Each
705A037	Pavement Markers, Class A-H, Type 2-D	147	Each
710A115	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)	24	SQFT
710A126	Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)	94	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	182	LF
730A000	Removal Of Existing Traffic Control Unit (West Fairview Ave. at Oak St./Carver HS Access)	(1)	LS
730C000	Furnishing And Installing Traffic Control Unit (West Fairview Ave. at Oak St./Carver HS Access)	(1)	LS
730E000	Metal Traffic Signal Pole Foundation	4	Each
730F000	Metal Traffic Signal Pole With 20ft Mast Arm Assembly	1	Each
730F001	Metal Traffic Signal Pole With 45ft Mast Arm Assembly	2	Each
730F002	Metal Traffic Signal Pole With 50ft Mast Arm Assembly	1	Each
730H001	Loop Wire	10,565	LF
730K000	Traffic Signal Junction Box	5	Each
730L002	1", Metallic, Conduit	25	LF
730L003	1", Non-Metallic, Conduit	50	LF
730L004	2", Metallic, Conduit	25	LF
730L005	2", Non-Metallic, Conduit	1,040	LF
730N000	Luminaire Extension Assembly, 12 Feet	3	Each
730P022	Vehicular Signal Head, 12 Inch, 3 Section, Type LED	6	Each
730P024	Vehicular Signal Head, 12 Inch, 5 Section, Type LED	2	Each
730R022	Controller Assembly, Type III, 8 Phase	1	Each
730T000	Wood Pole	1	Each
730U015	Video Detection System	(1)	LS
734N053	Ethernet Field Switch, Type C	1	Each
734N100	Cat 5E Patch Cords,3 Meter	4	Each
740B000	Construction Signs	542	SQFT
740D000	Channelizing Drums	150	Each
740E000	Cones (36 Inches High)	150	Each
740M001	Ballast For Cone	150	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each
756A028	6" Electrical Conduit, 1 Line, Type 5 Installation	320	LF

() Item will be bid as lump sum.

Contract ID: 20151204006**Projects:** ACBR59659-ATRP(005)**Letting Date:** December 04, 2015**County:** LIMESTONE**Contract Time:** 180 Working Days**DBE Goal Percent:** 2.00**Description:** for constructing the Bridge Replacement and Approaches at various sites on CR-304 (Ragsdale Creek Road) over Ragsdale Creek northeast of Elkmont. Length 0.255 mi.

The Bracket Estimate on this project is from \$667,775 to \$816,169 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$11.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00) (Approximately 1 Acre)	(1)	LS
206A000	Removal Of Old Bridge, Station 40+45.90	(1)	LS
206A001	Removal Of Old Bridge, Station 84+63.50	(1)	LS
206D000	Removing Pipe	36	LF
210A000	Unclassified Excavation	422	CUYD
210D001	Borrow Excavation (Loose Truckbed Measurement)	2,273	CUYD
214A000	Structure Excavation	1,420	CUYD
214B001	Foundation Backfill, Commercial	156	CUYD
230A000	Roadbed Processing	13	RBST
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	2,890	SQYD
401A000	Bituminous Treatment A	2,890	SQYD
405A000	Tack Coat	175	Gal
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	265	Ton
424B636	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	362	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	143	Ton
502A000	Steel Reinforcement	67,817	LB
524A010	Culvert Concrete	460	CUYD
535A078	15" Side Drain Pipe (Class 3 R.C.)	16	LF
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	1,057	Ton
610D003	Filter Blanket, Geotextile	961	SQYD
619A100	15" Side Drain Pipe End Treatment, Class 1	2	Each
650A000	Topsoil	390	CUYD
652A100	Seeding	1	Acre
656A010	Mulching	1	Acre
665J002	Silt Fence	2,747	LF
665O001	Silt Fence Removal	2,747	LF
665Q002	Wattle	180	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 34,000.00)	(1)	LS
701E000	Solid Temporary Traffic Stripe	5,400	LF
701G249	Solid White, Class 2, Type A Traffic Stripe	2,700	LF
701G263	Solid Yellow, Class 2, Type A Traffic Stripe	2,700	LF
705A037	Pavement Markers, Class A-H, Type 2-D	20	Each

Item No.	Description	Quantity	Units
740B000	Construction Signs	166	SQFT
740F002	Barricades, Type III	4	Each
740I002	Warning Lights, Type B	2	Each

() Item will be bid as lump sum.

Contract ID: 20151204009**Projects:** ACBRZ59491-ATRP(008), ACBRZ59492-ATRP(008)**Letting Date:** December 04, 2015**County:** JEFFERSON**Contract Time:** 120 Working Days**DBE Goal Percent:** 4.00**Description:** for constructing the Bridge Replacements on 3rd Avenue and 8th Avenue North over Halls Creek in Bessemer. Length 0.100 mi.

The Bracket Estimate on this project is from \$495,169 to \$605,207 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$17.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206B000	Removal Of Old Box Culvert, Station 21+39.00	(1)	LS
206B001	Removal Of Old Box Culvert, Station 31+40.96	(1)	LS
206C000	Removing Concrete Sidewalk	9	SQYD
206C001	Removing Concrete Pavement	33	SQYD
206D000	Removing Pipe	137	LF
206D002	Removing Curb	336	LF
206E001	Removing Inlets	2	Each
210A000	Unclassified Excavation	553	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	200	CUYD
214A000	Structure Excavation	457	CUYD
214B001	Foundation Backfill, Commercial	216	CUYD
230A000	Roadbed Processing	5	RBST
301A008	Crushed Aggregate Base Course, Type B, Plant Mixed, 5" Compacted Thickness	1,162	SQYD
301A020	Crushed Aggregate Base Course, Type B, Plant Mixed, 8" Compacted Thickness	778	SQYD
305B071	Coarse Aggregate, Section 801, For Miscellaneous Use	83	Ton
401A043	Bituminous Treatment AE	1,221	SQYD
405A000	Tack Coat	110	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	2	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	112	Ton
424B635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	130	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	10	Ton
502A000	Steel Reinforcement	36,629	LB
524A010	Culvert Concrete	216	CUYD
530A007	54" Roadway Pipe (Class 3 R.C.)	38	LF
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	431	Ton
610D003	Filter Blanket, Geotextile	1,629	SQYD
614B000	Reinforced Slope Paving	4	CUYD
618A000	Concrete Sidewalk, 4" Thick	54	SQYD
620A000	Minor Structure Concrete	5	CUYD
621E001	Manholes, Type M	1	Each
621F002	Manhole Units, Type M	1	Each
623B002	Concrete Curb, Type A	154	LF
630A001	Steel Beam Guardrail, Class A, Type 2	320	LF

Item No.	Description	Quantity	Units
630C001	Guardrail End Anchor, Type 8	2	Each
630C050	Guardrail End Anchor, Type 20 Series	1	Each
630C070	Guardrail End Anchor, Type 10 Series	5	Each
634A000	Industrial Fence, 4 Feet High	20	LF
634E005	Industrial Fence, 4 Feet High, Special Mounting	26	LF
650A000	Topsoil	76	CUYD
654A001	Solid Sodding (Bermuda)	800	SQYD
659C002	Erosion Control Product, Type S2	695	SQYD
665A000	Temporary Seeding	2	Acre
665B001	Temporary Mulching	6	Ton
665E000	Polyethylene	800	SQYD
665G000	Sand Bags	150	Each
665J002	Silt Fence	912	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	100	Ton
665O001	Silt Fence Removal	912	LF
665Q002	Wattle	350	LF
666A001	Pest Control Treatment	2	Acre
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 20,100.00)	(1)	LS
740B000	Construction Signs	425	SQFT
740D000	Channelizing Drums	40	Each
740F002	Barricades, Type III	16	Each
740I002	Warning Lights, Type B	8	Each

() Item will be bid as lump sum.

Contract ID: 20151204010**Projects:** ACBRZ60420-ATRP(003), ACBRZ60421-ATRP(003)**Letting Date:** December 04, 2015**County:** RANDOLPH**Contract Time:** 160 Working Days**DBE Goal Percent:** 2.00

Description: for the constructing the Bridge Replacement and Approaches on CR-427 over a Branch off of Cohobadiah Creek (Site #1) and on CR-425 over Cohobadiah Creek (Site #2) north of Newell. Length 0.187 mi.

The Bracket Estimate on this project is from \$666,905 to \$815,107 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$13.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 2 Acres)	(1)	LS
206A000	Removal Of Old Bridge, Station 19+76.65	(1)	LS
206A001	Removal Of Old Bridge, Station 19+82.30	(1)	LS
210A000	Unclassified Excavation	2,030	CUYD
214A000	Structure Excavation	1,676	CUYD
214B001	Foundation Backfill, Commercial	401	CUYD
231B001	Roadbed Stabilizing Material, ALDOT #467	328	Ton
502A000	Steel Reinforcement	105,768	LB
524A011	Culvert Concrete (Cast In Place)	549	CUYD
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	552	Ton
610D003	Filter Blanket, Geotextile	436	SQYD
650A000	Topsoil	301	CUYD
652A100	Seeding	2	Acre
656A010	Mulching	2	Acre
665F000	Hay Bales	400	Each
665J002	Silt Fence	2,000	LF
665O001	Silt Fence Removal	2,000	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 17,800.00)	(1)	LS
740B000	Construction Signs	151	SQFT
740F002	Barricades, Type III	8	Each
740I002	Warning Lights, Type B	4	Each

() Item will be bid as lump sum.

Contract ID: 20151204011**Projects:** ACBRZ61145-ATRP(015)**Letting Date:** December 04, 2015**County:** LEE**Contract Time:** 70 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Bridge Replacement on CR-375 over a tributary to Osanippa Creek northeast of Beulah. Length 0.011 mi.

The Bracket Estimate on this project is from \$266,931 to \$326,249 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206A000	Removal Of Old Bridge, Station 155+39.30	(1)	LS
502A000	Steel Reinforcement	16,900	LB
502B000	Steel Reinforcement For Bridge Superstructure, Station 155+27.00, Approx. 14,100 Pounds	(1)	LS
506A005	Drilled Shaft Excavation, 3'-6" Diameter	60	LF
506B002	Special Drilled Shaft Excavation, 3'-6" Diameter	21	LF
506C041	Drilled Shaft Construction, 3'-6" Diameter, Class DS1 Concrete	81	LF
506G001	Crosshole Sonic Logging, 3'-6" Diameter	1	Each
508A000	Structural Steel	1,970	LB
510A000	Bridge Substructure Concrete, Class A	49	CUYD
510C051	Bridge Concrete Superstructure, Station 155+27.00, Approx. 55 Cubic Yards	(1)	LS
510E000	Grooving Concrete Bridge Decks	169	SQYD
511A051	Elastomeric Bearing Type 2 (Mark B2)	8	Each
513B004	Pretensioned-Prestressed Concrete Girders, Type II (Specialty Item)	231	LF
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	860	Ton
610D003	Filter Blanket, Geotextile	600	SQYD
665J002	Silt Fence	1,312	LF
665Q002	Wattle	500	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 8,000.00)	(1)	LS
740B000	Construction Signs	138	SQFT
740F002	Barricades, Type III	10	Each
740I002	Warning Lights, Type B	5	Each

() Item will be bid as lump sum.

Contract ID: 20151204012**Projects:** ACBRZ61167-ATRP(005)**Letting Date:** December 04, 2015**County:** BALDWIN**Contract Time:** 120 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Bridge Replacement and Approaches on CR-34 over Negro Creek east of Summerdale. Length 0.317 mi.

The Bracket Estimate on this project is from \$1,303,136 to \$1,592,722 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$18.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 2 Acres)	(1)	LS
206A000	Removal Of Old Bridge, Station 27+06.31	(1)	LS
206D000	Removing Pipe	30	LF
206D001	Removing Guardrail	126	LF
206D011	Removing Fence	987	LF
210A000	Unclassified Excavation	1,600	CUYD
210C000	Muck Excavation	490	CUYD
210D012	Borrow Excavation (A-2-4(0) Or A-4(0))	11,337	CUYD
210E000	Borrow Excavation (Underwater Backfill)	722	CUYD
230A000	Roadbed Processing	15	RBST
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	4,146	SQYD
401A000	Bituminous Treatment A	3,827	SQYD
405A000	Tack Coat	130	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	330	Ton
424B635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	445	Ton
424B639	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	25	Ton
424B643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	25	Ton
430B040	Aggregate Surfacing (Crushed Aggregate Base, Type B)	50	Ton
450B000	Reinforced Cement Concrete Bridge End Slab	114	SQYD
502A001	Steel Reinforcement (Grade 60)	16,334	LB
502B000	Steel Reinforcement For Bridge Superstructure, Station 26+40, Approximately 47,042 Pounds	(1)	LS
505A015	Concrete Test Piles (14 Inches Square)	1	Each
505A016	Concrete Test Piles (16 Inches Square)	1	Each
505B045	Static Loading Tests (14 Inches Square)	1	Each
505B046	Static Loading Tests (16 Inches Square)	1	Each
505B075	Dynamic Loading Tests (14 Inches Square)	1	Each
505B076	Dynamic Loading Tests (16 Inches Square)	1	Each
505N000	Concrete Piling Furnished (14 Inches Square)	655	LF
505N001	Concrete Piling Furnished (16 Inches Square)	1,039	LF
505O000	Concrete Piling Driven (14 Inches Square)	655	LF
505O001	Concrete Piling Driven (16 Inches Square)	1,039	LF

Item No.	Description	Quantity	Units
508A000	Structural Steel	6,908	LB
510A000	Bridge Substructure Concrete, Class A	122	CUYD
510C051	Bridge Concrete Superstructure, Station 26+40.00 Approximately 185 Cubic Yards	(1)	LS
510E000	Grooving Concrete Bridge Decks	578	SQYD
511A050	Elastomeric Bearing Type 2 (Mark B1)	40	Each
513B003	Pretensioned-Prestressed Concrete Girders, Type I (Specialty Item)	779	LF
535A085	24" Side Drain Pipe (Class 3 R.C.)	54	LF
600A000	Mobilization	(1)	LS
602A000	Right Of Way Markers	13	Each
608A000	Separation Geotextile	700	SQYD
610A004	Loose Riprap, Class 2, 24" Thick	192	SQYD
610A010	Loose Riprap, Class 2, 48" Thick	64	SQYD
610A015	Loose Riprap, Class 2 (Remove & Relocate)	1,106	SQYD
610D003	Filter Blanket, Geotextile	1,437	SQYD
619A102	24" Side Drain Pipe End Treatment, Class 1	2	Each
630C003	Guardrail End Anchor, Type 13	4	Each
630C050	Guardrail End Anchor, Type 20 Series	4	Each
637B000	Fence Set	980	LF
650A000	Topsoil	735	CUYD
652A100	Seeding	3	Acre
654A001	Solid Sodding (Bermuda)	2,268	SQYD
656A010	Mulching	3	Acre
665A000	Temporary Seeding	3	Acre
665B001	Temporary Mulching	9	Ton
665J002	Silt Fence	2,000	LF
665L000	Floating Basin Boom	220	LF
665O001	Silt Fence Removal	2,000	LF
665Q002	Wattle	220	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 65,000.00)	(1)	LS
701C001	Solid Temporary Traffic Stripe	1	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5" Wide)	400	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	400	LF
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	3,143	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2,815	LF
703A002	Traffic Control Markings, Class 2, Type A	325	SQFT
705A037	Pavement Markers, Class A-H, Type 2-D	42	Each
740B000	Construction Signs	333	SQFT
740D000	Channelizing Drums	50	Each
740F002	Barricades, Type III	10	Each
740I002	Warning Lights, Type B	8	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204018**Projects:** ACNU60293-ATRP(005)**Letting Date:** December 04, 2015**County:** BIBB**Contract Time:** 30 Working Days**Description:** for constructing the Resurfacing and Traffic Stripe on CR-36 from the Chilton County Line to the junction of SR-6 (US-82) southwest of Lawley. Length 1.469 mi.

The Bracket Estimate on this project is from \$267,542 to \$326,995 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
401A006	Bituminous Treatment G	15,525	SQYD
405A000	Tack Coat	1,165	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	2	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	1,612	Ton
424B640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B	150	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	150	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	650	Ton
600A000	Mobilization	(1)	LS
665J002	Silt Fence	600	LF
665O001	Silt Fence Removal	600	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 15,000.00)	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	3	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	3	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	1	Mile
701C000	Broken Temporary Traffic Stripe	1	Mile
701C001	Solid Temporary Traffic Stripe	6	Mile
703A004	Traffic Control Markings, Class 2T, Type A	96	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	33	Each
705A037	Pavement Markers, Class A-H, Type 2-D	178	Each
740B000	Construction Signs	222	SQFT
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204019**Projects:** ACNU60295-ATRP(006)**Letting Date:** December 04, 2015**County:** BIBB**Contract Time:** 45 Working Days**DBE Goal Percent:** 3.00**Description:** for constructing the Resurfacing and Traffic Stripe on CR-65 (Bulldog Bend Road) from the junction of SR-25 to the intersection of CR-24 south of Seymour. Length 5.799 mi.

The Bracket Estimate on this project is from \$1,030,234 to \$1,259,175 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206E019	Removing Guardrail End Anchor (Type 10)	4	Each
401B108	Bituminous Treatment G (With Polymer Additive)	73,867	SQYD
405A000	Tack Coat	5,615	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	6	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	7,586	Ton
424B640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B	150	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	500	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	2,450	Ton
600A000	Mobilization	(1)	LS
630C050	Guardrail End Anchor, Type 20 Series	4	Each
665J002	Silt Fence	900	LF
665O001	Silt Fence Removal	900	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 60,000.00)	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	12	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	8	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	3	Mile
701C000	Broken Temporary Traffic Stripe	6	Mile
701C001	Solid Temporary Traffic Stripe	16	Mile
701G144	Solid White, Class W, Type A Traffic Stripe	812	LF
701G152	Solid Yellow, Class W, Type A Traffic Stripe	812	LF
703A004	Traffic Control Markings, Class 2T, Type A	284	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	99	Each
705A037	Pavement Markers, Class A-H, Type 2-D	627	Each
740B000	Construction Signs	285	SQFT
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204020**Projects:** ACNU60425-ATRP(013)**Letting Date:** December 04, 2015**County:** RANDOLPH**Contract Time:** 30 Working Days**DBE Goal Percent:** 3.00

Description: for constructing the Resurfacing and Traffic Stripe on CR-51 from a point 895 feet north of the intersection of CR-59 in Woodland to the Cleburne County Line. Length 8.741 mi.

The Bracket Estimate on this project is from \$1,495,335 to \$1,827,632 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C010	Removing Concrete Driveway	8	SQYD
401B108	Bituminous Treatment G (With Polymer Additive)	103,112	SQYD
405A000	Tack Coat	3,094	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	9	Mile
424A346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	11,802	Ton
424B640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B	1,700	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	900	Ton
424C351	Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	425	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	3,000	Ton
600A000	Mobilization	(1)	LS
665F000	Hay Bales	65	Each
665J002	Silt Fence	650	LF
665O001	Silt Fence Removal	650	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 80,000.00)	(1)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	18	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	15	Mile
701A245	Broken Yellow, Class 2, Type A Traffic Stripe	4	Mile
701C000	Broken Temporary Traffic Stripe	7	Mile
701C001	Solid Temporary Traffic Stripe	29	Mile
701G251	Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)	1,000	LF
703A002	Traffic Control Markings, Class 2, Type A	660	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	206	Each
705A037	Pavement Markers, Class A-H, Type 2-D	949	Each
740B000	Construction Signs	354	SQFT
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204023**Projects:** ACNU61347-ATRP(015)**Letting Date:** December 04, 2015**County:** CLARKE**Contract Time:** 30 Working Days**DBE Goal Percent:** 1.00**Description:** for constructing the Resurfacing and Traffic Stripe on CR-3 (McVay Road) from the junction of SR-13 (US-43) in Jackson to the junction of Winn Road. Length 1.822 mi.

The Bracket Estimate on this project is from \$257,777 to \$315,061 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
405A000	Tack Coat	2,375	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	2	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	2,350	Ton
424B639	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	100	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	200	Ton
600A000	Mobilization	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 13,500.00)	(1)	LS
701A076	Solid White, Class 2T, Type A Traffic Stripe (5" Wide)	4	Mile
701A077	Solid Yellow, Class 2T, Type A Traffic Stripe (5" Wide)	4	Mile
701A079	Broken Yellow, Class 2T, Type A Traffic Stripe (5" Wide)	1	Mile
701C000	Broken Temporary Traffic Stripe	1	Mile
701C001	Solid Temporary Traffic Stripe	4	Mile
703A004	Traffic Control Markings, Class 2T, Type A	22	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	75	Each
705A037	Pavement Markers, Class A-H, Type 2-D	200	Each
740B000	Construction Signs	267	SQFT
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204024**Projects:** ACNU62845-ATRP(006), ACNU62846-ATRP(003),
ACNU62847-ATRP(007)**Letting Date:** December 04, 2015**County:** DEKALB**Contract Time:** 90 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Resurfacing and Traffic Stripe on various routes at various locations as indicated in the plans. Length 15.134 mi.

The Bracket Estimate on this project is from \$3,093,862 to \$3,781,387 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C010	Removing Concrete Driveway	11	SQYD
206D001	Removing Guardrail	144	LF
405A000	Tack Coat	16,521	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	17	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	12,933	Ton
424B644	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range A/B	21,266	Ton
424B647	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B	630	Ton
424C344	Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B	650	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	9,186	Ton
600A000	Mobilization	(1)	LS
630A004	Steel Beam Guardrail, Class B, Type 2	144	LF
630C022	Guardrail End Anchor, Type Special	4	Each
630C070	Guardrail End Anchor, Type 10 Series	4	Each
698A000	Construction Fuel (Maximum Bid Limited to \$ 162,775.00)	(1)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	32	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	32	Mile
701C001	Solid Temporary Traffic Stripe	32	Mile
703A002	Traffic Control Markings, Class 2, Type A	994	SQFT
705A037	Pavement Markers, Class A-H, Type 2-D	1,998	Each
740B000	Construction Signs	890	SQFT
740E000	Cones (36 Inches High)	25	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204031**Projects:** BR-0002(528)**Letting Date:** December 04, 2015**County:** LAUDERDALE**Contract Time:** 310 Working Days**DBE Goal Percent:** 12.00**Description:** for constructing the Bridge Replacement and Approaches (Grade, Drain, Base, and Pave) on SR-2 (US-72) over Second Creek west of Rogersville. Length 0.653 mi.

The Bracket Estimate on this project is from \$4,544,335 to \$5,554,188 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$55.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 9 Acres)	(1)	LS
206A000	Removal Of Old Bridge, Station 114+33	(1)	LS
206C002	Removing Concrete Slope Paving	19	SQYD
206C003	Removing Concrete Flumes	576	SQYD
206C013	Removing Bridge End Slab	107	SQYD
206D001	Removing Guardrail	2,503	LF
206D002	Removing Curb	324	LF
206E008	Removing Guardrail End Anchor (All Type)	16	Each
210A000	Unclassified Excavation	4,426	CUYD
210D011	Borrow Excavation (A4 Or Better)	1,338	CUYD
210F001	Borrow Excavation (Underwater Embankment)	174	Ton
214A000	Structure Excavation	153	CUYD
214B001	Foundation Backfill, Commercial	8	CUYD
230B000	Roadbed Processing	900	SQYD
260A000	Cement Mortar Flowable Backfill, Mix 1	3	CUYD
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	4,156	SQYD
305B071	Coarse Aggregate, Section 801, For Miscellaneous Use	953	Ton
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	131	Ton
401A000	Bituminous Treatment A	3,991	SQYD
405A000	Tack Coat	342	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	15,404	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,594	Ton
424A366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,050	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1,000	Ton
424B659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B681	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	818	Ton
424C360	Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	902	Ton
428A001	Scoring Bituminous Pavement Surface	2	Mile

Item No.	Description	Quantity	Units
430B014	Aggregate Surfacing (ALDOT #410 Modified) .	24	Ton
430B035	Aggregate Surfacing (ALDOT #467, #410 Modified Or #57)	321	Ton
450B000	Reinforced Cement Concrete Bridge End Slab	178	SQYD
502A000	Steel Reinforcement	252,579	LB
502B000	Steel Reinforcement For Bridge Superstructure, Station 114+30, Approximately 177,000 Pounds	(1)	LS
505G003	Pile Points (Type A, 12")	28	Each
505M002	Steel Piling Furnished And Driven (HP 12x53)	957	LF
506A003	Drilled Shaft Excavation, 5'-0" Diameter	130	LF
506B005	Special Drilled Shaft Excavation, 5'-0" Diameter	177	LF
506C024	Drilled Shaft Construction, 5'-0" Diameter, Class DS2 Concrete	307	LF
506F006	Permanent Drilled Shaft Casing, 5'-0" Diameter	612	LF
506G004	Crosshole Sonic Logging, 5'-0" Diameter	14	Each
508A000	Structural Steel	15,530	LB
510A000	Bridge Substructure Concrete, Class A	386	CUYD
510C051	Bridge Concrete Superstructure, Station 114+30, Approximately 743 Cubic Yards	(1)	LS
510E000	Grooving Concrete Bridge Decks	2,444	SQYD
511A052	Elastomeric Bearing Type 2 (Mark B3)	84	Each
511A053	Elastomeric Bearing Type 2 (Mark B4)	14	Each
513B005	Pretensioned-Prestressed Concrete Girders, Type III (Specialty Item)	3,038	LF
513B012	Pretensioned-Prestressed Concrete Girders, Type III Modified (Specialty Item)	696	LF
524B010	Culvert Concrete Extension	31	CUYD
530A001	18" Roadway Pipe (Class 3 R.C.)	68	LF
530A493	15" Roadway Pipe (14 Gauge C.M.) (Temporary)	256	LF
530A494	18" Roadway Pipe (14 Gauge C.M.) (Temporary)	300	LF
534E000	Cleaning Existing Culvert (Less Than Or Equal To 48" Horizontal Opening)	266	LF
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	4,536	Ton
610D003	Filter Blanket, Geotextile	2,222	SQYD
614A000	Slope Paving	99	CUYD
619A002	18" Roadway Pipe End Treatment, Class 1	1	Each
621C020	Inlets, Type Y	1	Each
621D019	Inlet Units, Type Y	2	Each
623B000	Concrete Curb, Type N	60	LF
623B001	Concrete Curb, Type N Special	284	LF
629E013	Bridge Rail Retrofit, Type BC(NJ)	1,226	LF
630A001	Steel Beam Guardrail, Class A, Type 2	2,950	LF
630A034	Steel Beam Guardrail, Class A, Type 2 (8'-0" Post)	275	LF
630C001	Guardrail End Anchor, Type 8	3	Each
630C003	Guardrail End Anchor, Type 13	8	Each
630C050	Guardrail End Anchor, Type 20 Series	7	Each
650A000	Topsoil	400	CUYD
652A100	Seeding	5	Acre
652C000	Mowing	5	Acre
654A001	Solid Sodding (Bermuda)	1,499	SQYD
656A010	Mulching	5	Acre

Item No.	Description	Quantity	Units
659A048	Rolled Erosion Control Product, Type (5A)	1,000	SQYD
659C002	Erosion Control Product, Type S2	900	SQYD
665A000	Temporary Seeding	5	Acre
665B001	Temporary Mulching	15	Ton
665E000	Polyethylene	500	SQYD
665G000	Sand Bags	500	Each
665J002	Silt Fence	625	LF
665L000	Floating Basin Boom	2,000	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	100	Ton
665O001	Silt Fence Removal	625	LF
665P005	Inlet Protection, Stage 3 Or 4	3	Each
665Q002	Wattle	300	LF
666A001	Pest Control Treatment	4	Acre
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 135,590.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	973	LF
701C000	Broken Temporary Traffic Stripe	1	Mile
701C001	Solid Temporary Traffic Stripe	2	Mile
701E006	Solid Temporary Traffic Stripe (Removable Tape)	1,226	LF
701G142	Broken White, Class W, Type A Traffic Stripe (5" Wide)	1,226	LF
701G146	Solid White, Class W, Type A Traffic Stripe (5" Wide)	1,226	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	1,226	LF
701G161	Broken Black, Class W, Type B Traffic Stripe (5" Wide)	1,226	LF
701H002	Solid Traffic Stripe Removed (Tape)	1,226	LF
703A002	Traffic Control Markings, Class 2, Type A	93	SQFT
703B002	Traffic Control Legends, Class 2, Type A	45	SQFT
705A011	Pavement Markers, Class C, Type 1-A	292	Each
705A012	Pavement Markers, Class C, Type 1-B	1,145	Each
705A030	Pavement Markers, Class A-H, Type 2-C	33	Each
705A031	Pavement Markers, Class A-H, Type 1-A	70	Each
726A000	Portable Concrete Safety Barriers, Type 6	3,590	LF
726A001	Portable Concrete Safety Barriers, Type 6-A	20	LF
726D020	Portable Impact Attenuator Assembly (Unidirectional,TL-2)	2	Each
740B000	Construction Signs	1,019	SQFT
740D000	Channelizing Drums	185	Each
740E000	Cones (36 Inches High)	100	Each
740F002	Barricades, Type III	10	Each
740I002	Warning Lights, Type B	6	Each
740M001	Ballast For Cone	100	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each
999 000	Trainee Hours At 80 Cents Per Hour	1,440	HOUR

() Item will be bid as lump sum.

Contract ID: 20151204033**Projects:** BR-0214(251)**Letting Date:** December 04, 2015**County:** BALDWIN**Contract Time:** 120 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Bridge Replacement (Bridge Culvert) and Approaches on CR-55 over an Unnamed Branch of Polecat Creek west of Summerdale. Length 0.151 mi.

The Bracket Estimate on this project is from \$828,021 to \$1,012,026 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$13.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 1 Acre)	(1)	LS
206A000	Removal Of Old Bridge, Station 19+90	(1)	LS
206D000	Removing Pipe	37	LF
206D001	Removing Guardrail	278	LF
206E008	Removing Guardrail End Anchor (All Type)	4	Each
210A000	Unclassified Excavation	1,443	CUYD
210D012	Borrow Excavation (A-2-4(0) Or A-4(0))	5,010	CUYD
214A000	Structure Excavation	398	CUYD
214B001	Foundation Backfill, Commercial	218	CUYD
230A000	Roadbed Processing	8	RBST
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	2,731	SQYD
401A000	Bituminous Treatment A	2,720	SQYD
405A000	Tack Coat	141	Gal
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	233	Ton
424B651	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	420	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	10	Ton
424B659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D	10	Ton
430B040	Aggregate Surfacing (Crushed Aggregate Base, Type B)	15	Ton
502A000	Steel Reinforcement	64,178	LB
524A011	Culvert Concrete (Cast In Place)	446	CUYD
535A001	18" Side Drain Pipe	43	LF
600A000	Mobilization	(1)	LS
602A000	Right Of Way Markers	16	Each
610C001	Loose Riprap, Class 2	562	Ton
610D003	Filter Blanket, Geotextile	933	SQYD
619A101	18" Side Drain Pipe End Treatment, Class 1	2	Each
630A001	Steel Beam Guardrail, Class A, Type 2	504	LF
630C050	Guardrail End Anchor, Type 20 Series	4	Each
650A000	Topsoil	570	CUYD
652C000	Mowing	1	Acre
654A001	Solid Sodding (Bermuda)	5,130	SQYD
659C002	Erosion Control Product, Type S2	1,201	SQYD
665A000	Temporary Seeding	2	Acre

Item No.	Description	Quantity	Units
665B001	Temporary Mulching	6	Ton
665E000	Polyethylene	2,000	SQYD
665F000	Hay Bales	150	Each
665G000	Sand Bags	150	Each
665I000	Temporary Riprap, Class 2	60	Ton
665J002	Silt Fence	400	LF
665L000	Floating Basin Boom	305	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	25	Ton
665N001	Temporary Coarse Aggregate,ALDOT Number 4	20	Ton
665O001	Silt Fence Removal	400	LF
665Q002	Wattle	336	LF
666A001	Pest Control Treatment	1	Acre
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 42,600.00)	(1)	LS
701E000	Solid Temporary Traffic Stripe	1,800	LF
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	1,800	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1,800	LF
705A037	Pavement Markers, Class A-H, Type 2-D	23	Each
740B000	Construction Signs	373	SQFT
740F002	Barricades, Type III	10	Each
740I002	Warning Lights, Type B	5	Each

() Item will be bid as lump sum.

Contract ID: 20151204036**Projects:** CMAQ-3715(253)**Letting Date:** December 04, 2015**County:** JEFFERSON**Contract Time:** 55 Working Days**Description:** for constructing the Sidewalks on Preserve Parkway from the junction of CR-1140 (Sulphur Springs Road) to the Preserve Town Center in Hoover. Length 1.024 mi.

The Bracket Estimate on this project is from \$485,239 to \$593,070 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$17.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 2 Acres)	(1)	LS
206D001	Removing Guardrail	910	LF
206E008	Removing Guardrail End Anchor (All Type)	4	Each
210A000	Unclassified Excavation	1,182	CUYD
430B022	Aggregate Surfacing (ALDOT #810 Or 8910)	490	Ton
502A000	Steel Reinforcement	3,000	LB
517A002	Galvanized Steel Pipe Handrail	2,030	LF
600A000	Mobilization	(1)	LS
618A000	Concrete Sidewalk, 4" Thick	3,264	SQYD
620A000	Minor Structure Concrete	49	CUYD
630A001	Steel Beam Guardrail, Class A, Type 2	715	LF
630C050	Guardrail End Anchor, Type 20 Series	4	Each
650B000	Topsoil From Stockpiles	730	CUYD
654A000	Solid Sodding	3,360	SQYD
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665J002	Silt Fence	2,250	LF
665O001	Silt Fence Removal	2,250	LF
665P005	Inlet Protection, Stage 3 Or 4	13	Each
674A000	Construction Safety Fence	120	LF
680A001	Geometric Controls	(1)	LS
701H001	Solid Traffic Stripe Removed (Plastic)	25	LF
703A002	Traffic Control Markings, Class 2, Type A	371	SQFT
703C001	Removal Of Existing Traffic Control Markings Or Legends (Plastic)	96	SQFT
711A000	Roadway Sign Relocation	(1)	LS
740B000	Construction Signs	212	SQFT
740D000	Channelizing Drums	20	Each
740E000	Cones (36 Inches High)	20	Each
740M001	Ballast For Cone	20	Each

() Item will be bid as lump sum.

Contract ID: 20151204039**Projects:** ERPR-8980(909)**Letting Date:** December 04, 2015**County:** BALDWIN**Contract Time:** 120 Working Days**DBE Goal Percent:** 5.00

Description: for constructing the Grade, Drain, Base, Pave, and Drainage Structure Replacements on CR-32 at various sites from the intersection of CR-73 to the junction of CR-83 in Summerdale. Length 0.173 mi.

The Bracket Estimate on this project is from \$733,627 to \$896,655 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$21.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00) (Approximately 1 Acre)	(1)	LS
206B000	Removal Of Old Box Culvert, Station 31+16.78 - 31+44.04 on CR-32	(1)	LS
206D000	Removing Pipe	267	LF
206D001	Removing Guardrail	258	LF
206E008	Removing Guardrail End Anchor (All Type)	4	Each
210A000	Unclassified Excavation	1,826	CUYD
210D022	Borrow Excavation (Loose Truckbed Measurement)(A-2-4(0) or A-4(0))	467	CUYD
214A000	Structure Excavation	1,671	CUYD
214B001	Foundation Backfill, Commercial	320	CUYD
230A000	Roadbed Processing	9	RBST
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	2,158	SQYD
401A000	Bituminous Treatment A	1,999	SQYD
405A000	Tack Coat	199	Gal
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	220	Ton
424B636	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	273	Ton
424B666	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	273	Ton
502A001	Steel Reinforcement (Grade 60)	42,156	LB
524A011	Culvert Concrete (Cast In Place)	246	CUYD
530A007	54" Roadway Pipe (Class 3 R.C.)	67	LF
530B006	59" Span, 36" Rise Roadway Pipe (Class 3 R.C.)	118	LF
600A000	Mobilization	(1)	LS
610C001	Loose Riprap, Class 2	480	Ton
610D003	Filter Blanket, Geotextile	380	SQYD
619A058	54" Roadway Pipe End Treatment, Class 2	2	Each
619B286	59" Span, 36" Rise Roadway Pipe End Treatment, Class 2 (Double Line)	2	Each
630A001	Steel Beam Guardrail, Class A, Type 2	408	LF
630C050	Guardrail End Anchor, Type 20 Series .	8	Each
650A000	Topsoil	356	CUYD
654A001	Solid Sodding (Bermuda)	2,737	SQYD
665A000	Temporary Seeding	3	Acre
665B001	Temporary Mulching	5	Ton
665E000	Polyethylene	6,000	SQYD
665F000	Hay Bales	450	Each

Item No.	Description	Quantity	Units
665G000	Sand Bags	450	Each
665J002	Silt Fence	1,750	LF
665O001	Silt Fence Removal	1,750	LF
665Q002	Wattle	840	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 41,100.00).	(1)	LS
701E000	Solid Temporary Traffic Stripe	2,382	LF
701E010	Broken Temporary Traffic Stripe	644	LF
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	1,835	LF
701G256	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	644	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	548	LF
705A037	Pavement Markers, Class A-H, Type 2-D	15	Each
740B000	Construction Signs	327	SQFT
740F002	Barricades, Type III	8	Each
740I002	Warning Lights, Type B	4	Each
742A002	Portable Changeable Message Sign, Type 1	2	Each

() Item will be bid as lump sum.

Contract ID: 20151204042**Projects:** HSIP-0063(506)**Letting Date:** December 04, 2015**County:** TALLAPOOSA**Contract Time:** 35 Working Days**Description:** for constructing the Traffic Signal Upgrade on SR-63 at the intersection of Main Street in Alexander City.

The Bracket Estimate on this project is from \$160,856 to \$196,601 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$7.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206E022	Removing Metal Pole With Light	2	Each
600A000	Mobilization	(1)	LS
614A000	Slope Paving	8	CUYD
618A000	Concrete Sidewalk, 4" Thick	100	SQYD
623B000	Concrete Curb, Type N	60	LF
623B001	Concrete Curb, Type N Special	40	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 5,000.00)	(1)	LS
703A002	Traffic Control Markings, Class 2, Type A	200	SQFT
703C001	Removal Of Existing Traffic Control Markings Or Legends (Plastic)	150	SQFT
730A000	Removal Of Existing Traffic Control Unit (SR-63 At Main Street)	(1)	LS
730C000	Furnishing And Installing Traffic Control Unit (SR-63 At Main Street)	(1)	LS
730F000	Metal Traffic Signal Pole With 40' MAST ARM ASSEMBLY	1	Each
730F001	Metal Traffic Signal Pole With 40' AND 45' MAST ARM ASSEMBLY	1	Each
730K000	Traffic Signal Junction Box	4	Each
730L004	2", Metallic, Conduit	20	LF
730L005	2", Non-Metallic, Conduit	100	LF
730N000	Luminaire Extension Assembly, 12 FEET	2	Each
730P022	Vehicular Signal Head, 12 Inch, 3 Section, Type LED	5	Each
730P024	Vehicular Signal Head, 12 Inch, 5 Section, Type LED	1	Each
730R022	Controller Assembly, Type III, 8 Phase	1	Each
730T000	Wood Pole	1	Each
730U015	Video Detection System	(1)	LS
730Y600	Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Signal Head	(1)	LS
730Y601	Furnishing And Installing Pedestal Pole And Foundation With LED Pedestrian Signal Head	(1)	LS
740B000	Construction Signs	535	SQFT
740D000	Channelizing Drums	200	Each
740E000	Cones (36 Inches High)	200	Each
740M001	Ballast For Cone	200	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each
756A028	6" Electrical Conduit, 1 Line, Type 5 Installation	200	LF

() Item will be bid as lump sum.

Contract ID: 20151204046**Projects:** IM-I065(406)**Letting Date:** December 04, 2015**County:** MONTGOMERY**Contract Time:** 300 Working Days**Description:** for constructing the Bridge Repair (Girders, Caps, and Bearing Pads) on I-65 Northbound Relief Bridges in Montgomery.

The Bracket Estimate on this project is from \$2,149,907 to \$2,627,664 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$11.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
511A084	Elastomeric Bearing Type 1 (Mark B1)	1,540	Each
511A085	Elastomeric Bearing Type 1 (Mark B2)	220	Each
520A100	Repairs to Existing Bridge, MP 174.520	(1)	LS
520A101	Repairs to Existing Bridge, MP 174.818	(1)	LS
520A102	Repairs to Existing Bridge, MP 175.518	(1)	LS
520C000	Raising Portion Of Existing Bridge , MP 174.520	(1)	LS
520C100	Raising Portion of Existing Bridge, MP 174.818	(1)	LS
520C101	Raising Portion of Existing Bridge, MP 175.518	(1)	LS
600A000	Mobilization	(1)	LS
610D003	Filter Blanket, Geotextile	140	SQYD
665J002	Silt Fence	200	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	250	Ton
665O001	Silt Fence Removal	200	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 66,500.00)	(1)	LS
740B000	Construction Signs	812	SQFT
740C000	Special Construction Signs	18	SQFT
740D000	Channelizing Drums	300	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	4	Each

() Item will be bid as lump sum.

Contract ID: 20151204047**Projects:** IM-I065(452)**Letting Date:** December 04, 2015**County:** CULLMAN**Contract Time:** 120 Working Days**DBE Goal Percent:** 10.00**Description:** for constructing the Interchange Ramp Improvements (Concrete Pavement Replacement and Deceleration Lane Addition) on I-65 at SR-157 in Cullman. Length 0.942 mi.

The Bracket Estimate on this project is from \$2,352,200 to \$2,874,911 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$37.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 2 Acres)	(1)	LS
206C001	Removing Concrete Pavement	5,884	SQYD
206C003	Removing Concrete Flumes	210	SQYD
206D001	Removing Guardrail	1,113	LF
206E008	Removing Guardrail End Anchor (All Type)	2	Each
206E046	Removing Light Standard Base	2	Each
206E053	Removing Luminaire Assembly	2	Each
210A000	Unclassified Excavation	9,789	CUYD
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	550	Ton
327A021	Plant Mix Bituminous Base, Mix 2	5,706	Ton
405A000	Tack Coat	3,911	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408B001	Micro-Milling Existing Pavement(Approximately 1.10" Thru 2.00" Thick)	8,472	SQYD
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,879	Ton
424B651	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	3,166	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
424B681	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	3,051	Ton
424C360	Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	3,051	Ton
600A000	Mobilization	(1)	LS
610D003	Filter Blanket, Geotextile	310	SQYD
614A000	Slope Paving	48	CUYD
630A034	Steel Beam Guardrail, Class A, Type 2 (8'-0" Post)	1,313	LF
630C001	Guardrail End Anchor, Type 8	1	Each
630C050	Guardrail End Anchor, Type 20 Series	1	Each
650B000	Topsoil From Stockpiles	738	CUYD
652A100	Seeding	1	Acre
654A001	Solid Sodding (Bermuda)	3,204	SQYD
656A010	Mulching	1	Acre
659C000	Erosion Control Product, Type S4	1,417	SQYD
659C005	Erosion Control Product, Type C4	754	SQYD
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton

Item No.	Description	Quantity	Units
665E000	Polyethylene	500	SQYD
665G000	Sand Bags	602	Each
665J002	Silt Fence	11,413	LF
665O001	Silt Fence Removal	11,413	LF
665Q002	Wattle	464	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 131,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	4,207	LF
701C000	Broken Temporary Traffic Stripe	1	Mile
701C001	Solid Temporary Traffic Stripe	10	Mile
701D008	Solid Traffic Stripe Removed (Plastic)	2	Mile
701D015	Broken Traffic Stripe Removed (Plastic)	1	Mile
703A002	Traffic Control Markings, Class 2, Type A	1,418	SQFT
703B002	Traffic Control Legends, Class 2, Type A	113	SQFT
703D001	Temporary Traffic Control Markings	100	SQFT
705A011	Pavement Markers, Class C, Type 1-A	1,505	Each
705A012	Pavement Markers, Class C, Type 1-B	753	Each
705A030	Pavement Markers, Class A-H, Type 2-C	237	Each
705A031	Pavement Markers, Class A-H, Type 1-A	453	Each
705A032	Pavement Markers, Class A-H, Type 1-B	107	Each
710A115	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)	317	SQFT
710A126	Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)	207	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	298	LF
710C000	Removal Of Existing Roadway Signs	(1)	LS
711A000	Roadway Sign Relocation	(1)	LS
726A000	Portable Concrete Safety Barriers, Type 6	6,899	LF
726B001	Portable Concrete Safety Barriers, Type 6-A	50	LF
726D020	Portable Impact Attenuator Assembly (Unidirectional, TL-2)	5	Each
730H001	Loop Wire	1,200	LF
730I001	Loop Detector Lead-In-Cable	200	LF
730K000	Traffic Signal Junction Box	1	Each
740B000	Construction Signs	1,751	SQFT
740C000	Special Construction Signs	36	SQFT
740D000	Channelizing Drums	250	Each
740E000	Cones (36 Inches High)	100	Each
740M001	Ballast For Cone	100	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

() Item will be bid as lump sum.

Contract ID: 20151204051**Projects:** NH-HSIP-0001(589)**Letting Date:** December 04, 2015**County:** MADISON**Contract Time:** 60 Working Days**DBE Goal Percent:** 4.00

Description: for constructing the Safety Widening, Planing, Resurfacing, and Traffic Stripe on SR-1 (US-431) from just south of the intersection of Old Highway 431 (MP 316.280) in New Hope to just south of the junction of Victorian Lane (MP 321.240) in Owens Crossroads. Length 4.959 mi.

The Bracket Estimate on this project is from \$2,437,952 to \$2,979,720 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
210A000	Unclassified Excavation	278	CUYD
405A000	Tack Coat	16,144	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	10	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	176,632	SQYD
410H000	Material Remixing Device	1	Each
424A281	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E	16,051	Ton
424A290	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range E	553	Ton
424C284	Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E	200	Ton
424C290	Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E	4,074	Ton
428A001	Scoring Bituminous Pavement Surface	20	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	10,371	Ton
600A000	Mobilization	(1)	LS
610D003	Filter Blanket, Geotextile	200	SQYD
650A000	Topsoil	184	CUYD
652A100	Seeding	4	Acre
656A010	Mulching	4	Acre
665Q002	Wattle	300	LF
666A001	Pest Control Treatment	5	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 129,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	12	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	9,510	LF
701C000	Broken Temporary Traffic Stripe	10	Mile
701C001	Solid Temporary Traffic Stripe	22	Mile
703A002	Traffic Control Markings, Class 2, Type A	2,882	SQFT
703B002	Traffic Control Legends, Class 2, Type A	852	SQFT
703D001	Temporary Traffic Control Markings	576	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	696	Each
705A031	Pavement Markers, Class A-H, Type 1-A	655	Each
705A038	Pavement Markers, Class A-H, Type 2-E	500	Each
730H001	Loop Wire	10,100	LF

Item No.	Description	Quantity	Units
730I001	Loop Detector Lead-In-Cable	3,800	LF
730J010	Vehicle Loop Detector	4	Each
730K000	Traffic Signal Junction Box	8	Each
730L005	2", Non-Metallic, Conduit	1,650	LF
740B000	Construction Signs	1,306	SQFT
740D000	Channelizing Drums	200	Each
740E000	Cones (36 Inches High)	200	Each
740M001	Ballast For Cone	200	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each
756A030	4" Electrical Conduit, 2 Lines, Type 5 Installation	550	LF

() Item will be bid as lump sum.

Contract ID: 20151204052**Projects:** NH-HSIP-0006(556)**Letting Date:** December 04, 2015**County:** MONTGOMERY**Contract Time:** 90 Working Days**DBE Goal Percent:** 3.00

Description: for constructing the Safety Widening, Planing, Resurfacing, and Traffic Stripe on SR-6 (US-82) from the junction of SR-8 (US-80) at MP 158.668 to a pavement joint just south of SR-271 (MP 162.272) and on the westbound lane only from MP 165.800 to MP 166.441. Length 4.244 mi.

The Bracket Estimate on this project is from \$3,162,276 to \$3,865,004 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	750	CUYD
212A000	Machine Grading Shoulders	900	STA
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	300	Ton
401B100	Bituminous Treatment E (With Polymer Additive)	116,000	SQYD
405A000	Tack Coat	15,000	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	9	Mile
408B001	Micro-Milling Existing Pavement(Approximately 1.10" Thru 2.00" Thick)	201,600	SQYD
408B003	Micro-Milling Existing Pavement (Approximately 2.10" thru 3.00" Thick)	4,600	SQYD
410H000	Material Remixing Device	1	Each
424A281	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E	22,000	Ton
424A370	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	5,000	Ton
424B280	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E	500	Ton
424B285	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E	500	Ton
424B287	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E	200	Ton
424B293	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range E	1,600	Ton
428A001	Scoring Bituminous Pavement Surface	11	Mile
600A000	Mobilization	(1)	LS
645K500	Manhole Frame And Cover Reset	3	Each
650A000	Topsoil	1,000	CUYD
652A100	Seeding	4	Acre
652C000	Mowing	4	Acre
654A000	Solid Sodding	250	SQYD
656A010	Mulching	4	Acre
659C002	Erosion Control Product, Type S2	250	SQYD
665A000	Temporary Seeding	4	Acre
665B001	Temporary Mulching	12	Ton
665F000	Hay Bales	100	Each
665G000	Sand Bags	100	Each
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
665Q002	Wattle	500	LF

Item No.	Description	Quantity	Units
666A001	Pest Control Treatment	4	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 180,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	12,800	LF
701C000	Broken Temporary Traffic Stripe	25	Mile
701C001	Solid Temporary Traffic Stripe	60	Mile
701G252	Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)	600	LF
703A002	Traffic Control Markings, Class 2, Type A	5,733	SQFT
703B002	Traffic Control Legends, Class 2, Type A	2,328	SQFT
703D001	Temporary Traffic Control Markings	1,848	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	100	Each
705A031	Pavement Markers, Class A-H, Type 1-A	600	Each
730H001	Loop Wire	12,000	LF
740B000	Construction Signs	1,590	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	650	Each
740M001	Ballast For Cone	650	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	4	Each

() Item will be bid as lump sum.

Contract ID: 20151204053**Projects:** NH-HSIP-0008(582)**Letting Date:** December 04, 2015**County:** MARENGO**Contract Time:** 50 Working Days**DBE Goal Percent:** 4.00

Description: for constructing the Safety Widening, Planing, Resurfacing, and Traffic Stripe on SR-8 (US-80) from the Hale County Line (MP 46.417) west of Faunsdale to the Perry County Line (MP 53.820) in Uniontown. Length 7.402 mi.

The Bracket Estimate on this project is from \$1,888,640 to \$2,308,338 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$7.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
212A000	Machine Grading Shoulders	265	STA
405A000	Tack Coat	21,000	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	13	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	194,000	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	13,709	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	366	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	150	Ton
424C370	Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1,010	Ton
428A001	Scoring Bituminous Pavement Surface	6	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	500	Ton
600A000	Mobilization	(1)	LS
650A000	Topsoil	800	CUYD
652A100	Seeding	3	Acre
652C000	Mowing	65	Acre
656A010	Mulching	3	Acre
665B001	Temporary Mulching	9	Ton
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
665Q002	Wattle	400	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 105,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	30	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	22	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	5,845	LF
701C000	Broken Temporary Traffic Stripe	24	Mile
701C001	Solid Temporary Traffic Stripe	103	Mile
703A002	Traffic Control Markings, Class 2, Type A	6,732	SQFT
703B002	Traffic Control Legends, Class 2, Type A	312	SQFT
703D002	Temporary Traffic Control Markings (Paint)	384	SQFT
703E002	Temporary Traffic Control Legends (Paint)	144	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	55	Each

Item No.	Description	Quantity	Units
705A031	Pavement Markers, Class A-H, Type 1-A	612	Each
705A032	Pavement Markers, Class A-H, Type 1-B	515	Each
705A037	Pavement Markers, Class A-H, Type 2-D	365	Each
705A038	Pavement Markers, Class A-H, Type 2-E	235	Each
740B000	Construction Signs	1,144	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	250	Each
740M001	Ballast For Cone	250	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

() Item will be bid as lump sum.

Contract ID: 20151204056**Projects:** SRTS-SR11(906)**Letting Date:** December 04, 2015**County:** LOWNDES**Contract Time:** 30 Working Days**Description:** for constructing the Infrastructure Improvements (Sidewalks) on various routes at various locations in Fort Deposit as indicated in the plans.

The Bracket Estimate on this project is from \$138,709 to \$169,533 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	50	SQYD
206D003	Removing Curb And Gutter	68	LF
210A000	Unclassified Excavation	210	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	275	CUYD
600A000	Mobilization	(1)	LS
618A000	Concrete Sidewalk, 4" Thick	1,926	SQYD
654A000	Solid Sodding	1,700	SQYD
665J002	Silt Fence	1,500	LF
665O001	Silt Fence Removal	1,500	LF
674A000	Construction Safety Fence	3,800	LF
680A001	Geometric Controls	(1)	LS
703A002	Traffic Control Markings, Class 2, Type A	2,045	SQFT
710A126	Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)	94	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	196	LF
740B000	Construction Signs	152	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	50	Each
740M001	Ballast For Cone	50	Each

() Item will be bid as lump sum.

Contract ID: 20151204059**Projects:** STPAA-0118(511)**Letting Date:** December 04, 2015**County:** MARION**Contract Time:** 100 Working Days**DBE Goal Percent:** 5.00

Description: for constructing the Planing, Resurfacing, Traffic Stripe, and Curb Ramp Installation on SR-118 from near the junction of CR-69 (MP 24.410) to near the junction of CR-60 (MP 29.912) in Winfield. Length 5.501 mi.

The Bracket Estimate on this project is from \$2,667,366 to \$3,260,114 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$14.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	154	SQYD
206C006	Removing Reinforced Concrete Base	4	SQYD
206D002	Removing Curb	72	LF
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	151	Ton
405A000	Tack Coat	18,320	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	20	Mile
408B001	Micro-Milling Existing Pavement(Approximately 1.10" Thru 2.00" Thick)	228,996	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	17,055	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	709	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	4,275	Ton
428A001	Scoring Bituminous Pavement Surface	5	Mile
539A002	8 Inch Trench Drain	6	LF
539A004	12 Inch Trench Drain	22	LF
600A000	Mobilization	(1)	LS
618A000	Concrete Sidewalk, 4" Thick	131	SQYD
618A001	Concrete Sidewalk, 6" Thick	58	SQYD
618C000	Truncated Dome Retrofit	32	SQFT
623B000	Concrete Curb, Type N	338	LF
623B002	Concrete Curb, Type A	149	LF
623C000	Combination Curb & Gutter, Type C	20	LF
654A001	Solid Sodding (Bermuda)	40	SQYD
665E000	Polyethylene	100	SQYD
665G000	Sand Bags	200	Each
665J002	Silt Fence	200	LF
665O001	Silt Fence Removal	200	LF
665Q002	Wattle	200	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 140,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	12	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	12	Mile

Item No.	Description	Quantity	Units
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	4,811	LF
701C000	Broken Temporary Traffic Stripe	55	Mile
701C001	Solid Temporary Traffic Stripe	58	Mile
703A002	Traffic Control Markings, Class 2, Type A	10,715	SQFT
703B002	Traffic Control Legends, Class 2, Type A	606	SQFT
703D001	Temporary Traffic Control Markings	10,715	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	439	Each
705A031	Pavement Markers, Class A-H, Type 1-A	727	Each
705A032	Pavement Markers, Class A-H, Type 1-B	89	Each
705A037	Pavement Markers, Class A-H, Type 2-D	993	Each
705A038	Pavement Markers, Class A-H, Type 2-E	45	Each
728A000	Truck Mounted Impact Attenuator Unit	1	Each
730H001	Loop Wire	8,416	LF
730I001	Loop Detector Lead-In-Cable	1,020	LF
730K000	Traffic Signal Junction Box	1	Each
730L005	2", Non-Metallic, Conduit	10	LF
740B000	Construction Signs	1,569	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	350	Each
740M001	Ballast For Cone	350	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20151204060**Projects:** STPAA-0167(507)**Letting Date:** December 04, 2015**County:** GENEVA**Contract Time:** 40 Working Days**DBE Goal Percent:** 5.00**Description:** for constructing the Resurfacing and Traffic on SR-167 from just north of the junction of SR-123 (MP 7.087) in Hartford to the Dale County Line. Length 8.774 mi.

The Bracket Estimate on this project is from \$1,609,027 to \$1,966,588 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$12.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	7	SQYD
206D002	Removing Curb	12	LF
405A000	Tack Coat	12,794	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	9	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	166,220	SQYD
410H000	Material Remixing Device	1	Each
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	14,227	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	200	Ton
424B701	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" MAXimum Aggregate Size mix, ESAL Range C/D	300	Ton
428A001	Scoring Bituminous Pavement Surface	17	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	28	Ton
600A000	Mobilization	(1)	LS
618A000	Concrete Sidewalk, 4" Thick	7	SQYD
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 84,265.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	18	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	1,755	LF
701C000	Broken Temporary Traffic Stripe	32	Mile
701C001	Solid Temporary Traffic Stripe	16	Mile
701D007	Solid Traffic Stripe Removed (Paint)	1	Mile
701D008	Solid Traffic Stripe Removed (Plastic)	1	Mile
701D014	Broken Traffic Stripe Removed (Paint)	1	Mile
701D015	Broken Traffic Stripe Removed (Plastic)	1	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	2,099	LF
701G150	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	1,050	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	1,050	LF
701G252	Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)	600	LF
703A002	Traffic Control Markings, Class 2, Type A	2,712	SQFT
703B002	Traffic Control Legends, Class 2, Type A	404	SQFT
703D001	Temporary Traffic Control Markings	2,054	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	330	Each
705A032	Pavement Markers, Class A-H, Type 1-B	450	Each

Item No.	Description	Quantity	Units
705A037	Pavement Markers, Class A-H, Type 2-D	675	Each
705A038	Pavement Markers, Class A-H, Type 2-E	150	Each
740B000	Construction Signs	979	SQFT
740E000	Cones (36 Inches High)	150	Each
740M001	Ballast For Cone	150	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204062**Projects:** STPAA-0177(502)**Letting Date:** December 04, 2015**County:** CLARKE**Contract Time:** 35 Working Days**DBE Goal Percent:** 5.00

Description: for constructing the Planing, Resurfacing, and Traffic Stripe on SR-177 from the junction of SR-13 (US-43) to the junction of Miller Street (MP 2.188) in Jackson. Length 2.177 mi.

The Bracket Estimate on this project is from \$1,177,312 to \$1,438,937 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C002	Removing Concrete Slope Paving	412	SQYD
206D002	Removing Curb	548	LF
212A000	Machine Grading Shoulders	159	STA
405A000	Tack Coat	10,226	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	9	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	98,413	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing Certified Inertial Profiler	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	6,230	Ton
424A366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	180	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	713	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	385	Ton
428A001	Scoring Bituminous Pavement Surface	3	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	50	Ton
600A000	Mobilization	(1)	LS
614A000	Slope Paving	248	CUYD
623B000	Concrete Curb, Type N	133	LF
623B001	Concrete Curb, Type N Special	68	LF
650A000	Topsoil	50	CUYD
652A100	Seeding	1	Acre
652C000	Mowing	8	Acre
656A010	Mulching	3	Acre
665B001	Temporary Mulching	1	Ton
665G000	Sand Bags	300	Each
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 62,500.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701B063	Dotted, Class 2, Type A Traffic Stripe(Lane Drop 10" Wide)	2,500	LF
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	872	LF
701C000	Broken Temporary Traffic Stripe	15	Mile

Item No.	Description	Quantity	Units
701C001	Solid Temporary Traffic Stripe	17	Mile
703A002	Traffic Control Markings, Class 2, Type A	10,271	SQFT
703B002	Traffic Control Legends, Class 2, Type A	368	SQFT
703D002	Temporary Traffic Control Markings (Paint)	2,700	SQFT
703E002	Temporary Traffic Control Legends (Paint)	112	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	81	Each
705A031	Pavement Markers, Class A-H, Type 1-A	239	Each
705A032	Pavement Markers, Class A-H, Type 1-B	388	Each
705A037	Pavement Markers, Class A-H, Type 2-D	305	Each
705A038	Pavement Markers, Class A-H, Type 2-E	194	Each
740B000	Construction Signs	828	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	400	Each
740I002	Warning Lights, Type B	4	Each
740M001	Ballast For Cone	400	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20151204065**Projects:** STPAA-HSIP-0056(503)**Letting Date:** December 04, 2015**County:** WASHINGTON**Contract Time:** 80 Working Days**DBE Goal Percent:** 6.00

Description: for constructing the Safety Widening, Resurfacing, and Traffic Stripe on SR-56 from east of the junction of CR-1 (MP 12.948) in Chatom to west of the junction of SR-13 (US-43) (MP 27.661) in Wagarville. Length 14.712 mi.

The Bracket Estimate on this project is from \$3,385,163 to \$4,137,422 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$12.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4000.00 Per Acre) (Approximately 5 Acres)	(1)	LS
206C010	Removing Concrete Driveway	66	SQYD
209A000	Mailbox Reset, Single	2	Each
210D001	Borrow Excavation (Loose Truckbed Measurement)	1,195	CUYD
401B100	Bituminous Treatment E (With Polymer Additive)	192,360	SQYD
405A000	Tack Coat	11,050	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	15	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	291,366	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	2,600	Ton
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	22,809	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	207	Ton
424A370	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	920	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D	200	Ton
424C370	Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range C/D	352	Ton
428A001	Scoring Bituminous Pavement Surface	30	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	3,498	Ton
600A000	Mobilization	(1)	LS
614A000	Slope Paving	38	CUYD
630A001	Steel Beam Guardrail, Class A, Type 2	75	LF
630A034	Steel Beam Guardrail, Class A, Type 2 (8'-0" Post)	575	LF
630C050	Guardrail End Anchor, Type 20 Series	4	Each
631F001	Steel Beam Guardrail, Class A, Type 2 Relocated	658	LF
650A000	Topsoil	4,108	CUYD
652A100	Seeding	13	Acre
652C000	Mowing	53	Acre
656A010	Mulching	13	Acre
665B001	Temporary Mulching	38	Ton
665G000	Sand Bags	300	Each

Item No.	Description	Quantity	Units
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	300	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 185,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	30	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	44	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	11	Mile
701C002	Broken Temporary Traffic Stripe (Paint)	22	Mile
701C003	Solid Temporary Traffic Stripe (Paint)	117	Mile
703A002	Traffic Control Markings, Class 2, Type A	1,135	SQFT
703B002	Traffic Control Legends, Class 2, Type A	463	SQFT
703D002	Temporary Traffic Control Markings (Paint)	1,286	SQFT
703E002	Temporary Traffic Control Legends (Paint)	542	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	31	Each
705A032	Pavement Markers, Class A-H, Type 1-B	470	Each
705A037	Pavement Markers, Class A-H, Type 2-D	1,199	Each
730H001	Loop Wire	865	LF
740B000	Construction Signs	1,564	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	200	Each
740I002	Warning Lights, Type B	2	Each
740M001	Ballast For Cone	200	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204066 **Projects:** STPAA-HSIP-0126(500), STPAA-HSIP-0293(500)
Letting Date: December 04, 2015 **County:** MONTGOMERY
Contract Time: 90 Working Days **DBE Goal Percent:** 4.00

Description: for constructing the Safety Widening, Planing, Resurfacing, Traffic Stripe, and Bridge Guardrail Retrofit on various routes at various locations as indicated in the plans. Length 8.189 mi.

The Bracket Estimate on this project is from \$2,670,370 to \$3,263,786 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$7.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	1,021	LF
206E008	Removing Guardrail End Anchor (All Type)	20	Each
210D001	Borrow Excavation (Loose Truckbed Measurement)	500	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	1,500	CUYD
212A000	Machine Grading Shoulders	805	STA
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	800	Ton
405A000	Tack Coat	12,820	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	9	Mile
408A051	Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)	103,900	SQYD
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	10,425	SQYD
410H000	Material Remixing Device	1	Each
424A356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	600	Ton
424A359	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	900	Ton
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	15,616	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	150	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,000	Ton
424B654	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	750	Ton
424B658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,500	Ton
424B663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,610	Ton
424B693	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	225	Ton
428A001	Scoring Bituminous Pavement Surface	15	Mile
502A000	Steel Reinforcement	70	LB
524B011	Culvert Concrete Extension (Cast In Place)	1	CUYD
600A000	Mobilization	(1)	LS
610D003	Filter Blanket, Geotextile	670	SQYD
629D000	Bridge Guardrail Retrofit, Type IC	4	Each
629D001	Bridge Guardrail Retrofit, Type C	8	Each
630A001	Steel Beam Guardrail, Class A, Type 2	1,038	LF
630C003	Guardrail End Anchor, Type 13	12	Each
630C050	Guardrail End Anchor, Type 20 Series	7	Each
630C070	Guardrail End Anchor, Type 10 Series	5	Each

Item No.	Description	Quantity	Units
650A000	Topsoil	2,400	CUYD
652A100	Seeding	11	Acre
652C000	Mowing	11	Acre
654A000	Solid Sodding	500	SQYD
656A010	Mulching	11	Acre
659C002	Erosion Control Product, Type S2	1,000	SQYD
665A000	Temporary Seeding	11	Acre
665B001	Temporary Mulching	33	Ton
665F000	Hay Bales	200	Each
665G000	Sand Bags	200	Each
665J002	Silt Fence	1,950	LF
665O001	Silt Fence Removal	1,950	LF
665Q002	Wattle	1,000	LF
666A001	Pest Control Treatment	11	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 151,000.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	17	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	13	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	3,465	LF
701C000	Broken Temporary Traffic Stripe	5	Mile
701C001	Solid Temporary Traffic Stripe	54	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	1,978	LF
701G150	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	572	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	1,038	LF
701G252	Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)	600	LF
701H001	Solid Traffic Stripe Removed (Plastic)	3,016	LF
701H006	Broken Traffic Stripe Removed (Plastic)	572	LF
703A002	Traffic Control Markings, Class 2, Type A	5,320	SQFT
703B002	Traffic Control Legends, Class 2, Type A	698	SQFT
703D001	Temporary Traffic Control Markings	1,585	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	255	Each
705A037	Pavement Markers, Class A-H, Type 2-D	806	Each
740B000	Construction Signs	1,536	SQFT
740D000	Channelizing Drums	200	Each
740E000	Cones (36 Inches High)	600	Each
740M001	Ballast For Cone	600	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204068**Projects:** STPAA-NR13(949)**Letting Date:** December 04, 2015**Counties:** CHAMBERS, COOSA, AND TALLAPOOSA**Contract Time:** 120 Working Days**Description:** for constructing the Curb Ramp Installations and Modifications on various routes at various locations as indicated by the plans.

The Bracket Estimate on this project is from \$307,791 to \$376,189 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$6.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	1,137	SQYD
206C001	Removing Concrete Pavement	35	SQYD
206D002	Removing Curb	459	LF
206D003	Removing Curb And Gutter	202	LF
206D005	Removing Gutter	31	LF
206E042	Removing Inlets (Partial)	9	Each
517D001	Aluminum Sidewalk Handrail	140	LF
534D000	Cleaning Existing Drop Inlet	1	Each
600A000	Mobilization	(1)	LS
618A000	Concrete Sidewalk, 4" Thick	1,367	SQYD
618C000	Truncated Dome Retrofit	240	SQFT
620A000	Minor Structure Concrete	15	CUYD
654A001	Solid Sodding (Bermuda)	150	SQYD
665G000	Sand Bags	100	Each
674A000	Construction Safety Fence	1,000	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 6,500.00)	(1)	LS
740B000	Construction Signs	416	SQFT
740E000	Cones (36 Inches High)	50	Each
740G000	Barricades, Type I, (Portable, 24 Inches Wide)	8	Each
740M001	Ballast For Cone	50	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204070**Projects:** STPAA-STPOA-4214(258)**Letting Date:** December 04, 2015**County:** LIMESTONE**Contract Time:** 30 Working Days**DBE Goal Percent:** 5.00

Description: for constructing the Resurfacing and Traffic Stripe on East Limestone Road from the junction of SR-2 (US-72) east of Athens to the intersection of Copeland Road. Length 4.858 mi.

The Bracket Estimate on this project is from \$718,343 to \$877,975 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
401B100	Bituminous Treatment E (With Polymer Additive)	63,700	SQYD
405A000	Tack Coat	1,910	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	5	Mile
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	5,500	Ton
424B654	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	2,900	Ton
600A000	Mobilization	(1)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	166	LF
630C050	Guardrail End Anchor, Type 20 Series	4	Each
698A000	Construction Fuel (Maximum Bid Limited to \$ 38,000.00)	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	11	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	6	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	3	Mile
701C000	Broken Temporary Traffic Stripe	6	Mile
701C001	Solid Temporary Traffic Stripe	12	Mile
703A002	Traffic Control Markings, Class 2, Type A	1,827	SQFT
703B002	Traffic Control Legends, Class 2, Type A	304	SQFT
703D001	Temporary Traffic Control Markings	954	SQFT
703E001	Temporary Traffic Control Legends	136	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	75	Each
705A037	Pavement Markers, Class A-H, Type 2-D	400	Each
740B000	Construction Signs	630	SQFT
740E000	Cones (36 Inches High)	100	Each
740M001	Ballast For Cone	100	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204073**Projects:** STPBH-7002(601)**Letting Date:** December 04, 2015**County:** JEFFERSON**Contract Time:** 80 Working Days

Description: for the Demolition and Structure Removal on CR-52 (Morgan Road) from the I-459 Overpass in Bessemer to the intersection of South Shades Crest Road at various locations as indicated in the plans.

The Bracket Estimate on this project is from \$99,881 to \$122,077 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
204A000	Closing Water Well	1	Each
205A001	Removal Of Structures, Structure No. 1	1	Each
205A002	Removal Of Structures, Structure No. 1A	1	Each
205A003	Removal Of Structures, Structure No. 2	1	Each
205A004	Removal Of Structures, Structure No. 3	1	Each
205A005	Removal Of Structures, Structure No. 3A	1	Each
205A006	Removal Of Structures, Structure No. 4	1	Each
205A007	Removal Of Structures, Structure No. 5	1	Each
205A008	Removal Of Structures, Structure No. 6	1	Each
205A009	Removal Of Structures, Structure No. 7	1	Each
205A010	Removal Of Structures, Structure No. 8	1	Each
205A011	Removal Of Structures, Structure No. 8A	1	Each
205A012	Removal Of Structures, Structure No. 8B	1	Each
205A013	Removal Of Structures, Structure No. 8C	1	Each
205A014	Removal Of Structures, Structure No. 8D	1	Each
205A015	Removal Of Structures, Structure No. 8E	1	Each
205A016	Removal Of Structures, Structure No. 9	1	Each
205A017	Removal Of Structures, Structure No. 10	1	Each
205A018	Removal Of Structures, Structure No. 10A	1	Each
205A019	Removal Of Structures, Structure No. 11	1	Each
600A000	Mobilization	(1)	LS
610D003	Filter Blanket, Geotextile	334	SQYD
665G000	Sand Bags	150	Each
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
665Q002	Wattle	500	LF
674A000	Construction Safety Fence	1,500	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 5,000.00)	(1)	LS
740B000	Construction Signs	96	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	100	Each
740M001	Ballast For Cone	100	Each

() Item will be bid as lump sum.

Contract ID: 20151204077**Projects:** STPNU-1715(250)**Letting Date:** December 04, 2015**County:** COLBERT**Contract Time:** 30 Working Days**Description:** for constructing the Installation of Traffic Stripe, Pavement Markers, Markings, and Legends on various routes as indicated in the plans. Length 32.005 mi.

The Bracket Estimate on this project is from \$277,653 to \$339,354 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$2.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
600A000	Mobilization	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	64	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	57	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	8	Mile
701G251	Solid White, Class 2, Type A Traffic Stripe (6" Wide) (Rumble Strip)	1,400	LF
703A004	Traffic Control Markings, Class 2T, Type A	134	SQFT
703B004	Traffic Control Legends, Class 2T, Type A	279	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	492	Each
705A037	Pavement Markers, Class A-H, Type 2-D	3,720	Each

() Item will be bid as lump sum.

Contract ID: 20151204079**Projects:** STPNU-3214(252)**Letting Date:** December 04, 2015**County:** GREENE**Contract Time:** 30 Working Days**Description:** for constructing the Full Depth Reclamation, Resurfacing, and Traffic Stripe on CR-148 from the intersection of SR-13 (US-43) to Dollar Hide Camp. Length 2.665 mi.

The Bracket Estimate on this project is from \$330,086 to \$403,438 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
302A000	Full Depth Reclamation, 10 Inches Thick	31,270	SQYD
302B000	Portland Cement For Full Depth Reclamation	782	Ton
409A001	Triple Layer Bituminous Treatment	28,550	SQYD
430B043	Aggregate Surfacing (1" Down, Crusher Run)	406	Ton
600A000	Mobilization	(1)	LS
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 18,200.00)	(1)	LS
701A030	Solid White, Class 2T, Type A Traffic Stripe	6	Mile
701A034	Solid Yellow, Class 2T, Type A Traffic Stripe	5	Mile
701A044	Broken Yellow, Class 2T, Type A Traffic Stripe	3	Mile
701C000	Broken Temporary Traffic Stripe	3	Mile
701C001	Solid Temporary Traffic Stripe	5	Mile
703A004	Traffic Control Markings, Class 2T, Type A	80	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	58	Each
705A037	Pavement Markers, Class A-H, Type 2-D	255	Each
740B000	Construction Signs	240	SQFT
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204082**Projects:** STPNU-5214(253)**Letting Date:** December 04, 2015**County:** MORGAN**Contract Time:** 35 Working Days**DBE Goal Percent:** 10.00

Description: for constructing the Resurfacing, Guardrail Installation, and Traffic Stripe on CR-73 (Eva Road) from the junction of Peck Mountain Road to the intersection of SR-67 in Florette.
Length 2.276 mi.

The Bracket Estimate on this project is from \$636,939 to \$778,481 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$6.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	50	LF
206E019	Removing Guardrail End Anchor (Type 10)	4	Each
401B100	Bituminous Treatment E (With Polymer Additive)	23,843	SQYD
405A000	Tack Coat	716	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	4	Mile
408A051	Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)	13,534	SQYD
410H000	Material Remixing Device	1	Each
420A015	Polymer Modified Open Graded Friction Course	609	Ton
420B000	Open Graded Friction Course Tack Coat	2,436	Gal
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	3,129	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	200	Ton
424B647	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B	297	Ton
428A001	Scoring Bituminous Pavement Surface	2	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	427	Ton
600A000	Mobilization	(1)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	2,200	LF
630C050	Guardrail End Anchor, Type 20 Series	6	Each
698A000	Construction Fuel (Maximum Bid Limited to \$ 33,900.00).	(1)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	5	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	5	Mile
701A245	Broken Yellow, Class 2, Type A Traffic Stripe	1	Mile
701B206	Dotted, Class 2, Type B Traffic Stripe	955	LF
701C000	Broken Temporary Traffic Stripe	2	Mile
701C001	Solid Temporary Traffic Stripe	12	Mile
703A002	Traffic Control Markings, Class 2, Type A	1,022	SQFT
703B002	Traffic Control Legends, Class 2, Type A	68	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	38	Each
705A037	Pavement Markers, Class A-H, Type 2-D	556	Each
740B000	Construction Signs	293	SQFT
740E000	Cones (36 Inches High)	50	Each
740M001	Ballast For Cone	50	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204091**Projects:** ST-005-160-007**Letting Date:** December 04, 2015**County:** BLOUNT**Contract Time:** 125 Working Days

Description: for constructing the Intersection Improvements (Grade, Drain, Base, and Pave) on SR-160 at the junction of Mountain Woods Lake Road to include Drainage Corrections at the junction of Standholton Drive east of Smoke Rise. Length 0.369 mi.

The Bracket Estimate on this project is from \$1,905,274 to \$2,328,668 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$43.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ \$4,000.00 per Acre) (Approximately 5 Acres)	(1)	LS
206C010	Removing Concrete Driveway	472	SQYD
206D000	Removing Pipe	526	LF
206D011	Removing Fence	934	LF
206D012	Removing Rock Culvert	43	LF
206E001	Removing Inlets	2	Each
210A000	Unclassified Excavation	12,946	CUYD
210D000	Borrow Excavation	2,113	CUYD
210F001	Borrow Excavation (Underwater Embankment)	394	Ton
214A000	Structure Excavation	1,230	CUYD
214B001	Foundation Backfill, Commercial	380	CUYD
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	6,402	SQYD
305B078	Crushed Aggregate, Section 825, Type B, For Miscellaneous Use	429	Ton
401A000	Bituminous Treatment A	7,018	SQYD
405A000	Tack Coat	2,003	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	2,880	SQYD
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	46	Ton
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	917	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	814	Ton
424B651	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	852	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	50	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	691	Ton
424B659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D	219	Ton
424B681	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1,045	Ton
424C360	Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1,864	Ton
430B040	Aggregate Surfacing (Crushed Aggregate Base, Type B)	250	Ton
502A000	Steel Reinforcement	24,968	LB
524A012	Culvert Concrete (Precast)	152	CUYD

Item No.	Description	Quantity	Units
530A001	18" Roadway Pipe (Class 3 R.C.)	86	LF
530A003	30" Roadway Pipe (Class 3 R.C.)	57	LF
530A004	36" Roadway Pipe (Class 3 R.C.)	87	LF
530B005	51" Span, 31" Rise Roadway Pipe (Class 3 R.C.)	102	LF
533A098	18" Storm Sewer Pipe (Class 3 R.C.)	473	LF
533A099	24" Storm Sewer Pipe (Class 3 R.C.)	55	LF
533A101	36" Storm Sewer Pipe (Class 3 R.C.)	51	LF
533B102	51" Span, 31" Rise Storm Sewer Pipe (Class 3 R.C.)	71	LF
535A001	18" Side Drain Pipe	89	LF
600A000	Mobilization	(1)	LS
601A000	Furnishing Base, Soil And Structure Laboratories	1	Each
602A000	Right Of Way Markers	16	Each
602C000	Permanent Easement Marker	3	Each
608A000	Separation Geotextile	1,500	SQYD
610C000	Loose Riprap, Class 1	500	Ton
610C001	Loose Riprap, Class 2	635	Ton
610D003	Filter Blanket, Geotextile	788	SQYD
614A000	Slope Paving	17	CUYD
618B003	Concrete Driveway, 6" Thick (Includes Wire Mesh)	457	SQYD
619A002	18" Roadway Pipe End Treatment, Class 1	2	Each
619A003	24" Roadway Pipe End Treatment, Class 1	1	Each
619A054	30" Roadway Pipe End Treatment, Class 2	1	Each
619A055	36" Roadway Pipe End Treatment, Class 2	2	Each
619A101	18" Side Drain Pipe End Treatment, Class 1	4	Each
619B070	51" Span, 31" Rise Roadway Pipe End Treatment, Class 2	2	Each
621A005	Junction Boxes, Type 1	2	Each
621B005	Junction Box Units, Type 1	1	Each
621C027	Inlets, Type C	7	Each
621C129	Inlets, Type C (Partial)	3	Each
621D002	Inlet Units, Type C	5	Each
630A001	Steel Beam Guardrail, Class A, Type 2	50	LF
630A022	Steel Beam Guardrail, Class A, Type 2 (Temporary)	100	LF
630C050	Guardrail End Anchor, Type 20 Series	2	Each
636A000	Barbed Wire Fence, 4 Strands, 4 Feet High	958	LF
650B000	Topsoil From Stockpiles	1,581	CUYD
652A100	Seeding	2	Acre
654A001	Solid Sodding (Bermuda)	12,000	SQYD
656A010	Mulching	2	Acre
659C002	Erosion Control Product, Type S2	10,000	SQYD
659C006	Erosion Control Product, Type C6	1,000	SQYD
665A000	Temporary Seeding	4	Acre
665B001	Temporary Mulching	16	Ton
665E000	Polyethylene	1,000	SQYD
665G000	Sand Bags	500	Each
665I000	Temporary Riprap, Class 2	500	Ton
665I002	Temporary Riprap, Class 1	300	Ton

Item No.	Description	Quantity	Units
665J002	Silt Fence	4,220	LF
665K000	Drainage Sump Excavation	300	CUYD
665N000	Temporary Coarse Aggregate,ALDOT Number 1	1,500	Ton
665O001	Silt Fence Removal	4,220	LF
665P005	Inlet Protection, Stage 3 Or 4	7	Each
665Q002	Wattle	2,000	LF
666A001	Pest Control Treatment	5	Acre
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 97,500.00)	(1)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	750	LF
701C000	Broken Temporary Traffic Stripe	1	Mile
701C001	Solid Temporary Traffic Stripe	6	Mile
701D005	Solid Traffic Stripe Removed	3	Mile
703A002	Traffic Control Markings, Class 2, Type A	635	SQFT
703B002	Traffic Control Legends, Class 2, Type A	68	SQFT
703D001	Temporary Traffic Control Markings	66	SQFT
705A011	Pavement Markers, Class C, Type 1-A	3,840	Each
705A023	Pavement Markers, Class C, Type 2-D	970	Each
705A030	Pavement Markers, Class A-H, Type 2-C	35	Each
705A032	Pavement Markers, Class A-H, Type 1-B	230	Each
705A037	Pavement Markers, Class A-H, Type 2-D	45	Each
705A038	Pavement Markers, Class A-H, Type 2-E	120	Each
710A115	Class 4, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type III Or Type IV Background)	5	SQFT
710A126	Class 8, Aluminum Flat Sign Panels 0.08" Thick Or Steel Flat Sign Panels 14 Gauge (Type IX Background)	27	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	70	LF
726A000	Portable Concrete Safety Barriers, Type 6	275	LF
726A001	Portable Concrete Safety Barriers, Type 6-A	40	LF
726A005	Portable Concrete Safety Barriers,Type 6(Bridge Bolted)	20	LF
726D020	Portable Impact Attenuator Assembly (Unidirectional,TL-2)	4	Each
740B000	Construction Signs	687	SQFT
740D000	Channelizing Drums	500	Each
740E000	Cones (36 Inches High)	100	Each
740F002	Barricades, Type III	10	Each
740I002	Warning Lights, Type B	5	Each
740L003	Vertical Panel, Type I (Single-Sided)	21	Each
740M001	Ballast For Cone	100	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

() Item will be bid as lump sum.

Contract ID: 20151204200**Projects:** STPAA-NR13(958)**Letting Date:** December 04, 2015**Counties:** CLARKE, CHOCTAW, AND WASHINGTON**Contract Time:** 70 Working Days**Description:** for constructing the ADA Required Curb Ramp Installations and Modifications on various routes at various locations as indicated by the plans.

The Bracket Estimate on this project is from \$224,622 to \$274,537 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

THIS PROJECT HAS BEEN DESIGNATED AS AN SBE PROJECT, AND CAN ONLY BE BID ON BY QUALIFIED SBE CONTRACTORS THAT HAVE BEEN PRE-APPROVED BY THE ALDOT DBE UNIT AND ALDOT OFFICE ENGINEER.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	718	SQYD
206D002	Removing Curb	49	LF
206D003	Removing Curb And Gutter	472	LF
600A000	Mobilization	(1)	LS
606A001	8" Underdrain Pipe	6	LF
618A000	Concrete Sidewalk, 4" Thick	671	SQYD
618B003	Concrete Driveway, 6" Thick (Includes Wire Mesh)	17	SQYD
623B000	Concrete Curb, Type N	184	LF
623C000	Combination Curb & Gutter, Type C	342	LF
650A000	Topsoil	30	CUYD
654A000	Solid Sodding	100	SQYD
665E000	Polyethylene	850	SQYD
665G000	Sand Bags	180	Each
665Q002	Wattle	500	LF
674A000	Construction Safety Fence	5,000	LF
680A001	Geometric Controls	(1)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 7,000.00)	(1)	LS
703A000	Traffic Control Markings, Class 1, Type A	678	SQFT
703A002	Traffic Control Markings, Class 2, Type A	516	SQFT
703C000	Removal Of Existing Traffic Control Markings Or Legends (Paint)	1,220	SQFT
740B000	Construction Signs	845	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	25	Each
740M001	Ballast For Cone	25	Each
741C001	Portable Sequential Arrow And Chevron Sign Unit (Truck Mounted)	1	Each

() Item will be bid as lump sum.

Contract ID: 20151204201**Projects:** STPAA-NR13(959)**Letting Date:** December 04, 2015**Counties:** COVINGTON AND COFFEE**Contract Time:** 75 Working Days**Description:** for constructing the Curb Ramp Installations and Modifications on various routes at various locations as indicated by the plans.

The Bracket Estimate on this project is from \$271,573 to \$331,923 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$11.00 per set.

THIS PROJECT HAS BEEN DESIGNATED AS AN SBE PROJECT, AND CAN ONLY BE BID ON BY QUALIFIED SBE CONTRACTORS THAT HAVE BEEN PRE-APPROVED BY THE ALDOT DBE UNIT AND ALDOT OFFICE ENGINEER.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	753	SQYD
206D003	Removing Curb And Gutter	264	LF
517D000	Sidewalk Handrail	35	LF
600A000	Mobilization	(1)	LS
618A000	Concrete Sidewalk, 4" Thick	818	SQYD
618C000	Truncated Dome Retrofit	450	SQFT
654A001	Solid Sodding (Bermuda)	200	SQYD
674A000	Construction Safety Fence	1,600	LF
680A001	Geometric Controls	(1)	LS
703A002	Traffic Control Markings, Class 2, Type A	11,528	SQFT
703C001	Removal Of Existing Traffic Control Markings Or Legends (Plastic)	8,609	SQFT
740B000	Construction Signs	709	SQFT
740D000	Channelizing Drums	160	Each
740E000	Cones (36 Inches High)	100	Each
740M001	Ballast For Cone	100	Each

() Item will be bid as lump sum.