


ALABAMA

Department of Transportation

www.dot.state.al.us




Notice to Contractors

Transportation Letting

December 4, 2020

10:00 am



Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery, Alabama 36110

Plans and Proposals
telephone: 334.242.6444
e-mail: offengr@dot.state.al.us
fax: 334.264.7976
cell: 334.322.1754
cell: 334.850.5328

NOTICE TO PROPOSAL HOLDERS

Project No. HSIP-0251-(501)

Limestone County

This proposal includes alternate pay item groups. These alternate item groups can be found at the end of the list of proposal items and are grouped together by codes like "AA1", "AA2".

Please bid all the items in ONE OR THE OTHER of these alternate item groups, but NOT BOTH groups. Do not enter anything in the unit price field in the bid file or on the hard copy bid (even a zero) for the pay items in the alternate group that you do not wish to bid. Also, should you export/import your bid file outside of the bidding software to assist you in completing your bid, please make sure that no value is entered in the group of alternate items that you do not wish to bid.

Failure to adhere to these guidelines may result in an erroneous bid that could be rejected.

NOTICE TO CONTRACTORS

On February 7, 2020, the U.S. Department of Labor established new wages rates for all 67 Counties within the State of Alabama. It is imperative you direct your attention to the new wage rate special provisions for all contracts in the February 28, 2020 letting and subsequent lettings, and include this information when preparing your bids. If you have any questions, please send them via e-mail to offengr@dot.state.al.us

NOTICE TO CONTRACTORS

The Alabama Department of Transportation (ALDOT) upgraded the Expedite software to AASHTOWare Project Bids effective with the January 25, 2019 letting. If you have not upgraded from Expedite to AASHTOWare Project Bids, you will need to do so prior to submitting a bid. Additionally, if you use the Bid Express service and have not upgraded to AASHTOWare Project Bids, you will also need to obtain a new Digital ID and be approved to bid with ALDOT prior to submitting a bid using Bid Express.

For more information, please refer to the “Conversion from Expedite to AASHTOWare Project Bids” link on our website (<https://alletting.dot.state.al.us>).

NOTICE TO CONTRACTORS

FEDERAL-AID CONSTRUCTION CONTRACTS

A copy of Form FHWA-1273, “Required Contract Provisions – Federal-Aid Construction Contracts” must be included in each subcontract agreement and lower tier subcontract agreement that is submitted with the Request for Permission to Sublet Work (RPSW) for approval. Referencing Form FHWA-1273 is not enough. An actual copy of FHWA-1273 must be included.

This change is effective immediately.

NOTICE TO CONTRACTORS

Your attention is directed to Special Provision No. 18-0487 (Disadvantaged Business Enterprise) which becomes effective with the January 25, 2019, letting.

Modifications were made to Article 111.03 and Sub-article 111.09(b) of the *Standard Specifications* that require **ALL BIDDERS to submit their DBE Utilization Plan within FIVE calendar days of the letting date** to the Department and include penalties if the bidders fail to do so.

In addition, Form OE-110 DBE Utilization Plan was revised. It shall be used with all projects in the January 25, 2019 letting and beyond and revisions on any active project.

Changes in the form include:

- Form is a fillable Adobe PDF
- Additional rows for DBE subcontractors
- NEW Joint Check indicator (yes/no). See Note 4 at the bottom of the form as well as CIM 2-2006 about usage of Joint Checks.
- Drop down indicator for Type of Firm
- Automated calculations for % DBE, Contract Amount, and Required Dollar Amount of DBE Utilization
- Automated calculations for each DBE's Dollar Amount and Total Dollar Amount to DBEs

Please only use one row for each DBE. If the DBE's items will not fit in the row, please put "see attached" and use an attached worksheet/quote like most contractors have been doing for years.

NOTICE TO CONTRACTORS

Contractors are reminded they must be registered as a vendor with the State Comptroller in the STARRS system prior to receiving payment from the State of Alabama. Contractors may register at the following website: <http://vendors.alabama.gov>.

As a part of their registration with STARRS, contractors should use the exact Company Name that was used on the ALDOT Prequalification Form to avoid possible delays in payment.

NOTICE TO CONTRACTORS

Your attention is directed to CIM 2-2006 Guidelines for Payments to DBE Subcontractors and Material Vendors using Joint Checks, which became effective April 27, 2006.

During a recent review of ALDOT processes, FHWA has discovered cases where joint checks for DBE Subcontractors and Material Vendors have been utilized without ALDOT's knowledge. Please be reminded that if joint checks for payment of materials are utilized for DBE subcontractors, the prime contractor is required to indicate on the DBE Utilization Plan with joint check agreements attached that will be reviewed and approved by the Construction Bureau. Failure to do so may result in DBE participation being considered to not be a commercially useful function resulting in a loss of credit and possibly requiring good faith efforts as outlined in Section 110 of the Standard Specifications.

NOTICE TO CONTRACTORS

Your attention is directed to CIM 2-2004 Payments to Subcontractors, which became effective November 23, 2004.

While Special Provision No. 02-0125(4) has been revised since this time, Article 109.08 of the Standard Specification still outlines the requirements for prime contractors to pay their subcontractors. This specification requirement is based on the Code of Federal Regulations. To ensure that the requirements are being followed, an audit procedure was developed and is outlined in CIM 2-2004. A review of our procedures by FHWA over the last year indicates that project personnel are not performing these reviews as outlined in the CIM. This procedure is currently being emphasized to the Regions/Areas and their project personnel. Contractors should also be reminded of the timeframes to pay their subcontractors as required and to comply with these payment reviews when requested. ALDOT anticipates FHWA doing follow-up reviews to assess our compliance with the regulations and enforcement of the specification and CIM procedure.



Bob Riley
Governor

**ALABAMA
DEPARTMENT OF TRANSPORTATION**

CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

November 23, 2004

Construction Information Memorandum No. 2-2004

TO: All Division Engineers

ATTN: Division Construction Engineers and Division County Transportation Engineers

FROM: Terry McDuffie
Construction Engineer

RE: Payments to Subcontractors

Special Provision No. 02-0125(4) revises the requirements for payments to subcontractors under Article 109.08 of the Standard Specifications. This special provision, effective with the July 30, 2004 letting, states that prime contractors shall not withhold retainage from payments due to subcontractors or lower tier subcontractors unless interest is paid on the withheld amount in accordance with the requirements given in State law (Alabama Code 41-16-3(d)).

In addition, the special provision states the prime contractors shall make payments to all subcontractors for the portion of the work satisfactorily completed by the contractors within 7 calendar days of the contractor's receipt of a partial payment from ALDOT. It also requires that an authorized company representative sign a notarized certification of payment stating that all subcontractors active on the project for a particular estimate period were paid within the 7 calendar days after their receipt of a partial payment. Furthermore, it goes on to explain the consequences for failure to comply with this requirement and the possible punitive actions if an ALDOT audit revealed findings that were contradictory to the contractor's certifications. All of the requirements listed in this paragraph became effective in September of 2003 under Special Provision No. 02-0125(2).

In an effort to check/audit the contractor's compliance with this contract requirement, the Department will require the Project Engineer make a detailed review of the payment records. This review will be similar to that for Contractor Labor Reports as required by Article 1:2:I of the Construction Manual. This review shall include the contractor's monthly estimate, a breakdown of the subcontractor's pay items and monthly quantities, a copy of the cancelled check, and a copy of the notarized certification statement.

This type of review will be required for every six months of project life. The actual time of the review shall be determined at random by the Project Engineer during the six month interval, and

All Division Engineers
CIM 2-2004
Page 2

additional reviews may be directed, if necessary. He/she will furnish a copy of all of payment compliance reviews to the Division Office. The Division shall forward any non-compliance findings to this office for review and further handling.

Please advise should you have any questions concerning this memorandum.

TM/WJP/wjp

Attachments

pc: Mr. D.W. Vaughn

Mr. G. M. Harper

Mr. Frank Courson

Mr. Lamar McDavid

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Clay McBrien

Mr. Joe Wilkerson, FHWA

Alabama Roadbuilders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

File

NOTICE TO CONTRACTORS

The Alabama Immigration Law, Beason-Hammon Alabama Taxpayer and Citizen Act, requires that a certificate of compliance form be completed and submitted to the Department for each contract prior to award. This form must have an original signature, and the project cannot be awarded without the form. This is effective beginning with the January 31, 2014 letting.

This certificate of compliance form is available on ALDOT'S website ([http://www.dot.state.al.us/Project Letting Information](http://www.dot.state.al.us/Project%20Letting%20Information)) and should be furnished to the Alabama Department of Transportation by the apparent low bidder within 10 days of the letting for non-early award contracts, and within 5 days for early award contracts at the following address:

Alabama Department of Transportation
C/o Ms. Lori Coleman
1409 Coliseum Boulevard, Room E-101
Montgomery, Alabama 36110



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Kay Ivey
Governor

John R. Cooper
Transportation Director

June 5, 2019

If you have any questions about the plans or proposals, please make sure you have thoroughly reviewed them and the applicable sections of the Standard Specifications as it applies to your question. If further clarification is needed, please contact the Plans and Proposals Section of the Bureau of Office Engineer with any questions you may have. We strongly encourage you to e-mail us at offengr@dot.state.al.us. We will work with you to resolve any issues.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Kay Ivey
Governor

John R. Cooper
Transportation Director

October 2, 2020

Re: 2021 Calendar Year
Bid Tabulations Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

Bid Tabulations are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$35.00** per calendar year.

Please mail check payable to “**Alabama Department of Transportation**” and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
C/O OFFICE ENGINEER
1409 COLISEUM BOULEVARD ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance and type your address in the space provided below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Room E-108, Montgomery, Alabama 36130-3050

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 Fax: 334-264-7976

www.dot.state.al.us



Kay Ivey
Governor

John R. Cooper
Transportation Director

October 2, 2020

Re: **2021 Calendar Year**
Notice to Contractors Subscription
Alabama Department of
Transportation Lettings

To Whom It May Concern:

The Notice to Contractors, are available, at no charge, at the Alabama Department of Transportation website: www.dot.state.al.us. If you prefer to subscribe to the mail out service there is a fee of **\$40.00** per calendar year.

This mailing fee applies to all people who desire the service including Contractors, Subcontractors, Suppliers, General Public, etc.

Please make your check payable to “**Alabama Department of Transportation**” and mail it to:

**ALABAMA DEPARTMENT OF TRANSPORTATION
C/O OFFICE ENGINEER
1409 COLISEUM BOULEVARD, ROOM E-108
MONTGOMERY, AL 36110**

Please return this letter with your remittance, and type or print your company name with your current address in the spaces below as you wish it to appear on our mailing list. Please note we are limited to 4 lines of 35 spaces each.




Robert Bentley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

Legal Bureau
1409 Coliseum Boulevard
Montgomery, Alabama 36110

Telephone (334) 242-6350 – Fax (334) 264-4359




John R. Cooper
Transportation Director

MEMORANDUM

May 30, 2012

TO: Bureau Chiefs and Division Engineers

FROM: 
Jim R. Ippolito, Jr.
Chief Counsel

RE: Amended Alabama Immigration Law

As you are aware, the Alabama Legislature recently amended the immigration law. The amended law, and specifically, Ala. Code § 31-13-9, affects all contracts involving the Department. The law no longer requires that contractors provide affidavits attesting that they are enrolled in E-verify. Under the amended law, contractors are only required to provide proof that they are enrolled in E-verify. For example, a contractor may provide a copy of its E-verify contract.

In addition, the amended law requires that State agencies include the following language in all contracts and agreements:

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

Please include this language in all future contracts or agreements.

Thank you for your cooperation and assistance in this matter.

JRI/JAT/lbw



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 Fax: 334-264-7976
www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

NOTICE TO CONTRACTORS

The Alabama Department of Transportation intends to maintain a public database of contractors who have furnished the documents necessary to be awarded a contract or to be authorized to subcontract work with the department pursuant to recent guidance concerning implementation of the amended Alabama Immigration Law, Beason-Hammon Alabama Taxpayer and Citizen Protection Act.

The Memorandum of Understanding concerning the E-Verify program with the United States Department of Homeland Security is required to be on-file with the Alabama Department of Transportation prior to award of a contract or authorization to subcontract, respectively.

It is no longer a requirement for the Affidavit for Business Entity/Employer/Contractor (OE-EV) and the Affidavit for Subcontractor (OE-EVSUB) to be submitted to the department.

The department encourages all business entities that intend to enter into a contract or subcontract with the Alabama Department of Transportation for the construction or maintenance of transportation facilities to download the complete E-Verify Memorandum of Understanding and furnish it to the Alabama Department of Transportation at the following address:

Alabama Department of Transportation
c/o Mr. Bryan Nichols
1409 Coliseum Boulevard, Room E-108
Montgomery, Alabama 36110


NTC 5.31.2012



ROBERT BENTLEY
GOVERNOR

ALABAMA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION BUREAU
1409 COLISEUM BOULEVARD, G-101
MONTGOMERY, ALABAMA 36110
PHONE (334) 242-6216
FAX (334) 264-3727


May 25, 2012



JOHN R. COOPER
TRANSPORTATION DIRECTOR

MEMORANDUM

TO: Mr. Ronnie Baldwin, P.E.
Office Engineer

FROM: Terry McDuffie, P.E. 
State Construction Engineer

RE: Special Notice to Contractors
Underground Storage Tank (UST) Systems

The Alabama Department of Environmental Management (ADEM) has recently changed the regulations governing the removal and closure of Underground Storage Tank (UST) Systems. The changes state that the contractors who physically conduct any work associated with the removal and closure of UST Systems must have at least one (1) certified supervisor on-site to conduct such work. These certifications are managed by the Alabama Petroleum Contractor's Association (ALPEC) and a current list of the certified individuals and companies are listed at the following link:
http://www.alpec.info/UST_Certification.html.

These regulations will become effective as of July 16, 2012, and are applicable to any UST system closure performed from this date forward, regardless of when the project was let to contract. The following link is for the actual ADEM regulation:
<http://adem.state.al.us/alEnviroRegLaws/files/Division6Vol2.pdf>.

ALDOT Section 250 of the Standard Specifications requires that all work for the removal and disposal of UST shall be in conformance with the rules and regulations of ADEM, the Environmental Protection Agency (EPA), and the Occupational Safety and Health Administration (OSHA). This section goes into more detail on all the work required by the contractor for this item. Based on the wording of this specification, no special provision to change the work requirements is needed, but this memorandum is being provided to your office to make prospective bidders aware of ADEM's new regulations and Divisions to ensure that the required supervisor is on-site.

TM/WJP

pc: Mr. G. M. Harper
Division Engineers
Mr. Buddy Cox
Mr. Barry Fagan
File



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Robert Bentley
Governor

John R. Cooper
Transportation Director

Special Notice to Contractors

Effective immediately, the department is discontinuing the sale of plans for advertised projects after opening bids. Subcontractors, vendors, and suppliers should obtain plans from the successful primary contractor.

January 19, 2012

Alabama Department of Transportation
1409 Coliseum Boulevard, Room E-108
Montgomery, Alabama 36110-2060

2018 Edition of the Standard Specifications

The Alabama Department of Transportation is implementing use of the 2018 Edition of the Standard Specifications for Highway Construction (Spec Book) beginning with the January 26, 2018, Letting.

This edition is being published as an e-Book on the Construction Bureau's webpage under the Specifications' link at the following address:

<http://www.dot.state.al.us/conweb/specifications.html>

For those who still prefer a paper copy, the cost of the book is \$20.00 each including standard shipping via UPS ground. Books can also be picked up in person or sent overnight via FedEx if you provide your account number. Unless otherwise specified your order will be shipped standard ground.

Please fill out the request form below and mail it along with a check or money order made payable to:

Alabama Department of Transportation
Bureau of Office Engineer, Plans & Proposals Section
1409 Coliseum Boulevard – Room E-108
Montgomery, Alabama 36110-2060

COMPANY NAME: _____

SHIPPING ADDRESS: _____

CITY, STATE, ZIP: _____

PHONE NUMBER: _____

QUANTITY: _____ X \$20.00 PER BOOK = \$ _____

DELIVERY OPTIONS (SELECT ONE)

_____ STANDARD MAIL/SHIP (VIA UPS)

_____ PICK UP

_____ OVERNIGHT (PROVIDE YOUR FEDEX ACCOUNT NUMBER): _____

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
MONTGOMERY ALABAMA 36110-2060

2020 SPECIAL AND STANDARD HIGHWAY DRAWINGS

The Alabama Department of Transportation is using the 2020 Edition of the Special and Standard Highway Drawings Book for projects let during Calendar Year 2020.

The printed book may be purchased at the cost of \$125.00 each which includes standard ground shipment via UPS. A compact disk (CD) is available for \$25.00. If you prefer that the books be sent overnight by another carrier you should provide your account number below.

The book is also available on our website at www.dot.state.al.us. Look for the Project Letting link.

Please complete the request form below and mail it, along with a check or money order made payable to "Alabama Department of Transportation" to:

Alabama Department of Transportation
Bureau of Office Engineer, Plans & Proposal Section
1409 Coliseum Boulevard – Room E-108
Montgomery Alabama 36110-2060

Company Name: _____

Shipping Address: _____

Phone Number: _____

Quantity: _____ x \$125.00 per Book = \$ _____

_____ x \$25.00 per Compact Disk = \$ _____

Total: \$ _____

Delivery Options (Select One)

_____ Standard UPS Ground

_____ Overnight, Provide Shipping Acct Number: _____

_____ Pick up



ALABAMA DEPARTMENT OF TRANSPORTATION


1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-322-6444 FAX: 334-264-7976

www.dot.state.al.us



Kay Ivey
Governor

John R. Cooper
Transportation Director

SPECIAL NOTICE TO CONTRACTORS

Alabama Department of Transportation Specification **108.04(b)10**, permits up to 17 acres of clearing and exposure of erodible material at any one time unless otherwise indicated on the plans. If during your review of plans for each letting, you determine that a project cannot reasonably be constructed within the allowed acreage of exposed erodible material. It is requested that you make a written request for an increase in acreage, citing the requested limits and the reasons for the increase, at least two weeks prior to bid opening. This request must be sent to the State Office Engineer.

The Department will notify all prospective bidders of any approved increases in acreage prior to receiving bids.

Revised 1/17/2018



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110



August 18, 2017

Kay Ivey
Governor

John R. Cooper
Transportation Director

SPECIAL NOTICE TO CONTRACTORS

This is to advise that the "Request for Permission to Sublet Work" OE-7 form and instruction sheet have been changed. These new forms with the revision date of **May 2016**, should be used for all new sublet requests. They can be accessed on the Bureau of Office Engineer's website at <http://alletting.dot.state.al.us/HelpfulLinks.html> and by clicking "Office Engineer Forms List" http://alletting.dot.state.al.us/pages/OE_forms.htm.

OFFICE ENGINEER

The OE Forms are now available in both PDF (Adobe Acrobat) or Microsoft Word or Excel 2003, based on the format shown to the right of the form name.

Request For Permission To Sublet Work (Form: OE-7) NEW Revised 8-2017	PDF	Word
Request For Permission To Sublet Work (Form: OE-7 2nd Tier) NEW Revised 8-2017	PDF	Word
Request For Permission To Sublet Work Attachment (Form: OE-7a) NEW		Excel
Request For Permission To Sublet Work Instructions NEW Revised 8-2017	PDF	Word
EEO Form NEW	PDF	Word
Affirmative Action Form NEW	PDF	Word

**DETAILED INSTRUCTIONS FOR COMPLETING REQUEST
FOR PERMISSION TO SUBLET WORK FORMS**

- (1) Project number shall be exactly as it appears on your contract with the Alabama Department of Transportation.
- (2) Show county or counties as shown on contract.
- (3) Show proposed subcontractor's name as it appears on General Contractor's License and Certificate of Insurance and Qualification Letter.
- (4) Give subcontractor's city and state.
- (5) Item numbers shall correspond to those in the contract (ex.: 600A-000).
- (6) Item description shall be complete; just as it appears in your contract. *
- (7) Quantity shall correspond to contract quantity.
- (8) Unit must correspond to contract unit (ex.: ton, sy, cy, etc.)
- (9) Unit price shall be the same as that included in the contract. *
- (10) Amount of each item shall correspond to the contract amount for this item. If necessary, attachment(s) may be used for additional items. Total amount of all items in this sublet shall equal the total amount of sublet shown by you on the attached Affirmative Action Form.
- (11)
 - (a) Surety's name.
 - (b) Signature and seal of authorized agent.
- (12)
 - (a) Prime contractor's name shall be shown exactly as it appears on your contract.
 - (b) Prime contractor's license number.
 - (c) Signature shall be legible.
- (13)
 - (a) Subcontractor's name shall be exactly as it appears on his Qualification Letter and General Contractor's License.
 - (b) Subcontractor's License Number.
 - (c) Subcontractor's signature shall be legible.

*Partials: If partial quantity is used, an explanation shall be provided showing exactly what portion of quantity will be performed by the subcontractor. If partial unit price, such as hauling, the unit (ex.: ton, cy, sy, etc.) must agree with the contract unit. However, a unit corresponding to the subcontract agreement unit may be used in the explanation of the partial. Partial unit price, whether hauling, labor, or whatever, shall be the actual unit price agreed upon with the subcontractor. If partial quantity or partial unit price, give complete description, then show (partial) followed by an explanation of what portion of this work is to be performed by the subcontractor. For expediency, asterisk(s) and footnote(s) may be used.

Note: On all federal-aid projects, the prime contractor shall be responsible for seeing that the two attached federal forms be completed (if applicable). Equal employment opportunity statement shall be completed, signed and dated by the subcontractor, indicating has/has not, as appropriate. On all federally assisted subcontracts in excess of \$10,000.00, the affirmative action form shall be completed. The amount shown on the affirmative action form shall equal the amount of the sublet. Please ensure that all information is supplied on these forms.

A copy of the subcontract is required for all projects. Subcontract shall include the following statement: "This subcontract includes the appropriate provisions of the contract between (_____) (prime contractor) and the Alabama Department of Transportation, dated _____ (date signed by Governor)."

Mail completed assembly to: Alabama Department of Transportation
 1409 Coliseum Blvd., Room E-101
 Montgomery, AL 36110

****PLEASE NOTE**** – Forms may be submitted by email provided the forms are clear and legible. Office Engineer personnel may request the original documentation be provided prior to final approval.

REQUEST FOR PERMISSION TO SUBLET WORK

Director-Alabama Department of Transportation
Attention: OFFICE ENGINEER
1409 Coliseum Boulevard, Room E-101
Montgomery, Alabama 36110

Project No. (1) _____

County (2) _____

Dear Sir:

Your approval is requested for subletting the following items of work included in our contract with the Alabama Department of Transportation for the construction of the above numbered project to

(3) _____ of (4) _____

<u>Item No.</u> (5)	<u>Item/Description</u> (6)	<u>Quantity</u> (7)	<u>Unit</u> (8)	<u>Unit Price</u> (9)	<u>Amount</u> (10)
_____	_____	_____	_____	_____	\$ 0.00
_____	_____	_____	_____	_____	\$ 0.00
_____	_____	_____	_____	_____	\$ 0.00
_____	_____	_____	_____	_____	\$ 0.00

The contractor, sub-recipient, or the subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to: (1) withholding monthly progress payments; (2) assessing sanctions; and/or (3) disqualifying the contractor from future bidding as non-responsive.

The subcontract for this work, if this sublet request is approved, will contain all the pertinent provisions and regulations of the prime contract, and the subcontractor has been furnished with a copy of the pertinent provisions and requirements.

Sincerely,

(11)(a) _____
Surety

(12)(a) _____
Prime Contractor

(b) _____
AL Contractor's License Number

BY (b): _____

BY (c): _____

I hereby certify that I have been furnished with a copy of the pertinent provisions and regulations of the prime contract, including labor standards clauses that relate to these items of work. Furthermore, I have read and understand the statements noted above.

(13)(a) _____
Subcontractor

(b) _____
AL Contractor's License Number

BY (c): _____

REQUEST FOR PERMISSION TO SUBLET WORK

Director-Alabama Department of Transportation
Attention: OFFICE ENGINEER
1409 Coliseum Boulevard, Room E-101
Montgomery, Alabama 36110

Project No. (1) _____

County (2) _____

Dear Sir:

Your approval is requested for subletting the following items of work included in our contract with the Alabama Department of Transportation for the construction of the above numbered project to

(3) _____ of (4) _____

<u>Item No.</u> (5)	<u>Item/Description</u> (6)	<u>Quantity</u> (7)	<u>Unit</u> (8)	<u>Unit Price</u> (9)	<u>Amount</u> (10)
_____	_____	_____	_____	_____	\$ 0.00
_____	_____	_____	_____	_____	\$ 0.00
_____	_____	_____	_____	_____	\$ 0.00
_____	_____	_____	_____	_____	\$ 0.00

The contractor, sub-recipient, or the subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to: (1) withholding monthly progress payments; (2) assessing sanctions; and/or (3) disqualifying the contractor from future bidding as non-responsive.

The subcontract for this work, if this sublet request is approved, will contain all the pertinent provisions and regulations of the prime contract, and the subcontractor has been furnished with a copy of the pertinent provisions and requirements.

Sincerely,

(11)(a) _____
Surety

(12)(a) _____
Prime Contractor

(b) _____
AL Contractor's License Number

BY (b): _____

BY (c): _____

I hereby certify that I have been furnished with a copy of the pertinent provisions and regulations of the prime contract, including labor standards clauses that relate to these items of work. Furthermore, I have read and understand the statements noted above.

(14)(a) _____
2nd Tier Subcontractor

(13)(a) _____
Subcontractor

(b) _____
AL Contractor's License Number

(b) _____
AL Contractor's License Number

BY(c): _____

BY(c): _____



Robert Bentley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 Fax: 334-264-7976
www.dot.state.al.us



John R. Cooper
Transportation Director

Special Notice to Contractors

Pursuant to Section 107.01, Standard Specifications for Highway Construction 2012, ***"The contractor shall keep fully informed of all Federal and State laws, all local laws, ordinances, and regulations and all orders and decrees of bodies or tribunals having any jurisdiction or authority which in any manner affect those engaged or employed on the work, or which in any way affect the conduct of the work. He shall at all times observe and comply with all such laws, ordinances, regulations, orders, and decrees; and shall protect and indemnify the State and its representatives against any claim or liability arising from or based on the violation of any such law ordinance, regulation, order, or decree, whether by himself or his employees."***

The scope of the foregoing specification includes any laws or regulations governing the licensure of general contractors and subcontractors in the state of Alabama.

January 4, 2014



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110
Bureau of Office Engineer
Plans and Proposals Section
Telephone: 334-242-6444 FAX: 334-264-7976
www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

The Alabama Department of Transportation does not enter into agreements to appoint purchasing agents for highway contracts which are otherwise allowed pursuant to Alabama Department of Revenue Sales and Use Tax Regulations Section 810-6-3-.69.02 or any other authorizing provision of law. The bidder's attention is directed to Section 107 of the Alabama Department of Transportation Standard Specifications For Highway Construction, specifically Sections 107.01 and 107.02, concerning the Contractor's responsibility to keep fully informed of and comply with all Federal and State laws and the payment of all applicable charges, fees and taxes. Any questions concerning the applicability of the Alabama State Sales Tax to any provision of a contract for highway construction should be directed to the Alabama Department of Revenue at 334-242-1490.

January 19, 2010



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

Bureau of Office Engineer

Plans and Proposals Section

Telephone: 334-242-6444 FAX: 334-264-7976

www.dot.state.al.us



Bob Riley
Governor

Joe McInnes
Transportation Director

Special Notice to Contractors

This is to advise that any inquiries concerning errors or omissions in the plans or proposals for any project advertised for letting should be directed to the Bureau of Office Engineer.

Violation of this policy could result in a project being withdrawn from the letting or failure to award.

NTC.11.29.2006.1



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION

CONSTRUCTION BUREAU
1408 COLISEUM BOULEVARD
MONTGOMERY, ALABAMA 36110
Telephone: (334) 242-6208
FAX: (334) 264-3727



Joe McInnes
Transportation Director

January 29, 2007

Construction Information Memorandum No. 1-2007

TO: Division Engineers

ATTN: Division Construction and Division County Transportation Engineers

FROM: Terry McDuffie, P.E.
Construction Engineer

RE: Form DBE-11 *Certification of Actual Payments to DBE Firms*

Attached you will find Form DBE-11 *Certification of Actual Payments to DBE Firms* (i.e. the "CAP" form). This form has been used on federal-aid projects for many years under the requirements outlined in CIM 5-86.

Due to the current oversight of ALDOT's DBE Program and recent changes in the Standard Specifications, it has become necessary to modify the form and its requirements. The modifications include minor changes such as a form number (which is consistent with other ALDOT forms), various wording changes (which are consistent with other ALDOT specifications and policies), and the addition of the non-DBE Subcontractor certification. This certification is similar to that on Form OE-110 Page 2 and is required to be completed when the DBE Subcontractor works for a non-DBE under the Prime Contractor.

The CAP form is still required for each DBE that works on a federal-aid contract regardless of whether the contract contains a specific DBE goal (or not) or the DBE is included on the approved Utilization Plan. The form shall be executed for each DBE subcontractor after concurrence of the final quantities and shall be submitted to the project engineer who will in turn forward to the Division and the Division to this office for review prior to the final estimate. A copy will no longer be submitted to the Equal Opportunity Coordinator (in the Personnel and Compliance Bureau).

This CIM supersedes CIM 5-86. Please remove this superseded CIM from your files.

In addition, you will find revised versions of Form DBE-10, Form OE-110 *DBE Utilization Plan*, and Form OE-110 Page 2 *DBE Certification/Commitment*. The DBE-10 Form has several format modifications and includes new fields for Units and Units Performed to Date. It also includes new instructions on Page 2 that detail the required information and submittal requirements.

These changes for the DBE-10 were prompted because of submittal errors and discrepancies with the amount of work performed to date. The revised version of the form has been created in Excel, and the electronic version of the form includes several features such as drop down fields and formulas in certain cells such as Amount Performed that will calculate the figures based on other data entered. It is anticipated that this new format should minimize future discrepancies.

The OE-110 and OE-110 Page 2 forms have been reformatted and certain unnecessary fields have been deleted. Others have been expanded and revised to clarify the work to be performed by the DBE (i.e. Type of Firm and Description of Work fields). These modifications should provide a consistent format and a better understanding of the DBE's work and their unit prices. Other changes include the addition of instructions at the bottom of Form OE-110 and the relocation of the DBE subcontractor's address to the DBE Subcontractor's Certification section on Form OE-110 Page 2.

These revised forms coincide with the revised DBE specifications (Section 111) that are effective with the February 28, 2007 letting. However, the forms shall be used on all ongoing projects effective March 1, 2007. The new DBE Utilization Plan submittal is not required for ongoing projects unless the participation is being changed, and a revised U-Plan is required.

Electronic versions of all three forms will be made available in the near future and will be emailed to the Construction Engineers, County Transportation Engineers and EEO Coordinators in each Division as well as being posted on ALDOT's *Project Letting* website.

This CIM does not change the basic requirements outlined in CIM 1-2004, but only modifies the forms required by this policy. If the requirements for forms and submittals in this CIM and the DBE specifications conflict with the guidelines outlined in the Construction Manual, this CIM and/or the specifications will govern.

Should you have questions concerning this memorandum, please contact this office.

TM/GMB/WJP/wjp

Attachments

pc: Mr. D. W. Vaughn

Mr. G. M. Harper

Mr. Lamar Woodham

Mr. Ronnie Baldwin

Mr. Ron Green

Ms. Alvena Williams

Mr. Alton Treadway

Mr. Mark Bartlett, FHWA

Alabama Road Builders Association

Alabama Asphalt Paving Association

Alabama Bridge Construction Association

Alabama DBE Contractors Association

American Concrete Pavement Association

DBE Issues File

File

ALABAMA DEPARTMENT OF TRANSPORTATION
Certification of Actual Payments to DBE Firms

Project No.: _____
County: _____

1. The undersigned prime contractor on the above referenced Federal Aid Project No. hereby certifies that full payment was made, or will be made within seven (7) calendar days after final payment, to the DBE firm listed for work performed and/or materials furnished under this project's contract as follows:

DBE Firm Name: _____
was or will be paid \$ _____

Note: this amount does / does not include gross receipts tax and bond.
(circle one) (circle if applicable)

This certification is made under Federal and State laws concerning false statements. Supporting documentation for this payment is subject to audit and should be retained for a minimum of three (3) years from the final acceptance date.

If the DBE Subcontractor/Supplier works for a Non-DBE Subcontractor under the Prime Contractor, the Non-DBE Subcontractor must also complete the form.

Prime Contractor	Non-DBE Subcontractor
By: _____ signature	_____ signature
Name: _____ please print	_____ please print
Title: _____	_____
Date: _____	_____

2. The undersigned subcontractor/supplier for the above named project hereby certifies that payments were received, or are due to be received as stipulated above.

DBE Subcontractor/Supplier

By: _____
signature

Name: _____
please print

Title: _____

Date: _____



GEORGE C. WALLACE
GOVERNOR

File

STATE OF ALABAMA
HIGHWAY DEPARTMENT

MONTGOMERY, ALABAMA 36130

June 18, 1986

JAT

RAY D. BASS
HIGHWAY DIRECTOR

CONSTRUCTION INFORMATION MEMORANDUM NO. 5-86

TO: All Division Engineers

FROM: William J. Hartzog
Construction Engineer *WJH*

RE: Certification of Actual Payments to DBE Firms

Attached is a copy of the subject certification form from the Construction Manual. In the past this form has been required on all contracts containing specific DBE percentage goals.

In the future, this form should be executed on all federal-aid projects on which there was DBE participation regardless of whether the contract contained a specific goal or not. This form should be executed prior to submission of the final estimate to Montgomery for payment.

The form will not be a part of the final estimate submittal; however, one (1) copy should be furnished to the Equal Opportunity Coordinator in Montgomery as soon as the form is executed.

Your usual fine cooperation will be appreciated.

WJH/cj

Attachment

cc: Mr. John L. Elankenship
Federal Highway Administration
File

ALDOT FORM DBE-10

1. Project Number:		2. County:		3. Region:	
4. Prime Contractor:		5. DBE:			
6. Date:		7. ALDOT Estimate:		8. Estimate Period: From: To:	
9. Description of Work: (Pay Item No. & Description)		10. Type Firm (C/S/M/BF)		11. Unit Price	
Pay Item No.	Item Description	12. Units	13. Units Worked	14. Amount Performed this Period	15. Units Performed to Date
					16. Amount Performed to Date
17. Comments:		18. Total:		19. Total:	
20. Signature of Authorized Representative:		Printed Name & Title			
		Date Signed			

Alabama Department of Transportation

ALDOT Form DBE 10 Instructions

Revised 5-2015

Block Number Instructions

1. ALDOT Project Number
2. County
3. Region
4. Prime Contractor For the Project
5. DBE for this Report
6. Date of Report
7. ALDOT Estimate Number
8. Work Period for this Estimate (Beginning Date - Ending Date)
9. Description of Work - Must include Pay Item No. and Description (Also denote if Partial such as Hauling, Stocking, Furnish & Tie, S.I.P. Forms, etc.)
10. Type of DBE, i.e. Contractor (C), Supplier (S), Manufacturer (M), or Brokerage/Fee (BF) work
11. Unit Price of Work
12. Units
13. Units of Work Accomplished this Period
14. Amount Performed for this Period (Block 11 times Block 13)
15. Units Performed to Date
16. Amount Performed to Date (Block 11 times Block 15)
17. Comments Pertinent to this DBE-10
18. Total of Amounts in Block 14
19. Total of Amounts in Block 16
20. Signature of Prime Contractor's Authorized Representative, Printed Name & Title and Date Signed

Submittals:

- 1) Invoices are required for all supplier and manufacturer credit.
- 2) Tickets are required for all "Stocking the Plant" hauling.
- 3) In lieu of completing the form, the prime contractor may note "See attached" on the form and attach a similar form (i.e. subcontractor estimate) provided it has the same data. If the contractor chooses to do this, he will have to adjust the credit on the actual DBE-10 if the DBE is a supplier.

Notes:

- 1) If data is entered electronically via Excel file, Blocks 14, 16, 18 and 19 will calculate amounts and totals based on unit entries.
- 2) The form format is for the contractor's convenience. Every effort is made to ensure accuracy, but the prime contractor is responsible for checking all calculations prior to submittal.
- 3) The worksheets in this workbook are protected (but not password protected) to allow you to tab through only the fields that require data entry. If you need to make changes to the worksheet you can unprotect the worksheets by going to the menu (Tools Protection UnProtect Sheet). Just remember if you unprotect a worksheet, you will need to check the accuracy of the calculations to make certain the formulas were not altered or that the formulas work correctly.

Alabama Department of Transportation Disadvantaged Business Enterprise (DBE) Utilization Plan

☒ Original
☐ Revised

Project Number: _____
County: _____
Letting Date: _____
Percent DBE Utilization Required: _____

Contractor Name: _____
Address: _____
Contract Amount: _____

DBE Firm Name & Certification Number	Type of Firm ³	Pay Item No.	Description of Work (include quantities and subcontract unit prices <i>OR</i> list the type of work and attach additional pages for details)	Joint ⁴ Checks	Dollar Amount
Name:					
Cert. Number:					
Name:					
Cert. Number:					
Name:					
Cert. Number:					
Name:					
Cert. Number:					
Name:					
Cert. Number:					

Instructions:

1. This plan must be submitted within 5 calendar days of the letting date.
2. The plan must indicate the contractor will meet the DBE goal noted in the proposal or documentation of good faith efforts must be attached.
3. Type of Firm – Contractor, Supplier, or Manufacturer
4. If joint checks will be used with a DBE Firm, indicate with “Yes” in the box and attach a copy of the applicable joint check agreement.

Total Dollar Amount to DBEs:

Required Dollar Amount of DBE Utilization:

ALDOT Approval: _____

Date: _____

Project Number: _____

County: _____

Certification of Prime Contractor:

I do hereby agree to commit this firm to use the certified DBE subcontractor(s) to perform the above described work in this contract. I hereby certify that all DBE subcontractor activities on this contract shall be performed in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

Certification of Non-DBE Subcontractor: _____

I hereby certify that my DBE Subcontractor(s) on this contract shall perform all activities in accordance with the current 49CFR Part 26 Regulations. I certify that all DBE activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of DBE activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____

Certification of DBE Subcontractor: _____

DBE Certification Number: _____

Address: _____

I do hereby agree to participate and perform the work described above. I have been advised of the DBE responsibilities and am available, willing and able to complete the work. I hereby certify that my activities as a DBE Subcontractor on this contract shall be performed in accordance with the Current 49CFR Part 26 Regulations. I certify that my activities, both race conscious and race neutral, shall be properly reported. I further certify that the reporting of my activities shall be in accordance with the above Regulations.

Print name of Authorized Representative: _____

Signature of Authorized Representative: _____

Date: _____



Bob Riley
Governor

ALABAMA DEPARTMENT OF TRANSPORTATION
1409 Coliseum Boulevard, Montgomery, Alabama 36110




Joe McInnes
Transportation Director

December 12, 2005

MEMORANDUM

TO: All Division Engineers

FROM: Ronald L. Baldwin
State Office Engineer 

RE: Sublet Approval Requirements for
ALDOT Construction Projects

Subletting requirements for material haulers on ALDOT construction projects will be changed effective with the January 13, 2006 highway letting. The changes are contained in the attached correspondence and are approved by the Federal Highway Administration.

Please contact this office if you have any questions concerning this matter.

/RLB

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. G. M. Harper
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. Terry Robinson
Alabama Road Builders Association
File



ALABAMA DEPARTMENT OF TRANSPORTATION

1409 Coliseum Boulevard, Montgomery, Alabama 36110

STATE

November 18, 2005

Bob Riley
Governor

Mr. Joe D. Wilkerson
Division Administrator
Federal Highway Administration
500 Eastern Boulevard, Suite 200
Montgomery, AL 36117-2018

RE: Sublet Approval Requirements for Alabama Department of Transportation
Construction Projects


Dear Mr. Wilkerson:

As you are aware, the Alabama Department of Transportation is in the process of modifying our sublet approval requirements. This change involves sublet approvals relating to material haulers.

The Department's current policy mandates that a prime contractor or a subcontractor who hires another firm to haul materials (i.e. hauling asphalt from a plant to the job site, hauling borrow materials from a pit to the job site, etc.) must have an approved sublet request prior to beginning work. However, if the price of the materials purchased by the contractor includes delivery from a supplier, an approved sublet is not required.


The Department believes that the requirement for an approved sublet for contractor hired material haulers should be removed and delivering the materials treated the same as a materials supplier.

On October 13, 2005, Mr. Terry McDuffie, State Construction Engineer, Mr. Clay McBrien, Assistant State Office Engineer, and Mr. Skip Powe, DBE Contract Administrator, met with Mr. Steve Mills of your office to discuss this issue. Attached is a chart indicating the Department's proposed subcontracting requirements which include this modification.



We request that you review this information and provide us with your concurrence at your earliest convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Ronald L. Baldwin". The signature is fluid and cursive, with the first name "Ronald" being more prominent.

Ronald L. Baldwin
State Office Engineer

RLB:CPM:agh
Attachment

pc: Mr. Joe McInnes
Mr. D. W. Vaughn
Mr. Terry McDuffie
Mr. Clay McBrien
Mr. David Bollie
File

The following chart should be used in determining when an approved sublet request and labor payrolls are required:

CONSTRUCTION ACTIVITY	SUBLET APPROVAL REQUIRED	LABOR PAYROLLS REQUIRED
1. Work within project limits (including hauling from one part of the project to another)	YES	YES
2. Material suppliers (dropping off and leaving)	NO	NO
3. Contractor hired truckers hauling to or from a commercial plant, pit, etc.	NO	NO
4. Contractor hired truckers hauling to or from a dedicated and adjacent plant, pit, etc.	YES*	YES*

*The following conditions must all apply in order to require approved sublet requests and labor payrolls for this activity:

- a. Prime contractor or subcontractor hires the trucker.
- b. Trucker is hauling to or from the project site.
- c. The batch plant, borrow pit, waste pit, etc. is dedicated exclusively, or nearly so, to the contract, and
- d. The batch plant, borrow pit, waste pit, etc. is adjacent to the project site.

December 4, 2020

COMPANY NAME: _____ BY: _____
SHIPPING ADDRESS: _____
CITY, STATE, ZIP: _____

MAIL ADDRESS: _____
CITY, STATE, ZIP: _____ PHONE: _____

DELIVERY OPTIONS: _____ STANDARD MAIL/SHIP (VIA UPS)
(CHECK ONE) _____ OVERNIGHT (PLEASE PROVIDE YOUR FED-EX ACCT # _____)
_____ WILL PICK UP

NOTE: You must be pre-qualified to purchase a bidding proposal and are limited to one bidding proposal per project. Bidding files are available at our website <http://alletting.dot.state.al.us>.

Non-bid (sample) proposals are available upon request. Sample bidding proposals will not be accepted as official bidding proposal submission.

BIDDING PROPOSAL (ONE EACH)	NON-BID PROPOSAL QTY.	PLANS PRICE	PLANS QTY.	
\$5.00 _____	\$5.00 _____	\$16.00 _____	_____	003 . ACBRZ59621-ATRP(007), TUSCALOOSA
\$5.00 _____	\$5.00 _____	\$51.00 _____	_____	007 . BR-0021(554), TALLADEGA
\$5.00 _____	\$5.00 _____	\$3.00 _____	_____	015 . HRRR-0920(250), CHAMBERS
\$5.00 _____	\$5.00 _____	\$4.00 _____	_____	016 . HRRR-0720(251), BUTLER
\$5.00 _____	\$5.00 _____	\$3.00 _____	_____	017 . HRRR-6020(250), SUMTER
\$5.00 _____	\$5.00 _____	\$45.00 _____	_____	020 . HSIP-0251(501), LIMESTONE
\$5.00 _____	\$5.00 _____	\$9.00 _____	_____	021 . HSIP-I459(312), JEFFERSON
\$5.00 _____	\$5.00 _____	\$15.00 _____	_____	024 . IM-HSIP-I022(310), MARION
\$5.00 _____	\$5.00 _____	\$5.00 _____	_____	027 . NH-0002(590), LAUDERDALE
\$5.00 _____	\$5.00 _____	\$6.00 _____	_____	028 . NH-0005(560), WILCOX
\$5.00 _____	\$5.00 _____	\$11.00 _____	_____	029 . NH-0012(573), ETC., MONROE
\$5.00 _____	\$5.00 _____	\$15.00 _____	_____	030 . NH-0053(589), MONTGOMERY
\$5.00 _____	\$5.00 _____	\$9.00 _____	_____	031 . NH-0182(507), BALDWIN
\$5.00 _____	\$5.00 _____	\$10.00 _____	_____	033 . NH-HSIP-0016(527), MOBILE
\$5.00 _____	\$5.00 _____	\$18.00 _____	_____	037 . RABRZ-6014(258), SUMTER
\$5.00 _____	\$5.00 _____	\$8.00 _____	_____	040 . RASTPAA-3720(250), JEFFERSON
\$5.00 _____	\$5.00 _____	\$9.00 _____	_____	043 . RP-NH-0052(518), HOUSTON
\$5.00 _____	\$5.00 _____	\$4.00 _____	_____	045 . RP-STPAA-0015(538), MACON
\$5.00 _____	\$5.00 _____	\$9.00 _____	_____	046 . RP-STPAA-0027(516), COFFEE
\$5.00 _____	\$5.00 _____	\$9.00 _____	_____	049 . STPAA-0010(549), PIKE
\$5.00 _____	\$5.00 _____	\$7.00 _____	_____	050 . STPAA-0010(552), CRENSHAW
\$5.00 _____	\$5.00 _____	\$3.00 _____	_____	051 . STPAA-0019(506), FRANKLIN
\$5.00 _____	\$5.00 _____	\$6.00 _____	_____	052 . STPAA-0028(515), WILCOX
\$5.00 _____	\$5.00 _____	\$7.00 _____	_____	053 . STPAA-0051(517), COFFEE
\$5.00 _____	\$5.00 _____	\$3.00 _____	_____	054 . STPAA-0055(515), BUTLER
\$5.00 _____	\$5.00 _____	\$10.00 _____	_____	055 . STPAA-0180(506), BALDWIN
\$5.00 _____	\$5.00 _____	\$7.00 _____	_____	056 . STPAA-0188(505), MOBILE

December 4, 2020

\$5.00 _____	\$5.00 _____	\$3.00 _____	059 . STPAA-HSIP-0008(598), MACON
\$5.00 _____	\$5.00 _____	\$8.00 _____	060 . STPAA-HSIP-0068(510), CHEROKEE
\$5.00 _____	\$5.00 _____	\$11.00 _____	061 . STPAA-HSIP-0075(537), ETC., MARSHALL
\$5.00 _____	\$5.00 _____	\$3.00 _____	062 . STPAA-HSIP-0075(538), BLOUNT
\$5.00 _____	\$5.00 _____	\$11.00 _____	064 . STPAA-HSIP-0241(502), MARION
\$5.00 _____	\$5.00 _____	\$42.00 _____	068 . STPBH-7073(602), JEFFERSON
\$5.00 _____	\$5.00 _____	\$16.00 _____	071 . STPMN-2620(252), ELMORE
\$5.00 _____	\$5.00 _____	\$20.00 _____	074 . STPOA-0815(261), CALHOUN
\$5.00 _____	\$5.00 _____	\$24.00 _____	075 . STPOA-0815(263), CALHOUN
\$5.00 _____	\$5.00 _____	\$5.00 _____	076 . STPOA-1720(250), COLBERT
\$5.00 _____	\$5.00 _____	\$14.00 _____	081 . ATRP2-26-2020-026-3, ELMORE

PLEASE INDICATE QUANTITY OF OTHER ITEMS DESIRED:

EACH	QTY.	
\$125.00	_____	2020 STANDARD HIGHWAY DRAWINGS
\$25.00	_____	2020 STANDARD HIGHWAY DRAWING US (CD)
\$20.00	_____	2018 STANDARD SPECIFICATIONS BOOK
\$5.00	_____	CURRENT QUALIFIED CONTRACTORS LIST
\$2.00	_____	CURRENT BRIDGE POSTING MAP & CHART

** SEND ONE CHECK ONLY.** FAX OR E-MAIL ORDERS REQUIRE A COPY OF THE CHECK

MAKE CHECKS PAYABLE TO: ALABAMA DEPARTMENT OF TRANSPORTATION
1409 COLISEUM BOULEVARD
OFFICE ENGINEER - ROOM E-108
MONTGOMERY, ALABAMA 36110
PHONE: (334) 242-6441, 6442, 6526 FAX: (334) 264-7976
e-mail: offengr@dot.state.al.us

ORDER TOTAL: \$ _____ PAID BY: _____ DATE: _____



Alabama Department of Transportation Notice to Contractors

Sealed bids will be received by the Director of Transportation at the office of the Alabama Department of Transportation, Montgomery, Alabama until 10:00 AM on December 04, 2020 and at that time publicly opened for constructing the following projects as described herein.

The total amount of uncompleted work under contract to a contractor must not exceed the amount of his or her qualification certificate.

Plans and Proposals are available and on file at the Alabama Department of Transportation, 1409 Coliseum Boulevard, Room E-108, Montgomery, AL 36110. Checks should be made payable to the Alabama Department of Transportation. Plans and Proposals will be mailed only upon receipt of remittance. No refunds will be made.

For Federal Aid Projects:

- **Minimum Wage Rates have been pre-determined by the Secretary of Labor and are set forth in the advertised specifications. Federal Aid Projects are also subject to the contract work hours and Safety Standards Act and its implementing regulations.**
- **The proposed work shall be performed in conformity with the rules and regulations for carrying out the Federal Highway Act.**
- **The Alabama Department of Transportation, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 U.S.C. 2000D TO 2000D-4 and Title 49 code of Federal Regulations, Department of Transportation, Subtitle A, Office of The Secretary, Part 21, nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex, or national origin in consideration for an award.**

For State and State Maintenance Projects:

- **Sections 34-8-8. Code of Alabama 1975 as amended states in part as follows: "... it will be necessary for him or her to show evidence of license before his or her bid is considered," Further, Section 34-8-8, Code of Alabama 1975 as amended also states in part as follows: "All Owners, Architects, and Engineers receiving bids pursuant to this chapter shall require the person, firm, or corporation to include his or her current license number on the bid."**

Cashier's check or bid bond for 5% of bid (maximum - \$50,000.00) made payable to the Alabama Department of Transportation must accompany each bid as evidence of good faith.

The bracket range is shown only to provide general financial information to contractors and bonding companies concerning the project's complexity and size. This bracket should not be used in preparing a bid, nor will this bracket have any bearing on the decision to award this contract.

The Quantities shown are approximate and are for information only.

In accordance with the rules and regulations of The Alabama Department of Transportation, proposals will be issued only to prequalified contractors or their authorized representatives, upon requests that are received before 10 AM., on the day previous to the day of opening of bids.

The bidder's proposal must be submitted on the complete original proposal furnished him or her by the Alabama Department of Transportation.

The right to reject any or all bids is reserved.

JOHN R. COOPER
Transportation Director

Contract ID: 20201204003**Projects:** ACBRZ59621-ATRP(007)**Letting Date:** December 04, 2020**County:** TUSCALOOSA**Contract Time:** 95 Working Days**DBE Goal Percent:** 3.00**Description:** for constructing the Bridge Replacement on CR-1358 (Holman Church Road) over the Kansas City Southern Railroad southeast of Gordo. Length 0.033 mi.

The Bracket Estimate on this project is from \$1,293,837 to \$1,581,356 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$16.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 1 Acre)	(1.000)	LS
206A000	Removal Of Old Bridge, Station 20+31.06	(1.000)	LS
210A000	Unclassified Excavation	1,715	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	178	CUYD
215B000	Cofferdams Or Sheeting And Shoring, Station 20+47.00	(1.000)	LS
215B001	Cofferdams Or Sheeting And Shoring, Station 20+96.00	(1.000)	LS
219A000	Rock Buttress For Landslide Correction	2,597	Ton
450B000	Reinforced Cement Concrete Bridge End Slab	98	SQYD
502A000	Steel Reinforcement	8,600	LB
502B000	Steel Reinforcement For Bridge Superstructure, Station 19+98.00, Approximately 29,400 Pounds	(1.000)	LS
505A002	Steel Test Piles (HP 12x53)	1	Each
505B057	Static Loading Tests (HP 12x53)	1	Each
505M002	Steel Piling Furnished And Driven (HP 12x53)	642	LF
508A000	Structural Steel	3,200	LB
510A007	Bridge Substructure Concrete	57	CUYD
510C051	Bridge Concrete Superstructure, Station 19+98.00, Approximately 147 Cubic Yards	(1.000)	LS
510E000	Grooving Concrete Bridge Decks	368	SQYD
511A073	Elastomeric Bearing Type 4 (Mark VB4)	10	Each
513B031	Pretensioned-Prestressed Concrete Girders, Type BT-63 Modified (Specialty Item)	686	LF
600A000	Mobilization	(1.000)	LS
608A000	Separation Geotextile	601	SQYD
610C001	Loose Riprap, Class 2	733	Ton
615B000	Riprap Grout	641	CUYD
630C003	Guardrail End Anchor, Type 13	4	Each
630C070	Guardrail End Anchor, Type 10 Series	4	Each
634E003	Industrial Fence, 7.33 Feet High, Special Mounting	280	LF
665J002	Silt Fence	820	LF
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 52,000.00)	(1.000)	LS
740B000	Construction Signs	131	SQFT
740F002	Barricades, Type III	11	Each
740I002	Warning Lights, Type B	5	Each

() Item will be bid as lump sum.

Contract ID: 20201204007 **Projects:** BR-0021(554)
Letting Date: December 04, 2020 **County:** TALLADEGA
Contract Time: 260 Working Days **DBE Goal Percent:** 5.00

Description: for constructing the Bridge Replacement (Grading, Drainage, Pavement, and Bridge) on SR-21 over Cheaha Creek southwest of Munford. Length 0.757 mi.

The Bracket Estimate on this project is from \$6,344,952 to \$7,754,941 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$51.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 10 Acres)	(1.000)	LS
206A000	Removal Of Old Bridge, Station 115+89.910	(1.000)	LS
206D000	Removing Pipe	20	LF
206D001	Removing Guardrail	624	LF
206D011	Removing Fence	3,756	LF
206E008	Removing Guardrail End Anchor (All Type)	8	Each
210A000	Unclassified Excavation	10,102	CUYD
210A001	Unclassified Excavation (Special Undercutting)	1,180	CUYD
210D000	Borrow Excavation	1,335	CUYD
210D011	Borrow Excavation (A4 Or Better)	94,252	CUYD
210E000	Borrow Excavation (Underwater Backfill)	4,288	CUYD
210F001	Borrow Excavation (Underwater Embankment)	2,242	Ton
214A000	Structure Excavation	271	CUYD
214B001	Foundation Backfill, Commercial	68	CUYD
224A000	Lime Sink Excavation	500	CUYD
231B001	Roadbed Stabilizing Material, ALDOT #467	2,831	Ton
243A035	Geosynthetic Reinforcement For Soft Soil Stabilization, Type 3	6,544	SQYD
260A002	Cement Mortar Flowable Backfill, Mix 3	500	CUYD
301A006	Crushed Aggregate Base Course, Type B, Plant Mixed, 4.5" Compacted Thickness	894	SQYD
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	12,330	SQYD
305A051	Coarse Aggregate, Section 801, For Miscellaneous Use	4	CUYD
401A000	Bituminous Treatment A	12,502	SQYD
405A000	Tack Coat	400	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	2,941	SQYD
408A053	Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)	1,067	SQYD
410H000	Material Remixing Device	1	Each
424A356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	776	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,569	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	75	Ton
424B658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,007	Ton
424B680	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,403	Ton

Item No.	Description	Quantity	Units
424B681	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1,986	Ton
424B684	Superpave Bituminous Concrete Lower Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424C360	Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	2,314	Ton
428A001	Scoring Bituminous Pavement Surface	1	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	50	Ton
430B046	Aggregate Surfacing (Aldot #2)	500	Ton
450B000	Reinforced Cement Concrete Bridge End Slab	213	SQYD
502A000	Steel Reinforcement	89,948	LB
502B000	Steel Reinforcement For Bridge Superstructure, Station 118+50.000, Approximately. 112,700 Pounds	(1.000)	LS
506A000	Drilled Shaft Excavation, 4'-6" Diameter	68	LF
506A005	Drilled Shaft Excavation, 3'-6" Diameter	156	LF
506B002	Special Drilled Shaft Excavation, 3'-6" Diameter	138	LF
506B004	Special Drilled Shaft Excavation, 4'-6" Diameter	255	LF
506C021	Drilled Shaft Construction, 3'-6" Diameter, Class DS2 Concrete	294	LF
506C023	Drilled Shaft Construction, 4'-6" Diameter, Class DS2 Concrete	323	LF
506D000	Exploration Below Drilled Shaft	120	LF
506F000	Permanent Drilled Shaft Casing, 3'-6" Diameter	61	LF
506F001	Permanent Drilled Shaft Casing, 4'-6" Diameter	60	LF
506G001	Crosshole Sonic Logging, 3'-6" Diameter	6	Each
506G003	Crosshole Sonic Logging, 4'-6" Diameter	6	Each
508A000	Structural Steel	3,840	LB
510A007	Bridge Substructure Concrete	114	CUYD
510C051	Bridge Concrete Superstructure, Station 118+50.000, Approximately 561 Cubic Yards	(1.000)	LS
510E000	Grooving Concrete Bridge Decks	1,524	SQYD
510G000	Mass Bridge Concrete Substructure	84	CUYD
511A053	Elastomeric Bearing Type 2 (Mark B4)	36	Each
513B019	Pretensioned-Prestressed Concrete Girders, Type BT-63 (Specialty Item)	2,044	LF
524B011	Culvert Concrete Extension (Cast In Place)	69	CUYD
530A002	24" Roadway Pipe (Class 3 R.C.)	102	LF
530B004	44" Span, 27" Rise Roadway Pipe (Class 3 R.C.)	44	LF
534E000	Cleaning Existing Culvert (Less Than Or Equal To 48" Horizontal Opening)	54	LF
534F000	Cleaning Existing Culvert (Greater Than 48" Horizontal Opening)	63	LF
600A000	Mobilization	(1.000)	LS
601A000	Furnishing Base, Soil And Structure Laboratories	1	Each
602A000	Right Of Way Markers	27	Each
606A000	6" Underdrain Pipe	1,000	LF
608A000	Separation Geotextile	3,468	SQYD
610C000	Loose Riprap, Class 1	19	Ton
610C001	Loose Riprap, Class 2	4,055	Ton
610D003	Filter Blanket, Geotextile	3,367	SQYD
619A003	24" Roadway Pipe End Treatment, Class 1	2	Each
619B019	44" Span, 27" Rise Roadway Pipe End Treatment, Class 1	2	Each
621A013	Junction Boxes, Type Special	2	Each

Item No.	Description	Quantity	Units
630A001	Steel Beam Guardrail, Class A, Type 2	900	LF
630C003	Guardrail End Anchor, Type 13	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	4	Each
650A000	Topsoil	2,035	CUYD
650B000	Topsoil From Stockpiles	2,792	CUYD
652A100	Seeding	14	Acre
652C000	Mowing	28	Acre
654A000	Solid Sodding	20	SQYD
656A010	Mulching	14	Acre
659C001	Erosion Control Product, Type S3	3,499	SQYD
665A000	Temporary Seeding	6	Acre
665B001	Temporary Mulching	36	Ton
665E000	Polyethylene	500	SQYD
665G000	Sand Bags	500	Each
665I000	Temporary Riprap, Class 2	210	Ton
665J002	Silt Fence	5,440	LF
665N001	Temporary Coarse Aggregate,ALDOT Number 4	82	Ton
665N003	Temporary Coarse Aggregate,ALDOT Number 2	600	Ton
665O001	Silt Fence Removal	5,440	LF
665Q002	Wattle	150	LF
666A001	Pest Control Treatment	1	Acre
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 355,000.00)	(1.000)	LS
701A091	Solid White, Class W, Type A Traffic Stripe (5" Wide)	1	Mile
701A095	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	1	Mile
701A099	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	1	Mile
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701C003	Solid Temporary Traffic Stripe (Paint)	4	Mile
703A002	Traffic Control Markings, Class 2, Type A	58	SQFT
703D001	Temporary Traffic Control Markings	68	SQFT
705A011	Pavement Markers, Class C, Type 1-A	665	Each
705A023	Pavement Markers, Class C, Type 2-D	332	Each
705A037	Pavement Markers, Class A-H, Type 2-D	113	Each
709A000	Milepost, Type A	1	Each
710A165	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background, Fluorescent)	9	SQFT
710A170	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)	37	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	52	LF
726A000	Portable Concrete Safety Barriers, Type 6	962	LF
726A001	Portable Concrete Safety Barriers, Type 6-A	60	LF
726D026	Portable Impact Attenuator Assembly (Bi-directional,TL-3)	6	Each
740B000	Construction Signs	636	SQFT
740D000	Channelizing Drums	101	Each
740E000	Cones (36 Inches High)	100	Each

Item No.	Description	Quantity	Units
740F002	Barricades, Type III	12	Each
740M001	Ballast For Cone	100	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each
999 000	Trainee Hours At 80 Cents Per Hour	720	HOUR

() Item will be bid as lump sum.

Contract ID: 20201204015**Projects:** HRRR-0920(250)**Letting Date:** December 04, 2020**County:** CHAMBERS**Contract Time:** 30 Working Days**Description:** for constructing the Widening, Leveling, Resurfacing, and Traffic Stripe on CR-289 from a point north of the junction of CR-216 northwest for 770 feet. Length 0.145 mi.

The Bracket Estimate on this project is from \$111,552 to \$136,341 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
405A000	Tack Coat	268	Gal
424A346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	149	Ton
424B643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	537	Ton
424C351	Superpave Bituminous Concrete Base Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	46	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	75	Ton
600A000	Mobilization	(1.000)	LS
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 6,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701C001	Solid Temporary Traffic Stripe	1	Mile
705A037	Pavement Markers, Class A-H, Type 2-D	20	Each
740B000	Construction Signs	96	SQFT
740E000	Cones (36 Inches High)	50	Each
740M001	Ballast For Cone	50	Each

() Item will be bid as lump sum.

Contract ID: 20201204016**Projects:** HRRR-0720(251)**Letting Date:** December 04, 2020**County:** BUTLER**Contract Time:** 15 Working Days**Description:** for constructing the Guardrail and Guardrail End Anchor Installations on CR-11 over Cedar Creek Relief. Length 0.077 mi.

The Bracket Estimate on this project is from \$62,861 to \$76,830 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	614	LF
600A000	Mobilization	(1.000)	LS
630A004	Steel Beam Guardrail, Class B, Type 2	571	LF
630C022	Guardrail End Anchor, Type Special	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	4	Each
740B000	Construction Signs	96	SQFT
740E000	Cones (36 Inches High)	25	Each
740M001	Ballast For Cone	25	Each

() Item will be bid as lump sum.

Contract ID: 20201204017**Projects:** HRRR-6020(250)**Letting Date:** December 04, 2020**County:** SUMTER**Contract Time:** 15 Working Days**Description:** for constructing the Intersection Improvements (Traffic Control Devices) on CR-34 at CR-83 in Panola. Length 1.000 mi.

The Bracket Estimate on this project is from \$46,704 to \$57,082 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201B001	Selective Clearing	1	Acre
600A000	Mobilization	(1.000)	LS
680A001	Geometric Controls	(1.000)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	2	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	2	Mile
701A245	Broken Yellow, Class 2, Type A Traffic Stripe	1	Mile
703A002	Traffic Control Markings, Class 2, Type A	590	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	20	Each
705A037	Pavement Markers, Class A-H, Type 2-D	140	Each
710A160	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)	10	SQFT
710A165	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background, Fluorescent)	39	SQFT
710A170	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)	51	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	122	LF
740B000	Construction Signs	118	SQFT
740E000	Cones (36 Inches High)	50	Each
740M001	Ballast For Cone	50	Each

() Item will be bid as lump sum.

Contract ID: 20201204020 **Projects:** HSIP-0251(501)
Letting Date: December 04, 2020 **County:** LIMESTONE
Contract Time: 140 Working Days **DBE Goal Percent:** 7.00

Description: for constructing the Intersection Modifications to include the Roundabout Installation (Grading, Drainage, Pavement, and Lighting) on SR-251 at CR-83 (Lindsay Lane) in Athens. Length 0.378 mi.

The Bracket Estimate on this project is from \$3,515,223 to \$4,296,384 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$45.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 8 Acres)	(1.000)	LS
206D000	Removing Pipe	256	LF
206D001	Removing Guardrail	256	LF
206D011	Removing Fence	48	LF
206E000	Removing Headwalls	9	Each
206E008	Removing Guardrail End Anchor (All Type)	4	Each
210A000	Unclassified Excavation	28,296	CUYD
210D000	Borrow Excavation	36,687	CUYD
210F001	Borrow Excavation (Underwater Embankment)	4,594	Ton
210F002	Borrow Excavation (Underwater Backfill) (ALDOT #57)	32	Ton
214A000	Structure Excavation	194	CUYD
214B001	Foundation Backfill, Commercial	137	CUYD
224A000	Lime Sink Excavation	500	CUYD
224C002	Special Backfill For Lime Sink, ALDOT #57, #67 Or #467	500	Ton
224D000	Concrete Seal For Lime Sink	100	CUYD
230A000	Roadbed Processing	28	RBST
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	15,229	SQYD
401A000	Bituminous Treatment A	14,242	SQYD
405A000	Tack Coat	2,345	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	1,756	SQYD
424A356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	769	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,529	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	127	Ton
424B659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Maximum Aggregate Size Mix, ESAL Range C/D	252	Ton
424B681	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1,980	Ton
424B701	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D	44	Ton
428A001	Scoring Bituminous Pavement Surface	1	Mile
430B015	Aggregate Surfacing (ALDOT #57, #67, #410 Or #467)	200	Ton

Item No.	Description	Quantity	Units
430B046	Aggregate Surfacing (Aldot #2)	450	Ton
450A015	Reinforced Cement Concrete Pavement, 14 Inches Thick	547	SQYD
453A001	Removal Of Concrete Pavement	3,870	SQYD
502A000	Steel Reinforcement	3,111	LB
524A010	Culvert Concrete	25	CUYD
530A001	18" Roadway Pipe (Class 3 R.C.)	86	LF
530A006	48" Roadway Pipe (Class 3 R.C.)	121	LF
530B001	22" Span, 14" Rise Roadway Pipe (Class 3 R.C.)	60	LF
532A030	12" Slotted Drain Pipe	20	LF
535A002	24" Side Drain Pipe	64	LF
535B011	22" Span, 14" Rise Side Drain Pipe	150	LF
535B012	29" Span, 18" Rise Side Drain Pipe	115	LF
600A000	Mobilization	(1,000)	LS
602A000	Right Of Way Markers	42	Each
608A000	Separation Geotextile	4,876	SQYD
610C001	Loose Riprap, Class 2	500	Ton
610D003	Filter Blanket, Geotextile	593	SQYD
614A000	Slope Paving	263	CUYD
618A000	Concrete Sidewalk, 4" Thick	3,221	SQYD
618B003	Concrete Driveway, 6" Thick (Includes Wire Mesh)	973	SQYD
618C001	Detectable Warning Surface	202	SQFT
618D000	Curb Ramp	22	SQYD
619A002	18" Roadway Pipe End Treatment, Class 1	1	Each
619A102	24" Side Drain Pipe End Treatment, Class 1	2	Each
619B016	22" Span, 14" Rise Roadway Pipe End Treatment, Class 1	2	Each
619B116	22" Span, 14" Rise Side Drain Pipe End Treatment, Class 1	8	Each
619B117	29" Span, 18" Rise Side Drain Pipe End Treatment, Class 1	4	Each
620A000	Minor Structure Concrete	3	CUYD
621A019	Junction Boxes, Type 1 Or 2P	1	Each
621B014	Junction Box Units, Type 1 Or 2P	1	Each
621C008	Inlets, Type E	1	Each
623B000	Concrete Curb, Type N	258	LF
650B000	Topsoil From Stockpiles	4,741	CUYD
652C000	Mowing	8	Acre
654A006	Solid Sodding (Myers Zoysia)	18,160	SQYD
656A010	Mulching	4	Acre
659C000	Erosion Control Product, Type S4	3,045	SQYD
665A000	Temporary Seeding	4	Acre
665B001	Temporary Mulching	36	Ton
665E000	Polyethylene	500	SQYD
665F000	Hay Bales	500	Each
665G000	Sand Bags	500	Each
665I000	Temporary Riprap, Class 2	74	Ton
665J002	Silt Fence	3,913	LF
665N003	Temporary Coarse Aggregate, ALDOT Number 2	1,000	Ton
665O001	Silt Fence Removal	3,913	LF

Item No.	Description	Quantity	Units
665P005	Inlet Protection, Stage 3 Or 4	1	Each
665Q002	Wattle	430	LF
666A001	Pest Control Treatment	4	Acre
672C100	Flocculant Application, Ditch Check	125	Each
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 315,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701B065	Dotted Class 2, Type A Traffic Stripe (Roundabout 10" Wide)	287	LF
701G252	Solid White, Class 2, Type A Traffic Stripe (5" Wide) (Rumble Strip)	525	LF
703A002	Traffic Control Markings, Class 2, Type A	2,528	SQFT
703B002	Traffic Control Legends, Class 2, Type A	123	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	137	Each
705A037	Pavement Markers, Class A-H, Type 2-D	48	Each
705A038	Pavement Markers, Class A-H, Type 2-E	273	Each
707B003	Type A Hazard Marker Installation	4	Each
710A160	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)	78	SQFT
710A170	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)	282	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	689	LF
730A000	Removal Of Existing Traffic Control Unit (SR-251 (Pryor Street) at CR-83 (Lindsay Lane))	(1.000)	LS
740B000	Construction Signs	2,153	SQFT
740D000	Channelizing Drums	75	Each
740E000	Cones (36 Inches High)	100	Each
740F002	Barricades, Type III	16	Each
740M001	Ballast For Cone	100	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	4	Each
750C010	Pole Foundation,Roadway	14	Each
750D200	Electrical Junction Box,Type 1	4	Each
750E115	Conduit,2 Inch,Rigid Nonmetallic	50	LF
750E127	Conduit, 2 Inch, Rigid Metallic	50	LF
750F024	Conductor, #6 AWG	75	LF
750F026	Conductor, #2 AWG	150	LF
750G010	Combined Duct And Cable,2 #6 AWG/ 1 #6 AWG GND	3,500	LF
750H005	Service Pole	1	Each
750I015	Lighting Control Center	1	Each
756A028	6" Electrical Conduit, 1 Line, Type 5 Installation	315	LF
999 000	Trainee Hours At 80 Cents Per Hour	720	HOUR
750B602	AA1 Roadway Luminaire Assembly with One, LED, 400 Watt Equivalent Luminaire	14	Each
750B602	AA2 Roadway Luminaire Assembly with One, LED, 400 Watt Equivalent Luminaire	18	Each

() Item will be bid as lump sum.

Contract ID: 20201204021**Projects:** HSIP-I459(312)**Letting Date:** December 04, 2020**County:** JEFFERSON**Contract Time:** 65 Working Days**DBE Goal Percent:** 4.00

Description: for constructing the Median Crossover Protection (Cable Guiderail Installation) on the I-20/I-59 Interchange to a point south of the SR-150 Underpass (MP 10.700) in Hoover. Length 10.699 mi.

The Bracket Estimate on this project is from \$857,325 to \$1,047,841 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
600A000	Mobilization	(1.000)	LS
610D003	Filter Blanket, Geotextile	1,621	SQYD
624A000	Cable Guiderail	34,216	LF
624B000	Cable Guiderail Anchor	32	Each
650A000	Topsoil	980	CUYD
652A100	Seeding	1	Acre
656A010	Mulching	1	Acre
665A000	Temporary Seeding	5	Acre
665B001	Temporary Mulching	15	Ton
665G000	Sand Bags	250	Each
665J002	Silt Fence	5,032	LF
665O001	Silt Fence Removal	5,032	LF
665P005	Inlet Protection, Stage 3 Or 4	48	Each
665Q002	Wattle	2,500	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 28,000.00)	(1.000)	LS
740B000	Construction Signs	1,752	SQFT
740D000	Channelizing Drums	200	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204024**Projects:** IM-HSIP-I022(310)**Letting Date:** December 04, 2020**County:** MARION**Contract Time:** 150 Working Days**DBE Goal Percent:** 7.00

Description: for constructing the Planing, Resurfacing, Guardrail Steel Blockout Replacement, and Traffic Stripe on I-22 from the Mississippi State Line to just west of the Reese Road Overpass (MP 6.000). Length 5.987 mi.

The Bracket Estimate on this project is from \$8,229,190 to \$10,057,898 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$15.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	15,288	LF
206E008	Removing Guardrail End Anchor (All Type)	71	Each
212A000	Machine Grading Shoulders	1,352	STA
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	100	Ton
405A000	Tack Coat	49,650	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	14	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	105,056	SQYD
408A053	Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)	156	SQYD
408A054	Planing Existing Pavement (Approximately 3.10" Thru 4.0" Thick)	98,107	SQYD
408A055	Planing Existing Pavement (Approximately 4.10" Thru 5.0" Thick)	97,690	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing, Certified Inertial Profiler	1	Each
420A015	Polymer Modified Open Graded Friction Course	8,449	Ton
420B000	Open Graded Friction Course Tack Coat	33,794	Gal
423A003	Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size	16,160	Ton
423B001	Stone Matrix Asphalt Binder Layer, 1.0" Maximum Aggregate Size	14,654	Ton
423B002	Stone Matrix Asphalt Binder Layer, 3/4" Maximum Aggregate Size	10,754	Ton
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	8,687	Ton
424B287	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E	300	Ton
424B685	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
428A001	Scoring Bituminous Pavement Surface	24	Mile
534A000	Cleaning Pipe Underdrain Outlets	250	Each
600A000	Mobilization	(1.000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	12,775	LF
630A034	Steel Beam Guardrail, Class A, Type 2 (8'-0" Post)	3,413	LF
630C001	Guardrail End Anchor, Type 8	31	Each
630C003	Guardrail End Anchor, Type 13	9	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	31	Each
631C010	Guardrail Reset	7,963	LF
665J002	Silt Fence	330	LF
665O001	Silt Fence Removal	330	LF
665Q002	Wattle	250	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 451,600.00)	(1.000)	LS

Item No.	Description	Quantity	Units
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	14	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	14	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	12	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	1,103	LF
701C000	Broken Temporary Traffic Stripe	37	Mile
701C001	Solid Temporary Traffic Stripe	80	Mile
701F000	Dotted Temporary Traffic Stripe	3,309	LF
701G142	Broken White, Class W, Type A Traffic Stripe (5" Wide)	288	LF
701G146	Solid White, Class W, Type A Traffic Stripe (5" Wide)	848	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	848	LF
701H002	Solid Traffic Stripe Removed (Tape)	1,696	LF
701H007	Broken Traffic Stripe Removed (Tape)	288	LF
703A002	Traffic Control Markings, Class 2, Type A	5,604	SQFT
703D001	Temporary Traffic Control Markings	16,812	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	1,150	Each
705A031	Pavement Markers, Class A-H, Type 1-A	455	Each
705A032	Pavement Markers, Class A-H, Type 1-B	110	Each
705A037	Pavement Markers, Class A-H, Type 2-D	40	Each
705A038	Pavement Markers, Class A-H, Type 2-E	115	Each
728A000	Truck Mounted Impact Attenuator Unit	2	Each
731A010	Traffic Counting Units, Type K	2	Each
740B000	Construction Signs	3,126	SQFT
740C000	Special Construction Signs	36	SQFT
740D000	Channelizing Drums	600	Each
740E000	Cones (36 Inches High)	100	Each
740M001	Ballast For Cone	100	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204027 **Projects:** NH-0002(590)
Letting Date: December 04, 2020 **County:** LAUDERDALE
Contract Time: 50 Working Days **DBE Goal Percent:** 10.00

Description: for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on SR-2 (US-72) from the north end of the O'Neal Bridge (MP 31.185) to the junction of Glendale Street in Florence. Length 2.064 mi.

The Bracket Estimate on this project is from \$1,179,873 to \$1,442,067 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$5.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	388	LF
206E008	Removing Guardrail End Anchor (All Type)	5	Each
405A000	Tack Coat	9,137	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	7	Mile
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	91,369	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	7,310	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	1,000	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
428A001	Scoring Bituminous Pavement Surface	1	Mile
430B042	Aggregate Surfacing (Crushed Aggregate Base, Type A)	58	Ton
600A000	Mobilization	(1.000)	LS
622A000	Manhole Covers Reset	1	Each
630A001	Steel Beam Guardrail, Class A, Type 2	388	LF
630C001	Guardrail End Anchor, Type 8	1	Each
630C003	Guardrail End Anchor, Type 13	1	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	3	Each
631C010	Guardrail Reset	837	LF
631E001	Guardrail End Anchor, Type 8, Reset	1	Each
631E003	Guardrail End Anchor, Type 13, Reset	3	Each
631E011	Guardrail End Anchor, Type 20 Series, Reset	1	Each
641S500	Valve Box Reset	1	Each
698A000	Construction Fuel (Maximum Bid Limited to \$ 69,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	7	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	4,718	LF
701C000	Broken Temporary Traffic Stripe	14	Mile
701C001	Solid Temporary Traffic Stripe	24	Mile
701G142	Broken White, Class W, Type A Traffic Stripe (5" Wide)	254	LF
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	254	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	254	LF

Item No.	Description	Quantity	Units
701H001	Solid Traffic Stripe Removed (Plastic)	508	LF
701H006	Broken Traffic Stripe Removed (Plastic)	254	LF
703A002	Traffic Control Markings, Class 2, Type A	12,402	SQFT
703B002	Traffic Control Legends, Class 2, Type A	919	SQFT
703D001	Temporary Traffic Control Markings	3,924	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	400	Each
705A031	Pavement Markers, Class A-H, Type 1-A	330	Each
705A032	Pavement Markers, Class A-H, Type 1-B	575	Each
705A037	Pavement Markers, Class A-H, Type 2-D	335	Each
705A038	Pavement Markers, Class A-H, Type 2-E	345	Each
707F001	Flexible Delineator Post with Base, Yellow	11	Each
730H001	Loop Wire	16,600	LF
730I001	Loop Detector Lead-In-Cable	500	LF
730K000	Traffic Signal Junction Box	3	Each
730L005	2", Non-Metallic, Conduit	500	LF
740B000	Construction Signs	949	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	300	Each
740M001	Ballast For Cone	300	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204028**Projects:** NH-0005(560)**Letting Date:** December 04, 2020**County:** WILCOX**Contract Time:** 30 Working Days**DBE Goal Percent:** 1.00**Description:** for constructing the Micro-Milling, Resurfacing (Scrub Seal), and Traffic Stripe on SR-5 from the Clarke County Line to south of the Moccasin Creek Bridge in Pine Hill. Length 3.915 mi.

The Bracket Estimate on this project is from \$912,874 to \$1,115,735 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$6.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
405A000	Tack Coat	3,600	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	5	Mile
408B000	Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)	76,300	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	6,100	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	550	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
428A001	Scoring Bituminous Pavement Surface	8	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	425	Ton
433A000	Scrub Seal	62,310	SQYD
600A000	Mobilization	(1.000)	LS
650A000	Topsoil	1,037	CUYD
652A100	Seeding	5	Acre
652C000	Mowing	13	Acre
656A010	Mulching	5	Acre
665Q002	Wattle	300	LF
666A001	Pest Control Treatment	5	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 49,500.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	560	LF
701C000	Broken Temporary Traffic Stripe	19	Mile
701C001	Solid Temporary Traffic Stripe	37	Mile
703A002	Traffic Control Markings, Class 2, Type A	3,565	SQFT
703B002	Traffic Control Legends, Class 2, Type A	120	SQFT
703D001	Temporary Traffic Control Markings	330	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	264	Each
705A032	Pavement Markers, Class A-H, Type 1-B	628	Each
705A037	Pavement Markers, Class A-H, Type 2-D	334	Each
705A038	Pavement Markers, Class A-H, Type 2-E	243	Each
740B000	Construction Signs	1,046	SQFT

Item No.	Description	Quantity	Units
740E000	Cones (36 Inches High)	100	Each
740M001	Ballast For Cone	100	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204029**Projects:** NH-0012(573), NH-0012(535)**Letting Date:** December 04, 2020**County:** MONROE**Contract Time:** 65 Working Days**DBE Goal Percent:** 3.00

Description: for constructing the Planing, Resurfacing, Bridge Rail Retrofit, Guardrail Replacement, and Traffic Stripe on SR-12 (US-84) from the Clarke County Line to a point east of the junction of CR-1 (MP 66.580) southeast of Purdue Hill. Length 8.418 mi.

The Bracket Estimate on this project is from \$1,632,241 to \$1,994,961 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$11.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	850	LF
206E008	Removing Guardrail End Anchor (All Type)	16	Each
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	350	CUYD
405A000	Tack Coat	12,949	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	8	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	124,601	SQYD
410H000	Material Remixing Device	1	Each
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	10,880	Ton
424A370	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	200	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
428A001	Scoring Bituminous Pavement Surface	12	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	200	Ton
433A000	Scrub Seal	93,745	SQYD
600A000	Mobilization	(1.000)	LS
629E018	Bridge Rail Retrofit, Type BC(CSF)	272	LF
630A001	Steel Beam Guardrail, Class A, Type 2	800	LF
630C001	Guardrail End Anchor, Type 8	2	Each
630C003	Guardrail End Anchor, Type 13	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	10	Each
631C010	Guardrail Reset	7,850	LF
631E003	Guardrail End Anchor, Type 13, Reset	28	Each
650A000	Topsoil	600	CUYD
652A100	Seeding	3	Acre
652C000	Mowing	33	Acre
654A000	Solid Sodding	1,000	SQYD
656A010	Mulching	3	Acre
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	1,000	LF
666A001	Pest Control Treatment	3	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 88,000.00)	(1.000)	LS
701A091	Solid White, Class W, Type A Traffic Stripe (5" Wide)	2	Mile

Item No.	Description	Quantity	Units
701A095	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	1	Mile
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	14	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	2,216	LF
701C000	Broken Temporary Traffic Stripe	22	Mile
701C001	Solid Temporary Traffic Stripe	40	Mile
701D009	Solid Traffic Stripe Removed (Tape)	2	Mile
701D016	Broken Traffic Stripe Removed (Tape)	1	Mile
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	760	LF
703A002	Traffic Control Markings, Class 2, Type A	6,458	SQFT
703B002	Traffic Control Legends, Class 2, Type A	184	SQFT
703D001	Temporary Traffic Control Markings	600	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	218	Each
705A032	Pavement Markers, Class A-H, Type 1-B	1,751	Each
705A037	Pavement Markers, Class A-H, Type 2-D	469	Each
705A038	Pavement Markers, Class A-H, Type 2-E	835	Each
740B000	Construction Signs	1,810	SQFT
740D000	Channelizing Drums	75	Each
740E000	Cones (36 Inches High)	300	Each
740M001	Ballast For Cone	300	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204030 **Projects:** NH-0053(589)
Letting Date: December 04, 2020 **County:** MONTGOMERY
Contract Time: 95 Working Days **DBE Goal Percent:** 5.00

Description: for constructing the Planing, Resurfacing, Guardrail Installation, and Traffic Stripe on SR-53 (US-231) from the junction of CR-89 in Pine Level to the junction of Athey Road. Length 4.656 mi.

The Bracket Estimate on this project is from \$4,214,116 to \$5,150,586 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$15.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	7,252	LF
206E008	Removing Guardrail End Anchor (All Type)	10	Each
212A000	Machine Grading Shoulders	984	STA
401B100	Bituminous Treatment E (With Polymer Additive)	86,062	SQYD
405A000	Tack Coat	24,100	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	14	Mile
408A053	Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)	81,970	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing, Certified Inertial Profiler	1	Each
424A276	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range E	9,815	Ton
424A278	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range E	340	Ton
424A359	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	350	Ton
424B280	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range E	22,303	Ton
424B284	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range E	500	Ton
424B288	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E	3,900	Ton
428A001	Scoring Bituminous Pavement Surface	20	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	5,300	Ton
600A000	Mobilization	(1,000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	7,300	LF
630C080	Guardrail End Anchor, Type 20 Series (MASH)	10	Each
665G000	Sand Bags	100	Each
665J002	Silt Fence	250	LF
665O001	Silt Fence Removal	250	LF
665Q002	Wattle	250	LF
680A001	Geometric Controls	(1,000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 225,000.00)	(1,000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	4,380	LF
701C000	Broken Temporary Traffic Stripe	38	Mile
701C001	Solid Temporary Traffic Stripe	75	Mile

Item No.	Description	Quantity	Units
701G142	Broken White, Class W, Type A Traffic Stripe (5" Wide)	409	LF
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	409	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	409	LF
701H001	Solid Traffic Stripe Removed (Plastic)	818	LF
701H006	Broken Traffic Stripe Removed (Plastic)	409	LF
703A002	Traffic Control Markings, Class 2, Type A	246	SQFT
703B002	Traffic Control Legends, Class 2, Type A	90	SQFT
703D001	Temporary Traffic Control Markings	984	SQFT
703E001	Temporary Traffic Control Legends	360	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	674	Each
740B000	Construction Signs	1,233	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	640	Each
740M001	Ballast For Cone	640	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204031**Projects:** NH-0182(507)**Letting Date:** December 04, 2020**County:** BALDWIN**Contract Time:** 40 Working Days**DBE Goal Percent:** 1.00**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on SR-182 from the West City Limits of Orange Beach to the Perdido Pass Bridge. Length 3.283 mi.

The Bracket Estimate on this project is from \$1,476,709 to \$1,804,866 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	15	SQYD
206D001	Removing Guardrail	163	LF
206E008	Removing Guardrail End Anchor (All Type)	8	Each
206E082	Removing Flexible Delineator Post with Base	30	Each
210D024	Borrow Excavation (A-3 Or Better) Loose Truckbed Measure	250	CUYD
405A000	Tack Coat	16,758	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	20	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	167,621	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	13,829	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	273	Ton
424B653	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	9	Ton
600A000	Mobilization	(1.000)	LS
618C001	Detectable Warning Surface	64	SQFT
618D000	Curb Ramp	46	SQYD
630A001	Steel Beam Guardrail, Class A, Type 2	150	LF
630C003	Guardrail End Anchor, Type 13	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	4	Each
650A000	Topsoil	250	CUYD
654A001	Solid Sodding (Bermuda)	793	SQYD
665J002	Silt Fence	1,000	LF
665O001	Silt Fence Removal	1,000	LF
665Q002	Wattle	400	LF
666A001	Pest Control Treatment	1	Acre
674A000	Construction Safety Fence	245	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 79,500.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	22	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	7	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	7	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	7	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	415	LF

Item No.	Description	Quantity	Units
701C000	Broken Temporary Traffic Stripe	13	Mile
701C001	Solid Temporary Traffic Stripe	29	Mile
703A002	Traffic Control Markings, Class 2, Type A	2,699	SQFT
703B002	Traffic Control Legends, Class 2, Type A	68	SQFT
703D001	Temporary Traffic Control Markings	1,102	SQFT
703H000	Specialty Traffic Control Markings	666	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	436	Each
705A031	Pavement Markers, Class A-H, Type 1-A	2,858	Each
705A032	Pavement Markers, Class A-H, Type 1-B	211	Each
705A037	Pavement Markers, Class A-H, Type 2-D	844	Each
705A038	Pavement Markers, Class A-H, Type 2-E	105	Each
707F002	Flexible Delineator Post with Base, White	30	Each
730H001	Loop Wire	800	LF
731B000	Pole for Mounting Traffic Detection Equipment	1	Each
740B000	Construction Signs	946	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	250	Each
740M001	Ballast For Cone	250	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204033**Projects:** NH-HSIP-0016(527)**Letting Date:** December 04, 2020**County:** MOBILE**Contract Time:** 40 Working Days**DBE Goal Percent:** 3.00

Description: for constructing the Planing, Resurfacing, Guardrail Steel Blockout Replacement, and Traffic Stripe on SR-16 (US-90) from 0.340 mile east of the Cochrane Bridge to 0.360 mile west of the Tensaw River Bridge in Mobile. Length 2.935 mi.

The Bracket Estimate on this project is from \$2,051,743 to \$2,507,686 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$10.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206E019	Removing Guardrail End Anchor (Type 10)	10	Each
405A000	Tack Coat	19,459	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	11	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	194,593	SQYD
410H000	Material Remixing Device	1	Each
424A280	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E	19,147	Ton
424A289	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range E	315	Ton
424B283	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range E	200	Ton
424B287	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range E	200	Ton
600A000	Mobilization	(1.000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	25	LF
630C001	Guardrail End Anchor, Type 8	1	Each
630C003	Guardrail End Anchor, Type 13	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	5	Each
631C010	Guardrail Reset	408	LF
650A000	Topsoil	75	CUYD
652A100	Seeding	1	Acre
652C000	Mowing	5	Acre
654A001	Solid Sodding (Bermuda)	600	SQYD
656A010	Mulching	1	Acre
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	100	LF
666A001	Pest Control Treatment	1	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 111,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	5,024	LF
701C000	Broken Temporary Traffic Stripe	12	Mile
701C001	Solid Temporary Traffic Stripe	32	Mile
703A002	Traffic Control Markings, Class 2, Type A	13,008	SQFT

Item No.	Description	Quantity	Units
703B002	Traffic Control Legends, Class 2, Type A	565	SQFT
703D001	Temporary Traffic Control Markings	1,813	SQFT
703H000	Specialty Traffic Control Markings	144	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	2,255	Each
705A032	Pavement Markers, Class A-H, Type 1-B	123	Each
705A037	Pavement Markers, Class A-H, Type 2-D	243	Each
705A038	Pavement Markers, Class A-H, Type 2-E	73	Each
740B000	Construction Signs	880	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	150	Each
740M001	Ballast For Cone	150	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204037**Projects:** RABRZ-6014(258)**Letting Date:** December 04, 2020**County:** SUMTER**Contract Time:** 75 Working Days**DBE Goal Percent:** 4.00**Description:** for constructing the Bridge Replacement on Bunkum Road over an unnamed creek 1.500 miles east of the junction CR-9. Length 0.051 mi.

The Bracket Estimate on this project is from \$365,626 to \$446,876 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$18.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 2 Acres)	(1.000)	LS
206A000	Removal Of Old Bridge, Station 12+35.79	(1.000)	LS
206D000	Removing Pipe	19	LF
210A000	Unclassified Excavation	1,484	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	907	CUYD
214A000	Structure Excavation	243	CUYD
214B001	Foundation Backfill, Commercial	62	CUYD
230A000	Roadbed Processing	3	RBST
301A132	Soil Aggregate Base Course, Type A, Yard Mixed, 6" Compacted Thickness	1,434	SQYD
401A000	Bituminous Treatment A	656	SQYD
405A000	Tack Coat	48	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	43	Ton
424B635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	51	Ton
502A000	Steel Reinforcement	15,834	LB
524A010	Culvert Concrete	94	CUYD
530A455	42" Roadway Pipe (Class 3 R.C. Or Equal Strength C.C.M.P.I.)	90	LF
535B014	51" Span, 31" Rise Side Drain Pipe	40	LF
600A000	Mobilization	(1.000)	LS
602A000	Right Of Way Markers	8	Each
610C001	Loose Riprap, Class 2	134	Ton
610D003	Filter Blanket, Geotextile	550	SQYD
619B145	51" Span, 31" Rise Side Drain Pipe End Treatment, Class 2	2	Each
630A001	Steel Beam Guardrail, Class A, Type 2	253	LF
630C080	Guardrail End Anchor, Type 20 Series (MASH)	2	Each
641A682	6 Inch Ductile Iron Water Main Laid (Restrained Joint)	140	LF
641C500	Ductile Iron Fittings	156	LB
641L500	Concrete for Water Mains (Thrust Blocks)	4	CUYD
641M512	6 Inch Retainer Gland	8	Each
650A000	Topsoil	281	CUYD
654A001	Solid Sodding (Bermuda)	2,499	SQYD
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665E000	Polyethylene	250	SQYD

Item No.	Description	Quantity	Units
665F000	Hay Bales	25	Each
665I000	Temporary Riprap, Class 2	125	Ton
665J002	Silt Fence	450	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	25	Ton
665O001	Silt Fence Removal	450	LF
665Q002	Wattle	336	LF
666A001	Pest Control Treatment	1	Acre
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 15,000.00)	(1.000)	LS
701E000	Solid Temporary Traffic Stripe	540	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	540	LF
705A037	Pavement Markers, Class A-H, Type 2-D	7	Each
740B000	Construction Signs	320	SQFT
740D000	Channelizing Drums	45	Each
740E000	Cones (36 Inches High)	25	Each
740F002	Barricades, Type III	4	Each
740M001	Ballast For Cone	25	Each

() Item will be bid as lump sum.

Contract ID: 20201204040**Projects:** RASTPAA-3720(250)**Letting Date:** December 04, 2020**County:** JEFFERSON**Contract Time:** 40 Working Days**DBE Goal Percent:** 7.00

Description: for constructing the Planing, Resurfacing, and Traffic Stripe on CR-65 (Minor Parkway) from the junction of SR-269 (Birmingham Road) in Sherman Heights to 0.260 mile south of the junction of CR-67 (Crumly Chapel Road) in Adamsville. Length 2.819 mi.

The Bracket Estimate on this project is from \$1,788,550 to \$2,186,005 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
405A000	Tack Coat	10,974	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	8	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	109,740	SQYD
408A053	Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)	28,807	SQYD
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	9,054	Ton
424B651	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	4,033	Ton
424B654	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	2,113	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
600A000	Mobilization	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 94,500.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	8,500	LF
701C002	Broken Temporary Traffic Stripe (Paint)	12	Mile
701C003	Solid Temporary Traffic Stripe (Paint)	28	Mile
703A002	Traffic Control Markings, Class 2, Type A	4,840	SQFT
703B002	Traffic Control Legends, Class 2, Type A	890	SQFT
703D002	Temporary Traffic Control Markings (Paint)	2,456	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	375	Each
730H001	Loop Wire	10,205	LF
740B000	Construction Signs	833	SQFT
740D000	Channelizing Drums	200	Each
740E000	Cones (36 Inches High)	275	Each
740M001	Ballast For Cone	275	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204043**Projects:** RP-NH-0052(518)**Letting Date:** December 04, 2020**County:** HOUSTON**Contract Time:** 45 Working Days**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on SR-52 from the intersection of SR-605 to the junction of SR-210 (US-231/Ross Clark Circle) in Dothan. Length 3.023 mi.

The Bracket Estimate on this project is from \$2,214,676 to \$2,706,826 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	1,200	LF
206E008	Removing Guardrail End Anchor (All Type)	8	Each
209A000	Mailbox Reset, Single	2	Each
405A000	Tack Coat	11,746	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	13	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	117,459	SQYD
410H000	Material Remixing Device	1	Each
420A015	Polymer Modified Open Graded Friction Course	5,286	Ton
420B000	Open Graded Friction Course Tack Coat	19,609	Gal
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	8,809	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
424B701	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D	100	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	100	Ton
600A000	Mobilization	(1.000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	575	LF
630C080	Guardrail End Anchor, Type 20 Series (MASH)	8	Each
630G001	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 1	125	LF
630G004	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 4	38	LF
630G005	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 5	263	LF
630G006	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 6	100	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 119,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	7	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	7	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	2,070	LF
701C000	Broken Temporary Traffic Stripe	35	Mile
701C001	Solid Temporary Traffic Stripe	41	Mile
701D007	Solid Traffic Stripe Removed (Paint)	1	Mile
701D008	Solid Traffic Stripe Removed (Plastic)	1	Mile
701D014	Broken Traffic Stripe Removed (Paint)	1	Mile
701D015	Broken Traffic Stripe Removed (Plastic)	1	Mile
703A002	Traffic Control Markings, Class 2, Type A	5,915	SQFT
703B002	Traffic Control Legends, Class 2, Type A	628	SQFT

Item No.	Description	Quantity	Units
703D001	Temporary Traffic Control Markings	9,318	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	976	Each
705A037	Pavement Markers, Class A-H, Type 2-D	768	Each
705A038	Pavement Markers, Class A-H, Type 2-E	80	Each
730H001	Loop Wire	8,675	LF
740B000	Construction Signs	1,029	SQFT
740C000	Special Construction Signs	23	SQFT
740E000	Cones (36 Inches High)	400	Each
740M001	Ballast For Cone	400	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204045**Projects:** RP-STPAA-0015(538)**Letting Date:** December 04, 2020**County:** MACON**Contract Time:** 190 Working Days**DBE Goal Percent:** 6.00**Description:** for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on SR-15 (US-29) from the Bullock County Line to the junction of SR-8 (US-80) in Tuskegee. Length 14.689 mi.

The Bracket Estimate on this project is from \$3,067,357 to \$3,748,992 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$4.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	913	LF
206E008	Removing Guardrail End Anchor (All Type)	52	Each
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	500	Ton
401B101	Bituminous Treatment F (With Polymer Additive)	220,475	SQYD
405A000	Tack Coat	17,319	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	31	Mile
408B000	Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)	220,475	SQYD
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	26,937	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	17,689	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,469	Ton
424B654	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,000	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,000	Ton
428A001	Scoring Bituminous Pavement Surface	27	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	3,759	Ton
600A000	Mobilization	(1,000)	LS
610D003	Filter Blanket, Geotextile	300	SQYD
622A002	Manhole Covers Reset (Sanitary)	13	Each
630A001	Steel Beam Guardrail, Class A, Type 2	438	LF
630C003	Guardrail End Anchor, Type 13	14	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	38	Each
641S500	Valve Box Reset	5	Each
665J002	Silt Fence	250	LF
665O001	Silt Fence Removal	250	LF
665Q002	Wattle	250	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 180,000.00)	(1,000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	30	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	15	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	172	LF
701C000	Broken Temporary Traffic Stripe	20	Mile
701C001	Solid Temporary Traffic Stripe	89	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	1,491	LF

Item No.	Description	Quantity	Units
701G150	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	746	LF
701H001	Solid Traffic Stripe Removed (Plastic)	1,491	LF
701H006	Broken Traffic Stripe Removed (Plastic)	746	LF
703A002	Traffic Control Markings, Class 2, Type A	4,793	SQFT
703B002	Traffic Control Legends, Class 2, Type A	837	SQFT
703D001	Temporary Traffic Control Markings	9,586	SQFT
703E001	Temporary Traffic Control Legends	1,404	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	44	Each
705A032	Pavement Markers, Class A-H, Type 1-B	483	Each
705A037	Pavement Markers, Class A-H, Type 2-D	1,250	Each
705A038	Pavement Markers, Class A-H, Type 2-E	250	Each
730H001	Loop Wire	400	LF
731A021	Traffic Counting Units, Type R	1	Each
740B000	Construction Signs	2,701	SQFT
740C000	Special Construction Signs	72	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	350	Each
740M001	Ballast For Cone	350	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204046**Projects:** RP-STPAA-0027(516)**Letting Date:** December 04, 2020**County:** COFFEE**Contract Time:** 65 Working Days**DBE Goal Percent:** 2.00**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on SR-27 from the junction of SR-12 in Enterprise to the Dale County Line. Length 7.484 mi.

The Bracket Estimate on this project is from \$2,601,440 to \$3,179,537 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	600	LF
206E008	Removing Guardrail End Anchor (All Type)	16	Each
209A000	Mailbox Reset, Single	5	Each
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	200	CUYD
212A000	Machine Grading Shoulders	552	STA
405A000	Tack Coat	16,117	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	14	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	166,028	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing, Certified Inertial Profiler	1	Each
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	13,297	Ton
424A370	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	410	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	7,563	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	400	Ton
424B663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	325	Ton
424B701	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D	100	Ton
428A001	Scoring Bituminous Pavement Surface	11	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	69	Ton
600A000	Mobilization	(1,000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	475	LF
630C003	Guardrail End Anchor, Type 13	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	12	Each
650A000	Topsoil	3,680	CUYD
652A100	Seeding	15	Acre
652C000	Mowing	33	Acre
656A010	Mulching	15	Acre
665J002	Silt Fence	1,200	LF
665O001	Silt Fence Removal	1,200	LF
665Q002	Wattle	1,200	LF
666A001	Pest Control Treatment	15	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 140,000.00)	(1,000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	16	Mile

Item No.	Description	Quantity	Units
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	14	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	2,026	LF
701C000	Broken Temporary Traffic Stripe	19	Mile
701C001	Solid Temporary Traffic Stripe	73	Mile
701D007	Solid Traffic Stripe Removed (Paint)	1	Mile
701D008	Solid Traffic Stripe Removed (Plastic)	1	Mile
701D014	Broken Traffic Stripe Removed (Paint)	1	Mile
701D015	Broken Traffic Stripe Removed (Plastic)	1	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	656	LF
701G150	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	328	LF
703A002	Traffic Control Markings, Class 2, Type A	9,664	SQFT
703B002	Traffic Control Legends, Class 2, Type A	1,040	SQFT
703D001	Temporary Traffic Control Markings	1,716	SQFT
703E001	Temporary Traffic Control Legends	546	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	644	Each
705A032	Pavement Markers, Class A-H, Type 1-B	1,187	Each
705A037	Pavement Markers, Class A-H, Type 2-D	842	Each
705A038	Pavement Markers, Class A-H, Type 2-E	543	Each
730H001	Loop Wire	1,050	LF
740B000	Construction Signs	1,549	SQFT
740C000	Special Construction Signs	18	SQFT
740E000	Cones (36 Inches High)	400	Each
740M001	Ballast For Cone	400	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204049 **Projects:** STPAA-0010(549)
Letting Date: December 04, 2020 **County:** PIKE
Contract Time: 55 Working Days **DBE Goal Percent:** 8.00

Description: for constructing the Micro-Milling, Resurfacing, Guardrail Installation, and Traffic Stripe on SR-10 (US-29) from the Crenshaw County Line to the SR-53 (US-231) Overpass in Troy. Length 11.394 mi.

The Bracket Estimate on this project is from \$2,560,869 to \$3,129,951 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$9.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C010	Removing Concrete Driveway	51	SQYD
206D001	Removing Guardrail	2,300	LF
206E008	Removing Guardrail End Anchor (All Type)	34	Each
209A000	Mailbox Reset, Single	1	Each
209A002	Mailbox Reset, Multiple	1	Each
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	23	CUYD
405A000	Tack Coat	20,390	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	13	Mile
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	203,706	SQYD
410H000	Material Remixing Device	1	Each
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	16,341	Ton
424A370	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	497	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
424B663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	33	Ton
424B701	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D	100	Ton
428A001	Scoring Bituminous Pavement Surface	24	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	242	Ton
502A000	Steel Reinforcement	524	LB
524B011	Culvert Concrete Extension (Cast In Place)	12	CUYD
600A000	Mobilization	(1.000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	2,050	LF
630C003	Guardrail End Anchor, Type 13	8	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	26	Each
630G003	Steel Beam Guardrail for Culvert, Class A, Type 2, Case 3	100	LF
652C000	Mowing	98	Acre
654A000	Solid Sodding	37	SQYD
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	500	LF
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 136,350.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	24	Mile

Item No.	Description	Quantity	Units
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	17	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701B027	Dotted, Class W, Type A Traffic Stripe (5" Wide)	60	LF
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	2,264	LF
701C000	Broken Temporary Traffic Stripe	19	Mile
701C001	Solid Temporary Traffic Stripe	81	Mile
701D007	Solid Traffic Stripe Removed (Paint)	1	Mile
701D008	Solid Traffic Stripe Removed (Plastic)	1	Mile
701D014	Broken Traffic Stripe Removed (Paint)	1	Mile
701D015	Broken Traffic Stripe Removed (Plastic)	1	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	2,608	LF
701G150	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	939	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	1,490	LF
703A002	Traffic Control Markings, Class 2, Type A	7,070	SQFT
703A011	Traffic Control Markings, Class W, Type A	759	SQFT
703B002	Traffic Control Legends, Class 2, Type A	404	SQFT
703D001	Temporary Traffic Control Markings	3,032	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	386	Each
705A032	Pavement Markers, Class A-H, Type 1-B	698	Each
705A037	Pavement Markers, Class A-H, Type 2-D	1,203	Each
705A038	Pavement Markers, Class A-H, Type 2-E	169	Each
726A000	Portable Concrete Safety Barriers, Type 6	80	LF
726B001	Portable Concrete Safety Barriers, Type 6-A	80	LF
726D026	Portable Impact Attenuator Assembly (Bi-directional, TL-3)	8	Each
740B000	Construction Signs	2,223	SQFT
740C000	Special Construction Signs	14	SQFT
740E000	Cones (36 Inches High)	400	Each
740M001	Ballast For Cone	400	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204050**Projects:** STPAA-0010(552)**Letting Date:** December 04, 2020**County:** CRENSHAW**Contract Time:** 30 Working Days**DBE Goal Percent:** 2.00

Description: for constructing the Planing, Resurfacing, and Traffic Stripe on SR-10 from the intersection of Glenwood Avenue in Luverne to the end of the four-lane section near the junction of Martin Road (MP 150.135). Length 1.969 mi.

The Bracket Estimate on this project is from \$688,978 to \$842,084 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$7.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	20	SQYD
206C010	Removing Concrete Driveway	256	SQYD
212A000	Machine Grading Shoulders	6	STA
405A000	Tack Coat	5,262	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	7	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	52,228	SQYD
410H000	Material Remixing Device	1	Each
424A361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	4,276	Ton
424A370	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	66	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
424B663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	72	Ton
424B701	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D	100	Ton
428A001	Scoring Bituminous Pavement Surface	1	Mile
600A000	Mobilization	(1.000)	LS
618A000	Concrete Sidewalk, 4" Thick	20	SQYD
650A000	Topsoil	25	CUYD
652A100	Seeding	1	Acre
652C000	Mowing	109	Acre
656A010	Mulching	1	Acre
665J002	Silt Fence	100	LF
665O001	Silt Fence Removal	100	LF
665Q002	Wattle	100	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 37,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	143	LF
701C000	Broken Temporary Traffic Stripe	3	Mile
701C001	Solid Temporary Traffic Stripe	8	Mile
701D007	Solid Traffic Stripe Removed (Paint)	1	Mile
701D008	Solid Traffic Stripe Removed (Plastic)	1	Mile
701D014	Broken Traffic Stripe Removed (Paint)	1	Mile

Item No.	Description	Quantity	Units
701D015	Broken Traffic Stripe Removed (Plastic)	1	Mile
703A002	Traffic Control Markings, Class 2, Type A	3,630	SQFT
703D001	Temporary Traffic Control Markings	1,813	SQFT
703H000	Specialty Traffic Control Markings	5	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	189	Each
705A032	Pavement Markers, Class A-H, Type 1-B	5	Each
705A037	Pavement Markers, Class A-H, Type 2-D	260	Each
705A038	Pavement Markers, Class A-H, Type 2-E	3	Each
740B000	Construction Signs	851	SQFT
740C000	Special Construction Signs	5	SQFT
740E000	Cones (36 Inches High)	400	Each
740M001	Ballast For Cone	400	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204051**Projects:** STPAA-0019(506)**Letting Date:** December 04, 2020**County:** FRANKLIN**Contract Time:** 40 Working Days**DBE Goal Percent:** 7.00**Description:** for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on SR-19 from the junction of 11th Street in Red Bay to the Mississippi State Line. Length 1.812 mi.

The Bracket Estimate on this project is from \$582,891 to \$712,422 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
405A000	Tack Coat	4,891	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	2	Mile
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	48,907	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	3,701	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	212	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	300	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	300	Ton
430B042	Aggregate Surfacing (Crushed Aggregate Base, Type A)	139	Ton
600A000	Mobilization	(1,000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 34,000.00)	(1,000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	353	LF
701C001	Solid Temporary Traffic Stripe	7	Mile
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	3,299	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	346	LF
703A002	Traffic Control Markings, Class 2, Type A	3,522	SQFT
703A011	Traffic Control Markings, Class W, Type A	203	SQFT
703B002	Traffic Control Legends, Class 2, Type A	67	SQFT
703D001	Temporary Traffic Control Markings	1,040	SQFT
703H000	Specialty Traffic Control Markings	5	SQFT
705A037	Pavement Markers, Class A-H, Type 2-D	206	Each
730H001	Loop Wire	1,500	LF
740B000	Construction Signs	596	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	200	Each
740M001	Ballast For Cone	200	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204052 **Projects:** STPAA-0028(515)
Letting Date: December 04, 2020 **County:** WILCOX
Contract Time: 45 Working Days **DBE Goal Percent:** 2.00

Description: for constructing the Micro-Milling, Resurfacing (Scrub Seal), and Traffic Stripe on SR-28 from 0.450 mile west of the intersection of SR-5 to 0.120 mile west of the junction of SR-162. Length 6.149 mi.

The Bracket Estimate on this project is from \$1,533,076 to \$1,873,760 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$6.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206E008	Removing Guardrail End Anchor (All Type)	4	Each
405A000	Tack Coat	12,829	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	7	Mile
408B000	Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)	128,287	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	8,810	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	742	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	100	Ton
428A001	Scoring Bituminous Pavement Surface	13	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	200	Ton
433A000	Scrub Seal	98,350	SQYD
600A000	Mobilization	(1.000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	50	LF
630C080	Guardrail End Anchor, Type 20 Series (MASH)	4	Each
631E003	Guardrail End Anchor, Type 13, Reset	4	Each
650A000	Topsoil	100	CUYD
652A100	Seeding	5	Acre
652C000	Mowing	40	Acre
656A010	Mulching	5	Acre
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	300	LF
666A001	Pest Control Treatment	5	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 83,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	16	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	17	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	771	LF
701C000	Broken Temporary Traffic Stripe	26	Mile
701C001	Solid Temporary Traffic Stripe	103	Mile
703A002	Traffic Control Markings, Class 2, Type A	21,538	SQFT
703B002	Traffic Control Legends, Class 2, Type A	232	SQFT

Item No.	Description	Quantity	Units
703D001	Temporary Traffic Control Markings	630	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	1,092	Each
705A032	Pavement Markers, Class A-H, Type 1-B	895	Each
705A037	Pavement Markers, Class A-H, Type 2-D	1,176	Each
705A038	Pavement Markers, Class A-H, Type 2-E	272	Each
740B000	Construction Signs	1,346	SQFT
740E000	Cones (36 Inches High)	200	Each
740M001	Ballast For Cone	200	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204053**Projects:** STPAA-0051(517)**Letting Date:** December 04, 2020**County:** COFFEE**Contract Time:** 30 Working Days

Description: for constructing the Preventative Maintenance (Micro-Milling, Resurfacing, and Traffic Stripe) on SR-51 from the junction of SR-12 (US-84) to the junction of SR-167 northeast of New Brockton. Length 5.654 mi.

The Bracket Estimate on this project is from \$758,503 to \$927,060 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$7.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
209A000	Mailbox Reset, Single	2	Each
209A001	Mailbox Reset, Double	2	Each
405A000	Tack Coat	9,671	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	6	Mile
408B000	Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)	96,710	SQYD
410H000	Material Remixing Device	1	Each
424A356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	4,352	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	50	Ton
424B701	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/8" Maximum Aggregate Size mix, ESAL Range C/D	100	Ton
428A001	Scoring Bituminous Pavement Surface	12	Mile
600A000	Mobilization	(1.000)	LS
650A000	Topsoil	600	CUYD
698A000	Construction Fuel (Maximum Bid Limited to \$ 40,800.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	12	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	4	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	464	LF
701C000	Broken Temporary Traffic Stripe	11	Mile
701C001	Solid Temporary Traffic Stripe	47	Mile
701D007	Solid Traffic Stripe Removed (Paint)	1	Mile
701D008	Solid Traffic Stripe Removed (Plastic)	1	Mile
701D014	Broken Traffic Stripe Removed (Paint)	1	Mile
701D015	Broken Traffic Stripe Removed (Plastic)	1	Mile
703A002	Traffic Control Markings, Class 2, Type A	1,367	SQFT
703B002	Traffic Control Legends, Class 2, Type A	113	SQFT
703D001	Temporary Traffic Control Markings	682	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	114	Each
705A032	Pavement Markers, Class A-H, Type 1-B	143	Each
705A037	Pavement Markers, Class A-H, Type 2-D	518	Each
740B000	Construction Signs	1,675	SQFT
740C000	Special Construction Signs	32	SQFT
740E000	Cones (36 Inches High)	150	Each
740M001	Ballast For Cone	150	Each

Item No.	Description	Quantity	Units
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204054 **Projects:** STPAA-0055(515)
Letting Date: December 04, 2020 **County:** BUTLER
Contract Time: 90 Working Days **DBE Goal Percent:** 3.00

Description: for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on SR-55 from a point south of the junction of SR-3 (US-31) MP 52.690 to a point north of the junction of SR-106 (MP 57.541) to include the Right Turn Lane Addition on SR-55 at SR-3 (US-31) in Georgiana. Length 4.850 mi.

The Bracket Estimate on this project is from \$3,478,434 to \$4,251,420 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	1,050	LF
206E008	Removing Guardrail End Anchor (All Type)	16	Each
210A000	Unclassified Excavation	130	CUYD
210D015	Borrow Excavation (A-4) (Loose Truckbed Measurement)	800	CUYD
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	120	Ton
401B100	Bituminous Treatment E (With Polymer Additive)	183,500	SQYD
405A000	Tack Coat	81,050	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	27	Mile
408B000	Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)	208,500	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing, Certified Inertial Profiler	1	Each
424A358	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	420	Ton
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	13,600	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	60	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	11,690	Ton
424B654	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	2,000	Ton
424B658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	1,000	Ton
424B661	Superpave Bituminous Concrete Upper Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	42	Ton
424B691	Superpave Bituminous Concrete Lower Binder Layer, Widening, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	42	Ton
428A001	Scoring Bituminous Pavement Surface	4	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	810	Ton
600A000	Mobilization	(1,000)	LS
610D003	Filter Blanket, Geotextile	300	SQYD
630A001	Steel Beam Guardrail, Class A, Type 2	975	LF
630C003	Guardrail End Anchor, Type 13	6	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	10	Each
631C010	Guardrail Reset	3,650	LF
654A001	Solid Sodding (Bermuda)	3,300	SQYD
665G000	Sand Bags	100	Each
665J002	Silt Fence	250	LF

Item No.	Description	Quantity	Units
665O001	Silt Fence Removal	250	LF
665Q002	Wattle	250	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 204,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	11	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	12	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	2,935	LF
701C000	Broken Temporary Traffic Stripe	40	Mile
701C001	Solid Temporary Traffic Stripe	55	Mile
701G142	Broken White, Class W, Type A Traffic Stripe (5" Wide)	820	LF
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	820	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	820	LF
701H001	Solid Traffic Stripe Removed (Plastic)	2,460	LF
703A002	Traffic Control Markings, Class 2, Type A	1,991	SQFT
703B002	Traffic Control Legends, Class 2, Type A	538	SQFT
703D001	Temporary Traffic Control Markings	22,101	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	250	Each
705A032	Pavement Markers, Class A-H, Type 1-B	460	Each
705A037	Pavement Markers, Class A-H, Type 2-D	2,230	Each
705A038	Pavement Markers, Class A-H, Type 2-E	245	Each
740B000	Construction Signs	1,313	SQFT
740D000	Channelizing Drums	50	Each
740E000	Cones (36 Inches High)	350	Each
740M001	Ballast For Cone	350	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204055 **Projects:** STPAA-0180(506)
Letting Date: December 04, 2020 **County:** BALDWIN
Contract Time: 50 Working Days **DBE Goal Percent:** 2.00

Description: for constructing the Micro-Milling, Resurfacing, and Traffic Stripe on SR-180 from a point near the Fort Morgan Historical Site (MP 0.000) to the junction of SR-59 in Gulf Shores. Length 20.779 mi.

The Bracket Estimate on this project is from \$2,197,622 to \$2,685,982 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$10.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206E008	Removing Guardrail End Anchor (All Type)	8	Each
210D024	Borrow Excavation (A-3 Or Better) Loose Truckbed Measure	2,700	CUYD
405A000	Tack Coat	43,851	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	29	Mile
408B000	Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)	19,175	SQYD
410H000	Material Remixing Device	1	Each
424A356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	19,408	Ton
424A357	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
424A358	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	250	Ton
424A359	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	320	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	125	Ton
600A000	Mobilization	(1.000)	LS
630C003	Guardrail End Anchor, Type 13	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	4	Each
646J000	Gas Valve Box Reset	1	Each
650A000	Topsoil	1,475	CUYD
652A100	Seeding	3	Acre
654A001	Solid Sodding (Bermuda)	1,000	SQYD
656A010	Mulching	3	Acre
665G000	Sand Bags	50	Each
665J002	Silt Fence	3,500	LF
665O001	Silt Fence Removal	3,500	LF
665Q002	Wattle	600	LF
666A001	Pest Control Treatment	3	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 121,600.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	50	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	22	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	14	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	2,576	LF
701C000	Broken Temporary Traffic Stripe	41	Mile
701C001	Solid Temporary Traffic Stripe	163	Mile
703A002	Traffic Control Markings, Class 2, Type A	5,827	SQFT
703B002	Traffic Control Legends, Class 2, Type A	1,085	SQFT

Item No.	Description	Quantity	Units
703D001	Temporary Traffic Control Markings	2,816	SQFT
703E001	Temporary Traffic Control Legends	1,085	SQFT
703H000	Specialty Traffic Control Markings	10	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	599	Each
705A032	Pavement Markers, Class A-H, Type 1-B	1,186	Each
705A037	Pavement Markers, Class A-H, Type 2-D	1,572	Each
705A038	Pavement Markers, Class A-H, Type 2-E	494	Each
740B000	Construction Signs	1,431	SQFT
740E000	Cones (36 Inches High)	500	Each
740M001	Ballast For Cone	500	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204056**Projects:** STPAA-0188(505)**Letting Date:** December 04, 2020**County:** MOBILE**Contract Time:** 30 Working Days**DBE Goal Percent:** 4.00**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on SR-188 from MP 4.640 to the junction of the Bayou La Batre - Irvington Highway in Bayou La Batre. Length 3.845 mi.

The Bracket Estimate on this project is from \$738,956 to \$903,169 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$7.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
405A000	Tack Coat	7,254	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	5	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	72,540	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	5,835	Ton
424A363	Superpave Bituminous Concrete Wearing Surface Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	50	Ton
424A366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	50	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	151	Ton
428A001	Scoring Bituminous Pavement Surface	8	Mile
600A000	Mobilization	(1.000)	LS
650A000	Topsoil	38	CUYD
652A100	Seeding	1	Acre
656A010	Mulching	1	Acre
665G000	Sand Bags	50	Each
665J002	Silt Fence	50	LF
665O001	Silt Fence Removal	50	LF
665Q002	Wattle	50	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 39,800.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	463	LF
701C000	Broken Temporary Traffic Stripe	8	Mile
701C001	Solid Temporary Traffic Stripe	29	Mile
703A002	Traffic Control Markings, Class 2, Type A	3,019	SQFT
703B002	Traffic Control Legends, Class 2, Type A	189	SQFT
703D001	Temporary Traffic Control Markings	3,019	SQFT
703E001	Temporary Traffic Control Legends	189	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	20	Each
705A032	Pavement Markers, Class A-H, Type 1-B	479	Each
705A037	Pavement Markers, Class A-H, Type 2-D	218	Each
705A038	Pavement Markers, Class A-H, Type 2-E	214	Each
730H001	Loop Wire	4,050	LF

Item No.	Description	Quantity	Units
730L005	2", Non-Metallic, Conduit	200	LF
740B000	Construction Signs	1,231	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	100	Each
740M001	Ballast For Cone	100	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204059 **Projects:** STPAA-HSIP-0008(598)
Letting Date: December 04, 2020 **County:** MACON
Contract Time: 35 Working Days **DBE Goal Percent:** 1.00

Description: for constructing the Safety Widening, Resurfacing, and Traffic Stripe on SR-8 (US-80) from the beginning of the divided 4-Lane Section (MP 167.290) to the end of the divided 4-Lane Section (MP 171.160) in Tuskegee. Length 3.870 mi.

The Bracket Estimate on this project is from \$1,486,872 to \$1,817,288 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	500	Ton
401B101	Bituminous Treatment F (With Polymer Additive)	121,477	SQYD
405A000	Tack Coat	1,222	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	10	Mile
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	9,375	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	766	Ton
424B653	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,604	Ton
428A001	Scoring Bituminous Pavement Surface	16	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	2,004	Ton
600A000	Mobilization	(1.000)	LS
610D003	Filter Blanket, Geotextile	334	SQYD
665G000	Sand Bags	200	Each
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	500	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 87,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	4,831	LF
701C000	Broken Temporary Traffic Stripe	15	Mile
701C001	Solid Temporary Traffic Stripe	32	Mile
703A002	Traffic Control Markings, Class 2, Type A	1,534	SQFT
703B002	Traffic Control Legends, Class 2, Type A	270	SQFT
703D001	Temporary Traffic Control Markings	3,067	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	497	Each
705A032	Pavement Markers, Class A-H, Type 1-B	119	Each
705A037	Pavement Markers, Class A-H, Type 2-D	12	Each
705A038	Pavement Markers, Class A-H, Type 2-E	59	Each

Item No.	Description	Quantity	Units
740B000	Construction Signs	2,148	SQFT
740D000	Channelizing Drums	200	Each
740E000	Cones (36 Inches High)	500	Each
740M001	Ballast For Cone	500	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204060**Projects:** STPAA-HSIP-0068(510)**Letting Date:** December 04, 2020**County:** CHEROKEE**Contract Time:** 35 Working Days**DBE Goal Percent:** 6.00

Description: for constructing the Micro-Milling, Resurfacing, Guardrail Reset, and Traffic Stripe on SR-68 from the junction of SR-9 in Cedar Bluff to the junction of SR-35 in Gaylesville. Length 4.799 mi.

The Bracket Estimate on this project is from \$1,596,557 to \$1,951,348 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$8.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	2,025	LF
206E008	Removing Guardrail End Anchor (All Type)	19	Each
405A000	Tack Coat	14,888	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	7	Mile
408A053	Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick)	18,004	SQYD
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	75,038	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing, Certified Inertial Profiler	1	Each
424A356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	4,039	Ton
424A359	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	150	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	7,678	Ton
424C364	Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
428A001	Scoring Bituminous Pavement Surface	9	Mile
430B043	Aggregate Surfacing (1" Down, Crusher Run)	2,300	Ton
600A000	Mobilization	(1.000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	2,088	LF
630C080	Guardrail End Anchor, Type 20 Series (MASH)	19	Each
631C010	Guardrail Reset	7,713	LF
631E011	Guardrail End Anchor, Type 20 Series, Reset	2	Each
665Q002	Wattle	400	LF
666A001	Pest Control Treatment	1	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 85,800.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	100	LF
701C000	Broken Temporary Traffic Stripe	10	Mile
701C001	Solid Temporary Traffic Stripe	46	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	956	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	956	LF
701H002	Solid Traffic Stripe Removed (Tape)	1,912	LF
703A002	Traffic Control Markings, Class 2, Type A	2,994	SQFT

Item No.	Description	Quantity	Units
703B002	Traffic Control Legends, Class 2, Type A	141	SQFT
703D001	Temporary Traffic Control Markings	1,203	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	34	Each
705A032	Pavement Markers, Class A-H, Type 1-B	160	Each
705A037	Pavement Markers, Class A-H, Type 2-D	474	Each
705A038	Pavement Markers, Class A-H, Type 2-E	30	Each
730H001	Loop Wire	1,200	LF
730I001	Loop Detector Lead-In-Cable	800	LF
730K000	Traffic Signal Junction Box	3	Each
730L005	2", Non-Metallic, Conduit	200	LF
740B000	Construction Signs	1,113	SQFT
740D000	Channelizing Drums	200	Each
740E000	Cones (36 Inches High)	200	Each
740M001	Ballast For Cone	200	Each
740O000	Pilot Car	1	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.

Contract ID: 20201204061 **Projects:** STPAA-HSIP-0075(537), STPAA-0205(510)
Letting Date: December 04, 2020 **County:** MARSHALL
Contract Time: 60 Working Days **DBE Goal Percent:** 5.00

Description: for constructing the Intersection Safety Improvements, Micro-Milling, Resurfacing, and Traffic Stripe on SR-75 from the junction of Strickland Street to the intersection of SR-1 (US-431) (Site 1) and on SR-205 from a point south of the junction of Guinivere Drive (MP 6.670) to the intersection of SR-75 in Albertville (Site 2). Length 4.350 mi.

The Bracket Estimate on this project is from \$2,612,866 to \$3,193,503 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$11.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C002	Removing Concrete Slope Paving	34	SQYD
210A000	Unclassified Excavation	360	CUYD
210D001	Borrow Excavation (Loose Truckbed Measurement)	33	CUYD
405A000	Tack Coat	9,557	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	14	Mile
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	115,220	SQYD
410H000	Material Remixing Device	2	Each
424A280	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E	4,651	Ton
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	4,893	Ton
424B292	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E	76	Ton
424B592	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E	76	Ton
424C284	Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range E	8,500	Ton
424C290	Superpave Bituminous Concrete Base Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range E	76	Ton
424C364	Superpave Bituminous Concrete Base Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	755	Ton
600A000	Mobilization	(1,000)	LS
665Q002	Wattle	1,000	LF
666A001	Pest Control Treatment	2	Acre
698A000	Construction Fuel (Maximum Bid Limited to \$ 139,500.00)	(1,000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	12	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701B063	Dotted, Class 2, Type A Traffic Stripe(Lane Drop 10" Wide)	3,910	LF
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	1,753	LF
701C000	Broken Temporary Traffic Stripe	15	Mile
701C001	Solid Temporary Traffic Stripe	39	Mile
703A002	Traffic Control Markings, Class 2, Type A	14,674	SQFT
703B002	Traffic Control Legends, Class 2, Type A	991	SQFT
703D001	Temporary Traffic Control Markings	7,976	SQFT

Item No.	Description	Quantity	Units
703E001	Temporary Traffic Control Legends	1,084	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	626	Each
705A032	Pavement Markers, Class A-H, Type 1-B	405	Each
705A037	Pavement Markers, Class A-H, Type 2-D	947	Each
705A038	Pavement Markers, Class A-H, Type 2-E	55	Each
730H001	Loop Wire	14,250	LF
730I001	Loop Detector Lead-In-Cable	700	LF
730K000	Traffic Signal Junction Box	2	Each
730L005	2", Non-Metallic, Conduit	250	LF
740B000	Construction Signs	2,805	SQFT
740D000	Channelizing Drums	400	Each
740E000	Cones (36 Inches High)	400	Each
740I002	Warning Lights, Type B	4	Each
740M001	Ballast For Cone	400	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	4	Each

() Item will be bid as lump sum.

Contract ID: 20201204062**Projects:** STPAA-HSIP-0075(538)**Letting Date:** December 04, 2020**County:** BLOUNT**Contract Time:** 60 Working Days**DBE Goal Percent:** 4.00

Description: for constructing the Safety Widening, Micro-Milling, Resurfacing, Safety Improvements, and Traffic Stripe on SR-75 from a point north of the junction of CR-39 to a point south of the junction of Kornegay Road south of Snead. Length 4.409 mi.

The Bracket Estimate on this project is from \$1,533,029 to \$1,873,702 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$3.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206D001	Removing Guardrail	628	LF
206E008	Removing Guardrail End Anchor (All Type)	14	Each
210D001	Borrow Excavation (Loose Truckbed Measurement)	700	CUYD
305A051	Coarse Aggregate, Section 801, For Miscellaneous Use	300	CUYD
327D021	Plant Mix Bituminous Base, Widening, Mix 2	840	Ton
401A006	Bituminous Treatment G	67,830	SQYD
405A000	Tack Coat	7,604	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	5	Mile
408B001	Micro-Milling Existing Pavement (Approximately 1.10" Thru 2.00" Thick)	68,269	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing, Certified Inertial Profiler	1	Each
424A356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range C/D	3,228	Ton
424A369	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	50	Ton
424B002	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size mix, ESAL Range C/D	5,021	Ton
424B654	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
424B658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	500	Ton
428A001	Scoring Bituminous Pavement Surface	8	Mile
600A000	Mobilization	(1,000)	LS
610C000	Loose Riprap, Class 1	50	Ton
610D003	Filter Blanket, Geotextile	100	SQYD
630A001	Steel Beam Guardrail, Class A, Type 2	648	LF
630C001	Guardrail End Anchor, Type 8	5	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	9	Each
631C010	Guardrail Reset	4,197	LF
650A000	Topsoil	280	CUYD
652A100	Seeding	1	Acre
654A001	Solid Sodding (Bermuda)	1,050	SQYD
656A010	Mulching	1	Acre
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665G000	Sand Bags	250	Each
665J002	Silt Fence	500	LF

Item No.	Description	Quantity	Units
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	2,500	LF
698A000	Construction Fuel (Maximum Bid Limited to \$ 95,000.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	9	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	6	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	3	Mile
701C000	Broken Temporary Traffic Stripe	5	Mile
701C001	Solid Temporary Traffic Stripe	29	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	1,320	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	1,320	LF
701H002	Solid Traffic Stripe Removed (Tape)	2,640	LF
703A002	Traffic Control Markings, Class 2, Type A	656	SQFT
703D001	Temporary Traffic Control Markings	470	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	104	Each
705A037	Pavement Markers, Class A-H, Type 2-D	324	Each
740B000	Construction Signs	905	SQFT
740E000	Cones (36 Inches High)	16	Each
740M001	Ballast For Cone	16	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204064 **Projects:** STPAA-HSIP-0241(502)
Letting Date: December 04, 2020 **County:** MARION
Contract Time: 55 Working Days **DBE Goal Percent:** 3.00

Description: for constructing the Safety Widening, Micro-Milling, Resurfacing, and Traffic Stripe on SR-241 from the junction of CR-143 to MP 11.086 south of the junction of SR-172 in Bear Creek. Length 4.542 mi.

The Bracket Estimate on this project is from \$2,325,764 to \$2,842,600 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$11.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C010	Removing Concrete Driveway	24	SQYD
206D001	Removing Guardrail	825	LF
206E008	Removing Guardrail End Anchor (All Type)	8	Each
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	3,059	Ton
405A000	Tack Coat	21,772	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	5	Mile
408B000	Micro-Milling Existing Pavement (Approximately 0.00" Thru 1.00" Thick)	64,201	SQYD
410H000	Material Remixing Device	1	Each
410I000	Smoothness Testing, Certified Inertial Profiler	1	Each
424A336	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B	4,113	Ton
424A339	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 3/8" Maximum Aggregate Size Mix, ESAL Range A/B	77	Ton
424B634	Superpave Bituminous Concrete Upper Binder Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	5,142	Ton
424B670	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range A/B	1,542	Ton
424B672	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	5,829	Ton
424B677	Superpave Bituminous Concrete Lower Binder Layer, Widening, 1" Maximum Aggregate Size Mix, ESAL Range A/B	1,851	Ton
428A001	Scoring Bituminous Pavement Surface	14	Mile
433A000	Scrub Seal	65,768	SQYD
600A000	Mobilization	(1.000)	LS
630A001	Steel Beam Guardrail, Class A, Type 2	775	LF
630C003	Guardrail End Anchor, Type 13	4	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	4	Each
665J002	Silt Fence	660	LF
665O001	Silt Fence Removal	660	LF
665Q002	Wattle	500	LF
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 123,025.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	10	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701C000	Broken Temporary Traffic Stripe	6	Mile
701C001	Solid Temporary Traffic Stripe	95	Mile
701G146	Solid White, Class W, Type A Traffic Stripe (5"Wide)	566	LF

Item No.	Description	Quantity	Units
701G150	Broken Yellow, Class W, Type A Traffic Stripe (5" Wide)	283	LF
701G154	Solid Yellow, Class W, Type A Traffic Stripe (5" Wide)	283	LF
701H002	Solid Traffic Stripe Removed (Tape)	849	LF
701H007	Broken Traffic Stripe Removed (Tape)	283	LF
703A002	Traffic Control Markings, Class 2, Type A	276	SQFT
703D001	Temporary Traffic Control Markings	702	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	136	Each
705A032	Pavement Markers, Class A-H, Type 1-B	83	Each
705A037	Pavement Markers, Class A-H, Type 2-D	523	Each
740B000	Construction Signs	1,310	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	25	Each
740M001	Ballast For Cone	25	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204068**Projects:** STPBH-7073(602)**Letting Date:** December 04, 2020**County:** JEFFERSON**Contract Time:** 150 Working Days**DBE Goal Percent:** 10.00

Description: for constructing the Roadway Widening (Grading, Drainage, Pavement, Traffic Signals, and Traffic Stripe) on SR-7 (US-11) from the intersection of Chalkville Road to the Cahaba River Bridge in Trussville. Length 0.492 mi.

The Bracket Estimate on this project is from \$2,724,184 to \$3,329,558 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$42.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 4 Acres)	(1.000)	LS
206C000	Removing Concrete Sidewalk	1,326	SQYD
206C001	Removing Concrete Pavement	79	SQYD
206C003	Removing Concrete Flumes	12	SQYD
206C010	Removing Concrete Driveway	139	SQYD
206D000	Removing Pipe	1,178	LF
206D002	Removing Curb	1,065	LF
206D003	Removing Curb And Gutter	3,729	LF
206D005	Removing Gutter	1,627	LF
206D008	Removing Retaining Wall	64	LF
206E000	Removing Headwalls	4	Each
206E001	Removing Inlets	9	Each
210A000	Unclassified Excavation	950	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	1,898	CUYD
214A000	Structure Excavation	3,864	CUYD
214B001	Foundation Backfill, Commercial	935	CUYD
305A051	Coarse Aggregate, Section 801, For Miscellaneous Use	1,070	CUYD
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	200	Ton
405A000	Tack Coat	1,860	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	3	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	15,757	SQYD
410H000	Material Remixing Device	1	Each
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	1,618	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	501	Ton
424B655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Maximum Aggregate Size Mix, ESAL Range C/D	200	Ton
424B658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	3,689	Ton
424B680	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	405	Ton
424C360	Superpave Bituminous Concrete Base Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	985	Ton
530A001	18" Roadway Pipe (Class 3 R.C.)	1,855	LF
530A002	24" Roadway Pipe (Class 3 R.C.)	541	LF
530A003	30" Roadway Pipe (Class 3 R.C.)	647	LF

Item No.	Description	Quantity	Units
530A004	36" Roadway Pipe (Class 3 R.C.)	60	LF
530A005	42" Roadway Pipe (Class 3 R.C.)	16	LF
530A101	18" Roadway Pipe (Class 3 R.C.) (Extension)	42	LF
530B003	36" Span, 23" Rise Roadway Pipe (Class 3 R.C.)	80	LF
534E001	Cleaning Existing Pipe (Less Than Or Equal To 48" Horizontal Opening)	442	LF
534F000	Cleaning Existing Culvert (Greater Than 48" Horizontal Opening)	54	LF
534F001	Cleaning Existing Pipe (Greater Than 48" Horizontal Opening)	234	LF
600A000	Mobilization	(1.000)	LS
602A000	Right Of Way Markers	32	Each
603A002	Furnishing Type 3 Field Office	1	Each
610C001	Loose Riprap, Class 2	35	Ton
610D003	Filter Blanket, Geotextile	280	SQYD
618A000	Concrete Sidewalk, 4" Thick	1,863	SQYD
618B003	Concrete Driveway, 6" Thick (Includes Wire Mesh)	90	SQYD
618C001	Detectable Warning Surface	120	SQFT
618D000	Curb Ramp	134	SQYD
619A003	24" Roadway Pipe End Treatment, Class 1	1	Each
619A004	30" Roadway Pipe End Treatment, Class 1	1	Each
619A005	36" Roadway Pipe End Treatment, Class 1	2	Each
621A011	Junction Boxes, Type 1 Or 1P	5	Each
621A019	Junction Boxes, Type 1 Or 2P	2	Each
621A031	Junction Boxes, Type 1 (Special)	2	Each
621A034	Junction Boxes, Type 4 (Modified)	1	Each
621B012	Junction Box Units, Type 1 (Special)	1	Each
621B014	Junction Box Units, Type 1 Or 2P	2	Each
621B025	Junction Box Units, Type 4 (Modified)	1	Each
621C015	Inlets, Type S1 Or S3 (1 Wing)	22	Each
621C016	Inlets, Type S2 Or S4 (1 Wing)	2	Each
621C017	Inlets, Type S1 Or S3 (2 Wing)	3	Each
621C100	Inlets, Type PR	5	Each
621C109	Inlets, Type PD	4	Each
621C110	Inlets, Type PD-6	1	Each
621C111	Inlets, Type PB	6	Each
621D015	Inlet Units, Type S1 Or S3	14	Each
621D016	Inlet Units, Type S2 Or S4	3	Each
621D037	Inlet Units, Type PB	2	Each
623A000	Concrete Gutter	750	LF
623B000	Concrete Curb, Type N	443	LF
623B001	Concrete Curb, Type N Special	43	LF
623C000	Combination Curb & Gutter, Type C	4,353	LF
650A000	Topsoil	635	CUYD
652A100	Seeding	2	Acre
652C000	Mowing	2	Acre
654A001	Solid Sodding (Bermuda)	6,005	SQYD
656A010	Mulching	2	Acre
659C007	Erosion Control Product, Type C8	312	SQYD

Item No.	Description	Quantity	Units
665A000	Temporary Seeding	2	Acre
665B001	Temporary Mulching	12	Ton
665E000	Polyethylene	500	SQYD
665G000	Sand Bags	500	Each
665I000	Temporary Riprap, Class 2	150	Ton
665J002	Silt Fence	2,550	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	200	Ton
665O001	Silt Fence Removal	2,550	LF
665P005	Inlet Protection, Stage 3 Or 4	51	Each
665Q002	Wattle	100	LF
666A001	Pest Control Treatment	2	Acre
672C100	Flocculant Application, Ditch Check	40	Each
674A000	Construction Safety Fence	500	LF
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 259,300.00)	(1.000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	2	Mile
701A239	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701A244	Broken Yellow, Class 2, Type A Traffic Stripe (5" Wide)	1	Mile
701B207	Dotted, Class 2, Type A Traffic Stripe (5" Wide)	954	LF
701C002	Broken Temporary Traffic Stripe (Paint)	5	Mile
701C003	Solid Temporary Traffic Stripe (Paint)	9	Mile
701D007	Solid Traffic Stripe Removed (Paint)	2	Mile
701F001	Dotted Temporary Traffic Stripe (Paint)	1,561	LF
701H005	Broken Traffic Stripe Removed (Paint)	4,439	LF
701H010	Dotted Traffic Stripe Removed (Paint)	85	LF
703A002	Traffic Control Markings, Class 2, Type A	2,190	SQFT
703B002	Traffic Control Legends, Class 2, Type A	157	SQFT
703C000	Removal Of Existing Traffic Control Markings Or Legends (Paint)	300	SQFT
703D002	Temporary Traffic Control Markings (Paint)	716	SQFT
705A011	Pavement Markers, Class C, Type 1-A	27	Each
705A012	Pavement Markers, Class C, Type 1-B	210	Each
705A023	Pavement Markers, Class C, Type 2-D	98	Each
705A024	Pavement Markers, Class C, Type 2-E	103	Each
705A030	Pavement Markers, Class A-H, Type 2-C	45	Each
705A031	Pavement Markers, Class A-H, Type 1-A	40	Each
705A032	Pavement Markers, Class A-H, Type 1-B	64	Each
705A037	Pavement Markers, Class A-H, Type 2-D	90	Each
705A038	Pavement Markers, Class A-H, Type 2-E	32	Each
707B003	Type A Hazard Marker Installation	1	Each
710A160	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)	47	SQFT
710A170	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)	36	SQFT
710A185	Class 6 Aluminum Flat Sign Panels 0.125" Thick (Type IV or XI Background)	31	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	254	LF
726A000	Portable Concrete Safety Barriers, Type 6	150	LF

Item No.	Description	Quantity	Units
726A001	Portable Concrete Safety Barriers, Type 6-A	20	LF
726D020	Portable Impact Attenuator Assembly (Unidirectional,TL-2)	2	Each
730A000	Removal Of Existing Traffic Control Unit (US-11 at Parkway Drive)	(1.000)	LS
730C000	Furnishing And Installing Traffic Control Unit (US-11 at Parkway Drive)	(1.000)	LS
730E000	Metal Traffic Signal Pole Foundation	2	Each
730F000	Metal Traffic Signal Pole With 45' and 50' Arms	1	Each
730F001	Metal Traffic Signal Pole With 45' and 60' Arms	1	Each
730K000	Traffic Signal Junction Box	5	Each
730L002	1", Metallic, Conduit	25	LF
730L003	1", Non-Metallic, Conduit	55	LF
730L005	2", Non-Metallic, Conduit	335	LF
730N000	Luminaire Extension Assembly, 12'	2	Each
730N010	Luminaire Extension Assembly, 15'	2	Each
730P022	Vehicular Signal Head, 12 Inch, 3 Section, Type LED	8	Each
730P023	Vehicular Signal Head, 12 Inch, 4 Section, Type LED	2	Each
730Q011	Pedestrian Signal Head, Type LED	2	Each
730R022	Controller Assembly, Type III, 8 Phase	1	Each
730U015	Video Detection System (US-11 at Parkway Drive)	(1.000)	LS
740B000	Construction Signs	912	SQFT
740D000	Channelizing Drums	230	Each
740E000	Cones (36 Inches High)	75	Each
740F002	Barricades, Type III	12	Each
740M001	Ballast For Cone	75	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each
742A001	Portable Changeable Message Sign, Type 2	2	Each
756A028	6" Electrical Conduit, 1 Line, Type 5 Installation	125	LF
999 000	Trainee Hours At 80 Cents Per Hour	720	HOUR

() Item will be bid as lump sum.

Contract ID: 20201204071**Projects:** STPMN-2620(252)**Letting Date:** December 04, 2020**County:** ELMORE**Contract Time:** 175 Working Days**DBE Goal Percent:** 11.00

Description: for constructing the Intersection Improvements with Roundabout on Online Street at Company Street to include constructing the Sidewalk Installation, Pedestrian Lighting, and Landscape Improvements on Company Street from the junction of East Bridge Street to the junction of Online Street; on Online Street from the junction of Company Street to the junction of Hill Street; and on Hill Street from the junction of Online Street to the junction of East Bridge Street in Wetumpka. Length 0.116 mi.

The Bracket Estimate on this project is from \$1,082,487 to \$1,323,040 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$16.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	1,023	SQYD
206C010	Removing Concrete Driveway	53	SQYD
206C021	Removing Concrete Steps	107	SQYD
206D000	Removing Pipe	286	LF
206D002	Removing Curb	523	LF
206D003	Removing Curb And Gutter	243	LF
206D005	Removing Gutter	68	LF
206E001	Removing Inlets	8	Each
206E002	Removing Junction Boxes	1	Each
206E036	Removing Brick Planter	1	Each
210A000	Unclassified Excavation	656	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	459	CUYD
214A000	Structure Excavation	534	CUYD
214B001	Foundation Backfill, Commercial	144	CUYD
250B002	Disposal Of Hydrocarbon Contaminated Soil (Specialty Item)	50	CUYD
250C000	Underground Storage Tank Removal (Specialty Item)	1	Each
250N000	Removal/Disposal Of Tank Contents (Sludge) (Specialty Item)	500	Gal
305A052	Selected Materials, Section 820, Local Sand	100	CUYD
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	786	Ton
401A000	Bituminous Treatment A	1,790	SQYD
405A000	Tack Coat	287	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	882	SQYD
424A280	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range E	148	Ton
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	80	Ton
424B636	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	224	Ton
424B639	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	100	Ton
424B643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	150	Ton
424B666	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range A/B	224	Ton

Item No.	Description	Quantity	Units
517D001	Aluminum Sidewalk Handrail	355	LF
530A001	18" Roadway Pipe (Class 3 R.C.)	258	LF
530A002	24" Roadway Pipe (Class 3 R.C.)	242	LF
539A002	8 Inch Trench Drain	25	LF
600A000	Mobilization	(1.000)	LS
605B001	Special Underdrain Outlet, Type B	1	Each
606A012	6" Underdrain Pipe, Type 8	170	LF
610D003	Filter Blanket, Geotextile	250	SQYD
613F000	Brick Paving	2,942	SQFT
614A000	Slope Paving	24	CUYD
618A000	Concrete Sidewalk, 4" Thick	1,211	SQYD
618C001	Detectable Warning Surface	172	SQFT
618D000	Curb Ramp	65	SQYD
620A000	Minor Structure Concrete	12	CUYD
621C008	Inlets, Type E	1	Each
621C015	Inlets, Type S1 Or S3 (1 Wing)	2	Each
621C017	Inlets, Type S1 Or S3 (2 Wing)	1	Each
621C030	Inlets, Type "Special"	1	Each
621C076	Inlets, Type E (Modified)	2	Each
621C100	Inlets, Type PR	1	Each
621C109	Inlets, Type PD	1	Each
621D008	Inlet Units, Type E	2	Each
621D015	Inlet Units, Type S1 Or S3	1	Each
621D109	Inlet Units, Type PD	1	Each
621E001	Manholes, Type M	4	Each
621F002	Manhole Units, Type M	1	Each
623B000	Concrete Curb, Type N	218	LF
623B001	Concrete Curb, Type N Special	97	LF
623B002	Concrete Curb, Type A	584	LF
623C003	Combination Curb & Gutter, Type C (Modified)	737	LF
623C011	Combination Curb & Gutter, Type M-10 (Machine Laid)	227	LF
641A614	8 Inch Ductile Iron Water Main Laid	20	LF
641A618	12 Inch Ductile Iron Water Main Laid	10	LF
641A740	2 Inch P.V.C. Water Main Laid	10	LF
641C500	Ductile Iron Fittings	168	LB
641E500	Fire Hydrant Reset	2	Each
641M506	2 Inch Retainer Gland	2	Each
641M514	8 Inch Retainer Gland	4	Each
641M518	12 Inch Retainer Gland	2	Each
641Q510	3/4 Inch Water Meter And Box Set	7	Each
641S500	Valve Box Reset	10	Each
645K500	Manhole Frame And Cover Reset	4	Each
650A000	Topsoil	100	CUYD
654A007	Solid Sodding (Tifway 419 Hybrid Bermuda, Cynadon Hybrid 'Tifway 419')	603	SQYD
660C050	Shrubs, Ilex Cornuta Carissa (Carissa Holly)	51	Each
660C074	Shrubs, Liriope Muscari (Big Blue Liriope)	576	Each

Item No.	Description	Quantity	Units
660C205	Shrubs, Miscanthus Sinensis 'Adagio'	31	Each
660C283	Shrubs, Rosa 'Meigalpio' (Red Drift Rose)	25	Each
660D152	Trees, Lagerstroemia Indica X Fauriei 'Natchez' (Natchez Crapeyrtle)	12	Each
660D221	Trees, Ulmus Americana 'Princeton' Princeton Elm	6	Each
660J000	Plant Mulch	100	CUYD
665E000	Polyethylene	500	SQYD
665G000	Sand Bags	200	Each
665J002	Silt Fence	350	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	100	Ton
665O001	Silt Fence Removal	350	LF
665P005	Inlet Protection, Stage 3 Or 4	16	Each
674A000	Construction Safety Fence	500	LF
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 65,000.00)	(1.000)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	1	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	1	Mile
701E006	Solid Temporary Traffic Stripe (Removable Tape)	980	LF
701G240	Broken White, Class 2, Type A Traffic Stripe	365	LF
701H001	Solid Traffic Stripe Removed (Plastic)	150	LF
701H006	Broken Traffic Stripe Removed (Plastic)	365	LF
703A002	Traffic Control Markings, Class 2, Type A	992	SQFT
703B002	Traffic Control Legends, Class 2, Type A	123	SQFT
703C001	Removal Of Existing Traffic Control Markings Or Legends (Plastic)	386	SQFT
703H000	Specialty Traffic Control Markings	8	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	41	Each
705A038	Pavement Markers, Class A-H, Type 2-E	20	Each
710A160	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)	20	SQFT
710A165	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background, Fluorescent)	66	SQFT
710A170	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)	102	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	364	LF
710C000	Removal Of Existing Roadway Signs	(1.000)	LS
740B000	Construction Signs	562	SQFT
740C000	Special Construction Signs 13.63%	34	SQFT
740D000	Channelizing Drums	25	Each
740F002	Barricades, Type III	28	Each
750Z220	Roadway Lighting	(1.000)	LS
787A000	Irrigation System	(1.000)	LS

() Item will be bid as lump sum.

Contract ID: 20201204074**Projects:** STPOA-0815(261)**Letting Date:** December 04, 2020**County:** CALHOUN**Contract Time:** 75 Working Days**DBE Goal Percent:** 3.00**Description:** for constructing the Planing, Resurfacing, and Traffic Stripe on Church Avenue from the junction of SR-21 to the junction of 11th Street in Jacksonville. Length 3.324 mi.

The Bracket Estimate on this project is from \$1,135,555 to \$1,387,900 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$20.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
206C000	Removing Concrete Sidewalk	330	SQYD
206C010	Removing Concrete Driveway	26	SQYD
206C021	Removing Concrete Steps	3	SQYD
206C023	Removing Riprap	32	SQYD
206D000	Removing Pipe	20	LF
206D003	Removing Curb And Gutter	327	LF
206D008	Removing Retaining Wall	241	LF
210A000	Unclassified Excavation	100	CUYD
210D001	Borrow Excavation (Loose Truckbed Measurement)	150	CUYD
214A000	Structure Excavation	96	CUYD
214B001	Foundation Backfill, Commercial	36	CUYD
405A000	Tack Coat	6,829	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	4	Mile
408A051	Planing Existing Pavement (Approximately 0.00" Thru 1.0" Thick)	795	SQYD
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	30,698	SQYD
424A346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	5,264	Ton
424A349	Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	100	Ton
424B639	Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B	526	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	275	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	50	Ton
517D000	Sidewalk Handrail	180	LF
529A012	Retaining Wall(MSE)	1,633	SQFT
533A099	24" Storm Sewer Pipe (Class 3 R.C.)	109	LF
600A000	Mobilization	(1.000)	LS
610C000	Loose Riprap, Class 1	9	Ton
610D003	Filter Blanket, Geotextile	73	SQYD
614A000	Slope Paving	3	CUYD
618A000	Concrete Sidewalk, 4" Thick	505	SQYD
618B003	Concrete Driveway, 6" Thick (Includes Wire Mesh)	16	SQYD
618C000	Truncated Dome Retrofit	72	SQFT
621C024	Inlets, Type C Or P1	3	Each
621D033	Inlet Units, Type C Or P1	4	Each
623C000	Combination Curb & Gutter, Type C	335	LF

Item No.	Description	Quantity	Units
634A014	Industrial Fence, 4 Feet High (P.V.C. Coated)	290	LF
641S500	Valve Box Reset	12	Each
645K500	Manhole Frame And Cover Reset	11	Each
650A000	Topsoil	200	CUYD
652A100	Seeding	1	Acre
654A001	Solid Sodding (Bermuda)	354	SQYD
656A010	Mulching	1	Acre
659C006	Erosion Control Product, Type C6	219	SQYD
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665G000	Sand Bags	250	Each
665J002	Silt Fence	500	LF
665O001	Silt Fence Removal	500	LF
665Q002	Wattle	250	LF
674A000	Construction Safety Fence	600	LF
680A001	Geometric Controls	(1,000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 60,000.00)	(1,000)	LS
701A227	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	5	Mile
701A230	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	8	Mile
701C001	Solid Temporary Traffic Stripe	39	Mile
703A002	Traffic Control Markings, Class 2, Type A	2,988	SQFT
703D001	Temporary Traffic Control Markings	5,976	SQFT
703H000	Specialty Traffic Control Markings	1,625	SQFT
705A037	Pavement Markers, Class A-H, Type 2-D	439	Each
705A038	Pavement Markers, Class A-H, Type 2-E	18	Each
710A150	Class 9, Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)	45	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	65	LF
740B000	Construction Signs	824	SQFT
740D000	Channelizing Drums	150	Each
740E000	Cones (36 Inches High)	100	Each
740G000	Barricades, Type I, (Portable, 24 Inches Wide)	12	Each
740M001	Ballast For Cone	100	Each
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204075**Projects:** STPOA-0815(263)**Letting Date:** December 04, 2020**County:** CALHOUN**Contract Time:** 60 Working Days**DBE Goal Percent:** 9.00**Description:** for constructing the Roundabout Installation on CR-109 (Bynum Leatherwood Road) at the intersection of Old Gadsden Highway in Blue Mountain. Length 0.178 mi.

The Bracket Estimate on this project is from \$769,174 to \$940,102 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$24.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 2 Acres)	(1.000)	LS
206C008	Removing Concrete Median	290	SQYD
206D000	Removing Pipe	26	LF
206E000	Removing Headwalls	1	Each
206E008	Removing Guardrail End Anchor (All Type)	1	Each
210A000	Unclassified Excavation	1,316	CUYD
210D001	Borrow Excavation (Loose Truckbed Measurement)	2,312	CUYD
214A000	Structure Excavation	7	CUYD
214B001	Foundation Backfill, Commercial	4	CUYD
301A012	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness	1,656	SQYD
305B071	Coarse Aggregate, Section 801, For Miscellaneous Use	200	Ton
401A000	Bituminous Treatment A	1,573	SQYD
405A000	Tack Coat	250	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	4,888	SQYD
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	386	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	192	Ton
424B658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	775	Ton
424B680	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	209	Ton
424B684	Superpave Bituminous Concrete Lower Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	200	Ton
430B043	Aggregate Surfacing (1" Down, Crusher Run)	100	Ton
450A019	Plain Cement Concrete Pavement, 10 Inches Thick	427	SQYD
530A103	30" Roadway Pipe (Class 3 R.C.) (Extension)	13	LF
535A001	18" Side Drain Pipe	34	LF
600A000	Mobilization	(1.000)	LS
602A000	Right Of Way Markers	2	Each
606A000	6" Underdrain Pipe	200	LF
610A004	Loose Riprap, Class 2, 24" Thick	36	SQYD
610D003	Filter Blanket, Geotextile	283	SQYD
614A000	Slope Paving	183	CUYD
619A054	30" Roadway Pipe End Treatment, Class 2	1	Each
619A126	18" Side Drain Pipe End Treatment, Class 2	2	Each

Item No.	Description	Quantity	Units
620A000	Minor Structure Concrete	1	CUYD
623A007	Concrete Gutter (Type Special)	327	LF
623B001	Concrete Curb, Type N Special	132	LF
623B002	Concrete Curb, Type A	214	LF
623C000	Combination Curb & Gutter, Type C	1,083	LF
630A001	Steel Beam Guardrail, Class A, Type 2	200	LF
630C001	Guardrail End Anchor, Type 8	1	Each
630C080	Guardrail End Anchor, Type 20 Series (MASH)	4	Each
641E500	Fire Hydrant Reset	1	Each
650B000	Topsoil From Stockpiles	356	CUYD
652A100	Seeding	1	Acre
652C000	Mowing	1	Acre
654A000	Solid Sodding	502	SQYD
656A010	Mulching	1	Acre
659C000	Erosion Control Product, Type S4	2,668	SQYD
659C001	Erosion Control Product, Type S3	348	SQYD
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665F000	Hay Bales	395	Each
665J002	Silt Fence	828	LF
665N001	Temporary Coarse Aggregate,ALDOT Number 4	110	Ton
665O001	Silt Fence Removal	828	LF
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 39,600.00)	(1.000)	LS
701C001	Solid Temporary Traffic Stripe	1	Mile
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	2,607	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	3,173	LF
701H001	Solid Traffic Stripe Removed (Plastic)	6,609	LF
703A002	Traffic Control Markings, Class 2, Type A	1,534	SQFT
703B002	Traffic Control Legends, Class 2, Type A	99	SQFT
703C001	Removal Of Existing Traffic Control Markings Or Legends (Plastic)	98	SQFT
703D001	Temporary Traffic Control Markings	45	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	263	Each
705A038	Pavement Markers, Class A-H, Type 2-E	133	Each
710A160	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)	16	SQFT
710A170	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)	97	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	224	LF
730A000	Removal Of Existing Traffic Control Unit (Bynum Leatherwood Road at Old Gadsden Highway)	(1.000)	LS
740B000	Construction Signs	482	SQFT
740C000	Special Construction Signs	44	SQFT
740D000	Channelizing Drums	100	Each
740E000	Cones (36 Inches High)	50	Each
740F002	Barricades, Type III	5	Each
740M001	Ballast For Cone	50	Each

Item No.	Description	Quantity	Units
750B601	Roadway Luminaire Assembly with One, LED, 250 Watt Equivalent Luminaire	8	Each
750C010	Pole Foundation,Roadway	8	Each
750D200	Electrical Junction Box,Type 1	4	Each
750E115	Conduit,2 Inch,Rigid Nonmetallic	100	LF
750F024	Conductor, #6 AWG	50	LF
750F026	Conductor, #2 AWG	100	LF
750G010	Combined Duct And Cable,2 #6 AWG/ 1 #6 AWG GND	1,800	LF
750H005	Service Pole	1	Each
750I015	Lighting Control Center	1	Each
751L002	Remove Lighting Control Center, 6 Circuit	1	Each
751L025	Remove Roadway Luminaire Assembly	4	Each
751M000	Remove Conductors	(1.000)	LS
756A022	4" Electrical Conduit, 1 Line, Type 5 Installation	205	LF

() Item will be bid as lump sum.

Contract ID: 20201204076**Projects:** STPOA-1720(250)**Letting Date:** December 04, 2020**County:** COLBERT**Contract Time:** 30 Working Days**DBE Goal Percent:** 4.00**Description:** for constructing the Resurfacing and Traffic Stripe on CR-55 (Woodmont Drive) from the junction of Ponderosa Drive to the South City Limits of Tuscumbia. Length 5.475 mi.

The Bracket Estimate on this project is from \$889,965 to \$1,087,735 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$5.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
401A006	Bituminous Treatment G	84,670	SQYD
405A000	Tack Coat	2,540	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	6	Mile
424A340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	6,361	Ton
424B642	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B	500	Ton
430B047	Aggregate Surfacing (3/4" Down,Crusher Run)	1,590	Ton
600A000	Mobilization	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 47,000.00)	(1.000)	LS
701A231	Solid White, Class 2, Type A Traffic Stripe	11	Mile
701A235	Solid Yellow, Class 2, Type A Traffic Stripe	7	Mile
701A245	Broken Yellow, Class 2, Type A Traffic Stripe	5	Mile
701B205	Dotted, Class 2, Type A, Traffic Stripe	120	LF
701C000	Broken Temporary Traffic Stripe	10	Mile
701C001	Solid Temporary Traffic Stripe	14	Mile
703A002	Traffic Control Markings, Class 2, Type A	640	SQFT
703B002	Traffic Control Legends, Class 2, Type A	162	SQFT
703D001	Temporary Traffic Control Markings	640	SQFT
705A032	Pavement Markers, Class A-H, Type 1-B	145	Each
705A037	Pavement Markers, Class A-H, Type 2-D	500	Each
740B000	Construction Signs	470	SQFT
740O000	Pilot Car	1	Each

() Item will be bid as lump sum.

Contract ID: 20201204081**Projects:** ATRP2-26-2020-026-3**Letting Date:** December 04, 2020**County:** ELMORE**Contract Time:** 35 Working Days**DBE Goal Percent:** 3.00**Description:** for constructing the Left Turn Lane Installation (Planing, Resurfacing, Traffic Signals, and Traffic Stripe) on SR-143 at Cobbs Ford Road in Millbrook. Length 0.224 mi.

The Bracket Estimate on this project is from \$356,594 to \$435,838 .

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$14.00 per set.

The Principal Items of work are approximately as follows:

Item No.	Description	Quantity	Units
201A002	Clearing And Grubbing (Maximum Allowable Bid \$ 4,000.00 Per Acre) (Approximately 1 Acre)	(1.000)	LS
206D000	Removing Pipe	4	LF
206D002	Removing Curb	249	LF
206E000	Removing Headwalls	1	Each
210A000	Unclassified Excavation	87	CUYD
210D021	Borrow Excavation (Loose Truckbed Measurement)(A4 or Better)	28	CUYD
214A000	Structure Excavation	11	CUYD
214B001	Foundation Backfill, Commercial	17	CUYD
305B077	Crushed Aggregate, Section 825, For Miscellaneous Use	175	Ton
401A000	Bituminous Treatment A	691	SQYD
405A000	Tack Coat	1,036	Gal
407B000	Joint Sealant For Hot Mix Asphalt Pavement	1	Mile
408A052	Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick)	9,901	SQYD
424A360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	855	Ton
424B650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D	58	Ton
424B653	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	50	Ton
424B657	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D	50	Ton
424B681	Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D	83	Ton
530B002	29" Span, 18" Rise Roadway Pipe (Class 3 R.C.)	26	LF
600A000	Mobilization	(1.000)	LS
610D003	Filter Blanket, Geotextile	190	SQYD
619B017	29" Span, 18" Rise Roadway Pipe End Treatment, Class 1	1	Each
621B011	Junction Box Units, Type 1 Or 1P	1	Each
623C000	Combination Curb & Gutter, Type C	197	LF
650A000	Topsoil	52	CUYD
652C000	Mowing	1	Acre
654A000	Solid Sodding	530	SQYD
656A010	Mulching	1	Acre
665A000	Temporary Seeding	1	Acre
665B001	Temporary Mulching	3	Ton
665J002	Silt Fence	680	LF
665N000	Temporary Coarse Aggregate,ALDOT Number 1	100	Ton

Item No.	Description	Quantity	Units
665O001	Silt Fence Removal	680	LF
665Q002	Wattle	120	LF
666A001	Pest Control Treatment	1	Acre
680A001	Geometric Controls	(1.000)	LS
698A000	Construction Fuel (Maximum Bid Limited to \$ 18,000.00)	(1.000)	LS
701C000	Broken Temporary Traffic Stripe	2	Mile
701C001	Solid Temporary Traffic Stripe	5	Mile
701G242	Broken White, Class 2, Type A Traffic Stripe (5" Wide)	2,590	LF
701G253	Solid White, Class 2, Type A Traffic Stripe (5" Wide)	2,990	LF
701G265	Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide)	4,700	LF
703A002	Traffic Control Markings, Class 2, Type A	2,935	SQFT
703B002	Traffic Control Legends, Class 2, Type A	90	SQFT
703D001	Temporary Traffic Control Markings	920	SQFT
705A030	Pavement Markers, Class A-H, Type 2-C	67	Each
705A032	Pavement Markers, Class A-H, Type 1-B	237	Each
705A037	Pavement Markers, Class A-H, Type 2-D	14	Each
705A038	Pavement Markers, Class A-H, Type 2-E	119	Each
710A160	Class 10 Aluminum Flat Sign Panels 0.08" Thick (Type XI Background)	4	SQFT
710A170	Class 4, Aluminum Flat Sign Panels 0.08" Thick (Type IV Background)	12	SQFT
710B021	Roadway Sign Post (#3 U Channel, Galvanized Steel or 2 ", 14 Ga Square Tubular Steel)	65	LF
710C000	Removal Of Existing Roadway Signs	(1.000)	LS
730A012	Removal Of Existing Traffic Control Unit (Partial) (SR-143 at Cobbs Ford Road)	(1.000)	LS
730C000	Furnishing And Installing Traffic Control Unit (SR-143 at Cobbs Ford Road)	(1.000)	LS
730P022	Vehicular Signal Head, 12 Inch, 3 Section, Type LED	8	Each
730P023	Vehicular Signal Head, 12 Inch, 4 Section, Type LED	2	Each
730R150	Controller Unit, Type III, 8 phase	1	Each
740B000	Construction Signs	674	SQFT
740D000	Channelizing Drums	110	Each
740E000	Cones (36 Inches High)	50	Each
740M001	Ballast For Cone	50	Each
741C010	Portable Sequential Arrow And Chevron Sign Unit	2	Each

() Item will be bid as lump sum.