

**Alabama Department of Transportation
Proposal Item Summary**

041. IM-HSIP-I065(484)

BLOUNT AND JEFFERSON COUNTIES

Contract Time: 230 Working Days

DBE Goal Percent: 4.00

for constructing the Planing, Resurfacing, Guardrail Improvements, and Traffic Stripe on I-65 from the Mount Olive Interchange to 0.780 mile north of the SR-160 Interchange. Length 13.399 mi.

The Bracket Estimate on this project is from \$15,849,454 to \$19,371,555.

A Bidding Proposal may be purchased for \$5.00. Plans may be purchased for \$25.00 per set.

The Principal Items of work are approximately as follows:

| Item No. | Quantity | Units | Description |
|----------|----------|-------|--|
| 206D001 | 14,276 | LF | Removing Guardrail |
| 206E008 | 120 | Each | Removing Guardrail End Anchor (All Type) |
| 206E014 | 4 | Each | Removing Guardrail End Anchor (Type 2A) |
| 210A000 | 31 | CUYD | Unclassified Excavation |
| 210D001 | 6,153 | CUYD | Borrow Excavation (Loose Truckbed Measurement) |
| 305B077 | 5,200 | Ton | Crushed Aggregate, Section 825, For Miscellaneous Use |
| 405A000 | 95,185 | Gal | Tack Coat |
| 407B000 | 55 | Mile | Joint Sealant For Hot Mix Asphalt Pavement |
| 408A052 | 317,689 | SQYD | Planing Existing Pavement (Approximately 1.10" Thru 2.0" Thick) |
| 408A053 | 615,231 | SQYD | Planing Existing Pavement (Approximately 2.10" Thru 3.0" Thick) |
| 410H000 | 1 | Each | Material Remixing Device |
| 420A015 | 27,789 | Ton | Polymer Modified Open Graded Friction Course |
| 420B000 | 111,150 | Gal | Open Graded Friction Course Tack Coat |
| 423A003 | 48,326 | Ton | Stone Matrix Asphalt Wearing Layer, 1/2" Maximum Aggregate Size |
| 424A360 | 29,366 | Ton | Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424A369 | 43 | Ton | Superpave Bituminous Concrete Wearing Surface Layer, Widening, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424B284 | 3,280 | Ton | Superpave Bituminous Concrete Upper Binder Layer, Patching, 3/4" Maximum Aggregate Size Mix, ESAL Range E |
| 424B288 | 75 | Ton | Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Maximum Aggregate Size Mix, ESAL Range E |
| 424B650 | 810 | Ton | Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range C/D |
| 424B681 | 34 | Ton | Superpave Bituminous Concrete Lower Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D |
| 428A001 | 51 | Mile | Scoring Bituminous Pavement Surface |
| 600A000 | 1 | LS | Mobilization |
| 629D003 | 4 | Each | Bridge Guardrail Retrofit, Type SC |
| 630A001 | 14,523 | LF | Steel Beam Guardrail, Class A, Type 2 |
| 630C001 | 45 | Each | Guardrail End Anchor, Type 8 |
| 630C003 | 25 | Each | Guardrail End Anchor, Type 13 |
| 630C080 | 56 | Each | Guardrail End Anchor, Type 20 Series (MASH) |
| 631C010 | 77,737 | LF | Guardrail Reset |
| 650A000 | 2,460 | CUYD | Topsoil |
| 654A000 | 9,620 | SQYD | Solid Sodding |
| 665A000 | 1 | Acre | Temporary Seeding |
| 665B001 | 3 | Ton | Temporary Mulching |
| 665G000 | 2,680 | Each | Sand Bags |
| 665J002 | 7,000 | LF | Silt Fence |
| 665O001 | 7,000 | LF | Silt Fence Removal |

| Item No. | Quantity | Units | Description |
|----------|----------|-------|--|
| 665P005 | 296 | Each | Inlet Protection, Stage 3 Or 4 |
| 665Q002 | 805 | LF | Wattle |
| 666A001 | 1 | Acre | Pest Control Treatment |
| 680A001 | 1 | LS | Geometric Controls |
| 698A000 | 1 | LS | Construction Fuel (Maximum Bid Limited to \$ 830,020.00) |
| 701A227 | 32 | Mile | Solid White, Class 2, Type A Traffic Stripe (5" Wide) |
| 701A230 | 32 | Mile | Solid Yellow, Class 2, Type A Traffic Stripe (5" Wide) |
| 701A239 | 52 | Mile | Broken White, Class 2, Type A Traffic Stripe (5" Wide) |
| 701B027 | 395 | LF | Dotted, Class W, Type A Traffic Stripe (5" Wide) |
| 701B036 | 395 | LF | Dotted Class W, Type B Traffic Stripe, Black (5" Wide) |
| 701B059 | 115 | LF | Dotted, Class W, Type A Traffic Stripe (Lane Drop 10" Wide) |
| 701B063 | 5,911 | LF | Dotted, Class 2, Type A Traffic Stripe (Lane Drop 10" Wide) |
| 701B075 | 115 | LF | Dotted, Class W, Type B Traffic Stripe, Black (Lane Drop 10" Wide) |
| 701B207 | 13,771 | LF | Dotted, Class 2, Type A Traffic Stripe (5" Wide) |
| 701C000 | 104 | Mile | Broken Temporary Traffic Stripe |
| 701C001 | 126 | Mile | Solid Temporary Traffic Stripe |
| 701G142 | 6,758 | LF | Broken White, Class W, Type A Traffic Stripe (5" Wide) |
| 701G146 | 3,818 | LF | Solid White, Class W, Type A Traffic Stripe (5" Wide) |
| 701G154 | 3,818 | LF | Solid Yellow, Class W, Type A Traffic Stripe (5" Wide) |
| 701G161 | 6,758 | LF | Broken Black, Class W, Type B Traffic Stripe (5" Wide) |
| 701H001 | 1,557 | LF | Solid Traffic Stripe Removed (Plastic) |
| 701H002 | 6,078 | LF | Solid Traffic Stripe Removed (Tape) |
| 701H006 | 1,020 | LF | Broken Traffic Stripe Removed (Plastic) |
| 701H007 | 6,308 | LF | Broken Traffic Stripe Removed (Tape) |
| 703A002 | 19,456 | SQFT | Traffic Control Markings, Class 2, Type A |
| 703B002 | 628 | SQFT | Traffic Control Legends, Class 2, Type A |
| 703D001 | 2,052 | SQFT | Temporary Traffic Control Markings |
| 705A030 | 8,023 | Each | Pavement Markers, Class A-H, Type 2-C |
| 705A031 | 2,554 | Each | Pavement Markers, Class A-H, Type 1-A |
| 705A032 | 745 | Each | Pavement Markers, Class A-H, Type 1-B |
| 705A037 | 133 | Each | Pavement Markers, Class A-H, Type 2-D |
| 705A038 | 54 | Each | Pavement Markers, Class A-H, Type 2-E |
| 707G000 | 1,000 | Each | Barrier Rail Mounted Delineator (Mono-Directional) |
| 728A000 | 2 | Each | Truck Mounted Impact Attenuator Unit |
| 730H001 | 9,516 | LF | Loop Wire |
| 731A001 | 6 | Each | Traffic Counting Units, Type B |
| 731A002 | 2 | Each | Traffic Counting Units, Type C |
| 731A004 | 1 | Each | Traffic Counting Units, Type E |
| 740B000 | 6,865 | SQFT | Construction Signs |
| 740C000 | 198 | SQFT | Special Construction Signs |
| 740D000 | 300 | Each | Channelizing Drums |
| 740E000 | 30 | Each | Cones (36 Inches High) |
| 740I002 | 6 | Each | Warning Lights, Type B |
| 740M001 | 30 | Each | Ballast For Cone |
| 741C010 | 4 | Each | Portable Sequential Arrow And Chevron Sign Unit |
| 742A001 | 4 | Each | Portable Changeable Message Sign, Type 2 |